



Certificate of Analysis

COMPLIANCE FOR RETAIL

Sample: DA30425002-007

Harvest/Lot ID: 3377 1160 1565 4874

Batch#: 3377 1160 1565 4874

Cultivation Facility: Tampa Cultivation

Processing Facility : Tampa Processing

Source Facility : Tampa Cultivation

Seed to Sale# 2437 3155 7990 7645

Batch Date: 03/17/23

Sample Size Received: 900 gram

Total Amount: 4265 units

Retail Product Size: 61.7277 gram

Ordered : 04/24/23

Sampled : 04/24/23

Completed: 04/27/23

Sampling Method: SOP.T.20.010

Apr 27, 2023 | FLUENT

82 NE 26th street
Miami, FL, 33137, US



PASSED

Pages 1 of 5


PRODUCT IMAGE



SAFETY RESULTS



Pesticides
PASSED



Heavy Metals
PASSED



Microbials
PASSED



Mycotoxins
PASSED



Residuals Solvents
PASSED



Filtration
PASSED



Water Activity
PASSED



Moisture
NOT TESTED



Terpenes
NOT TESTED

MISC.



Cannabinoid

PASSED



Total THC
0.14%

Total THC/Container : 86.419 mg



Total CBD
ND

Total CBD/Container : 0 mg



Total Cannabinoids
0.147%

Total Cannabinoids/Container : 90.74 mg

	D9-THC	THCA	CBD	CBDA	D8-THC	CBG	CBGA	CBN	THCV	CBDV	CBC
%	0.14	ND	ND	ND	ND	0.004	ND	0.003	ND	ND	ND
mg/unit	86.418	ND	ND	ND	ND	2.469	ND	1.851	ND	ND	ND
LOD	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001
%		%	%	%	%	%	%	%	%	%	%

Analyzed by:
1665, 585, 1440

Weight:
2.8026g

Extraction date:
04/26/23 08:33:38

Extracted by:
1665

Analysis Method : SOP.T.40.031, SOP.T.30.031
Analytical Batch : DA059228POT
Instrument Used : DA-LC-007
Analyzed Date : 04/25/23 12:47:25

Reviewed On : 04/26/23 12:18:04
Batch Date : 04/25/23 09:13:28

Dilution : 40
Reagent : 040323.01; 041923.R09; 070122.11; 030923.08; 041923.R04
Consumables : 280670723; CE0123; 61633-125C6-125E; R1KB14270
Pipette : DA-079; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Jorge Segredo
Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164



Signature
04/27/23



Certificate of Analysis

PASSED

FLUENT

 82 NE 26th street
 Miami, FL, 33137, US
 Telephone: (305) 900-6266
 Email: Taylor.Jones@getfluent.com

Sample : DA30425002-007

Harvest/Lot ID: 3377 1160 1565 4874

Batch# : 3377 1160 1565 4874

Sampled : 04/24/23

Ordered : 04/24/23

Sample Size Received : 900 gram

Total Amount : 4265 units

Completed : 04/27/23 Expires: 04/27/24

Sample Method : SOP.T.20.010

Page 2 of 5



Pesticides

PASSED

Pesticide	LOD	Units	Action Level	Pass/Fail	Result	Pesticide	LOD	Units	Action Level	Pass/Fail	Result
TOTAL CONTAMINANT LOAD (PESTICIDES)	0.01	ppm	30	PASS	ND	OXAMYL	0.01	ppm	0.5	PASS	ND
TOTAL DIMETHOMORPH	0.01	ppm	3	PASS	ND	PACLOBUTRAZOL	0.01	ppm	0.1	PASS	ND
TOTAL PERMETHRIN	0.01	ppm	1	PASS	ND	PHOSMET	0.01	ppm	0.2	PASS	ND
TOTAL PYRETHRINS	0.01	ppm	1	PASS	ND	PIPERONYL BUTOXIDE	0.01	ppm	3	PASS	ND
TOTAL SPINETORAM	0.01	ppm	3	PASS	ND	PRALLETHRIN	0.01	ppm	0.4	PASS	ND
TOTAL SPINOSAD	0.01	ppm	3	PASS	ND	PROPICONAZOLE	0.01	ppm	1	PASS	ND
ABAMECTIN B1A	0.01	ppm	0.3	PASS	ND	PROPOXUR	0.01	ppm	0.1	PASS	ND
ACEPHATE	0.01	ppm	3	PASS	ND	PYRIDABEN	0.01	ppm	3	PASS	ND
ACEQUINOCYL	0.01	ppm	2	PASS	ND	SPIROMESIFEN	0.01	ppm	3	PASS	ND
ACETAMIPRID	0.01	ppm	3	PASS	ND	SPIROTETRAMAT	0.01	ppm	3	PASS	ND
ALDICARB	0.01	ppm	0.1	PASS	ND	SPIROXAMINE	0.01	ppm	0.1	PASS	ND
AZOXYSTROBIN	0.01	ppm	3	PASS	ND	TEBUCONAZOLE	0.01	ppm	1	PASS	ND
BIFENAZATE	0.01	ppm	3	PASS	ND	THIACLOPRID	0.01	ppm	0.1	PASS	ND
BIFENTHRIN	0.01	ppm	0.5	PASS	ND	THIAMETHOXAM	0.01	ppm	1	PASS	ND
BOSCALID	0.01	ppm	3	PASS	ND	TRIFLOXYSTROBIN	0.01	ppm	3	PASS	ND
CARBARYL	0.01	ppm	0.5	PASS	ND	PENTACHLORONITROBENZENE (PCNB) *	0.01	PPM	0.2	PASS	ND
CARBOFURAN	0.01	ppm	0.1	PASS	ND	PARATHION-METHYL *	0.01	PPM	0.1	PASS	ND
CHLORANTRANILIPROLE	0.01	ppm	3	PASS	ND	CAPTAN *	0.07	PPM	3	PASS	ND
CHLORMEQUAT CHLORIDE	0.01	ppm	3	PASS	ND	CHLORDANE *	0.01	PPM	0.1	PASS	ND
CHLORPYRIFOS	0.01	ppm	0.1	PASS	ND	CHLORFENAPYR *	0.01	PPM	0.1	PASS	ND
CLOFENTHIZINE	0.01	ppm	0.5	PASS	ND	CYFLUTHRIN *	0.05	PPM	1	PASS	ND
COUMAPHOS	0.01	ppm	0.1	PASS	ND	CYPERMETHRIN *	0.05	PPM	1	PASS	ND
DAMINOZIDE	0.01	ppm	0.1	PASS	ND						
DIAZINON	0.01	ppm	3	PASS	ND						
DICHLORVOS	0.01	ppm	0.1	PASS	ND	Analized by: 3379, 585, 1440	Weight: 0.9177g	Extraction date: 04/25/23 17:12:47		Extracted by: 3379,450,585	
DIMETHOATE	0.01	ppm	0.1	PASS	ND	Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.101.FL (Gainesville), SOP.T.40.102.FL (Davie)					
ETHOPROPHOS	0.01	ppm	0.1	PASS	ND	Analytical Batch : DA059247PES			Reviewed On : 04/27/23 10:46:22		
ETOFENPROX	0.01	ppm	0.1	PASS	ND	Instrument Used : DA-LCMS-003 (PES)			Batch Date : 04/25/23 10:54:11		
ETOXAZOLE	0.01	ppm	1.5	PASS	ND	Analized Date : 04/25/23 15:36:53					
FENHEXAMID	0.01	ppm	3	PASS	ND	Dilution : 250					
FENOXYCARB	0.01	ppm	0.1	PASS	ND	Reagent : 042123.R02; 042423.R10; 041823.R35; 042423.R12; 041123.R05; 041923.R01; 040521.11					
FENPYROXIMATE	0.01	ppm	2	PASS	ND	Consumables : 6697075-02					
FIPRONIL	0.01	ppm	0.1	PASS	ND	Pipette : DA-093; DA-094; DA-219					
FLONICAMID	0.01	ppm	2	PASS	ND	Testing for agricultural agents is performed utilizing Liquid Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
FLUDIOXONIL	0.01	ppm	3	PASS	ND						
HEXYTHIAZOX	0.01	ppm	2	PASS	ND	Analized by: 450, 585, 1440	Weight: 0.9177g	Extraction date: 04/25/23 17:12:47		Extracted by: 3379,450,585	
IMAZALIL	0.01	ppm	0.1	PASS	ND	Analysis Method : SOP.T.30.151.FL (Gainesville), SOP.T.30.151A.FL (Davie), SOP.T.40.151.FL (Gainesville)					
IMIDACLOPRID	0.01	ppm	1	PASS	ND	Analytical Batch : DA059249VOL			Reviewed On : 04/26/23 11:49:56		
KRESOXIM-METHYL	0.01	ppm	1	PASS	ND	Instrument Used : DA-GCMS-006			Batch Date : 04/25/23 10:55:47		
MALATHION	0.01	ppm	2	PASS	ND	Analized Date : 04/25/23 17:21:02					
METALAXYL	0.01	ppm	3	PASS	ND	Dilution : 250					
METHIOCARB	0.01	ppm	0.1	PASS	ND	Reagent : 041823.R35; 040521.11; 040723.R43; 040723.R44					
METHOMYL	0.01	ppm	0.1	PASS	ND	Consumables : 6697075-02; 14725401					
MEVINPHOS	0.01	ppm	0.1	PASS	ND	Pipette : DA-080; DA-146; DA-218					
MYCLOBUTANIL	0.01	ppm	3	PASS	ND	Testing for agricultural agents is performed utilizing Gas Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
NALED	0.01	ppm	0.5	PASS	ND						



Certificate of Analysis

PASSED
FLUENT

 82 NE 26th street
 Miami, FL, 33137, US
 Telephone: (305) 900-6266
 Email: Taylor.Jones@getfluent.com

Sample : DA30425002-007

Harvest/Lot ID: 3377 1160 1565 4874

Batch# : 3377 1160 1565 4874

Sampled : 04/24/23

Ordered : 04/24/23

Sample Size Received : 900 gram

Total Amount : 4265 units

Completed : 04/27/23 Expires: 04/27/24

Sample Method : SOP.T.20.010

Page 3 of 5



Residual Solvents

PASSED

Solvents	LOD	Units	Action Level	Pass/Fail	Result
1,1-DICHLOROETHENE	0.8	ppm	8	PASS	ND
1,2-DICHLOROETHANE	0.2	ppm	2	PASS	ND
2-PROPANOL	50	ppm	500	PASS	ND
ACETONE	75	ppm	750	PASS	ND
ACETONITRILE	6	ppm	60	PASS	ND
BENZENE	0.1	ppm	1	PASS	ND
BUTANES (N-BUTANE)	500	ppm	5000	PASS	ND
CHLOROFORM	0.2	ppm	2	PASS	ND
DICHLOROMETHANE	12.5	ppm	125	PASS	ND
ETHANOL	500	ppm	5000	PASS	ND
ETHYL ACETATE	40	ppm	400	PASS	ND
ETHYL ETHER	50	ppm	500	PASS	ND
ETHYLENE OXIDE	0.5	ppm	5	PASS	ND
HEPTANE	500	ppm	5000	PASS	ND
METHANOL	25	ppm	250	PASS	ND
N-HEXANE	25	ppm	250	PASS	ND
PENTANES (N-PENTANE)	75	ppm	750	PASS	ND
PROPANE	500	ppm	5000	PASS	ND
TOLUENE	15	ppm	150	PASS	ND
TOTAL XYLENES	15	ppm	150	PASS	ND
TRICHLOROETHYLENE	2.5	ppm	25	PASS	ND

 Analyzed by:
 850, 585, 1440

 Weight:
 0.0215g

 Extraction date:
 04/26/23 12:57:19

 Extracted by:
 850

 Analysis Method : SOP.T.40.041.FL
 Analytical Batch : DA059286SOL
 Instrument Used : DA-GCMS-003
 Analyzed Date : 04/26/23 13:41:09

 Reviewed On : 04/26/23 14:48:24
 Batch Date : 04/25/23 17:49:16

 Dilution : 1
 Reagent : 030420.09
 Consumables : R2017.167; G201.167
 Pipette : DA-309 25 uL Syringe 35028

Residual solvents analysis is performed utilizing Gas Chromatography Mass Spectrometry in accordance with with F.S. Rule 64ER20-39.





Certificate of Analysis

PASSED
FLUENT

 82 NE 26th street
 Miami, FL, 33137, US
 Telephone: (305) 900-6266
 Email: Taylor.Jones@getfluent.com

Sample : DA30425002-007

Harvest/Lot ID: 3377 1160 1565 4874

Batch# : 3377 1160 1565 4874

 Sampled : 04/24/23
 Ordered : 04/24/23

Sample Size Received : 900 gram

Total Amount : 4265 units

Completed : 04/27/23 Expires: 04/27/24

Sample Method : SOP.T.20.010

Page 4 of 5

	Microbial	PASSED			
Analyte	LOD	Units	Result	Pass / Fail	Action Level
ECOLI SHIGELLA			Not Present	PASS	
SALMONELLA SPECIFIC GENE			Not Present	PASS	
ASPERGILLUS FLAVUS			Not Present	PASS	
ASPERGILLUS FUMIGATUS			Not Present	PASS	
ASPERGILLUS TERREUS			Not Present	PASS	
ASPERGILLUS NIGER			Not Present	PASS	
TOTAL YEAST AND MOLD	10	CFU/g	ND	PASS	100000
Analyzed by: 3621, 3390, 585, 1440	Weight: 0.8901g	Extraction date: 04/25/23 12:47:30	Extracted by: 3621	Reviewed On : 04/26/23 12:14:27 Batch Date : 04/25/23 08:46:40	
Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL Analytical Batch : DA059226MIC					
Instrument Used : PathogenDx Scanner DA-111,Applied Biosystems Thermocycler DA-013,fisherbrand Isotemp Heat Block DA-020,fisherbrand Isotemp Heat Block DA-049,Fisher Scientific Isotemp Heat Block DA-021 Analyzed Date : 04/25/23 13:46:24					
Dilution : N/A Reagent : 031023.04; 031423.R29; 092122.06 Consumables : 7559002048 Pipette : N/A					
Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
	Heavy Metals	PASSED			
Metal	LOD	Units	Result	Pass / Fail	Action Level
TOTAL CONTAMINANT LOAD METALS	0.08	ppm	ND	PASS	5
ARSENIC	0.02	ppm	ND	PASS	1.5
CADMIUM	0.02	ppm	ND	PASS	0.5
MERCURY	0.02	ppm	ND	PASS	3
LEAD	0.02	ppm	ND	PASS	0.5
Analyzed by: 1022, 585, 1440	Weight: 0.2134g	Extraction date: 04/25/23 11:32:04	Extracted by: 1022,3619	Reviewed On : 04/26/23 11:46:35 Batch Date : 04/25/23 10:10:43	
Analysis Method : SOP.T.30.082.FL, SOP.T.40.082.FL Analytical Batch : DA059235HEA Instrument Used : DA-ICPMS-003 Analyzed Date : 04/25/23 14:29:10					
Dilution : 50 Reagent : 040623.R23; 031423.R18; 042423.R03; 041723.R30; 042423.R01; 042423.R02; 041123.R28; 040323.R21; 020123.02 Consumables : 179436; 210508058; 12620-307CD-307D Pipette : DA-061; DA-191; DA-216					
Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					



Certificate of Analysis

PASSED
FLUENT

 82 NE 26th street
 Miami, FL, 33137, US
 Telephone: (305) 900-6266
 Email: Taylor.Jones@getfluent.com

Sample : DA30425002-007

Harvest/Lot ID: 3377 1160 1565 4874

Batch# : 3377 1160 1565 4874

Sampled : 04/24/23

Ordered : 04/24/23

Sample Size Received : 900 gram

Total Amount : 4265 units

Completed : 04/27/23 Expires: 04/27/24

Sample Method : SOP.T.20.010

Page 5 of 5


Filth/Foreign Material
PASSED
Homogeneity
PASSED

Amount of tests conducted : 28

Analyte	LOD	Units	Result	P/F	Action Level
Filth and Foreign Material	0.1	%	ND	PASS	1

 Analyzed by: 1879, 1440
 Weight: NA
 Extraction date: N/A
 Extracted by: N/A

Analysis Method : SOP.T.40.090

Analytical Batch : DA059356FIL

Instrument Used : Filth/Foreign Material Microscope

Analyzed Date : 04/26/23 18:16:26

Reviewed On : 04/26/23 18:25:38

Batch Date : 04/26/23 18:12:13

Dilution : N/A

Reagent : N/A

Consumables : N/A

Pipette : N/A

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.


Water Activity
PASSED

Analyte	LOD	Units	Result	P/F	Action Level
Water Activity	0.01	aw	0.582	PASS	0.85

 Analyzed by: 2926, 585, 1440
 Weight: 11.481g
 Extraction date: 04/26/23 10:49:13
 Extracted by: 2926

Analysis Method : SOP.T.40.019

Analytical Batch : DA059258WAT

Instrument Used : DA-028 Rotronic HygroPalm

Analyzed Date : 04/26/23 10:47:46

Reviewed On : 04/26/23 12:16:02

Batch Date : 04/25/23 12:37:25

Dilution : N/A

Reagent : 100522.09

Consumables : PS-14

Pipette : N/A

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.

Analyte	LOD	Units	Pass/Fail	Result	Action Level
TOTAL THC - HOMOGENEITY (RSD)	0.001	%	PASS	2.326	25

 Analyzed by: 3335, 585, 1440
 Average Weight: 5.722g
 Extraction date : 04/25/23 09:48:13
 Extracted By : 3605,3335

Analysis Method : SOP.T.30.111.FL, SOP.T.40.111.FL

Analytical Batch : DA059230HOM

Instrument Used : DA-LC-004

Analyzed Date : 04/25/23 10:30:50

Reviewed On : 04/26/23 12:15:58

Batch Date : 04/25/23 09:26:05

Dilution : 40

Reagent : 040323.01; 071222.35; 032923.R27; 042123.R28

Consumables : 947.109; 250350; CE0123; 115C4-1151; 12617-306CD-306C;

61633-125C6-125E; R1KB14270

Pipette : DA-079; DA-108; DA-078

Homogeneity testing is performed utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.