



Certificate of Analysis

COMPLIANCE FOR RETAIL

Sample: DA30425002-008

Harvest/Lot ID: 0217 6779 1602 4793

Batch#: 0217 6779 1602 4793

Cultivation Facility: Tampa Cultivation

Processing Facility : Tampa Processing

Source Facility : Tampa Cultivation

Seed to Sale# 0568 4998 9541 3156

Batch Date: 03/17/23

Sample Size Received: 15.5 gram

Total Amount: 2683 units

Retail Product Size: 0.5 gram

Ordered : 04/24/23

Sampled : 04/24/23

Completed: 04/27/23

Sampling Method: SOP.T.20.010

Apr 27, 2023 | FLUENT

82 NE 26th street
Miami, FL, 33137, US

PASSED

Pages 1 of 6

PRODUCT IMAGE



SAFETY RESULTS


Pesticides
PASSED

Heavy Metals
PASSED

Microbials
PASSED

Mycotoxins
PASSED

Residuals Solvents
PASSED

Filtration
PASSED

Water Activity
PASSED

Moisture
NOT TESTED

Terpenes
TESTED

MISC.


Cannabinoid
PASSED


Total THC

87.382%

Total THC/Container : 436.91 mg



Total CBD

0.228%

Total CBD/Container : 1.14 mg



Total Cannabinoids

91.69%

Total Cannabinoids/Container : 458.45 mg

	D9-THC	THCA	CBD	CBDA	D8-THC	CBG	CBGA	CBN	THCV	CBDV	CBC
%	87.382	ND	0.228	ND	0.212	1.738	ND	0.904	0.609	ND	0.617
mg/unit	436.91	ND	1.14	ND	1.06	8.69	ND	4.52	3.045	ND	3.085
LOD	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001
	%	%	%	%	%	%	%	%	%	%	%

Analyzed by:
1665, 585, 1440

Weight:
0.1039g

Extraction date:
04/25/23 11:42:46

Extracted by:
1665

Analysis Method : SOP.T.40.031, SOP.T.30.031

Analytical Batch : DA059229POT

Instrument Used : DA-LC-007

Analyzed Date : 04/25/23 11:44:32

Reviewed On : 04/26/23 12:16:09

Batch Date : 04/25/23 09:17:12

Dilution : 400

Reagent : 041923.R09; 030823.03; 041923.R04

Consumables : 280670723; CE0123; 61633-125C6-125E; 0000185478

Pipette : DA-079; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Jorge Segredo

Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164



Signature
04/27/23



Certificate of Analysis

PASSED

FLUENT

 82 NE 26th street
 Miami, FL, 33137, US
 Telephone: (305) 900-6266
 Email: Taylor.Jones@getfluent.com

Sample : DA30425002-008

Harvest/Lot ID: 0217 6779 1602 4793

 Batch# : 0217 6779 1602
 4793

Sampled : 04/24/23

Ordered : 04/24/23


Sample Size Received : 15.5 gram

Total Amount : 2683 units

Completed : 04/27/23 Expires: 04/27/24

Sample Method : SOP.T.20.010

Page 2 of 6



Terpenes

TESTED

Terpenes	LOD (%)	mg/unit	%	Result (%)	Terpenes	LOD (%)	mg/unit	%	Result (%)
TOTAL TERPENES	0.007	10.895	2.179		FARNESENE		0.12	0.024	
TOTAL TERPINEOL	0.007	<0.1	<0.02		ALPHA-HUMULENE	0.007	0.49	0.098	
ALPHA-BISABOLOL	0.007	<0.1	<0.02		VALENCENE	0.007	ND	ND	
ALPHA-PINENE	0.007	0.32	0.064		CIS-NEROLIDOL	0.007	ND	ND	
CAMPHENE	0.007	<0.1	<0.02		TRANS-NEROLIDOL	0.007	ND	ND	
SABINENE	0.007	ND	ND		CARYOPHYLLENE OXIDE	0.007	ND	ND	
BETA-PINENE	0.007	0.45	0.09		GUAIOL	0.007	ND	ND	
BETA-MYRCENE	0.007	2.4	0.48		CEDROL	0.007	ND	ND	
ALPHA-PHELLANDRENE	0.007	ND	ND		Analyzed by: 2076, 585, 1440Weight: 1.0515gExtraction date: 04/25/23 17:23:56Extracted by: 2076				
3-CARENE	0.007	ND	ND		Analysis Method : SOP.T.30.061A.FL, SOP.T.40.061A.FLAnalytical Batch : DA059266TERInstrument Used : DA-GCMS-004Reviewed On : 04/27/23 16:04:25Analyzed Date : N/ABatch Date : 04/25/23 13:04:39				
ALPHA-TERPINENE	0.007	ND	ND		Dilution : 10Reagent : 121622.35Consumables : 210414634; MKCN9995; CE0123; R1KB14270Pipette : N/ATerpenoid testing is performed utilizing Gas Chromatography Mass Spectrometry. For all Flower samples, the Total Terpenes % is dry-weight corrected.				
LIMONENE	0.007	3.18	0.636						
EUCALYPTOL	0.007	ND	ND						
OCIMENE	0.007	<0.1	<0.02						
GAMMA-TERPINENE	0.007	ND	ND						
SABINENE HYDRATE	0.007	ND	ND						
TERPINOLENE	0.007	0.76	0.152						
FENCHONE	0.007	ND	ND						
LINALOOL	0.007	0.95	0.19						
FENCHYL ALCOHOL	0.007	0.25	0.05						
ISOPULEGOL	0.007	ND	ND						
CAMPHOR	0.013	ND	ND						
ISOBORNEOL	0.007	ND	ND						
BORNEOL	0.013	ND	ND						
HEXAHYDROTHYMOL	0.007	ND	ND						
NEROL	0.007	ND	ND						
PULEGONE	0.007	ND	ND						
GERANIOL	0.007	ND	ND						
GERANYL ACETATE	0.007	ND	ND						
ALPHA-CEDRENE	0.007	ND	ND						
BETA-CARYOPHYLLENE	0.007	1.975	0.395						
Total (%)				2.179					



Certificate of Analysis

PASSED

FLUENT

 82 NE 26th street
 Miami, FL, 33137, US
 Telephone: (305) 900-6266
 Email: Taylor.Jones@getfluent.com

Sample : DA30425002-008

Harvest/Lot ID: 0217 6779 1602 4793

 Batch# : 0217 6779 1602
 4793

Sampled : 04/24/23

Ordered : 04/24/23

Sample Size Received : 15.5 gram

Total Amount : 2683 units

Completed : 04/27/23 Expires: 04/27/24

Sample Method : SOP.T.20.010

Page 3 of 6



Pesticides

PASSED

Pesticide	LOD	Units	Action Level	Pass/Fail	Result	Pesticide	LOD	Units	Action Level	Pass/Fail	Result
TOTAL CONTAMINANT LOAD (PESTICIDES)	0.01	ppm	5	PASS	ND	OXAMYL	0.01	ppm	0.5	PASS	ND
TOTAL DIMETHOMORPH	0.01	ppm	0.2	PASS	ND	PACLOBUTRAZOL	0.01	ppm	0.1	PASS	ND
TOTAL PERMETHRIN	0.01	ppm	0.1	PASS	ND	PHOSMET	0.01	ppm	0.1	PASS	ND
TOTAL PYRETHRINS	0.01	ppm	0.5	PASS	ND	PIPERONYL BUTOXIDE	0.01	ppm	3	PASS	ND
TOTAL SPINETORAM	0.01	ppm	0.2	PASS	ND	PRALLETHRIN	0.01	ppm	0.1	PASS	ND
TOTAL SPINOSAD	0.01	ppm	0.1	PASS	ND	PROPICONAZOLE	0.01	ppm	0.1	PASS	ND
ABAMECTIN B1A	0.01	ppm	0.1	PASS	ND	PROPOXUR	0.01	ppm	0.1	PASS	ND
ACEPHATE	0.01	ppm	0.1	PASS	ND	PYRIDABEN	0.01	ppm	0.2	PASS	ND
ACEQUINOCYL	0.01	ppm	0.1	PASS	ND	SPIROMESIFEN	0.01	ppm	0.1	PASS	ND
ACETAMIPRID	0.01	ppm	0.1	PASS	ND	SPIROTETRAMAT	0.01	ppm	0.1	PASS	ND
ALDICARB	0.01	ppm	0.1	PASS	ND	SPIROXAMINE	0.01	ppm	0.1	PASS	ND
AZOXYSTROBIN	0.01	ppm	0.1	PASS	ND	TEBUCONAZOLE	0.01	ppm	0.1	PASS	ND
BIFENAZATE	0.01	ppm	0.1	PASS	ND	THIACLOPRID	0.01	ppm	0.1	PASS	ND
BIFENTHRIN	0.01	ppm	0.1	PASS	ND	THIAMETHOXAM	0.01	ppm	0.5	PASS	ND
BOSCALID	0.01	ppm	0.1	PASS	ND	TRIFLOXYSTROBIN	0.01	ppm	0.1	PASS	ND
CARBARYL	0.01	ppm	0.5	PASS	ND	PENTACHLORONITROBENZENE (PCNB) *	0.01	PPM	0.15	PASS	ND
CARBOFURAN	0.01	ppm	0.1	PASS	ND	PARATHION-METHYL *	0.01	PPM	0.1	PASS	ND
CHLORANTRANILIPROLE	0.01	ppm	1	PASS	ND	CAPTAN *	0.07	PPM	0.7	PASS	ND
CHLORMEQUAT CHLORIDE	0.01	ppm	1	PASS	ND	CHLORDANE *	0.01	PPM	0.1	PASS	ND
CHLORPYRIFOS	0.01	ppm	0.1	PASS	ND	CHLORFENAPYR *	0.01	PPM	0.1	PASS	ND
CLOFENTHIZINE	0.01	ppm	0.2	PASS	ND	CYFLUTHRIN *	0.05	PPM	0.5	PASS	ND
COUMAPHOS	0.01	ppm	0.1	PASS	ND	CYPERMETHRIN *	0.05	PPM	0.5	PASS	ND
DAMINOZIDE	0.01	ppm	0.1	PASS	ND						
DIAZINON	0.01	ppm	0.1	PASS	ND	Analyzed by:	Weight:	Extraction date:	Extracted by:		
DICHLORVOS	0.01	ppm	0.1	PASS	ND	3379, 585, 1440	0.2008g	04/25/23 17:07:37	3379,450,585		
DIMETHOATE	0.01	ppm	0.1	PASS	ND	Analysis Method :					
ETHOPROPHOS	0.01	ppm	0.1	PASS	ND	SOP.T.30.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.101.FL (Gainesville),					
ETOFENPROX	0.01	ppm	0.1	PASS	ND	SOP.T.40.102.FL (Davie)					
ETOXAZOLE	0.01	ppm	0.1	PASS	ND	Instrumental Batch : DA059244PES			Reviewed On : 04/26/23 15:12:34		
FENHEXAMID	0.01	ppm	0.1	PASS	ND	Instrument Used : DA-LCMS-003 (PES)			Batch Date : 04/25/23 10:50:24		
FENOXYCARB	0.01	ppm	0.1	PASS	ND	Analyzed Date : 04/25/23 15:36:56					
FENPYROXIMATE	0.01	ppm	0.1	PASS	ND	Dilution : 250					
FIPRONIL	0.01	ppm	0.1	PASS	ND	Reagent : 042123.R02; 042423.R10; 041823.R35; 042423.R12; 041123.R05; 041923.R01; 040521.11					
FLONICAMID	0.01	ppm	0.1	PASS	ND	Consumables : 6697075-02					
FLUDIOXONIL	0.01	ppm	0.1	PASS	ND	Pipette : DA-093; DA-094; DA-219					
HEXYTHIAZOX	0.01	ppm	0.1	PASS	ND	Testing for agricultural agents is performed utilizing Liquid Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
IMAZALIL	0.01	ppm	0.1	PASS	ND	Analyzed by:	Weight:	Extraction date:	Extracted by:		
IMIDACLOPRID	0.01	ppm	0.4	PASS	ND	450, 585, 1440	0.2008g	04/25/23 17:07:37	3379,450,585		
KRESOXIM-METHYL	0.01	ppm	0.1	PASS	ND	Analysis Method :					
MALATHION	0.01	ppm	0.2	PASS	ND	SOP.T.30.151.FL (Gainesville), SOP.T.30.151A.FL (Davie), SOP.T.40.151.FL					
METALAXYL	0.01	ppm	0.1	PASS	ND	Analytical Batch : DA059246VOL			Reviewed On : 04/26/23 12:10:16		
METHIOCARB	0.01	ppm	0.1	PASS	ND	Instrument Used : DA-GCMS-001			Batch Date : 04/25/23 10:52:56		
METHOMYL	0.01	ppm	0.1	PASS	ND	Analyzed Date : 04/25/23 17:20:12					
MEVINPHOS	0.01	ppm	0.1	PASS	ND	Dilution : 250					
MYCLOBUTANIL	0.01	ppm	0.1	PASS	ND	Reagent : 041823.R35; 040521.11; 040723.R43; 040723.R44					
NALED	0.01	ppm	0.25	PASS	ND	Consumables : 6697075-02; 14725401					
						Pipette : DA-080; DA-146; DA-218					
						Testing for agricultural agents is performed utilizing Gas Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					



Certificate of Analysis

PASSED
FLUENT

 82 NE 26th street
 Miami, FL, 33137, US
 Telephone: (305) 900-6266
 Email: Taylor.Jones@getfluent.com

Sample : DA30425002-008

Harvest/Lot ID: 0217 6779 1602 4793

 Batch# : 0217 6779 1602
 4793

Sampled : 04/24/23

Ordered : 04/24/23

Sample Size Received : 15.5 gram

Total Amount : 2683 units

Completed : 04/27/23 Expires: 04/27/24

Sample Method : SOP.T.20.010

Page 4 of 6



Residual Solvents

PASSED

Solvents	LOD	Units	Action Level	Pass/Fail	Result
1,1-DICHLOROETHENE	0.8	ppm	8	PASS	ND
1,2-DICHLOROETHANE	0.2	ppm	2	PASS	ND
2-PROPANOL	50	ppm	500	PASS	ND
ACETONE	75	ppm	750	PASS	ND
ACETONITRILE	6	ppm	60	PASS	ND
BENZENE	0.1	ppm	1	PASS	ND
BUTANES (N-BUTANE)	500	ppm	5000	PASS	ND
CHLOROFORM	0.2	ppm	2	PASS	ND
DICHLOROMETHANE	12.5	ppm	125	PASS	ND
ETHANOL	500	ppm	5000	PASS	ND
ETHYL ACETATE	40	ppm	400	PASS	ND
ETHYL ETHER	50	ppm	500	PASS	ND
ETHYLENE OXIDE	0.5	ppm	5	PASS	ND
HEPTANE	500	ppm	5000	PASS	ND
METHANOL	25	ppm	250	PASS	ND
N-HEXANE	25	ppm	250	PASS	ND
PENTANES (N-PENTANE)	75	ppm	750	PASS	ND
PROPANE	500	ppm	5000	PASS	ND
TOLUENE	15	ppm	150	PASS	ND
TOTAL XYLENES	15	ppm	150	PASS	ND
TRICHLOROETHYLENE	2.5	ppm	25	PASS	ND

 Analyzed by:
 850, 585, 1440

 Weight:
 0.0206g

 Extraction date:
 04/26/23 12:57:19

 Extracted by:
 850

 Analysis Method : SOP.T.40.041.FL
 Analytical Batch : DA059286SOL
 Instrument Used : DA-GCMS-003
 Analyzed Date : 04/26/23 13:41:09

 Reviewed On : 04/26/23 14:48:25
 Batch Date : 04/25/23 17:49:16

 Dilution : 1
 Reagent : 030420.09
 Consumables : R2017.167; G201.167
 Pipette : DA-309 25 uL Syringe 35028

Residual solvents analysis is performed utilizing Gas Chromatography Mass Spectrometry in accordance with with F.S. Rule 64ER20-39.



Certificate of Analysis

PASSED
FLUENT

 82 NE 26th street
 Miami, FL, 33137, US
 Telephone: (305) 900-6266
 Email: Taylor.Jones@getfluent.com

Sample : DA30425002-008

Harvest/Lot ID: 0217 6779 1602 4793

 Batch# : 0217 6779 1602
 4793

Sampled : 04/24/23

Ordered : 04/24/23




Sample Size Received : 15.5 gram

Total Amount : 2683 units

Completed : 04/27/23 Expires: 04/27/24

Sample Method : SOP.T.20.010

Page 5 of 6

<div></div> <div>Microbial</div> <div>PASSED</div>						<div></div> <div>Mycotoxins</div> <div>PASSED</div>					
Analyte	LOD	Units	Result	Pass / Fail	Action Level	Analyte	LOD	Units	Result	Pass / Fail	Action Level
ECOLI SHIGELLA			Not Present	PASS		AFLATOXIN B2	0.002	ppm	ND	PASS	0.02
SALMONELLA SPECIFIC GENE			Not Present	PASS		AFLATOXIN B1	0.002	ppm	ND	PASS	0.02
ASPERGILLUS FLAVUS			Not Present	PASS		OCHRATOXIN A	0.002	ppm	ND	PASS	0.02
ASPERGILLUS FUMIGATUS			Not Present	PASS		AFLATOXIN G1	0.002	ppm	ND	PASS	0.02
ASPERGILLUS TERREUS			Not Present	PASS		AFLATOXIN G2	0.002	ppm	ND	PASS	0.02
ASPERGILLUS NIGER			Not Present	PASS							
TOTAL YEAST AND MOLD	10	CFU/g	ND	PASS	100000	Analyzed by:	3379, 585, 1440	Weight:	0.2008g	Extraction date:	04/25/23 17:07:37
						Extracted by: 3379,450,585					
Analyzed by:	3621, 3390, 585, 1440	Weight:	1.025g	Extraction date:	04/25/23 12:47:31	Extracted by: 3621					
Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL						Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.40.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.102.FL (Davie)					
Analytical Batch : DA059226MIC						Analytical Batch : DA059245MYC					
						Reviewed On : 04/26/23 15:11:21					
Instrument Used : PathogenDx Scanner DA-111,Applied Biosystems Thermocycler DA-013,fisherbrand Isotemp Heat Block DA-020,fisherbrand Isotemp Heat Block DA-049,Fisher Scientific Isotemp Heat Block DA-021						Instrument Used : N/A					
Analyzed Date : 04/25/23 13:46:24						Analyzed Date : 04/25/23 15:37:06					
Dilution : N/A						Dilution : 250					
Reagent : 031023.04; 031423.R29; 092122.06						Reagent : 042123.R02; 042423.R10; 041823.R35; 042423.R12; 041123.R05; 041923.R01; 040521.11					
Consumables : 7559002048						Consumables : 6697075-02					
Pipette : N/A						Pipette : DA-093; DA-094; DA-219					
Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.											
<div></div> <div>Heavy Metals</div> <div>PASSED</div>											
Metal	LOD	Units	Result	Pass / Fail	Action Level	Metal	LOD	Units	Result	Pass / Fail	Action Level
TOTAL CONTAMINANT LOAD METALS	0.08	ppm	ND	PASS	1.1	TOTAL CONTAMINANT LOAD METALS	0.08	ppm	ND	PASS	1.1
ARSENIC	0.02	ppm	ND	PASS	0.2	ARSENIC	0.02	ppm	ND	PASS	0.2
CADMIUM	0.02	ppm	ND	PASS	0.2	CADMIUM	0.02	ppm	ND	PASS	0.2
MERCURY	0.02	ppm	ND	PASS	0.2	MERCURY	0.02	ppm	ND	PASS	0.2
LEAD	0.02	ppm	ND	PASS	0.5	LEAD	0.02	ppm	ND	PASS	0.5
Analyzed by:	1022, 585, 1440	Weight:	0.2405g	Extraction date:	04/25/23 11:00:15	Analyzed by:	1022, 585, 1440	Weight:	0.2405g	Extraction date:	04/25/23 11:00:15
						Extracted by: 1022,3619					
Analysis Method : SOP.T.30.082.FL, SOP.T.40.082.FL						Analysis Method : SOP.T.30.082.FL, SOP.T.40.082.FL					
Analytical Batch : DA059233HEA						Analytical Batch : DA059233HEA					
Instrument Used : DA-ICPMS-003						Instrument Used : DA-ICPMS-003					
Analyzed Date : 04/25/23 14:25:11						Analyzed Date : 04/25/23 14:25:11					
Dilution : 50						Dilution : 50					
Reagent : 040623.R23; 031423.R18; 042423.R03; 041723.R30; 042423.R01; 042423.R02; 041123.R28; 040323.R21; 020123.02						Reagent : 040623.R23; 031423.R18; 042423.R03; 041723.R30; 042423.R01; 042423.R02; 041123.R28; 040323.R21; 020123.02					
Consumables : 179436; 210508058; 12620-307CD-307D						Consumables : 179436; 210508058; 12620-307CD-307D					
Pipette : DA-061; DA-191; DA-216						Pipette : DA-061; DA-191; DA-216					
Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.											



Certificate of Analysis

PASSED
FLUENT

 82 NE 26th street
 Miami, FL, 33137, US
 Telephone: (305) 900-6266
 Email: Taylor.Jones@getfluent.com

Sample : DA30425002-008

Harvest/Lot ID: 0217 6779 1602 4793

 Batch# : 0217 6779 1602
 4793

Sampled : 04/24/23

Ordered : 04/24/23

Sample Size Received : 15.5 gram

Total Amount : 2683 units

Completed : 04/27/23 Expires: 04/27/24

Sample Method : SOP.T.20.010

Page 6 of 6


Filth/Foreign Material
PASSED

Analyte	LOD	Units	Result	P/F	Action Level
Filth and Foreign Material	0.1	%	ND	PASS	1

Analyzed by: 1879, 1440	Weight: NA	Extraction date: N/A	Extracted by: N/A
----------------------------	---------------	-------------------------	----------------------

Analysis Method : SOP.T.40.090

Analytical Batch : DA059357FIL

Instrument Used : Filth/Foreign Material Microscope

Analyzed Date : 04/26/23 18:16:25

Reviewed On : 04/26/23 18:25:56

Batch Date : 04/26/23 18:14:03

Dilution : N/A

Reagent : N/A

Consumables : N/A

Pipette : N/A

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.


Water Activity
PASSED

Analyte	LOD	Units	Result	P/F	Action Level
Water Activity	0.01	aw	0.577	PASS	0.85

Analyzed by: 1879, 2926, 585, 1440	Weight: 0.159g	Extraction date: 04/26/23 10:38:08	Extracted by: 2926
---------------------------------------	-------------------	---------------------------------------	-----------------------

Analysis Method : SOP.T.40.019

Analytical Batch : DA059259WAT

Instrument Used : DA-028 Rotronic Hygropalm

Analyzed Date : 04/26/23 10:34:36

Reviewed On : 04/26/23 12:16:09

Batch Date : 04/25/23 12:38:19

Dilution : N/A

Reagent : 100522.09

Consumables : PS-14

Pipette : N/A

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.