



# Certificate of Analysis

## COMPLIANCE FOR RETAIL

**Sample:** DA30426003-005  
**Harvest/Lot ID:** 2763 7124 9376 1522  
**Batch#:** 8128 1803 3644 9997  
**Cultivation Facility:** Tampa Cultivation  
**Processing Facility :** Tampa Processing  
**Source Facility :** Tampa Cultivation  
**Seed to Sale#** 2763 7124 9376 1522  
**Batch Date:** 03/17/23  
**Sample Size Received:** 15.5 gram  
**Total Amount:** 2877 units  
**Retail Product Size:** 0.5 gram  
**Ordered :** 04/25/23  
**Sampled :** 04/25/23  
**Completed:** 04/28/23  
**Sampling Method:** SOP.T.20.010

Apr 28, 2023 | FLUENT

82 NE 26th street  
Miami, FL, 33137, US

**PASSED**

Pages 1 of 6

## PRODUCT IMAGE



## SAFETY RESULTS


Pesticides  
**PASSED**

Heavy Metals  
**PASSED**

Microbials  
**PASSED**

Mycotoxins  
**PASSED**

Residuals Solvents  
**PASSED**

Filtration  
**PASSED**

Water Activity  
**PASSED**

Moisture  
**NOT TESTED**

Terpenes  
**TESTED**

## MISC.


**Cannabinoid**
**PASSED**


Total THC

**87.887%**

Total THC/Container : 439.435 mg



Total CBD

**0.239%**

Total CBD/Container : 1.195 mg



Total Cannabinoids

**92.054%**

Total Cannabinoids/Container : 460.27 mg

	D9-THC	THCA	CBD	CBDA	D8-THC	CBG	CBGA	CBN	THCV	CBDV	CBC
%	87.887	ND	0.239	ND	0.22	1.502	ND	0.975	0.696	ND	0.535
mg/unit	439.435	ND	1.195	ND	1.1	7.51	ND	4.875	3.48	ND	2.675
LOD	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001
	%	%	%	%	%	%	%	%	%	%	%

Analyzed by:  
3112, 1665, 585, 4044

Weight:  
0.1049g

Extraction date:  
04/26/23 12:12:59

Extracted by:  
3112

Analysis Method : SOP.T.40.031, SOP.T.30.031

Analytical Batch : DA059293POT

Instrument Used : DA-LC-007

Analyzed Date : 04/26/23 12:14:38

Reviewed On : 04/27/23 11:43:55

Batch Date : 04/26/23 08:40:10

Dilution : 400

Reagent : 041923.R09; 032123.11; 041923.R04

Consumables : 250350; CE0123; 12620-307CD-307D; 61633-125C6-125E; R1KB14270

Pipette : DA-079; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

**Jorge Segredo**

Lab Director

State License # CMTL-0002  
 ISO 17025 Accreditation # ISO/IEC  
 17025:2017 Accreditation PJLA-  
 Testing 97164



Signature  
04/28/23



# Certificate of Analysis

**PASSED**

FLUENT

 82 NE 26th street  
 Miami, FL, 33137, US  
 Telephone: (305) 900-6266  
 Email: Taylor.Jones@getfluent.com

Sample : DA30426003-005

Harvest/Lot ID: 2763 7124 9376 1522

 Batch# : 8128 1803 3644  
 9997

Sampled : 04/25/23

Ordered : 04/25/23


Sample Size Received : 15.5 gram

Total Amount : 2877 units

Completed : 04/28/23 Expires: 04/28/24

Sample Method : SOP.T.20.010

Page 2 of 6



# Terpenes

TESTED

Terpenes	LOD (%)	mg/unit	%	Result (%)	Terpenes	LOD (%)	mg/unit	%	Result (%)
TOTAL TERPENES	0.007	13.61	2.722		FARNESENE		0.24	0.048	
TOTAL TERPINEOL	0.007	0.11	0.022		ALPHA-HUMULENE	0.007	0.3	0.06	
ALPHA-BISABOLOL	0.007	0.155	0.031		VALENCENE	0.007	ND	ND	
ALPHA-PINENE	0.007	0.285	0.057		CIS-NEROLIDOL	0.007	ND	ND	
CAMPHENE	0.007	ND	ND		TRANS-NEROLIDOL	0.007	<0.1	<0.02	
SABINENE	0.007	ND	ND		CARYOPHYLLENE OXIDE	0.007	ND	ND	
BETA-PINENE	0.007	0.39	0.078		GUAIOL	0.007	<0.1	<0.02	
BETA-MYRCENE	0.007	1.65	0.33		CEDROL	0.007	ND	ND	
ALPHA-PHELLANDRENE	0.007	0.47	0.094						
3-CARENE	0.007	0.17	0.034		Analysis by:	Weight:	Extraction date:		Extracted by:
ALPHA-TERPINENE	0.007	0.14	0.028		2076, 585, 4044	1.0202g	04/26/23 15:02:37		2076
LIMONENE	0.007	0.75	0.15		Analysis Method :	SOP.T.30.061A.FL, SOP.T.40.061A.FL			
EUCALYPTOL	0.007	<0.1	<0.02		Analytical Batch :	DA059303TER		Reviewed On :	04/28/23 11:24:18
OCIMENE	0.007	2.4	0.48		Instrument Used :	DA-GCMS-004		Batch Date :	04/26/23 09:30:15
GAMMA-TERPINENE	0.007	<0.1	<0.02		Analyzed Date :	04/27/23 09:38:28			
SABINENE HYDRATE	0.007	ND	ND		Dilution :	10			
TERPINOLENE	0.007	4.865	0.973		Reagent :	121622.35			
FENCHONE	0.007	ND	ND		Consumables :	210414634; MKCN9995; CE0123; R1KB14270			
LINALOOL	0.007	0.225	0.045		Pipette :	N/A			
FENCHYL ALCOHOL	0.007	0.235	0.047						
ISOPULEGOL	0.007	ND	ND						
CAMPOR	0.013	ND	ND						
ISOBORNEOL	0.007	ND	ND						
BORNEOL	0.013	ND	ND						
HEXAHYDROTHYMOL	0.007	ND	ND						
NEROL	0.007	ND	ND						
PULEGONE	0.007	ND	ND						
GERANIOL	0.007	ND	ND						
GERANYL ACETATE	0.007	ND	ND						
ALPHA-CEDRENE	0.007	ND	ND						
BETA-CARYOPHYLLENE	0.007	1.225	0.245						
Total (%)			2.722						

Terpenoid testing is performed utilizing Gas Chromatography Mass Spectrometry. For all Flower samples, the Total Terpenes % is dry-weight corrected.



# Certificate of Analysis

**PASSED**

FLUENT

 82 NE 26th street  
 Miami, FL, 33137, US  
 Telephone: (305) 900-6266  
 Email: Taylor.Jones@getfluent.com

Sample : DA30426003-005

Harvest/Lot ID: 2763 7124 9376 1522

 Batch# : 8128 1803 3644  
 9997

Sampled : 04/25/23

Ordered : 04/25/23


Sample Size Received : 15.5 gram

Total Amount : 2877 units

Completed : 04/28/23 Expires: 04/28/24

Sample Method : SOP.T.20.010

Page 3 of 6



Pesticides

PASSED

Pesticide	LOD	Units	Action Level	Pass/Fail	Result	Pesticide	LOD	Units	Action Level	Pass/Fail	Result
TOTAL CONTAMINANT LOAD (PESTICIDES)	0.01	ppm	5	PASS	ND	OXAMYL	0.01	ppm	0.5	PASS	ND
TOTAL DIMETHOMORPH	0.01	ppm	0.2	PASS	ND	PACLOBUTRAZOL	0.01	ppm	0.1	PASS	ND
TOTAL PERMETHRIN	0.01	ppm	0.1	PASS	ND	PHOSMET	0.01	ppm	0.1	PASS	ND
TOTAL PYRETHRINS	0.01	ppm	0.5	PASS	ND	PIPERONYL BUTOXIDE	0.01	ppm	3	PASS	ND
TOTAL SPINETORAM	0.01	ppm	0.2	PASS	ND	PRALLETHRIN	0.01	ppm	0.1	PASS	ND
TOTAL SPINOSAD	0.01	ppm	0.1	PASS	ND	PROPICONAZOLE	0.01	ppm	0.1	PASS	ND
ABAMECTIN B1A	0.01	ppm	0.1	PASS	ND	PROPOXUR	0.01	ppm	0.1	PASS	ND
ACEPHATE	0.01	ppm	0.1	PASS	ND	PYRIDABEN	0.01	ppm	0.2	PASS	ND
ACEQUINOCYL	0.01	ppm	0.1	PASS	ND	SPIROMESIFEN	0.01	ppm	0.1	PASS	ND
ACETAMIPRID	0.01	ppm	0.1	PASS	ND	SPIROTETRAMAT	0.01	ppm	0.1	PASS	ND
ALDICARB	0.01	ppm	0.1	PASS	ND	SPIROXAMINE	0.01	ppm	0.1	PASS	ND
AZOXYSTROBIN	0.01	ppm	0.1	PASS	ND	TEBUCONAZOLE	0.01	ppm	0.1	PASS	ND
BIFENAZATE	0.01	ppm	0.1	PASS	ND	THIACLOPRID	0.01	ppm	0.1	PASS	ND
BIFENTHRIN	0.01	ppm	0.1	PASS	ND	THIAMETHOXAM	0.01	ppm	0.5	PASS	ND
BOSCALID	0.01	ppm	0.1	PASS	ND	TRIFLOXYSTROBIN	0.01	ppm	0.1	PASS	ND
CARBARYL	0.01	ppm	0.5	PASS	ND	PENTACHLORONITROBENZENE (PCNB) *	0.01	PPM	0.15	PASS	ND
CARBOFURAN	0.01	ppm	0.1	PASS	ND	PARATHION-METHYL *	0.01	PPM	0.1	PASS	ND
CHLORANTRANILIPROLE	0.01	ppm	1	PASS	ND	CAPTAN *	0.07	PPM	0.7	PASS	ND
CHLORMEQUAT CHLORIDE	0.01	ppm	1	PASS	ND	CHLORDANE *	0.01	PPM	0.1	PASS	ND
CHLORPYRIFOS	0.01	ppm	0.1	PASS	ND	CHLORFENAPYR *	0.01	PPM	0.1	PASS	ND
CLOFENTEZINE	0.01	ppm	0.2	PASS	ND	CYFLUTHRIN *	0.05	PPM	0.5	PASS	ND
COUMAPHOS	0.01	ppm	0.1	PASS	ND	CYPERMETHRIN *	0.05	PPM	0.5	PASS	ND
DAMINOZIDE	0.01	ppm	0.1	PASS	ND						
DIAZINON	0.01	ppm	0.1	PASS	ND	Analyzed by:	Weight:	Extraction date:	Extracted by:		
DICHLORVOS	0.01	ppm	0.1	PASS	ND	3379, 585, 4044	0.211g	04/26/23 15:20:36	450,585		
DIMETHOATE	0.01	ppm	0.1	PASS	ND	Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.101.FL (Gainesville),					
ETHOPROPHOS	0.01	ppm	0.1	PASS	ND	SOP.T.40.102.FL (Davie)					
ETOFENPROX	0.01	ppm	0.1	PASS	ND	Analytical Batch : DA059317PES			Reviewed On : 04/28/23 09:26:07		
ETOXAZOLE	0.01	ppm	0.1	PASS	ND	Instrument Used : DA-LCMS-003 (PES)			Batch Date : 04/26/23 09:53:18		
FENHEXAMID	0.01	ppm	0.1	PASS	ND	Analyzed Date : 04/26/23 14:46:07					
FENOXYCARB	0.01	ppm	0.1	PASS	ND	Dilution : 250					
FENPYROXIMATE	0.01	ppm	0.1	PASS	ND	Reagent : 042123.R02; 042423.R10; 042623.R19; 042423.R12; 042623.R45; 042623.R20; 040521.11					
FIPRONIL	0.01	ppm	0.1	PASS	ND	Consumables : 6697075-02					
FLONICAMID	0.01	ppm	0.1	PASS	ND	Pipette : DA-093; DA-094; DA-219					
FLUDIOXONIL	0.01	ppm	0.1	PASS	ND	Testing for agricultural agents is performed utilizing Liquid Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
HEXYTHIAZOX	0.01	ppm	0.1	PASS	ND	Analyzed by:	Weight:	Extraction date:	Extracted by:		
IMAZALIL	0.01	ppm	0.1	PASS	ND	450, 585, 4044	0.211g	04/26/23 15:20:36	450,585		
IMIDACLOPRID	0.01	ppm	0.4	PASS	ND	Analysis Method : SOP.T.30.151.FL (Gainesville), SOP.T.30.151A.FL (Davie), SOP.T.40.151.FL					
KRESOXIM-METHYL	0.01	ppm	0.1	PASS	ND	Analytical Batch : DA059319VOL			Reviewed On : 04/27/23 10:50:00		
MALATHION	0.01	ppm	0.2	PASS	ND	Instrument Used : DA-GCMS-001			Batch Date : 04/26/23 09:55:40		
METALAXYL	0.01	ppm	0.1	PASS	ND	Analyzed Date : 04/26/23 15:21:41					
METHIOCARB	0.01	ppm	0.1	PASS	ND	Dilution : 250					
METHOMYL	0.01	ppm	0.1	PASS	ND	Reagent : 042623.R19; 040521.11; 040723.R43; 040723.R44					
MEVINPHOS	0.01	ppm	0.1	PASS	ND	Consumables : 6697075-02; 14725401					
MYCLOBUTANIL	0.01	ppm	0.1	PASS	ND	Pipette : DA-080; DA-146; DA-218					
NALED	0.01	ppm	0.25	PASS	ND	Testing for agricultural agents is performed utilizing Gas Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					





# Certificate of Analysis

**PASSED**
**FLUENT**

 82 NE 26th street  
 Miami, FL, 33137, US  
 Telephone: (305) 900-6266  
 Email: Taylor.Jones@getfluent.com

Sample : DA30426003-005

Harvest/Lot ID: 2763 7124 9376 1522

 Batch# : 8128 1803 3644  
 9997

Sampled : 04/25/23

Ordered : 04/25/23

Sample Size Received : 15.5 gram

Total Amount : 2877 units

Completed : 04/28/23 Expires: 04/28/24

Sample Method : SOP.T.20.010

Page 4 of 6



## Residual Solvents

**PASSED**

Solvents	LOD	Units	Action Level	Pass/Fail	Result
1,1-DICHLOROETHENE	0.8	ppm	8	PASS	ND
1,2-DICHLOROETHANE	0.2	ppm	2	PASS	ND
2-PROPANOL	50	ppm	500	PASS	ND
ACETONE	75	ppm	750	PASS	ND
ACETONITRILE	6	ppm	60	PASS	ND
BENZENE	0.1	ppm	1	PASS	ND
BUTANES (N-BUTANE)	500	ppm	5000	PASS	ND
CHLOROFORM	0.2	ppm	2	PASS	ND
DICHLOROMETHANE	12.5	ppm	125	PASS	ND
ETHANOL	500	ppm	5000	PASS	ND
ETHYL ACETATE	40	ppm	400	PASS	ND
ETHYL ETHER	50	ppm	500	PASS	ND
ETHYLENE OXIDE	0.5	ppm	5	PASS	ND
HEPTANE	500	ppm	5000	PASS	ND
METHANOL	25	ppm	250	PASS	ND
N-HEXANE	25	ppm	250	PASS	ND
PENTANES (N-PENTANE)	75	ppm	750	PASS	ND
PROPANE	500	ppm	5000	PASS	ND
TOLUENE	15	ppm	150	PASS	ND
TOTAL XYLENES	15	ppm	150	PASS	ND
TRICHLOROETHYLENE	2.5	ppm	25	PASS	ND

 Analyzed by:  
 850, 585, 4044

 Weight:  
 0.0247g

 Extraction date:  
 04/27/23 12:45:08

 Extracted by:  
 850

 Analysis Method : SOP.T.40.041.FL  
 Analytical Batch : DA059349SOL  
 Instrument Used : DA-GCMS-003  
 Analyzed Date : 04/27/23 13:09:11

 Reviewed On : 04/27/23 13:42:38  
 Batch Date : 04/26/23 15:49:12

 Dilution : 1  
 Reagent : 030420.09  
 Consumables : R2017.167; G201.167  
 Pipette : DA-309 25uL Syringe 35028

Residual solvents analysis is performed utilizing Gas Chromatography Mass Spectrometry in accordance with with F.S. Rule 64ER20-39.



# Certificate of Analysis

**PASSED**

FLUENT

 82 NE 26th street  
 Miami, FL, 33137, US  
 Telephone: (305) 900-6266  
 Email: Taylor.Jones@getfluent.com

Sample : DA30426003-005

Harvest/Lot ID: 2763 7124 9376 1522

 Batch# : 8128 1803 3644  
 9997

Sampled : 04/25/23

Ordered : 04/25/23




Sample Size Received : 15.5 gram

Total Amount : 2877 units

Completed : 04/28/23 Expires: 04/28/24

Sample Method : SOP.T.20.010

Page 5 of 6

 <b>Microbial</b> <b>PASSED</b>						 <b>Mycotoxins</b> <b>PASSED</b>					
Analyte	LOD	Units	Result	Pass / Fail	Action Level	Analyte	LOD	Units	Result	Pass / Fail	Action Level
ECOLI SHIGELLA			Not Present	PASS		AFLATOXIN B2	0.002	ppm	ND	PASS	0.02
SALMONELLA SPECIFIC GENE			Not Present	PASS		AFLATOXIN B1	0.002	ppm	ND	PASS	0.02
ASPERGILLUS FLAVUS			Not Present	PASS		OCHRATOXIN A	0.002	ppm	ND	PASS	0.02
ASPERGILLUS FUMIGATUS			Not Present	PASS		AFLATOXIN G1	0.002	ppm	ND	PASS	0.02
ASPERGILLUS TERREUS			Not Present	PASS		AFLATOXIN G2	0.002	ppm	ND	PASS	0.02
ASPERGILLUS NIGER			Not Present	PASS							
TOTAL YEAST AND MOLD	10	CFU/g	<10	PASS	100000						
Analyzed by: 3621, 3390, 585, 4044 Weight: 0.964g Extraction date: 04/26/23 11:00:46 Extracted by: 3621,3390 Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL Analytical Batch : DA059298MIC Instrument Used : PathogenDx Scanner DA-111,Applied Biosystems Thermocycler DA-171,fisherbrand Isotemp Heat Block DA-020,fisherbrand Isotemp Heat Block DA-049,Fisher Scientific Isotemp Heat Block DA-021 Analyzed Date : 04/26/23 12:39:37 Dilution : N/A Reagent : 031023.05; 092122.06; 011323.27; 042623.R85 Consumables : 7563002012 Pipette : N/A						Analyzed by: 3379, 585, 4044 Weight: 0.211g Extraction date: 04/26/23 15:20:36 Extracted by: 450,585 Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.40.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.102.FL (Davie) Analytical Batch : DA059318MYC Instrument Used : N/A Analyzed Date : 04/26/23 14:46:30 Dilution : 250 Reagent : 042123.R02; 042423.R10; 042623.R19; 042423.R12; 042623.R45; 042623.R20; 040521.11 Consumables : 6697075-02 Pipette : DA-093; DA-094; DA-219 Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
Analyzed by: 3621, 585, 4044 Weight: 0.964g Extraction date: 04/26/23 11:00:46 Extracted by: 3621 Analysis Method : SOP.T.40.208 (Gainesville), SOP.T.40.209.FL Analytical Batch : DA059336TYM Instrument Used : Incubator (25-27C) DA-096 Analyzed Date : 04/26/23 12:39:31 Dilution : 10 Reagent : 031023.05; 032323.R29 Consumables : 007109 Pipette : N/A Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.						 <b>Heavy Metals</b> <b>PASSED</b>					
Metal	LOD	Units	Result	Pass / Fail	Action Level						
TOTAL CONTAMINANT LOAD METALS	0.08	ppm	ND	PASS	1.1						
ARSENIC	0.02	ppm	ND	PASS	0.2						
CADMIUM	0.02	ppm	ND	PASS	0.2						
MERCURY	0.02	ppm	ND	PASS	0.2						
LEAD	0.02	ppm	ND	PASS	0.5						
Analyzed by: 1022, 585, 4044 Weight: 0.2749g Extraction date: 04/26/23 11:30:28 Extracted by: 1879,3807 Analysis Method : SOP.T.30.082.FL, SOP.T.40.082.FL Analytical Batch : DA059316HEA Instrument Used : DA-ICPMS-003 Analyzed Date : 04/26/23 15:44:40 Dilution : 50 Reagent : 040623.R23; 031423.R18; 042423.R03; 040723.R30; 042423.R01; 042423.R02; 041123.R28; 042523.R20; 020123.02 Consumables : 179436; 210508058; 12620-308CD-308D Pipette : DA-061; DA-191; DA-216 Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.											



# Certificate of Analysis

**PASSED**
**FLUENT**

 82 NE 26th street  
 Miami, FL, 33137, US  
**Telephone:** (305) 900-6266  
**Email:** Taylor.Jones@getfluent.com

**Sample :** DA30426003-005

**Harvest/Lot ID:** 2763 7124 9376 1522

**Batch# :** 8128 1803 3644 9997

**Sampled :** 04/25/23

**Ordered :** 04/25/23

**Sample Size Received :** 15.5 gram

**Total Amount :** 2877 units

**Completed :** 04/28/23 **Expires:** 04/28/24

**Sample Method :** SOP.T.20.010

Page 6 of 6



## Filth/Foreign Material

**PASSED**

Analyte	LOD	Units	Result	P/F	Action Level
Filth and Foreign Material	0.1	%	ND	PASS	1

<b>Analyzed by:</b> 1879, 4044	<b>Weight:</b> NA	<b>Extraction date:</b> N/A	<b>Extracted by:</b> N/A
-----------------------------------	----------------------	--------------------------------	-----------------------------

**Analysis Method :** SOP.T.40.090

**Analytical Batch :** DA059358FIL

**Instrument Used :** Filth/Foreign Material Microscope

**Analyzed Date :** 04/26/23 18:16:24

**Reviewed On :** 04/26/23 18:27:08

**Batch Date :** 04/26/23 18:14:39

**Dilution :** N/A

**Reagent :** N/A

**Consumables :** N/A

**Pipette :** N/A

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.



## Water Activity

**PASSED**

Analyte	LOD	Units	Result	P/F	Action Level
Water Activity	0.01	aw	0.457	PASS	0.85

<b>Analyzed by:</b> 2926, 585, 4044	<b>Weight:</b> 0.368g	<b>Extraction date:</b> 04/26/23 14:53:31	<b>Extracted by:</b> 2926
--	--------------------------	--	------------------------------

**Analysis Method :** SOP.T.40.019

**Analytical Batch :** DA059331WAT

**Instrument Used :** DA-028 Rotronic Hygropalm

**Analyzed Date :** 04/26/23 13:37:54

**Reviewed On :** 04/26/23 15:16:23

**Batch Date :** 04/26/23 10:55:06

**Dilution :** N/A

**Reagent :** 100522.09

**Consumables :** PS-14

**Pipette :** N/A

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.