



Certificate of Analysis

COMPLIANCE FOR RETAIL

Sample: DA30426003-007
Harvest/Lot ID: 5214 4412 7462 3532
Batch#: 7379 1605 3971 8503
Cultivation Facility: Tampa Cultivation
Processing Facility : Tampa Processing
Source Facility : Zolfo Springs Cultivation
Seed to Sale# 5214 4412 7462 3532
Batch Date: 11/16/22
Sample Size Received: 26 gram
Total Amount: 971 units
Retail Product Size: 1 gram
Ordered : 04/25/23
Sampled : 04/25/23
Completed: 04/28/23
Sampling Method: SOP.T.20.010











Apr 28, 2023 | FLUENT

82 NE 26th street
Miami, FL, 33137, US




PASSED

Pages 1 of 5

PRODUCT IMAGE	SAFETY RESULTS								MISC.
	 Pesticides PASSED	 Heavy Metals PASSED	 Microbials PASSED	 Mycotoxins PASSED	 Residuals Solvents NOT TESTED	 Filtration PASSED	 Water Activity PASSED	 Moisture PASSED	 Terpenes TESTED

	Cannabinoid	PASSED
--	--------------------	---------------



Analyzed by:
3605, 1665, 3112, 585, 4044

Weight:
0.1963g

Extraction date:
04/26/23 11:20:54

Extracted by:
1665

Analysis Method : SOP.T.40.031, SOP.T.30.031

Analytical Batch : DA059297POT

Instrument Used : DA-LC-002 (Flower)

Analyzed Date : 04/26/23 11:24:07

Reviewed On : 04/28/23 09:56:09

Batch Date : 04/26/23 08:44:36

Dilution : 400

Reagent : 041923.R10; 032123.11; 041923.R05

Consumables : 280670723; CE0123; 61633-125C6-125E; R1KB14270

Pipette : DA-079; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Jorge Segredo
Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164



Signature
04/28/23



Certificate of Analysis

PASSED

FLUENT

82 NE 26th street
Miami, FL, 33137, US
Telephone: (305) 900-6266
Email: Taylor.Jones@getfluent.com

Sample : DA30426003-007

Harvest/Lot ID: 5214 4412 7462 3532

Batch# : 7379 1605 3971
8503

Sampled : 04/25/23

Ordered : 04/25/23

Sample Size Received : 26 gram

Total Amount : 971 units

Completed : 04/28/23 Expires: 04/28/24

Sample Method : SOP.T.20.010

Page 2 of 5



Terpenes

TESTED

Terpenes	LOD (%)	mg/unit	%	Result (%)	Terpenes	LOD (%)	mg/unit	%	Result (%)
TOTAL TERPENES	0.007	2.27	0.227		FARNESENE	ND	ND		
TOTAL TERPENEOL	0.007	<0.2	<0.02		ALPHA-HUMULENE	0.007	0.28	0.028	
ALPHA-BISABOLOL	0.007	0.35	0.035		VALENCENE	0.007	ND	ND	
ALPHA-PINENE	0.007	ND	ND		CIS-NEROLIDOL	0.007	ND	ND	
CAMPHENE	0.007	ND	ND		TRANS-NEROLIDOL	0.007	ND	ND	
SABINENE	0.007	ND	ND		CARYOPHYLLENE OXIDE	0.007	<0.2	<0.02	
BETA-PINENE	0.007	ND	ND		GUAIOL	0.007	ND	ND	
BETA-MYRCENE	0.007	ND	ND		CEDROL	0.007	ND	ND	
ALPHA-PHELLANDRENE	0.007	ND	ND						
3-CARENE	0.007	ND	ND						
ALPHA-TERPINENE	0.007	ND	ND						
LIMONENE	0.007	<0.2	<0.02						
EUCALYPTOL	0.007	ND	ND						
OCIMENE	0.007	ND	ND						
GAMMA-TERPINENE	0.007	ND	ND						
SABINENE HYDRATE	0.007	ND	ND						
TERPINOLENE	0.007	ND	ND						
FENCHONE	0.007	<0.2	<0.02						
LINALOOL	0.007	0.35	0.035						
FENCHYL ALCOHOL	0.007	<0.2	<0.02						
ISOPULEGOL	0.007	ND	ND						
CAMPHOR	0.007	ND	ND						
ISOBORNEOL	0.007	ND	ND						
BORNEOL	0.013	<0.4	<0.04						
HEXAHYDROTHYMOL	0.007	ND	ND						
NEROL	0.007	ND	ND						
PULEGONE	0.007	ND	ND						
GERANIOL	0.007	<0.2	<0.02						
GERANYL ACETATE	0.007	ND	ND						
ALPHA-CEDRENE	0.007	ND	ND						
BETA-CARYOPHYLLENE	0.007	0.81	0.081						
Total (%)			0.227						

Analyzed by:
2076, 585, 4044

Weight:
0.883g

Extraction date:
04/26/23 14:50:58

Extracted by:
2076

Analysis Method : SOP.T.30.061A.FL, SOP.T.40.061A.FL

Analytical Batch : DA059305TER

Instrument Used : DA-GCMS-005

Analyzed Date : 04/27/23 09:38:15

Reviewed On : 04/28/23 18:00:04

Batch Date : 04/26/23 09:32:39

Dilution : 10

Reagent : 121622.35

Consumables : 210414634; MKCN9995; CE0123; R1KB14270

Pipette : N/A

Terpenoid testing is performed utilizing Gas Chromatography Mass Spectrometry. For all Flower samples, the Total Terpenes % is dry-weight corrected.



Certificate of Analysis

PASSED

FLUENT

 82 NE 26th street
 Miami, FL, 33137, US
 Telephone: (305) 900-6266
 Email: Taylor.Jones@getfluent.com

Sample : DA30426003-007

Harvest/Lot ID: 5214 4412 7462 3532

 Batch# : 7379 1605 3971
 8503

Sampled : 04/25/23

Ordered : 04/25/23

Sample Size Received : 26 gram

Total Amount : 971 units

Completed : 04/28/23 Expires: 04/28/24

Sample Method : SOP.T.20.010

Page 3 of 5



Pesticides

PASSED

Pesticide	LOD	Units	Action Level	Pass/Fail	Result	Pesticide	LOD	Units	Action Level	Pass/Fail	Result
TOTAL CONTAMINANT LOAD (PESTICIDES)	0.01	ppm	5	PASS	ND	OXAMYL	0.01	ppm	0.5	PASS	ND
TOTAL DIMETHOMORPH	0.01	ppm	0.2	PASS	ND	PACLOBUTRAZOL	0.01	ppm	0.1	PASS	ND
TOTAL PERMETHRIN	0.01	ppm	0.1	PASS	ND	PHOSMET	0.01	ppm	0.1	PASS	ND
TOTAL PYRETHRINS	0.01	ppm	0.5	PASS	ND	PIPERONYL BUTOXIDE	0.01	ppm	3	PASS	ND
TOTAL SPINETORAM	0.01	ppm	0.2	PASS	ND	PRALLETHRIN	0.01	ppm	0.1	PASS	ND
TOTAL SPINOSAD	0.01	ppm	0.1	PASS	ND	PROPICONAZOLE	0.01	ppm	0.1	PASS	ND
ABAMECTIN B1A	0.01	ppm	0.1	PASS	ND	PROPOXUR	0.01	ppm	0.1	PASS	ND
ACEPHATE	0.01	ppm	0.1	PASS	ND	PYRIDABEN	0.01	ppm	0.2	PASS	ND
ACEQUINOCYL	0.01	ppm	0.1	PASS	ND	SPIROMESIFEN	0.01	ppm	0.1	PASS	ND
ACETAMIPRID	0.01	ppm	0.1	PASS	ND	SPIROTETRAMAT	0.01	ppm	0.1	PASS	ND
ALDICARB	0.01	ppm	0.1	PASS	ND	SPIROXAMINE	0.01	ppm	0.1	PASS	ND
AZOXYSTROBIN	0.01	ppm	0.1	PASS	ND	TEBUCONAZOLE	0.01	ppm	0.1	PASS	ND
BIFENAZATE	0.01	ppm	0.1	PASS	ND	THIACLOPRID	0.01	ppm	0.1	PASS	ND
BIFENTHRIN	0.01	ppm	0.1	PASS	ND	THIAMETHOXAM	0.01	ppm	0.5	PASS	ND
BOSCALID	0.01	ppm	0.1	PASS	ND	TRIFLOXYSTROBIN	0.01	ppm	0.1	PASS	ND
CARBARYL	0.01	ppm	0.5	PASS	ND	PENTACHLORONITROBENZENE (PCNB) *	0.01	PPM	0.15	PASS	ND
CARBOFURAN	0.01	ppm	0.1	PASS	ND	PARATHION-METHYL *	0.01	PPM	0.1	PASS	ND
CHLORANTRANILIPROLE	0.01	ppm	1	PASS	ND	CAPTAN *	0.07	PPM	0.7	PASS	ND
CHLORMEQUAT CHLORIDE	0.01	ppm	1	PASS	ND	CHLORDANE *	0.01	PPM	0.1	PASS	ND
CHLORPYRIFOS	0.01	ppm	0.1	PASS	ND	CHLORFENAPYR *	0.01	PPM	0.1	PASS	ND
CLOFENTHIZINE	0.01	ppm	0.2	PASS	ND	CYFLUTHRIN *	0.05	PPM	0.5	PASS	ND
COUMAPHOS	0.01	ppm	0.1	PASS	ND	CYPERMETHRIN *	0.05	PPM	0.5	PASS	ND
DAMINOZIDE	0.01	ppm	0.1	PASS	ND						
DIAZINON	0.01	ppm	0.1	PASS	ND	Analyzed by:	Weight:	Extraction date:	Extracted by:		
DICHLORVOS	0.01	ppm	0.1	PASS	ND	3379, 585, 4044	0.8373g	04/26/23 15:19:11	450,585		
DIMETHOATE	0.01	ppm	0.1	PASS	ND	Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.101.FL (Gainesville),					
ETHOPROPHOS	0.01	ppm	0.1	PASS	ND	SOP.T.40.102.FL (Davie)					
ETOFENPROX	0.01	ppm	0.1	PASS	ND	Analytical Batch : DA059313PES			Reviewed On : 04/27/23 13:27:58		
ETOXAZOLE	0.01	ppm	0.1	PASS	ND	Instrument Used : DA-LCMS-003 (PES)			Batch Date : 04/26/23 09:50:52		
FENHEXAMID	0.01	ppm	0.1	PASS	ND	Analyzed Date : 04/26/23 14:46:06					
FENOXYCARB	0.01	ppm	0.1	PASS	ND	Dilution : 25					
FENPYROXIMATE	0.01	ppm	0.1	PASS	ND	Reagent : 042123.R02; 042423.R10; 042623.R19; 042423.R12; 042623.R45; 042623.R20; 040521.11					
FIPRONIL	0.01	ppm	0.1	PASS	ND	Consumables : 6697075-02					
FLONICAMID	0.01	ppm	0.1	PASS	ND	Pipette : DA-093; DA-094; DA-219					
FLUDIOXONIL	0.01	ppm	0.1	PASS	ND	Testing for agricultural agents is performed utilizing Liquid Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
HEXYTHIAZOX	0.01	ppm	0.1	PASS	ND	Analyzed by:	Weight:	Extraction date:	Extracted by:		
IMAZALIL	0.01	ppm	0.1	PASS	ND	450, 585, 4044	0.8373g	04/26/23 15:19:11	450,585		
IMIDACLOPRID	0.01	ppm	0.4	PASS	ND	Analysis Method : SOP.T.30.151.FL (Gainesville), SOP.T.30.151A.FL (Davie), SOP.T.40.151.FL					
KRESOXIM-METHYL	0.01	ppm	0.1	PASS	ND	Analytical Batch : DA059315VOL			Reviewed On : 04/27/23 10:13:38		
MALATHION	0.01	ppm	0.2	PASS	ND	Instrument Used : DA-GCMS-006			Batch Date : 04/26/23 09:52:24		
METALAXYL	0.01	ppm	0.1	PASS	ND	Analyzed Date : 04/26/23 15:21:51					
METHIOCARB	0.01	ppm	0.1	PASS	ND	Dilution : 25					
METHOMYL	0.01	ppm	0.1	PASS	ND	Reagent : 042623.R19; 040521.11; 040723.R43; 040723.R44					
MEVINPHOS	0.01	ppm	0.1	PASS	ND	Consumables : 6697075-02; 14725401					
MYCLOBUTANIL	0.01	ppm	0.1	PASS	ND	Pipette : DA-080; DA-146; DA-218					
NALED	0.01	ppm	0.25	PASS	ND	Testing for agricultural agents is performed utilizing Gas Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					



Certificate of Analysis

PASSED
FLUENT

 82 NE 26th street
 Miami, FL, 33137, US
 Telephone: (305) 900-6266
 Email: Taylor.Jones@getfluent.com

Sample : DA30426003-007

Harvest/Lot ID: 5214 4412 7462 3532

 Batch# : 7379 1605 3971
 8503

 Sampled : 04/25/23
 Ordered : 04/25/23




Sample Size Received : 26 gram

Total Amount : 971 units

Completed : 04/28/23 Expires: 04/28/24

Sample Method : SOP.T.20.010

Page 4 of 5

 Microbial PASSED						 Mycotoxins PASSED					
Analyte	LOD	Units	Result	Pass / Fail	Action Level	Analyte	LOD	Units	Result	Pass / Fail	Action Level
ECOLI SHIGELLA			Not Present	PASS		AFLATOXIN B2	0.002	ppm	ND	PASS	0.02
SALMONELLA SPECIFIC GENE			Not Present	PASS		AFLATOXIN B1	0.002	ppm	ND	PASS	0.02
ASPERGILLUS FLAVUS			Not Present	PASS		OCHRATOXIN A	0.002	ppm	ND	PASS	0.02
ASPERGILLUS FUMIGATUS			Not Present	PASS		AFLATOXIN G1	0.002	ppm	ND	PASS	0.02
ASPERGILLUS TERREUS			Not Present	PASS		AFLATOXIN G2	0.002	ppm	ND	PASS	0.02
ASPERGILLUS NIGER			Not Present	PASS							
TOTAL YEAST AND MOLD	10	CFU/g	300	PASS	100000						
Analyzed by: 3621, 3390, 585, 4044 Weight: 1.9119g Extraction date: 04/26/23 11:00:47 Extracted by: 3621,3390 Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL Analytical Batch : DA059298MIC Reviewed On : 04/27/23 12:03:04 Batch Date : 04/26/23 08:54:06 Instrument Used : PathogenDx Scanner DA-111,Applied Biosystems Thermocycler DA-171,fisherbrand Isotemp Heat Block DA-020,fisherbrand Isotemp Heat Block DA-049,Fisher Scientific Isotemp Heat Block DA-021 Analyzed Date : 04/26/23 12:39:37 Dilution : N/A Reagent : 031023.05; 092122.06; 011323.27; 042623.R85 Consumables : 7563002012 Pipette : N/A						Analyzed by: 3379, 585, 4044 Weight: 0.8373g Extraction date: 04/26/23 15:19:11 Extracted by: 450,585 Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.40.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.102.FL (Davie) Analytical Batch : DA059314MYC Instrument Used : N/A Analyzed Date : 04/26/23 14:46:35 Dilution : 25 Reagent : 042123.R02; 042423.R10; 042623.R19; 042423.R12; 042623.R45; 042623.R20; 040521.11 Consumables : 6697075-02 Pipette : DA-093; DA-094; DA-219 Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
 Heavy Metals PASSED											
Metal	LOD	Units	Result	Pass / Fail	Action Level						
TOTAL CONTAMINANT LOAD METALS	0.08	ppm	ND	PASS	1.1						
ARSENIC	0.02	ppm	<0.1	PASS	0.2						
CADMIUM	0.02	ppm	ND	PASS	0.2						
MERCURY	0.02	ppm	ND	PASS	0.2						
LEAD	0.02	ppm	ND	PASS	0.5						
Analyzed by: 1022, 585, 4044 Weight: 0.2404g Extraction date: 04/26/23 10:43:59 Extracted by: 1879,3807,3619 Analysis Method : SOP.T.30.082.FL, SOP.T.40.082.FL Analytical Batch : DA059306HEA Instrument Used : DA-ICPMS-003 Analyzed Date : 04/26/23 15:08:12 Dilution : 50 Reagent : 040623.R23; 031423.R18; 042423.R03; 040723.R30; 042423.R01; 042423.R02; 041123.R28; 042523.R20; 020123.02 Consumables : 179436; 210508058; 12620-308CD-308D Pipette : DA-061; DA-191; DA-216 Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.											



Certificate of Analysis

PASSED
FLUENT

 82 NE 26th street
 Miami, FL, 33137, US
 Telephone: (305) 900-6266
 Email: Taylor.Jones@getfluent.com

Sample : DA30426003-007

Harvest/Lot ID: 5214 4412 7462 3532

 Batch# : 7379 1605 3971
 8503

Sampled : 04/25/23

Ordered : 04/25/23

Sample Size Received : 26 gram

Total Amount : 971 units

Completed : 04/28/23 Expires: 04/28/24

Sample Method : SOP.T.20.010

Page 5 of 5


**Filth/Foreign
Material**
PASSED

Moisture
PASSED

Analyte	LOD	Units	Result	P/F	Action Level	Analyte	LOD	Units	Result	P/F	Action Level
Filth and Foreign Material	0.1	%	ND	PASS	1	Moisture Content	1	%	11.31	PASS	15
Analyzed by: 1879, 4044 Weight: NA Extraction date: N/A Analyzed Method : SOP.T.40.090 Analytical Batch : DA059355FIL Instrument Used : Filth/Foreign Material Microscope Analyzed Date : 04/26/23 18:16:26						Analyzed by: 2926, 585, 4044 Weight: 0.495g Extraction date: 04/26/23 13:54:08 Analyzed Method : SOP.T.40.021 Analytical Batch : DA059333MOI Instrument Used : DA-003 Moisture Analyzer Analyzed Date : 04/26/23 13:47:17					
Dilution : N/A Reagent : N/A Consumables : N/A Pipette : N/A						Dilution : N/A Reagent : N/A Consumables : N/A Pipette : N/A					

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.

Moisture Content analysis utilizing loss-on-drying technology in accordance with F.S. Rule 64ER20-39.


Water Activity
PASSED

Analyte	LOD	Units	Result	P/F	Action Level
Water Activity	0.01	aw	0.505	PASS	0.65
Analyzed by: 2926, 585, 4044 Weight: 0.835g Extraction date: 04/27/23 12:00:54 Analyzed Method : SOP.T.40.019 Analytical Batch : DA059332WAT Instrument Used : DA-028 Rotronic HygroPalm Analyzed Date : 04/26/23 13:37:49					Reviewed On : 04/26/23 15:16:24 Batch Date : 04/26/23 10:56:33
Dilution : N/A Reagent : 100522.09 Consumables : PS-14 Pipette : N/A					

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.