



Certificate of Analysis

COMPLIANCE FOR RETAIL








Sample: DA30427004-003
Harvest/Lot ID: 1361 9240 5045 1556
Batch#: 9078 5362 9654 7491
Cultivation Facility: Tampa Cultivation
Processing Facility : Tampa Processing
Source Facility : Tampa Cultivation
Seed to Sale# 1361 9240 5045 1556
Batch Date: 03/09/23
Sample Size Received: 16 gram
Total Amount: 1403 units
Retail Product Size: 1 gram
Ordered : 04/26/23
Sampled : 04/26/23
Completed: 04/29/23
Sampling Method: SOP.T.20.010

Apr 29, 2023 | FLUENT
82 NE 26th street
Miami, FL, 33137, US




PASSED

Pages 1 of 6

PRODUCT IMAGE	SAFETY RESULTS								MISC.
	 Pesticides PASSED	 Heavy Metals PASSED	 Microbials PASSED	 Mycotoxins PASSED	 Residuals Solvents PASSED	 Filtration PASSED	 Water Activity PASSED	 Moisture NOT TESTED	 Terpenes TESTED

	Cannabinoid	PASSED
--	--------------------	---------------



Analyzed by: 1665, 3112, 585, 4044
Analysis Method : SOP.T.40.031, SOP.T.30.031
Analytical Batch : DA059361POT
Instrument Used : DA-LC-007
Analyzed Date : 04/27/23 11:30:57
Dilution : 400
Reagent : 041923.R09; 030923.08; 041923.R04
Consumables : 280670723; CE0123; 61633-125C6-125E; R1KB14270
Pipette : DA-079; DA-108; DA-078
Extraction date: 04/27/23 11:28:42
Reviewed On : 04/28/23 09:54:51
Batch Date : 04/27/23 08:00:03
Extracted by: 1665
Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Jorge Segredo
Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164



Signature
04/29/23



Certificate of Analysis

PASSED

FLUENT

82 NE 26th street
Miami, FL, 33137, US
Telephone: (305) 900-6266
Email: Taylor.Jones@getfluent.com

Sample : DA30427004-003

Harvest/Lot ID: 1361 9240 5045 1556

Batch# : 9078 5362 9654
7491

Sampled : 04/26/23
Ordered : 04/26/23

Sample Size Received : 16 gram

Total Amount : 1403 units

Completed : 04/29/23 Expires: 04/29/24

Sample Method : SOP.T.20.010

Page 2 of 6



Terpenes

TESTED

Terpenes	LOD (%)	mg/unit	%	Result (%)	Terpenes	LOD (%)	mg/unit	%	Result (%)
TOTAL TERPENES	0.007	22.37	2.237		FARNESENE	0.007	<0.2	<0.02	
TOTAL TERPENEOL	0.007	<0.2	<0.02		ALPHA-HUMULENE	0.007	0.46	0.046	
ALPHA-BISABOLOL	0.007	<0.2	<0.02		VALENCENE	0.007	ND	ND	
ALPHA-PINENE	0.007	0.64	0.064		CIS-NEROLIDOL	0.007	ND	ND	
CAMPHENE	0.007	<0.2	<0.02		TRANS-NEROLIDOL	0.007	ND	ND	
SABINENE	0.007	ND	ND		CARYOPHYLLENE OXIDE	0.007	<0.2	<0.02	
BETA-PINENE	0.007	0.59	0.059		GUAIOL	0.007	ND	ND	
BETA-MYRCENE	0.007	8.41	0.841		CEDROL	0.007	ND	ND	
ALPHA-PHELLANDRENE	0.007	ND	ND						
3-CARENE	0.007	ND	ND						
ALPHA-TERPINENE	0.007	ND	ND						
LIMONENE	0.007	6.13	0.613						
EUCALYPTOL	0.007	ND	ND						
OCIMENE	0.007	1.78	0.178						
GAMMA-TERPINENE	0.007	ND	ND						
SABINENE HYDRATE	0.007	ND	ND						
TERPINOLENE	0.007	<0.2	<0.02						
FENCHONE	0.007	ND	ND						
LINALOOL	0.007	1.7	0.17						
FENCHYL ALCOHOL	0.007	0.43	0.043						
ISOPULEGOL	0.007	ND	ND						
CAMPHOR	0.013	ND	ND						
ISOBORNEOL	0.007	ND	ND						
BORNEOL	0.013	ND	ND						
HEXAHYDROTHYMOL	0.007	ND	ND						
NEROL	0.007	ND	ND						
PULEGONE	0.007	ND	ND						
GERANIOL	0.007	ND	ND						
GERANYL ACETATE	0.007	ND	ND						
ALPHA-CEDRENE	0.007	ND	ND						
BETA-CARYOPHYLLENE	0.007	2.23	0.223						
Total (%)			2.237						

Analyzed by:
2076, 585, 4044

Weight:
1.0394g

Extraction date:
04/27/23 16:04:22

Extracted by:
2076, 3702

Analysis Method : SOP.T.30.061A.FL, SOP.T.40.061A.FL

Analytical Batch : DA059389TER

Instrument Used : DA-GCMS-008

Analyzed Date : N/A

Reviewed On : 04/29/23 15:05:04

Batch Date : 04/27/23 10:38:46

Dilution : 10

Reagent : 121622.35

Consumables : 210414634; MKCN9995; CE0123; R1KB14270

Pipette : N/A

Terpenoid testing is performed utilizing Gas Chromatography Mass Spectrometry. For all Flower samples, the Total Terpenes % is dry-weight corrected.



Certificate of Analysis

PASSED

FLUENT

 82 NE 26th street
 Miami, FL, 33137, US
 Telephone: (305) 900-6266
 Email: Taylor.Jones@getfluent.com

Sample : DA30427004-003

Harvest/Lot ID: 1361 9240 5045 1556

 Batch# : 9078 5362 9654
 7491

Sampled : 04/26/23

Ordered : 04/26/23


Sample Size Received : 16 gram

Total Amount : 1403 units

Completed : 04/29/23 Expires: 04/29/24

Sample Method : SOP.T.20.010

Page 3 of 6



Pesticides

PASSED

Pesticide	LOD	Units	Action Level	Pass/Fail	Result	Pesticide	LOD	Units	Action Level	Pass/Fail	Result
TOTAL CONTAMINANT LOAD (PESTICIDES)	0.01	ppm	5	PASS	ND	OXAMYL	0.01	ppm	0.5	PASS	ND
TOTAL DIMETHOMORPH	0.01	ppm	0.2	PASS	ND	PACLOBUTRAZOL	0.01	ppm	0.1	PASS	ND
TOTAL PERMETHRIN	0.01	ppm	0.1	PASS	ND	PHOSMET	0.01	ppm	0.1	PASS	ND
TOTAL PYRETHRINS	0.01	ppm	0.5	PASS	ND	PIPERONYL BUTOXIDE	0.01	ppm	3	PASS	ND
TOTAL SPINETORAM	0.01	ppm	0.2	PASS	ND	PRALLETHRIN	0.01	ppm	0.1	PASS	ND
TOTAL SPINOSAD	0.01	ppm	0.1	PASS	ND	PROPICONAZOLE	0.01	ppm	0.1	PASS	ND
ABAMECTIN B1A	0.01	ppm	0.1	PASS	ND	PROPOXUR	0.01	ppm	0.1	PASS	ND
ACEPHATE	0.01	ppm	0.1	PASS	ND	PYRIDABEN	0.01	ppm	0.2	PASS	ND
ACEQUINOCYL	0.01	ppm	0.1	PASS	ND	SPIROMESIFEN	0.01	ppm	0.1	PASS	ND
ACETAMIPRID	0.01	ppm	0.1	PASS	ND	SPIROTETRAMAT	0.01	ppm	0.1	PASS	ND
ALDICARB	0.01	ppm	0.1	PASS	ND	SPIROXAMINE	0.01	ppm	0.1	PASS	ND
AZOXYSTROBIN	0.01	ppm	0.1	PASS	ND	TEBUCONAZOLE	0.01	ppm	0.1	PASS	ND
BIFENAZATE	0.01	ppm	0.1	PASS	ND	THIACLOPRID	0.01	ppm	0.1	PASS	ND
BIFENTHRIN	0.01	ppm	0.1	PASS	ND	THIAMETHOXAM	0.01	ppm	0.5	PASS	ND
BOSCALID	0.01	ppm	0.1	PASS	ND	TRIFLOXYSTROBIN	0.01	ppm	0.1	PASS	ND
CARBARYL	0.01	ppm	0.5	PASS	ND	PENTACHLORONITROBENZENE (PCNB) *	0.01	PPM	0.15	PASS	ND
CARBOFURAN	0.01	ppm	0.1	PASS	ND	PARATHION-METHYL *	0.01	PPM	0.1	PASS	ND
CHLORANTRANILIPROLE	0.01	ppm	1	PASS	ND	CAPTAN *	0.07	PPM	0.7	PASS	ND
CHLORMEQUAT CHLORIDE	0.01	ppm	1	PASS	ND	CHLORDANE *	0.01	PPM	0.1	PASS	ND
CHLORPYRIFOS	0.01	ppm	0.1	PASS	ND	CHLORFENAPYR *	0.01	PPM	0.1	PASS	ND
CLOFENTEZINE	0.01	ppm	0.2	PASS	ND	CYFLUTHRIN *	0.05	PPM	0.5	PASS	ND
COUMAPHOS	0.01	ppm	0.1	PASS	ND	CYPERMETHRIN *	0.05	PPM	0.5	PASS	ND
DAMINOZIDE	0.01	ppm	0.1	PASS	ND	Analyzed by:	Weight:	Extraction date:	Extracted by:		
DIAZINON	0.01	ppm	0.1	PASS	ND	3379, 585, 4044	0.2277g	04/27/23 13:01:40	450,585		
DICHLORVOS	0.01	ppm	0.1	PASS	ND	Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.101.FL (Gainesville),					
DIMETHOATE	0.01	ppm	0.1	PASS	ND	SOP.T.40.102.FL (Davie)					
ETHOPROPHOS	0.01	ppm	0.1	PASS	ND	Analytical Batch : DA059381PES			Reviewed On : 04/28/23 09:50:50		
ETOFENPROX	0.01	ppm	0.1	PASS	ND	Instrument Used : DA-LCMS-003 (PES)			Batch Date : 04/27/23 10:32:42		
ETOXAZOLE	0.01	ppm	0.1	PASS	ND	Analyzed Date : 04/27/23 14:13:37					
FENHEXAMID	0.01	ppm	0.1	PASS	ND	Dilution : 250					
FENOXYCARB	0.01	ppm	0.1	PASS	ND	Reagent : 042423.R10; 042723.R05; 042723.R10; 042423.R12; 042623.R45; 042623.R20; 040521.11					
FENPYROXIMATE	0.01	ppm	0.1	PASS	ND	Consumables : 6697075-02					
FIPRONIL	0.01	ppm	0.1	PASS	ND	Pipette : DA-093; DA-094; DA-219					
FLONICAMID	0.01	ppm	0.1	PASS	ND	Testing for agricultural agents is performed utilizing Liquid Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
FLUDIOXONIL	0.01	ppm	0.1	PASS	ND	Analyzed by:	Weight:	Extraction date:	Extracted by:		
HEXYTHIAZOX	0.01	ppm	0.1	PASS	ND	450, 585, 4044	0.2277g	04/27/23 13:01:40	450,585		
IMAZALIL	0.01	ppm	0.1	PASS	ND	Analysis Method : SOP.T.30.151.FL (Gainesville), SOP.T.30.151A.FL (Davie), SOP.T.40.151.FL					
IMIDACLOPRID	0.01	ppm	0.4	PASS	ND	Analytical Batch : DA059385VOL			Reviewed On : 04/28/23 10:29:16		
KRESOXIM-METHYL	0.01	ppm	0.1	PASS	ND	Instrument Used : DA-GCMS-001			Batch Date : 04/27/23 10:35:20		
MALATHION	0.01	ppm	0.2	PASS	ND	Analyzed Date : 04/27/23 15:09:00					
METALAXYL	0.01	ppm	0.1	PASS	ND	Dilution : 250					
METHIOCARB	0.01	ppm	0.1	PASS	ND	Reagent : 042723.R10; 040521.11; 040723.R43; 040723.R44					
METHOMYL	0.01	ppm	0.1	PASS	ND	Consumables : 6697075-02; 14725401					
MEVINPHOS	0.01	ppm	0.1	PASS	ND	Pipette : DA-080; DA-146; DA-218					
MYCLOBUTANIL	0.01	ppm	0.1	PASS	ND	Testing for agricultural agents is performed utilizing Gas Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
NALED	0.01	ppm	0.25	PASS	ND						



Certificate of Analysis

PASSED
FLUENT

 82 NE 26th street
 Miami, FL, 33137, US
 Telephone: (305) 900-6266
 Email: Taylor.Jones@getfluent.com

Sample : DA30427004-003

Harvest/Lot ID: 1361 9240 5045 1556

 Batch# : 9078 5362 9654
 7491

Sampled : 04/26/23

Ordered : 04/26/23

Sample Size Received : 16 gram

Total Amount : 1403 units

Completed : 04/29/23 Expires: 04/29/24

Sample Method : SOP.T.20.010

Page 4 of 6



Residual Solvents

PASSED

Solvents	LOD	Units	Action Level	Pass/Fail	Result
1,1-DICHLOROETHENE	0.8	ppm	8	PASS	ND
1,2-DICHLOROETHANE	0.2	ppm	2	PASS	ND
2-PROPANOL	50	ppm	500	PASS	ND
ACETONE	75	ppm	750	PASS	ND
ACETONITRILE	6	ppm	60	PASS	ND
BENZENE	0.1	ppm	1	PASS	ND
BUTANES (N-BUTANE)	500	ppm	5000	PASS	ND
CHLOROFORM	0.2	ppm	2	PASS	ND
DICHLOROMETHANE	12.5	ppm	125	PASS	ND
ETHANOL	500	ppm	5000	PASS	ND
ETHYL ACETATE	40	ppm	400	PASS	ND
ETHYL ETHER	50	ppm	500	PASS	ND
ETHYLENE OXIDE	0.5	ppm	5	PASS	ND
HEPTANE	500	ppm	5000	PASS	ND
METHANOL	25	ppm	250	PASS	ND
N-HEXANE	25	ppm	250	PASS	ND
PENTANES (N-PENTANE)	75	ppm	750	PASS	ND
PROPANE	500	ppm	5000	PASS	ND
TOLUENE	15	ppm	150	PASS	ND
TOTAL XYLENES	15	ppm	150	PASS	ND
TRICHLOROETHYLENE	2.5	ppm	25	PASS	ND

 Analyzed by:
 850, 585, 4044

 Weight:
 0.0232g

 Extraction date:
 04/28/23 16:24:15

 Extracted by:
 850

 Analysis Method : SOP.T.40.041.FL
 Analytical Batch : DA059410SOL
 Instrument Used : DA-GCMS-003
 Analyzed Date : 04/28/23 16:35:22

 Reviewed On : 04/29/23 14:59:38
 Batch Date : 04/27/23 15:45:02

 Dilution : 1
 Reagent : 030420.09
 Consumables : R2017.167; G201.167
 Pipette : DA-309 25 uL Syringe 35028

Residual solvents analysis is performed utilizing Gas Chromatography Mass Spectrometry in accordance with with F.S. Rule 64ER20-39.



Certificate of Analysis

PASSED

FLUENT

 82 NE 26th street
 Miami, FL, 33137, US
 Telephone: (305) 900-6266
 Email: Taylor.Jones@getfluent.com

Sample : DA30427004-003

Harvest/Lot ID: 1361 9240 5045 1556

 Batch# : 9078 5362 9654
 7491

 Sampled : 04/26/23
 Ordered : 04/26/23




Sample Size Received : 16 gram

Total Amount : 1403 units

Completed : 04/29/23 Expires: 04/29/24

Sample Method : SOP.T.20.010

Page 5 of 6

	Microbial	PASSED		Mycotoxins	PASSED						
Analyte	LOD	Units	Result	Pass / Fail	Action Level	Analyte	LOD	Units	Result	Pass / Fail	Action Level
ASPERGILLUS TERREUS			Not Present	PASS		AFLATOXIN B2	0.002	ppm	ND	PASS	0.02
ASPERGILLUS NIGER			Not Present	PASS		AFLATOXIN B1	0.002	ppm	ND	PASS	0.02
ASPERGILLUS FUMIGATUS			Not Present	PASS		OCHRATOXIN A	0.002	ppm	ND	PASS	0.02
ASPERGILLUS FLAVUS			Not Present	PASS		AFLATOXIN G1	0.002	ppm	ND	PASS	0.02
SALMONELLA SPECIFIC GENE			Not Present	PASS		AFLATOXIN G2	0.002	ppm	ND	PASS	0.02
ECOLI SHIGELLA			Not Present	PASS							
TOTAL YEAST AND MOLD	10	CFU/g	<10	PASS	100000						
Analyzed by: 3390, 3621, 585, 4044	Weight: 1.067g	Extraction date: 04/27/23 10:19:25	Extracted by: 3621,3390			Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.40.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.102.FL (Davie)					
Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL			Reviewed On : 04/28/23 10:31:27			Analytical Batch : DA059384MYC	Reviewed On : 04/28/23 09:53:33				
Analytical Batch : DA059362MIC			Batch Date : 04/27/23 08:09:52			Instrument Used : N/A	Batch Date : 04/27/23 10:35:18				
Analyzed Date : 04/27/23 11:18:00						Analyzed Date : 04/27/23 14:13:44					
Instrument Used : PathogenDx Scanner DA-111,Applied Biosystems Thermocycler DA-010,fisherbrand Isotemp Heat Block DA-020,fisherbrand Isotemp Heat Block DA-049,Fisher Scientific Isotemp Heat Block DA-021,ThermoScientific Sorvall Legend Micro 21 Centrifuge DA-018						Dilution : 250					
Analyzed Date : 04/27/23 11:18:00						Reagent : 042423.R10; 042723.R05; 042723.R10; 042423.R12; 042623.R45; 042623.R20; 040521.11					
Dilution : N/A						Consumables : 6697075-02					
Reagent : 011323.27; 092122.06; 042623.R85						Pipette : DA-093; DA-094; DA-219					
Consumables : 7563002039						Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
Pipette : N/A											
Analyzed by: 3390, 3621, 585, 4044	Weight: 1.067g	Extraction date: 04/27/23 10:19:25	Extracted by: 3621,3390								
Analysis Method : SOP.T.40.208 (Gainesville), SOP.T.40.209.FL			Reviewed On : 04/29/23 15:05:04								
Analytical Batch : DA059380TYM			Batch Date : 04/27/23 10:19:35								
Instrument Used : Incubator (25-27C) DA-097											
Analyzed Date : 04/27/23 11:21:56											
Dilution : 10											
Reagent : 011323.27; 032323.R29											
Consumables : 007109											
Pipette : N/A											
Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.											



Certificate of Analysis

PASSED
FLUENT

 82 NE 26th street
 Miami, FL, 33137, US
 Telephone: (305) 900-6266
 Email: Taylor.Jones@getfluent.com

Sample : DA30427004-003

Harvest/Lot ID: 1361 9240 5045 1556

 Batch# : 9078 5362 9654
 7491

Sampled : 04/26/23

Ordered : 04/26/23

Sample Size Received : 16 gram

Total Amount : 1403 units

Completed : 04/29/23 Expires: 04/29/24

Sample Method : SOP.T.20.010

Page 6 of 6


Filth/Foreign Material
PASSED

Analyte	LOD	Units	Result	P/F	Action Level
Filth and Foreign Material	0.1	%	ND	PASS	1

 Analyzed by:
 1879, 4044

 Weight:
 NA

 Extraction date:
 N/A

 Extracted by:
 N/A

Analysis Method : SOP.T.40.090

Analytical Batch : DA059481FIL

Instrument Used : Filth/Foreign Material Microscope

Analyzed Date : 04/28/23 21:07:55

Reviewed On : 04/28/23 21:18:53

Batch Date : 04/28/23 21:05:18

Dilution : N/A

Reagent : N/A

Consumables : N/A

Pipette : N/A

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.


Water Activity
PASSED

Analyte	LOD	Units	Result	P/F	Action Level
Water Activity	0.01	aw	0.552	PASS	0.85

 Analyzed by:
 2926, 585, 4044

 Weight:
 0.333g

 Extraction date:
 04/27/23 13:49:43

 Extracted by:
 2926

Analysis Method : SOP.T.40.019

Analytical Batch : DA059392WAT

Instrument Used : DA-028 Rotronic HygroPalm

Analyzed Date : 04/27/23 11:43:20

Reviewed On : 04/27/23 15:47:55

Batch Date : 04/27/23 10:46:06

Dilution : N/A

Reagent : 100522.09

Consumables : PS-14

Pipette : N/A

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.