



Certificate of Analysis

COMPLIANCE FOR RETAIL

Sample: DA30429001-003
Harvest/Lot ID: ID-PEC-040423-A104
Batch#: 6385 8006 9628 2468
Cultivation Facility: Tampa Cultivation
Processing Facility : Tampa Processing
Source Facility : Tampa Cultivation
Seed to Sale# 3336 9934 0565 6002
Batch Date: 03/29/23
Sample Size Received: 84 units
Total Amount: 6443 units
Retail Product Size: 3.5 gram
Ordered : 04/28/23
Sampled : 04/28/23
Completed: 05/02/23
Sampling Method: SOP.T.20.010

May 02, 2023 | FLUENT

82 NE 26th street
Miami, FL, 33137, US



PASSED

Pages 1 of 5

PRODUCT IMAGE



SAFETY RESULTS



Pesticides
PASSED



Heavy Metals
PASSED



Microbials
PASSED



Mycotoxins
PASSED



Residuals Solvents
NOT TESTED



Filtration
PASSED



Water Activity
PASSED



Moisture
PASSED



Terpenes
TESTED

MISC.



Cannabinoid

PASSED



Total THC
26.778%
Dry Weight



Total CBD
0.073%
Dry Weight



Total Cannabinoids
31.668%
Dry Weight

	D9-THC	THCA	CBD	CBDa	D8-THC	CBG	CBGA	CBN	THCV	CBDV	CBC	TOTAL CBD (DRY)	TOTAL THC (DRY)	TOTAL CANNABINOIDS (DRY)
%	0.368	26.988	0.01	0.064	0.052	0.074	0.772	0.013	0.031	ND	0.054	0.073	26.778	31.668
mg/unit	12.88	944.58	0.35	2.24	1.82	2.59	27.02	0.455	1.085	ND	1.89	2.555	937.23	1108.38
LOD	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001
%														

Total THC
24.036%
841.26 mg /Container

Total CBD
0.066%
2.31 mg /Container

As Received

Analyzed by:
3112, 1665, 585, 4044

Weight:
0.206g

Extraction date:
05/01/23 09:35:59

Extracted by:
1665,3112

Analysis Method : SOP.T.40.031, SOP.T.30.031
Analytical Batch : DA059513POT
Instrument Used : DA-LC-002
Analyzed Date : 05/01/23 10:27:07

Reviewed On : 05/02/23 10:29:32
Batch Date : 04/30/23 09:53:24

Dilution : 400
Reagent : 041923.R10; 032123.11; 042623.R50
Consumables : 250346; CE0123; 12628-309CC-309; 61633-125C6-125E; R1KB14270
Pipette : DA-079; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Jorge Segredo
Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164



Signature
05/02/23



Certificate of Analysis

PASSED

FLUENT

82 NE 26th street
Miami, FL, 33137, US
Telephone: (305) 900-6266
Email: Taylor.Jones@getfluent.com

Sample : DA30429001-003

Harvest/Lot ID: ID-PEC-040423-A104

Batch# : 6385 8006 9628
2468

Sampled : 04/28/23
Ordered : 04/28/23

Sample Size Received : 84 units

Total Amount : 6443 units

Completed : 05/02/23 Expires: 05/02/24

Sample Method : SOP.T.20.010

Page 2 of 5



Terpenes

TESTED

Terpenes	LOD (%)	mg/unit	%	Result (%)	Terpenes	LOD (%)	mg/unit	%	Result (%)
TOTAL TERPENES	0.007	75.74	2.164		FARNESENE	0.007	3.885	0.111	
TOTAL TERPENEOL	0.007	<0.7	<0.02		ALPHA-HUMULENE	0.007	7.91	0.226	
ALPHA-BISABOLOL	0.007	1.96	0.056		VALENCENE	0.007	ND	ND	
ALPHA-PINENE	0.007	<0.7	<0.02		CIS-NEROLIDOL	0.007	0.875	0.025	
CAMPHENE	0.007	<0.7	<0.02		TRANS-NEROLIDOL	0.007	1.4	0.04	
SABINENE	0.007	ND	ND		CARYOPHYLLENE OXIDE	0.007	<0.7	<0.02	
BETA-PINENE	0.007	0.91	0.026		GUAIOL	0.007	4.27	0.122	
BETA-MYRCENE	0.007	1.75	0.05		CEDROL	0.007	ND	ND	
ALPHA-PHELLANDRENE	0.007	ND	ND						
3-CARENE	0.007	ND	ND		Analysis Method : SOP.T.30.061A.FL, SOP.T.40.061A.FL				
ALPHA-TERPINENE	0.007	ND	ND		Analytical Batch : DA0595427ER				
LIMONENE	0.007	4.97	0.142		Instrument Used : DA-GCMS-008				
EUCALYPTOL	0.007	ND	ND		Analyzed Date : N/A				
OCIMENE	0.007	ND	ND		Dilution : 10				
GAMMA-TERPINENE	0.007	ND	ND		Reagent : 121622.35				
SABINENE HYDRATE	0.007	ND	ND		Consumables : 210414634; MKCN9995; CE0123; R1KB14270				
TERPINOLENE	0.007	ND	ND		Pipette : N/A				
FENCHONE	0.007	ND	ND		Terpenoid testing is performed utilizing Gas Chromatography Mass Spectrometry. For all Flower samples, the Total Terpenes % is dry-weight corrected.				
LINALOOL	0.007	2.17	0.062						
FENCHYL ALCOHOL	0.007	0.945	0.027						
ISOPULEGOL	0.007	ND	ND						
CAMPHOR	0.013	ND	ND						
ISOBORNEOL	0.007	ND	ND						
BORNEOL	0.013	ND	ND						
HEXAHYDROTHYMOL	0.007	ND	ND						
NEROL	0.007	ND	ND						
PULEGONE	0.007	ND	ND						
GERANIOL	0.007	ND	ND						
GERANYL ACETATE	0.007	ND	ND						
ALPHA-CEDRENE	0.007	ND	ND						
BETA-CARYOPHYLLENE	0.007	29.995	0.857						
Total (%)			2.164						



Certificate of Analysis

PASSED

FLUENT

 82 NE 26th street
 Miami, FL, 33137, US
 Telephone: (305) 900-6266
 Email: Taylor.Jones@getfluent.com

Sample : DA30429001-003

Harvest/Lot ID: ID-PEC-040423-A104

 Batch# : 6385 8006 9628
 2468

Sampled : 04/28/23

Ordered : 04/28/23

Sample Size Received : 84 units

Total Amount : 6443 units

Completed : 05/02/23 Expires: 05/02/24

Sample Method : SOP.T.20.010

Page 3 of 5



Pesticides

PASSED

Pesticide	LOD	Units	Action Level	Pass/Fail	Result	Pesticide	LOD	Units	Action Level	Pass/Fail	Result
TOTAL CONTAMINANT LOAD (PESTICIDES)	0.01	ppm	5	PASS	ND	OXAMYL	0.01	ppm	0.5	PASS	ND
TOTAL DIMETHOMORPH	0.01	ppm	0.2	PASS	ND	PACLOBUTRAZOL	0.01	ppm	0.1	PASS	ND
TOTAL PERMETHRIN	0.01	ppm	0.1	PASS	ND	PHOSMET	0.01	ppm	0.1	PASS	ND
TOTAL PYRETHRINS	0.01	ppm	0.5	PASS	ND	PIPERONYL BUTOXIDE	0.01	ppm	3	PASS	ND
TOTAL SPINETORAM	0.01	ppm	0.2	PASS	ND	PRALLETHRIN	0.01	ppm	0.1	PASS	ND
TOTAL SPINOSAD	0.01	ppm	0.1	PASS	ND	PROPICONAZOLE	0.01	ppm	0.1	PASS	ND
ABAMECTIN B1A	0.01	ppm	0.1	PASS	ND	PROPOXUR	0.01	ppm	0.1	PASS	ND
ACEPHATE	0.01	ppm	0.1	PASS	ND	PYRIDABEN	0.01	ppm	0.2	PASS	ND
ACEQUINOCYL	0.01	ppm	0.1	PASS	ND	SPIROMESIFEN	0.01	ppm	0.1	PASS	ND
ACETAMIPRID	0.01	ppm	0.1	PASS	ND	SPIROTETRAMAT	0.01	ppm	0.1	PASS	ND
ALDICARB	0.01	ppm	0.1	PASS	ND	SPIROXAMINE	0.01	ppm	0.1	PASS	ND
AZOXYSTROBIN	0.01	ppm	0.1	PASS	ND	TEBUCONAZOLE	0.01	ppm	0.1	PASS	ND
BIFENAZATE	0.01	ppm	0.1	PASS	ND	THIACLOPRID	0.01	ppm	0.1	PASS	ND
BIFENTHRIN	0.01	ppm	0.1	PASS	ND	THIAMETHOXAM	0.01	ppm	0.5	PASS	ND
BOSCALID	0.01	ppm	0.1	PASS	ND	TRIFLOXYSTROBIN	0.01	ppm	0.1	PASS	ND
CARBARYL	0.01	ppm	0.5	PASS	ND	PENTACHLORONITROBENZENE (PCNB) *	0.01	PPM	0.15	PASS	ND
CARBOFURAN	0.01	ppm	0.1	PASS	ND	PARATHION-METHYL *	0.01	PPM	0.1	PASS	ND
CHLORANTRANILIPROLE	0.01	ppm	1	PASS	ND	CAPTAN *	0.07	PPM	0.7	PASS	ND
CHLORMEQUAT CHLORIDE	0.01	ppm	1	PASS	ND	CHLORDANE *	0.01	PPM	0.1	PASS	ND
CHLORPYRIFOS	0.01	ppm	0.1	PASS	ND	CHLORFENAPYR *	0.01	PPM	0.1	PASS	ND
CLOFENTHIZINE	0.01	ppm	0.2	PASS	ND	CYFLUTHRIN *	0.05	PPM	0.5	PASS	ND
COUMAPHOS	0.01	ppm	0.1	PASS	ND	CYPERMETHRIN *	0.05	PPM	0.5	PASS	ND
DAMINOZIDE	0.01	ppm	0.1	PASS	ND						
DIAZINON	0.01	ppm	0.1	PASS	ND	Analyzed by:	Weight:	Extraction date:	Extracted by:		
DICHLORVOS	0.01	ppm	0.1	PASS	ND	3379, 585, 4044	0.8856g	05/01/23 13:50:53	3379,450,585		
DIMETHOATE	0.01	ppm	0.1	PASS	ND	Analysis Method :					
ETHOPROPHOS	0.01	ppm	0.1	PASS	ND	SOP.T.30.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.101.FL (Gainesville),					
ETOFENPROX	0.01	ppm	0.1	PASS	ND	SOP.T.40.102.FL (Davie)					
ETOXAZOLE	0.01	ppm	0.1	PASS	ND	Instrument Batch : DA059533PES			Reviewed On : 05/02/23 14:22:42		
FENHEXAMID	0.01	ppm	0.1	PASS	ND	Instrument Used : DA-LCMS-003 (PES)			Batch Date : 05/01/23 09:20:41		
FENOXYCARB	0.01	ppm	0.1	PASS	ND	Analyzed Date : 05/01/23 12:59:21					
FENPYROXIMATE	0.01	ppm	0.1	PASS	ND	Dilution : 250					
FIPRONIL	0.01	ppm	0.1	PASS	ND	Reagent : 042423.R10; 042723.R05; 042723.R10; 042423.R12; 042623.R45; 042623.R20; 040521.11					
FLONICAMID	0.01	ppm	0.1	PASS	ND	Consumables : 6697075-02					
FLUDIOXONIL	0.01	ppm	0.1	PASS	ND	Pipette : DA-093; DA-094; DA-219					
HEXYTHIAZOX	0.01	ppm	0.1	PASS	ND	Testing for agricultural agents is performed utilizing Liquid Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
IMAZALIL	0.01	ppm	0.1	PASS	ND	Analyzed by:	Weight:	Extraction date:	Extracted by:		
IMIDACLOPRID	0.01	ppm	0.4	PASS	ND	450, 585, 4044	0.8856g	05/01/23 13:50:53	3379,450,585		
KRESOXIM-METHYL	0.01	ppm	0.1	PASS	ND	Analysis Method :					
MALATHION	0.01	ppm	0.2	PASS	ND	SOP.T.30.151.FL (Gainesville), SOP.T.30.151A.FL (Davie), SOP.T.40.151.FL					
METALAXYL	0.01	ppm	0.1	PASS	ND	Analytical Batch : DA059534VOL			Reviewed On : 05/02/23 11:01:50		
METHIOCARB	0.01	ppm	0.1	PASS	ND	Instrument Used : DA-GCMS-006			Batch Date : 05/01/23 09:29:35		
METHOMYL	0.01	ppm	0.1	PASS	ND	Analyzed Date : 05/01/23 14:01:31					
MEVINPHOS	0.01	ppm	0.1	PASS	ND	Dilution : 250					
MYCLOBUTANIL	0.01	ppm	0.1	PASS	ND	Reagent : 042723.R10; 040521.11; 042723.R38; 042723.R39					
NALED	0.01	ppm	0.25	PASS	ND	Consumables : 6697075-02; 14725401					
						Pipette : DA-080; DA-146; DA-218					
						Testing for agricultural agents is performed utilizing Gas Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					



Certificate of Analysis




PASSED
FLUENT

 82 NE 26th street
 Miami, FL, 33137, US
 Telephone: (305) 900-6266
 Email: Taylor.Jones@getfluent.com

 Sample : DA30429001-003
 Harvest/Lot ID: ID-PEC-040423-A104

 Batch# : 6385 8006 9628 Sample Size Received : 84 units
 2468 Total Amount : 6443 units
 Sampled : 04/28/23 Completed : 05/02/23 Expires: 05/02/24
 Ordered : 04/28/23 Sample Method : SOP.T.20.010

Page 4 of 5

<div> Microbial</div> <div>PASSED</div>						<div><div></div> Mycotoxins</div> <div>PASSED</div>					
Analyte	LOD	Units	Result	Pass / Fail	Action Level	Analyte	LOD	Units	Result	Pass / Fail	Action Level
ECOLI SHIGELLA			Not Present	PASS		AFLATOXIN B2	0.002	ppm	ND	PASS	0.02
SALMONELLA SPECIFIC GENE			Not Present	PASS		AFLATOXIN B1	0.002	ppm	ND	PASS	0.02
ASPERGILLUS FLAVUS			Not Present	PASS		OCHRATOXIN A	0.002	ppm	ND	PASS	0.02
ASPERGILLUS FUMIGATUS			Not Present	PASS		AFLATOXIN G1	0.002	ppm	ND	PASS	0.02
ASPERGILLUS TERREUS			Not Present	PASS		AFLATOXIN G2	0.002	ppm	ND	PASS	0.02
ASPERGILLUS NIGER			Not Present	PASS							
TOTAL YEAST AND MOLD	10	CFU/g	50	PASS	100000	Analyzed by: 3379, 585, 4044	Weight: 0.8856g	Extraction date: 05/01/23 13:50:53	Extracted by: 3379,450,585		
Analyzed by: 3390, 585, 4044	Weight: 1.0659g	Extraction date: 04/29/23 12:10:15	Extracted by: 3390			Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.40.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.102.FL (Davie)					
Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL						Analytical Batch : DA059535MYC					
Analytical Batch : DA059489MIC						Reviewed On : 05/02/23 14:21:34					
						Batch Date : 05/01/23 09:29:39					
Instrument Used : PathogenDx Scanner DA-111,Applied Biosystems Thermocycler DA-013,fisherbrand Isotemp Heat Block DA-020,fisherbrand Isotemp Heat Block DA-049,Fisher Scientific Isotemp Heat Block DA-021						Analyzed Date : 05/01/23 12:59:50					
Analyzed Date : 04/29/23 13:36:27						Dilution : 250					
Dilution : N/A						Reagent : 042423.R10; 042723.R05; 042723.R10; 042423.R12; 042623.R45; 042623.R20; 040521.11					
Reagent : 021623.07; 042623.R85; 092122.06						Consumables : 6697075-02					
Consumables : 7563001068						Pipette : DA-093; DA-094; DA-219					
Pipette : N/A						Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
Analyzed by: 3390, 585, 4044	Weight: 1.0659g	Extraction date: 04/29/23 12:10:15	Extracted by: 3390			<div><div></div> Heavy Metals</div> <div>PASSED</div>					
Analysis Method : SOP.T.40.208 (Gainesville), SOP.T.40.209.FL											
Analytical Batch : DA059500TYM											
Instrument Used : Incubator (25-27C) DA-097											
Analyzed Date : 04/29/23 13:35:48											
Dilution : 10											
Reagent : 021623.07; 032323.R29											
Consumables : N/A											
Pipette : N/A											
Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.											
Metal	LOD	Units	Result	Pass / Fail	Action Level						
TOTAL CONTAMINANT LOAD METALS	0.08	ppm	ND	PASS	1.1						
ARSENIC	0.02	ppm	ND	PASS	0.2						
CADMIUM	0.02	ppm	ND	PASS	0.2						
MERCURY	0.02	ppm	ND	PASS	0.2						
LEAD	0.02	ppm	ND	PASS	0.5						
Analyzed by: 1022, 585, 4044	Weight: 0.2191g	Extraction date: 05/01/23 09:07:07	Extracted by: 1022,3619								
Analysis Method : SOP.T.30.082.FL, SOP.T.40.082.FL											
Analytical Batch : DA059517HEA						Reviewed On : 05/02/23 10:31:06					
Instrument Used : DA-ICPMS-003						Batch Date : 04/30/23 15:30:33					
Analyzed Date : 05/01/23 13:11:49											
Dilution : 50											
Reagent : 040623.R23; 042623.R82; 042823.R30; 042523.R25; 042823.R28; 042823.R29; 041123.R28; 042523.R20; 020123.02											
Consumables : 179436; 210508058; 12628-309CC-309											
Pipette : DA-061; DA-191; DA-216											
Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.											



Certificate of Analysis

PASSED
FLUENT

 82 NE 26th street
 Miami, FL, 33137, US
 Telephone: (305) 900-6266
 Email: Taylor.Jones@getfluent.com

Sample : DA30429001-003

Harvest/Lot ID: ID-PEC-040423-A104

 Batch# : 6385 8006 9628
 2468

Sample Size Received : 84 units

Total Amount : 6443 units

Completed : 05/02/23 Expires: 05/02/24

Sampled : 04/28/23

Ordered : 04/28/23

Sample Method : SOP.T.20.010

Page 5 of 5


Filth/Foreign Material
PASSED

Moisture
PASSED

Analyte	LOD	Units	Result	P/F	Action Level	Analyte	LOD	Units	Result	P/F	Action Level
Filth and Foreign Material	0.1	%	ND	PASS	1	Moisture Content	1	%	10.24	PASS	15
Analyzed by: 1879, 4044 Weight: NA Extraction date: N/A Analyzed Date: 05/01/23 18:43:14						Analyzed by: 2926, 585, 4044 Weight: 0.498g Extraction date: 04/29/23 14:08:14 Analyzed Date: 04/29/23 07:26:33					
Analysis Method : SOP.T.40.090 Analytical Batch : DA059554FIL Instrument Used : Filth/Foreign Material Microscope Reviewed On : 05/01/23 18:48:22 Batch Date : 05/01/23 18:41:00						Analysis Method : SOP.T.40.021 Analytical Batch : DA059460MOI Instrument Used : DA-003 Moisture Analyzer Reviewed On : 04/30/23 00:11:00 Batch Date : 04/28/23 11:45:19					
Dilution : N/A Reagent : N/A Consumables : N/A Pipette : N/A						Dilution : N/A Reagent : 101920.06; 020123.02 Consumables : N/A Pipette : DA-066					

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.

Moisture Content analysis utilizing loss-on-drying technology in accordance with F.S. Rule 64ER20-39.


Water Activity
PASSED

Analyte	LOD	Units	Result	P/F	Action Level
Water Activity	0.01	aw	0.541	PASS	0.65
Analyzed by: 2926, 585, 4044 Weight: 0.682g Extraction date: 04/29/23 12:54:37 Analyzed Date: 04/29/23 12:53:02					
Analysis Method : SOP.T.40.019 Analytical Batch : DA059498WAT Instrument Used : DA-028 Rotronic HygroPalm Reviewed On : 04/30/23 00:11:01 Batch Date : 04/29/23 12:05:48					
Dilution : N/A Reagent : 100522.09 Consumables : PS-14 Pipette : N/A					

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.