

Certificate of Analysis

COMPLIANCE FOR RETAIL

May 02, 2023 | FLUENT

82 NE 26th street Miami, FL, 33137, US



Kaycha Labs

Miami Vibes Disposable Pen 0.3g

Miami Vibes Matrix: Derivative Type: Distillate



Harvest/Lot ID: 7423 1862 0771 5983 Batch#: 9282 0098 0202 6928

Cultivation Facility: Tampa Cultivation Processing Facility: Tampa Processing

Source Facility: Tampa Cultivation Seed to Sale# 7423 1862 0771 5983

Batch Date: 03/29/23

Sample Size Received: 15.3 units Total Amount: 1400 units

Retail Product Size: 0.3 gram

Ordered: 04/28/23 Sampled: 04/28/23

Completed: 05/02/23

Sampling Method: SOP.T.20.010

PASSED

Pages 1 of 6

PRODUCT IMAGE

SAFETY RESULTS







Heavy Metals



Microbials



Mycotoxins



Residuals Solvents

PASSED



Filth





mg

THCV

0.548

1.644

0.001

Extracted by: 3335,1665

%



Moisture

MISC.

TESTED

PASSED

CRC

0.751

2.253

0.001

%



Cannabinoid

Total THC

88.801%

Total THC/Container: 266.403 mg



CRDA

ND

ND

%

0.001

D8-THC

0.302

0.906

0.001

%

Total CBD 0.236%

Total CBD/Container: 0.708 mg

CRG

2 223

6.669

0.001

%

Extraction date: 05/01/23 09:27:13

CRGA

ND

ND

Reviewed On: 05/02/23 10:29:43 Batch Date: 04/30/23 01:20:28

0.001



CBN

0.771

2.313

0.001

Total Cannabinoids

Total Cannabinoids/Container: 280.896

CBDV

ND

ND

0.001



	D9-THC
%	88.801
mg/unit	266.403
LOD	0.001













Analyzed Date: 05/01/23 10:05:39

Analyzed by: 1665, 585, 4044

Reagent: 041923.R09; 032123.11; 033123.R04

Consumables: 250346; CE0123; 12628-309CC-309; 61633-125C6-125E; R1KB14270

THCA

ND

ND

%

0.001

Pipette : DA-079; DA-108; DA-078

Instrument Used: DA-LC-007

trum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39

CBD

0.236

0.708

0.001

Weight: 0.1042q

%

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors



Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA Testing 97164



Signature 05/02/23



Kaycha Labs

Miami Vibes Disposable Pen 0.3g

Miami Vibes Matrix : Derivative Type: Distillate



PASSED

Certificate of Analysis

82 NE 26th street Miami, FL, 33137, US Telephone: (305) 900-6266 Email: Taylor.Jones@getfluent.com Sample : DA30429001-004 Harvest/Lot ID: 7423 1862 0771 5983

Batch#: 9282 0098 0202

Sampled: 04/28/23 Ordered: 04/28/23

Sample Size Received: 15.3 units Total Amount : 1400 units Completed: 05/02/23 Expires: 05/02/24 Sample Method: SOP.T.20.010

Page 2 of 6



Terpenes

TESTED

Terpenes	LOD (%)	mg/uni	t % Result (%)	Terpen	es		LOD (%)	mg/unit	%	Result (%)	
OTAL TERPENES	0.007	3.642	1.214	FARNES	NE			ND	ND		
OTAL TERPINEOL	0.007	ND	ND	ALPHA-H	UMULENE		0.007	0.09	0.03		
LPHA-BISABOLOL	0.007	< 0.06	< 0.02	VALENCE	NE		0.007	< 0.06	< 0.02		
LPHA-PINENE	0.007	0.084	0.028	CIS-NER	DLIDOL		0.007	ND	ND		
AMPHENE	0.007	ND	ND	TRANS-N	EROLIDOL		0.007	ND	ND		
ABINENE	0.007	ND	ND	CARYOP	HYLLENE OXIDE		0.007	< 0.06	< 0.02		
ETA-PINENE	0.007	0.105	0.035	GUAIOL			0.007	ND	ND		
ETA-MYRCENE	0.007	0.48	0.16	CEDROL			0.007	ND	ND		
LPHA-PHELLANDRENE	0.007	0.237	0.079	Analyzed I	y:	Weight:		Extraction da	ite:		Extracted by:
-CARENE	0.007	< 0.06	<0.02	2076, 585	4044	1.0585g		05/01/23 16:	37:21		2076
LPHA-TERPINENE	0.007	< 0.06	<0.02		ethod: SOP.T.30.061A.FL, S	OP.T.40.061A.FL					
IMONENE	0.007	0.243	0.081		Batch : DA059543TER t Used : DA-GCMS-005					5/02/23 17:40:50 01/23 10:40:08	
UCALYPTOL	0.007	ND	ND		Date: 05/01/23 17:21:43			Batch	Date: US/	01/23 10:40:08	
CIMENE	0.007	0.393	0.131	Dilution :							
AMMA-TERPINENE	0.007	< 0.06	<0.02	Reagent :	121622.35						
ABINENE HYDRATE	0.007	ND	ND		les: 210414634; MKCN9995	; CE0123; R1KB1	4270				
		4 777	0.591	Pipette : N	/A						
RPINOLENE	0.007	1.773	0.591								
	0.007 0.007	1.773 ND	ND	Terpenoid t	esting is performed utilizing Gas	Chromatography M	ass Spect	rometry. For all F	lower samp	oles, the Total Terpenes %	is dry-weight correct
ENCHONE				Terpenoid t	esting is performed utilizing Gas	Chromatography M	ass Spect	rometry. For all F	lower samp	les, the Total Terpenes %	is dry-weight correcte
NALOOL	0.007	ND	ND	Terpenoid t	esting is performed utilizing Gas	Chromatography M	ass Spect	rometry. For all F	lower samp	oles, the Total Terpenes %	is dry-weight correcte
ENCHONE NALOOL ENCHYL ALCOHOL	0.007 0.007	ND <0.06	ND <0.02	Terpenoid t	esting is performed utilizing Gas	Chromatography M	ass Spect	rometry. For all F	lower samp	oles, the Total Terpenes %	is dry-weight correcte
ENCHONE NALOOL ENCHYL ALCOHOL OPULEGOL	0.007 0.007 0.007	ND <0.06 <0.06	ND <0.02 <0.02	Terpenoid t	esting is performed utilizing Gas	Chromatography M	ass Spect	rometry. For all F	lower samp	les, the Total Terpenes %	is dry-weight correcte
ENCHONE NALOOL ENCHYL ALCOHOL GOPULEGOL AMPHOR	0.007 0.007 0.007 0.007	ND <0.06 <0.06 ND	ND <0.02 <0.02 ND	Terpenoid t	esting is performed utilizing Gas	Chromatography M	ass Spect	rometry. For all F	lower samp	oles, the Total Terpenes %	is dry-weight correcte
ENCHONE INALOOL ENCHYL ALCOHOL SOPULEGOL AMPHOR SOBORNEOL	0.007 0.007 0.007 0.007 0.007	ND <0.06 <0.06 ND ND	ND <0.02 <0.02 ND ND	Terpenoid t	esting is performed utilizing Gas	Chromatography M	ass Spect	rometry. For all F	lower samp	oles, the Total Terpenes %	is dry-weight correcte
ENCHONE NALOOL ENCHYL ALCOHOL EOPULEGOL AMPHOR OBORNEOL DRNEOL	0.007 0.007 0.007 0.007 0.007 0.007	ND <0.06 <0.06 ND ND ND	ND <0.02 <0.02 ND ND	Terpenoid t	esting is performed utilizing Gas	Chromatography M	ass Spect	rometry. For all F	lower samp	oles, the Total Terpenes %	is dry-weight correcti
ENCHONE NALOOL OPULEGOL AMPHOR OBORNEOL ORNEOL EXAHYDROTHYMOL	0.007 0.007 0.007 0.007 0.007 0.007 0.013	ND <0.06 <0.06 ND ND ND <0.12	ND	Terpenoid t	esting is performed utilizing Gas	Chromatography M	lass Spect	rometry. For all F	lower samp	the Total Terpenes %	is dry-weight correcti
ENCHONE NALOOL OPULEGOL MMPHOR OBORNEOL SERAHYDROTHYMOL EROL	0.007 0.007 0.007 0.007 0.007 0.007 0.013	ND <0.06 <0.06 ND ND ND <0.12 <0.06	ND <0.02 <0.02 ND ND ND <0.04 <0.04 <0.04 <0.04 <0.04 <0.04 <0.04 <0.02	Terpenoid t	is performed utilizing Gas	Chromatography M	ass Spect	rometry. For all F	lower samp	Nes, the Total Terpenes %	is dry-weight correct
ENCHONE NALOOL OPULEGOL MMPHOR OBONNEOL DRNEOL EXAHYDROTHYMOL EROL JLEGONE	0.007 0.007 0.007 0.007 0.007 0.007 0.013 0.007	ND <0.06 <0.06 ND ND ND <0.12 <0.06 ND	ND <0.02 <0.02 ND	Terpenoid t	esting is performed utilizing Gas	Chromatography M	ass Spect	rometry. For all F	lower samp	the Total Terpenes %	is dry-weight correcti
ENCHONE NALOOL OPULEGOL MAMPHOR OBORNEOL DRINEOL EROL ULEGONE EROL ULEGONE EROL ULEGONE ERANIOL	0.007 0.007 0.007 0.007 0.007 0.003 0.007 0.013 0.007	ND <0.06 <0.06 ND ND ND <0.12 <0.06 ND ND ND	ND <0.02 <0.02 ND ND ND <0.04 <0.02 ND	Terpenoid t	ssting is performed utilizing Gas	Chromatography M	ass Spect	rometry, For all F	lower samp	Nes, the Total Terpenes %	is dry-weight correcti
ENCHONE INALOOL SOPULEGOL AMPHOR SOBORNEOL GREGOL EXAMYDROTHYMOL EROL ULEGONE ERANIOL	0.007 0.007 0.007 0.007 0.007 0.007 0.013 0.007 0.007	ND <0.06 <0.06 ND ND ND <0.12 <0.06 ND	ND <0.02 <0.02 ND	Terpenoid t	esting is performed utilizing Gas	Chromatography M	ass Spect	rometry. For all F	lower samp	oles, the Total Terpenes %	is dry-weight correcte
ERPINOLENE ENCHONE INALOOL SOPULEGOL AMPHOR SOBORNEOL IORNEOL LEEXAHYPROTHYMOL LEEROL JULEGONE ERBANIOL ERBANIOL LERALETALETALE LIPHA-CEDRENE ETA-CARYOPHYLLENE	0.007 0.007 0.007 0.007 0.007 0.007 0.013 0.007 0.007 0.007	ND <0.06 <0.06 ND ND ND <0.12 <0.06 ND	ND <0.02 <0.02 ND	Terpenoid t	sperformed utilizing Gas	Chromatography M	ass Spect	rometry. For all F	lower samp	les, the Total Terpenes %	is dry-weight correcti

Total (%)

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Jorge Segredo

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164





Kaycha Labs

Miami Vibes Disposable Pen 0.3g

Miami Vibes Matrix : Derivative Type: Distillate



PASSED

Certificate of Analysis

82 NE 26th street Miami, FL, 33137, US Telephone: (305) 900-6266 Email: Taylor.lones@getfluent.com Sample : DA30429001-004 Harvest/Lot ID: 7423 1862 0771 5983

Batch#: 9282 0098 0202

Sampled: 04/28/23 Ordered: 04/28/23

Sample Size Received: 15.3 units Total Amount : 1400 units Completed: 05/02/23 Expires: 05/02/24

Sample Method: SOP.T.20.010

Page 3 of 6



Pesticides

PASSED

		Level			Pesticide	LOD	Units	Level	Pass/Fail	
					OXAMYL	0.01	ppm	0.5	PASS	ND
	P P				PACLOBUTRAZOL	0.01	ppm	0.1	PASS	ND
	1.1.				PHOSMET	0.01	ppm	0.1	PASS	ND
					PIPERONYL BUTOXIDE	0.01	ppm	3	PASS	ND
								0.1	PASS	ND
										ND
										ND
										ND
	11.11				SPIROMESIFEN	0.01	ppm			ND
	ppm				SPIROTETRAMAT	0.01	ppm	0.1	PASS	ND
	ppm				SPIROXAMINE	0.01	ppm	0.1	PASS	ND
	1.10				TEBUCONAZOLE	0.01	ppm	0.1	PASS	ND
	ppm				THIACI OPRID	0.01	ngm	0.1	PASS	ND
0.01	ppm							0.5	PASS	ND
0.01	ppm	0.5		ND			ν · ι / ι			ND
0.01	ppm	0.1		ND						
0.01	ppm	1	PASS							ND
0.01	ppm	1	PASS	ND						ND
0.01	ppm	0.1	PASS	ND	CAPTAN *	0.07	PPM	0.7	PASS	ND
0.01	ppm	0.2	PASS	ND	CHLORDANE *	0.01	PPM	0.1	PASS	ND
0.01	ppm	0.1	PASS	ND	CHLORFENAPYR *	0.01	PPM	0.1	PASS	ND
0.01	ppm	0.1	PASS	ND	CYFLUTHRIN *	0.05	PPM	0.5	PASS	ND
0.01	ppm	0.1	PASS	ND		0.05	PPM	0.5	PASS	ND
0.01	ppm	0.1	PASS	ND				0.5		
0.01	ppm	0.1	PASS	ND						
0.01	ppm	0.1	PASS	ND				(Davie) SOP		
0.01	ppm	0.1	PASS	ND		ville), 301.1	1.50.102.1 L	(Davie), Joi		Juliesvii
0.01	ppm	0.1	PASS	ND	Analytical Batch : DA059527PES		Reviewed	On:05/02/2	23 10:34:08	
0.01	ppm	0.1	PASS	ND	Instrument Used : DA-LCMS-003 (PES)		Batch Dat	te:05/01/23	09:10:01	
0.01	ppm	0.1	PASS	ND	Analyzed Date : 05/01/23 12:59:26					
0.01	ppm	0.1	PASS	ND	Dilution: 250	/ 1	/ \	/ \	1 \ 1	
0.01	ppm	0.1	PASS	ND		3.R10; 042	423.R12; 04	12623.R45; 0	42623.R20; 04	10521.11
0.01	ppm	0.1	PASS	ND						
0.01	ppm	0.1	PASS	ND		ilizina Liquia	d Chromator	ranhy Trinlo-	Ouadrupole Ma	cc
0.01	ppm	0.1	PASS	ND			a Cilioniatog	graphy mpie-	Quadi upole Ma	33
0.01	ppm	0.1	PASS	ND	Analyzed by: Weight:	Extractio	n date:		Extracted by	/:
0.01	ppm	0.4	PASS	ND	450, 585, 4044 0.211g					
0.01	mag	0.1	PASS	ND	Analysis Method: SOP.T.30.151.FL (Gaines	ville), SOP.1	Г.30.151A.F	L (Davie), SC	P.T.40.151.FL	
0.01	ppm	0.2	PASS	ND	Analytical Batch : DA059528VOL					
0.01	ppm	0.1	PASS	ND		В	atch Date :	05/01/23 09	:15:32	
		0.1	PASS	ND						
0.01		0.1	PASS	ND		D20: 0427	22 020			
0.01	ppm	0.1	PASS	ND	Consumables: 6697075-02; 14725401	.R38; U427.	23.K39			
0.02										
0.01	ppm	0.1	PASS	ND	Pipette: DA-080; DA-146; DA-218					
	0.01 0.01	0.01 ppm	Control Cont	Cevel	Col Dept S	Continue			Col. ppm	Col. ppm

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Jorge Segredo

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164





Kaycha Labs

Miami Vibes Disposable Pen 0.3g

Miami Vibes Matrix : Derivative Type: Distillate



Certificate of Analysis

82 NE 26th street Miami, FL, 33137, US Telephone: (305) 900-6266 Email: Taylor.lones@getfluent.com Sample : DA30429001-004 Harvest/Lot ID: 7423 1862 0771 5983

Batch#: 9282 0098 0202

Sampled: 04/28/23 Ordered: 04/28/23

Sample Size Received: 15.3 units Total Amount : 1400 units

Completed: 05/02/23 Expires: 05/02/24 Sample Method: SOP.T.20.010

PASSED

Page 4 of 6



Residual Solvents

PASSED

Solvents	LOD	Units	Action Level	Pass/Fail	Result
1,1-DICHLOROETHENE	0.8	ppm	8	PASS	ND
1,2-DICHLOROETHANE	0.2	ppm	2	PASS	ND
2-PROPANOL	50	ppm	500	PASS	ND
ACETONE	75	ppm	750	PASS	ND
ACETONITRILE	6	ppm	60	PASS	ND
BENZENE	0.1	ppm	1	PASS	ND
BUTANES (N-BUTANE)	500	ppm	5000	PASS	ND
CHLOROFORM	0.2	ppm	2	PASS	ND
DICHLOROMETHANE	12.5	ppm	125	PASS	ND
ETHANOL	500	ppm	5000	PASS	ND
ETHYL ACETATE	40	ppm	400	PASS	ND
ETHYL ETHER	50	ppm	500	PASS	ND
ETHYLENE OXIDE	0.5	ppm	5	PASS	ND
HEPTANE	500	ppm	5000	PASS	ND
METHANOL	25	ppm	250	PASS	ND
N-HEXANE	25	ppm	250	PASS	ND
PENTANES (N-PENTANE)	75	ppm	750	PASS	ND
PROPANE	500	ppm	5000	PASS	ND
TOLUENE	15	ppm	150	PASS	ND
TOTAL XYLENES	15	ppm	150	PASS	ND
TRICHLOROETHYLENE	2.5	ppm	25	PASS	ND
Analyzed by: 850, 585, 4044	Weight: 0.0252g	Extraction date: 04/29/23 13:46:		//	Extracted by: 850

Analysis Method : SOP.T.40.041.FL Analytical Batch : DA059495SOL Instrument Used: DA-GCMS-003

Analyzed Date: 05/01/23 14:22:25

Reviewed On: 05/02/23 10:23:41 Batch Date: 04/29/23 11:48:58

Dilution: 1 Reagent: N/A Consumables: N/A Pipette : N/A

Residual solvents analysis is performed utilizing Gas Chromatography Mass Spectrometry in accordance with with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Jorge Segredo

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164





Kaycha Labs

Miami Vibes Disposable Pen 0.3g

Miami Vibes Matrix : Derivative Type: Distillate



PASSED

Reviewed On: 05/02/23 10:57:20

Batch Date: 05/01/23 09:15:36

Certificate of Analysis

82 NE 26th street Miami, FL, 33137, US Telephone: (305) 900-6266 Fmail: Taylor lones@getfluent.com Sample : DA30429001-004 Harvest/Lot ID: 7423 1862 0771 5983

Batch#: 9282 0098 0202

Sampled: 04/28/23 Ordered: 04/28/23

Sample Size Received: 15.3 units Total Amount : 1400 units Completed: 05/02/23 Expires: 05/02/24 Sample Method: SOP.T.20.010

Page 5 of 6

Reagent: 042423.R10; 042723.R05; 042723.R10; 042423.R12; 042623.R45; 042623.R20;



Microbial

PASSED



Mycotoxins

SOP.T.30.102.FL (Davie), SOP.T.40.102.FL (Davie)

Analytical Batch: DA059529MYC

Analyzed Date: 05/01/23 12:59:53

Pipette: DA-093; DA-094; DA-219

Instrument Used: N/A

Consumables: 6697075-02

Dilution: 250

040521.11

PASSED

Action

Level

0.02

0.02

0.02

0.02

0.02

Pass /

Fail

PASS

PASS

PASS

PASS

PASS

Extracted by:

3379,450,585

Analyte	LOD	Units	Result	Pass / Fail	Action Level	Analyte		LOD	Units	Result	Pas Fai
ECOLI SHIGELLA			Not Present	PASS		AFLATOXIN B2		0.002	ppm	ND	PAS
SALMONELLA SPECIFIC GENE			Not Present	PASS		AFLATOXIN B1		0.002	ppm	ND	PAS
ASPERGILLUS FLAVUS			Not Present	PASS		OCHRATOXIN A		0.002	ppm	ND	PAS
ASPERGILLUS FUMIGATUS			Not Present	PASS		AFLATOXIN G1		0.002	ppm	ND	PAS
ASPERGILLUS TERREUS			Not Present	PASS		AFLATOXIN G2		0.002	ppm	ND	PAS
ASPERGILLUS NIGER			Not Present	PASS		Analyzed by:	Weight:	Extraction date		Fy	tracte
TOTAL YEAST AND MOLD	10	CFU/g	<10	PASS	100000	3379, 585, 4044	0.211g	05/01/23 13:46			79,45
Analyzed by: Weight:	Extr	action date:		Extracted	by:	Analysis Method: SOP.T.30.101.FL (Gainesville), SOP.T.40.101.FL (Gainesville)				ville),	

3390, 585, 4044 1.068g 04/29/23 12:10:15 Analysis Method: SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL

Analytical Batch: DA059489MIC

Reviewed On: 05/02/23

Batch Date: 04/29/23

Instrument Used: PathogenDx Scanner DA-111.Applied Biosystems Thermocycler DA-013,fisherbrand Isotemp Heat Block DA-020, fisherbrand Isotemp Heat Block DA-049, Fisher Scientific

Weight:

Isotemp Heat Block DA-021 Analyzed Date: 04/29/23 13:36:27

Reagent: 021623.07; 042623.R85; 092122.06

Consumables: 7563001068

Pipette: N/A Analyzed by:

	Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.								
tracted by:	[Ha]]	Heavy Metals	PASS						

Heavy Metals

3390, 585, 4044	1.068g	04/29/23	12:10:15	3390
Analysis Method : SOF	T.40.208 (Gaines	ville), SOP.T	.40.209.FL	
Analytical Batch: DA0	59500TYM		Reviewed Or	1:05/01/23 14:39:00
Instrument Used : Incu	ubator (25-27C) Da	A-097	Batch Date:	04/29/23 12:10:28
Analyzed Date: 04/29	/23 13:35:48			
Dilution: 10				

Extraction date:

Reagent: 021623.07; 032323.R29

Consumables : N/A Pipette : N/A

Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.

Metal	LOD	Units	Result	Pass / Fail	Action Level	
TOTAL CONTAMINANT LOAD METALS	0.08	ppm	ND	PASS	1.1	
ARSENIC	0.02	ppm	ND	PASS	0.2	
CADMIUM	0.02	ppm	ND	PASS	0.2	
MERCURY	0.02	ppm	ND	PASS	0.2	
LEAD	0.02	ppm	ND	PASS	0.5	

Extracted by: Weight: Extraction date: 1022, 585, 4044 0.2049g 05/01/23 08:02:23

Analysis Method: SOP.T.30.082.FL, SOP.T.40.082.FL

Analytical Batch : DA059504HEA Instrument Used : DA-ICPMS-003 Analyzed Date: 05/01/23 13:02:28 Reviewed On: 05/02/23 10:24:40 Batch Date: 04/29/23 18:20:28

Dilution: 50

Reagent: 040623.R23; 042623.R82; 042823.R30; 042523.R25; 042823.R28; 042823.R29; 041123.R28; 042523.R20; 020123.02

Consumables: 179436; 210508058; 12628-309CC-309

Pipette: DA-061; DA-191; DA-216

Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.



Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA Testing 97164





Kaycha Labs

Miami Vibes Disposable Pen 0.3g

Miami Vibes Matrix : Derivative Type: Distillate



PASSED

Page 6 of 6

Certificate of Analysis

82 NE 26th street Miami, FL, 33137, US Telephone: (305) 900-6266 Email: Taylor.lones@getfluent.com Sample : DA30429001-004 Harvest/Lot ID: 7423 1862 0771 5983

Batch#: 9282 0098 0202

Sampled: 04/28/23 Ordered: 04/28/23

Sample Size Received: 15.3 units Total Amount: 1400 units Completed: 05/02/23 Expires: 05/02/24 Sample Method: SOP.T.20.010



Filth/Foreign **Material**

PASSED

Reviewed On: 05/01/23 18:48:00 Batch Date: 05/01/23 18:41:40

Reviewed On: 04/30/23 00:11:02

Batch Date: 04/29/23 12:03:45

Analyte LOD Units Result **Action Level** Filth and Foreign Material ND PASS 0.1 % Analyzed by: 1879, 4044 Weight: NA N/A N/A

Analysis Method: SOP.T.40.090

Analytical Batch : DA059556FIL
Instrument Used : Filth/Foreign Material Microscope

Analyzed Date: 05/01/23 18:43:11

Dilution: N/A

Reagent: N/A Pipette: N/A

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.



Water Activity

PASSED

Analyte		LOD	Units	Result	P/F	Action Leve
Water Activity		0.01	aw	0.497	PASS	0.85
Analyzed by:	Weight:		traction d			tracted by:

Analysis Method: SOP.T.40.019 Analytical Batch: DA059496WAT

Instrument Used : DA-028 Rotronic Hygropalm

Analyzed Date : N/A

Dilution: N/A Reagent: 100522.09 Consumables : PS-14 Pipette: N/A

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Jorge Segredo

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

