

**COMPLIANCE FOR RETAIL** 

# **Kaycha Labs**

Grape Diamond Lilac Diesel Cartridge Concentrate 0.5g Grape Diamond Lilac Diesel



Matrix: Derivative Type: Distillate

Sample: DA30429001-006 Harvest/Lot ID: 2109 2476 6079 2864

Batch#: 1638 4569 9772 1602

**Cultivation Facility: Tampa Cultivation Processing Facility: Tampa Processing** 

**Source Facility: Tampa Cultivation** Seed to Sale# 2109 2476 6079 2864

Batch Date: 03/09/23

Sample Size Received: 15.5 units Total Amount: 2888 units

> Retail Product Size: 0.5 gram Ordered: 04/28/23 Sampled: 04/28/23

> > Completed: 05/02/23

Sampling Method: SOP.T.20.010

**PASSED** 

Pages 1 of 6

May 02, 2023 | FLUENT 82 NE 26th street

Miami, FL, 33137, US



PRODUCT IMAGE

SAFETY RESULTS



Pesticides



Heavy Metals

**Certificate of Analysis** 



Microbials



Mycotoxins



Residuals Solvents PASSED



Filth



Water Activity



Moisture



TESTED

**PASSED** 



### Cannabinoid

**Total THC** 

92.504% Total THC/Container : 462.52 mg



**Total CBD** 0.248%

Total CBD/Container: 1.24 mg

Reviewed On: 05/02/23 10:59:47 Batch Date: 04/30/23 01:20:28



**Total Cannabinoids** 98.181%

Total Cannabinoids/Container: 490.905 mg



	D9-THC	THCA	CBD	CBDA	D8-THC	CBG	CBGA	CBN	THCV	CBDV	CBC
%	92.504	ND	0.248	ND	0.231	3.154	ND	0.902	0.517	ND	0.625
mg/unit	462.52	ND	1.24	ND	1.155	15.77	ND	4.51	2.585	ND	3.125
LOD	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001
	%	%	%	%	%	%	%	%	%	%	%
Analyzed by: 1665, 585, 4044			<b>Weight:</b> 0.1013g		Extraction 05/01/23				Extracted 3335,166		

Analysis Method : SOP.T.40.031, SOP.T.30.031 Analytical Batch : DA059510POT Instrument Used : DA-LC-007

Analyzed Date: 05/01/23 10:05:39

Reagent: 041923.R09; 032123.11; 033123.R04

Consumables: 250346; CE0123; 12628-309CC-309; 61633-125C6-125E; R1KB14270

**Pipette :** DA-079; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

### Jorge Segredo

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA Testing 97164





#### Kaycha Labs

Grape Diamond Lilac Diesel Cartridge Concentrate 0.5g

Grape Diamond Lilac Diesel Matrix : Derivative



Type: Distillate

# **Certificate of Analysis**

82 NE 26th street Miami, FL, 33137, US Telephone: (305) 900-6266 Email: Taylor.Jones@getfluent.com Sample : DA30429001-006 Harvest/Lot ID: 2109 2476 6079 2864

Batch#: 1638 4569 9772

Sampled: 04/28/23 Ordered: 04/28/23 Sample Size Received: 15.5 units Total Amount : 2888 units

Completed: 05/02/23 Expires: 05/02/24 Sample Method: SOP.T.20.010

**PASSED** 

Page 2 of 6



## **Terpenes**

**TESTED** 

erpenes	LOD (%)	mg/unit	% Result (%)	Terpenes	LOD (%)	mg/unit	%	Result (%)	
OTAL TERPENES	0.007	8.975	1.795	FARNESENE		ND	ND		
OTAL TERPINEOL	0.007	ND	ND	ALPHA-HUMULENE	0.007	0.115	0.023		
LPHA-BISABOLOL	0.007	ND	ND	VALENCENE	0.007	ND	ND		
LPHA-PINENE	0.007	0.605	0.121	CIS-NEROLIDOL	0.007	ND	ND		
AMPHENE	0.007	ND	ND	TRANS-NEROLIDOL	0.007	ND	ND		
ABINENE	0.007	ND	ND	CARYOPHYLLENE OXIDE	0.007	ND	ND		
ETA-PINENE	0.007	0.23	0.046	GUAIOL	0.007	< 0.1	< 0.02		
ETA-MYRCENE	0.007	3.28	0.656	CEDROL	0.007	ND	ND		
LPHA-PHELLANDRENE	0.007	0.17	0.034	Analyzed by:	Weight:	Extraction d	ate:		Extracted by:
-CARENE	0.007	< 0.1	<0.02	2076, 585, 4044	0.8405g	05/01/23 16			2076
LPHA-TERPINENE	0.007	< 0.1	<0.02	Analysis Method: SOP.T.30.061A.FL, SO	P.T.40.061A.FL				
IMONENE	0.007	0.245	0.049	Analytical Batch : DA059543TER Instrument Used : DA-GCMS-005				5/02/23 17:41:13 /01/23 10:40:08	
UCALYPTOL	0.007	ND	ND	Analyzed Date : 05/01/23 17:21:43		Batch	Date: US/	01/23 10:40:08	
CIMENE	0.007	2.335	0.467	Dilution: 10					
AMMA-TERPINENE	0.007	< 0.1	<0.02	Reagent: 121622.35					
	0.007 0.007	<0.1 <0.1	<0.02 <0.02	Reagent: 121622.35 Consumables: 210414634; MKCN9995;	CE0123; R1KB14270				
ABINENE HYDRATE				Reagent: 121622.35 Consumables: 210414634; MKCN9995; Pipette: N/A					
ABINENE HYDRATE ERPINOLENE	0.007	< 0.1	<0.02	Reagent: 121622.35 Consumables: 210414634; MKCN9995;		ectrometry. For all I	Flower samp	oles, the Total Terpenes % is	s dry-weight correcte
ABINENE HYDRATE ERPINOLENE ENCHONE	0.007 0.007	<0.1 1.415	<0.02 0.283	Reagent: 121622.35 Consumables: 210414634; MKCN9995; Pipette: N/A		ectrometry. For all I	Flower samp	oles, the Total Terpenes % is	s dry-weight correcte
ABINENE HYDRATE ERPINOLENE ENCHONE NALOOL	0.007 0.007 0.007	<0.1 1.415 ND	<0.02 0.283 ND	Reagent: 121622.35 Consumables: 210414634; MKCN9995; Pipette: N/A		ectrometry. For all I	Flower samp	oles, the Total Terpenes % is	s dry-weight correcte
ABINENE HYDRATE ERPINOLENE ENCHONE INALOOL ENCHYL ALCOHOL	0.007 0.007 0.007 0.007	<0.1 1.415 ND 0.2	<0.02 0.283 ND 0.04	Reagent: 121622.35 Consumables: 210414634; MKCN9995; Pipette: N/A		ectrometry. For all l	Flower samp	oles, the Total Terpenes % is	s dry-weight correcte
ABINENE HYDRATE ERPINOLENE ENCHONE INALOOL ENCHYL ALCOHOL GOPULEGOL	0.007 0.007 0.007 0.007 0.007	<0.1 1.415 ND 0.2 <0.1	<0.02 0.283 ND 0.04 <0.02	Reagent: 121622.35 Consumables: 210414634; MKCN9995; Pipette: N/A		ectrometry. For all l	Flower samp	oles, the Total Terpenes % is	s dry-weight correcte
ABINENE HYDRATE ERPINOLENE ENCHONE NALOOL ENCHYL ALCOHOL SOPULEGOL AMPHOR	0.007 0.007 0.007 0.007 0.007	<0.1 1.415 ND 0.2 <0.1 ND	<0.02 0.283 ND 0.04 <0.02	Reagent: 121622.35 Consumables: 210414634; MKCN9995; Pipette: N/A		ectrometry. For all I	Flower samp	oles, the Total Terpenes % is	s dry-weight correcte
ABINENE HYDRATE ERPINOLENE ENCHONE NALOOL ENCHYL ALCOHOL OPPULEGOL AMPHOR	0.007 0.007 0.007 0.007 0.007 0.007 0.007	<0.1 1.415 ND 0.2 <0.1 ND	<0.02 0.283 ND 0.04 <0.02 ND	Reagent: 121622.35 Consumables: 210414634; MKCN9995; Pipette: N/A		ectrometry. For all I	Flower samp	oles, the Total Terpenes % is	s dry-weight correcte
ABINENE HYDRATE ERPINOLENE ENCHONE NALOOL ENCHYLEGOL AMPHOR GOBORNEOL ORNEOL	0.007 0.007 0.007 0.007 0.007 0.007 0.007	<0.1 1.415 ND 0.2 <0.1 ND ND	<0.02 0.283 ND 0.04 <0.02 ND ND	Reagent: 121622.35 Consumables: 210414634; MKCN9995; Pipette: N/A		ctrometry. For all i	Flower samp	oles, the Total Terpenes % is	s dry-weight correcte
ABINENE HYDRATE REPINOLENE NCHONE NALOOL NCHYL ALCOHOL OPULEGOL AMPHOR GBORNEOL OBNEOL ORNEOL EXAHYDROTHYMOL	0.007 0.007 0.007 0.007 0.007 0.007 0.007 0.007	<0.1 1.415 ND 0.2 <0.1 ND ND ND ND <0.2	<0.02 0.283 ND 0.04 <0.02 ND ND ND ND ND ND ND ND <0.04	Reagent: 121622.35 Consumables: 210414634; MKCN9995; Pipette: N/A		octrometry. For all I	Flower samp	ples, the Total Terpenes % is	s dry-weight correcte
ABINENE HYDRATE REPINOLENE NOCHOME NALOOL ENCHYL ALCOHOL OPULEGOL MMPHOR OBORNEOL ORNEOL EXAMYDROTHYMOL EROL	0.007 0.007 0.007 0.007 0.007 0.007 0.007 0.007 0.013	<0.1 1.415 ND 0.2 <0.1 ND	<0.02 0.283 ND 0.04 <0.02 ND	Reagent: 121622.35 Consumables: 210414634; MKCN9995; Pipette: N/A		sctrometry. For all l	Flower samp	oles, the Total Terpenés % is	s dry-weight corrects
ABINENE HYDRATE ERPINOLENE ENCHONE INALOOL INALOOL OPPULEGOL AMPHOR IOBORNEOL ORNEOL EXAHYDROTHYMOL EROL ULEGONE	0.007 0.007 0.007 0.007 0.007 0.007 0.007 0.013 0.007	<0.1 1.415 ND 0.2 <0.1 ND	<0.02 0.283 ND 0.04 <0.02 ND	Reagent: 121622.35 Consumables: 210414634; MKCN9995; Pipette: N/A		ectrometry. For all I	Flower samp	ples, the Total Terpenes % H	s dry-weight correcte
ABINENE HYDRATE REPINOLENE NALOOL NALOOL NOPULEGOL AMPHOR GOORNEOL OORNEOL EXAHYDROTHYMOL EROL LUGGONE EROL LUGGONE ERANIOL	0.007 0.007 0.007 0.007 0.007 0.007 0.007 0.013 0.007 0.007	<0.1 1.415 ND 0.2 <0.1 ND	<0.02 0.283 ND 0.04 <0.02 ND	Reagent: 121622.35 Consumables: 210414634; MKCN9995; Pipette: N/A		ectrometry. For all i	Flower samp	oles, the Total Terpenes % in	s dry-weight correcte
AMMA-TERPINENE ABINENE HYDRATE ERPINOLENE ENCHONE INALOOL ENCHYL ALCOHOL SOPULEGOL AMPHOR SOBORNEOL ORNEOL EXAHYDROTHYMOL EEAL EEAL EERANUL ACETATE LEHAL-CEDERENE	0.007 0.007 0.007 0.007 0.007 0.007 0.007 0.001 0.007 0.007 0.007	<0.1 1.415 ND 0.2 <0.1 ND	<0.02 0.283 ND 0.04 <0.02 ND	Reagent: 121622.35 Consumables: 210414634; MKCN9995; Pipette: N/A		ectrometry. For all i	Flower samp	oles, the Total Terpenes % in	s dry-weight corrects
ABINENE HYDRATE ERPINOLIENE ENCHONE INALOOL ENCHYLACOHOL SOPULEGOL AMPHOR SOBORNEOL ORNEOL ORNEOL ULEGONE EROAL ULEGONE EROAL EROAN EROAL EROANYLACETATE	0.007 0.007 0.007 0.007 0.007 0.007 0.007 0.007 0.007 0.007 0.007	<0.1 1.415 ND 0.2 <0.1 ND	<0.02 0.283 ND 0.04 <<0.02 ND	Reagent: 121622.35 Consumables: 210414634; MKCN9995; Pipette: N/A		ectrometry. For all l	Flower samp	ples, the Total Terpenes % i	s dry-weight correcte

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

#### **Jorge Segredo**

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164





#### **Kaycha Labs**

Grape Diamond Lilac Diesel Cartridge Concentrate 0.5g

Grape Diamond Lilac Diesel Matrix : Derivative





# **Certificate of Analysis**

82 NE 26th street Miami, FL, 33137, US Telephone: (305) 900-6266 Email: Taylor.lones@getfluent.com Sample : DA30429001-006 Harvest/Lot ID: 2109 2476 6079 2864

Batch#: 1638 4569 9772

Sampled: 04/28/23 Ordered: 04/28/23

Sample Size Received: 15.5 units Total Amount : 2888 units

Completed: 05/02/23 Expires: 05/02/24 Sample Method: SOP.T.20.010

**PASSED** 

Page 3 of 6



#### **Pesticides**

P	Δ	S	S	E	D
	-		_		

Pesticide	LOD	Units	Action Level	Pass/Fail		Pesticide	LC	DD	Units	Action Level	Pass/Fail	Resu
OTAL CONTAMINANT LOAD (PESTICIDES)	0.01	ppm	5	PASS	ND	OXAMYL	0.	01	ppm	0.5	PASS	ND
OTAL DIMETHOMORPH	0.01	ppm	0.2	PASS	ND	PACLOBUTRAZOL	0.	01	ppm	0.1	PASS	ND
OTAL PERMETHRIN	0.01	ppm	0.1	PASS	ND	PHOSMET	0.	01	ppm	0.1	PASS	ND
OTAL PYRETHRINS	0.01	ppm	0.5	PASS	ND	PIPERONYL BUTOXIDE	0.		ppm	3	PASS	ND
OTAL SPINETORAM	0.01	ppm	0.2	PASS	ND	PRALLETHRIN	0.		ppm	0.1	PASS	ND
OTAL SPINOSAD	0.01	ppm	0.1	PASS	ND					0.1	PASS	ND
BAMECTIN B1A	0.01	ppm	0.1	PASS	ND	PROPICONAZOLE	0.		ppm			
СЕРНАТЕ	0.01	ppm	0.1	PASS	ND	PROPOXUR	0.		ppm	0.1	PASS	ND
CEQUINOCYL	0.01	ppm	0.1	PASS	ND	PYRIDABEN	0.		ppm	0.2	PASS	ND
CETAMIPRID	0.01	ppm	0.1	PASS	ND	SPIROMESIFEN	0.	01	ppm	0.1	PASS	ND
LDICARB	0.01	ppm	0.1	PASS	ND	SPIROTETRAMAT	0.	01	ppm	0.1	PASS	ND
ZOXYSTROBIN	0.01	ppm	0.1	PASS	ND	SPIROXAMINE	0.	01	ppm	0.1	PASS	ND
FENAZATE	0.01	ppm	0.1	PASS	ND	TEBUCONAZOLE	0.	01	ppm	0.1	PASS	ND
FENTHRIN	0.01	ppm	0.1	PASS	ND	THIACLOPRID	0.	01	ppm	0.1	PASS	ND
OSCALID	0.01	ppm	0.1	PASS	ND	THIAMETHOXAM	0.		ppm	0.5	PASS	ND
ARBARYL	0.01	ppm	0.5	PASS	ND	TRIFLOXYSTROBIN			ppm	0.1	PASS	ND
ARBOFURAN	0.01	ppm	0.1	PASS	ND				PPM	0.15	PASS	ND
HLORANTRANILIPROLE	0.01	ppm	1	PASS	ND	PENTACHLORONITROBENZENE (F						
HLORMEQUAT CHLORIDE	0.01	ppm	1	PASS	ND	PARATHION-METHYL *			PPM	0.1	PASS	ND
HLORPYRIFOS	0.01	ppm	0.1	PASS	ND	CAPTAN *	0.		PPM	0.7	PASS	ND
OFENTEZINE	0.01	ppm	0.2	PASS	ND	CHLORDANE *	0.		PPM	0.1	PASS	ND
DUMAPHOS	0.01	ppm	0.1	PASS	ND	CHLORFENAPYR *	0.	01	PPM	0.1	PASS	ND
AMINOZIDE	0.01	ppm	0.1	PASS	ND	CYFLUTHRIN *	0.	05	PPM	0.5	PASS	ND
AZINON	0.01	ppm	0.1	PASS	ND	CYPERMETHRIN *	0.	05	PPM	0.5	PASS	ND
CHLORVOS	0.01	ppm	0.1	PASS	ND	Analyzed by: Wei	ght: Extr	actio	n date:		Extracted b	
METHOATE	0.01	ppm	0.1	PASS	ND				13:46:32		3379.450.58	
HOPROPHOS	0.01	ppm	0.1	PASS	ND	Analysis Method: SOP.T.30.101.FL	L (Gainesville), So	OP.T.	30.102.FL (	Davie), SOP	.T.40.101.FL (	Gaines
TOFENPROX	0.01	ppm	0.1	PASS	ND	SOP.T.40.102.FL (Davie)						
TOXAZOLE	0.01	ppm	0.1	PASS	ND	Analytical Batch : DA059527PES	//	Reviewed On: 05/02/23 10:34:13 Batch Date: 05/01/23 09:10:01				
ENHEXAMID	0.01	ppm	0.1	PASS	ND	Instrument Used : DA-LCMS-003 (F						
NOXYCARB	0.01	ppm	0.1	PASS	ND	Analyzed Date: 05/01/23 12:59:26 Dilution: 250	)					
ENPYROXIMATE	0.01	ppm	0.1	PASS	ND	Reagent: 042423.R10; 042723.R0	15 · 042723 R10 · 0	1424	23 R12· 04	2623 R45: 0	42623 R20· 04	10521 1
PRONIL	0.01	ppm	0.1	PASS	ND	Consumables : 6697075-02	15, 042725.1(10, 1	,424,	23.1112, 04	2023.1143, 0	42025.1120, 0-	10321.1
LONICAMID	0.01	ppm	0.1	PASS	ND	Pipette: DA-093; DA-094; DA-219						
LUDIOXONIL	0.01	ppm	0.1	PASS	ND	Testing for agricultural agents is per			Chromatogr	aphy Triple-0	Quadrupole Ma	SS
EXYTHIAZOX	0.01	ppm	0.1	PASS	ND	Spectrometry in accordance with F.S						
MAZALIL	0.01	ppm	0.1	PASS	ND	Analyzed by: Weig			date:		Extracted by	
IIDACLOPRID	0.01	ppm	0.4	PASS	ND	<b>450, 585, 4044</b> 0.223			3:46:32	(D. 1.) CO	3379,450,58	
RESOXIM-METHYL	0.01	ppm	0.1	PASS	ND	Analysis Method: SOP.T.30.151.Fl Analytical Batch: DA059528VOL	L (Gainesville), S					
ALATHION	0.01	ppm	0.2	PASS	ND	Instrument Used : DA-GCMS-001				:05/02/23 1 :05/01/23 09:		
TALAXYL	0.01	ppm	0.1	PASS	ND	Analyzed Date: 05/01/23 14:01:48	3	Dai	Ducc i	,5,51,25 05.	10.02	
THIOCARB	0.01	ppm	0.1	PASS	ND	Dilution: 250						
ETHOMYL	0.01	ppm	0.1	PASS	ND	Reagent: 042723.R10; 040521.11	; 042723.R38; 04	12723	3.R39			
EVINPHOS	0.01	ppm	0.1	PASS	ND	Consumables: 6697075-02; 1472	5401					
YCLOBUTANIL	0.01	ppm	0.1	PASS	ND	Pipette: DA-080; DA-146; DA-218						
ALED	0.01	ppm	0.25	PASS	ND	Testing for agricultural agents is per in accordance with F.S. Rule 64ER20		as Ch	romatograp	hy Triple-Qu	adrupole Mass	Spectr

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

#### **Jorge Segredo**

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164





#### Kaycha Labs

Grape Diamond Lilac Diesel Cartridge Concentrate 0.5g Grape Diamond Lilac Diesel

Matrix : Derivative Type: Distillate



**PASSED** 

**Certificate of Analysis** Sample : DA30429001-006

Harvest/Lot ID: 2109 2476 6079 2864 Batch#: 1638 4569 9772

Sampled: 04/28/23 Ordered: 04/28/23

Sample Size Received: 15.5 units Total Amount : 2888 units Completed: 05/02/23 Expires: 05/02/24 Sample Method: SOP.T.20.010

Page 4 of 6



82 NE 26th street Miami, FL, 33137, US

Telephone: (305) 900-6266

Email: Taylor.lones@getfluent.com

# **Residual Solvents**

**PASSED** 

Solvents	LOD	Units	Action Level	Pass/Fail	Result
1,1-DICHLOROETHENE	0.8	ppm	8	PASS	ND
1,2-DICHLOROETHANE	0.2	ppm	2	PASS	ND
2-PROPANOL	50	ppm	500	PASS	ND
ACETONE	75	ppm	750	PASS	ND
ACETONITRILE	6	ppm	60	PASS	ND
BENZENE	0.1	ppm	1	PASS	ND
BUTANES (N-BUTANE)	500	ppm	5000	PASS	ND
CHLOROFORM	0.2	ppm	2	PASS	ND
DICHLOROMETHANE	12.5	ppm	125	PASS	ND
ETHANOL	500	ppm	5000	PASS	ND
ETHYL ACETATE	40	ppm	400	PASS	ND
ETHYL ETHER	50	ppm	500	PASS	ND
ETHYLENE OXIDE	0.5	ppm	5	PASS	ND
HEPTANE	500	ppm	5000	PASS	ND
METHANOL	25	ppm	250	PASS	ND
N-HEXANE	25	ppm	250	PASS	ND
PENTANES (N-PENTANE)	75	ppm	750	PASS	ND
PROPANE	500	ppm	5000	PASS	ND
TOLUENE	15	ppm	150	PASS	ND
TOTAL XYLENES	15	ppm	150	PASS	ND
TRICHLOROETHYLENE	2.5	ppm	25	PASS	ND
Analyzed by: 850, 585, 4044	<b>Weight:</b> 0.0218g	Extraction date: 04/29/23 13:46:		// // \	Extracted by: 850

Analysis Method : SOP.T.40.041.FL Analytical Batch : DA059495SOL Instrument Used: DA-GCMS-003

Analyzed Date: 05/01/23 14:22:25

Reviewed On: 05/02/23 10:23:43 Batch Date: 04/29/23 11:48:58

Dilution: 1 Reagent: N/A Consumables: N/A Pipette : N/A

Residual solvents analysis is performed utilizing Gas Chromatography Mass Spectrometry in accordance with with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

#### Jorge Segredo

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164





#### Kaycha Labs

Grape Diamond Lilac Diesel Cartridge Concentrate 0.5g Grape Diamond Lilac Diesel

Matrix : Derivative



Type: Distillate

# **Certificate of Analysis**

PASSED

82 NE 26th street Miami, FL, 33137, US Telephone: (305) 900-6266 Email: Taylor.lones@getfluent.com Sample : DA30429001-006 Harvest/Lot ID: 2109 2476 6079 2864

Batch#: 1638 4569 9772

Sampled: 04/28/23 Ordered: 04/28/23

Sample Size Received: 15.5 units Total Amount : 2888 units Completed: 05/02/23 Expires: 05/02/24 Sample Method: SOP.T.20.010

Page 5 of 6

Reagent: 042423.R10; 042723.R05; 042723.R10; 042423.R12; 042623.R45; 042623.R20;

Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.



#### Microbial

## **PASSED**



# **Mycotoxins**

SOP.T.30.102.FL (Davie), SOP.T.40.102.FL (Davie)

Analytical Batch: DA059529MYC

Analyzed Date: 05/01/23 12:59:53

Pipette: DA-093; DA-094; DA-219

Instrument Used: N/A

Consumables: 6697075-02

Dilution: 250

040521.11

### **PASSED**

Action

Level

0.02

0.02

0.02

0.02

0.02

Pass /

Fail

PASS

PASS

PASS

PASS

PASS

Extracted by:

3379,450,585

Reviewed On: 05/02/23 10:57:21

Batch Date: 05/01/23 09:15:36

Analyte	LOD	Units	Result	Pass / Fail	Action Level	Analyte		LOD	Units	Result	Pas Fail
ECOLI SHIGELLA			Not Present	PASS		AFLATOXIN B2		0.002	ppm	ND	PAS
SALMONELLA SPECIFIC GENE			Not Present	PASS		AFLATOXIN B1		0.002	ppm	ND	PAS
ASPERGILLUS FLAVUS			Not Present	PASS		OCHRATOXIN A		0.002	ppm	ND	PAS
ASPERGILLUS FUMIGATUS			Not Present	PASS		AFLATOXIN G1		0.002	ppm	ND	PAS
ASPERGILLUS TERREUS			Not Present	PASS		AFLATOXIN G2		0.002	ppm	ND	PAS
ASPERGILLUS NIGER			Not Present	PASS		Analyzed by:	Weight:	Extraction date	٠.	Fy	tracte
TOTAL YEAST AND MOLD	10	CFU/g	<10	PASS	100000	3379, 585, 4044	0.2235g	05/01/23 13:46			379,45
Analyzed by: Weight:	Extra	action date:		Extracted	by:	Analysis Method : SOI	P.T.30.101.FL (G	Gainesville), SOP.T.	40.101.FI	(Gaines	/ille),

3390, 585, 4044 0.865g 04/29/23 12:10:16 Analysis Method: SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL

Analytical Batch: DA059489MIC

Reviewed On: 05/02/23

Batch Date: 04/29/23

Instrument Used: PathogenDx Scanner DA-111.Applied Biosystems Thermocycler DA-013,fisherbrand Isotemp Heat Block

DA-020, fisherbrand Isotemp Heat Block DA-049, Fisher Scientific Isotemp Heat Block DA-021

Analyzed Date: 04/29/23 13:36:27

Reagent: 021623.07; 042623.R85; 092122.06

Consumables: 7563001068

Pipette: N/A

د ا	
Ш	
Ц	Hg

# Hoavy Motals

Analyzed by: 3390, 585, 4044	Weight: 0.865g	Extraction date: 04/29/23 12:10:16	Extracted by: 3390
Analysis Method : SOF	7.T.40.208 (Gaine	sville), SOP.T.40.209.FL	
Analytical Batch : DA0	59500TYM	Reviewed On	: 05/01/23 14:39:01
Instrument Used : Incu	ubator (25-27C) [	OA-097 Batch Date:	04/29/23 12:10:28
Analyzed Date: 04/29	/23 13:35:48		

Dilution: 10 Reagent: 021623.07; 032323.R29

Consumables : N/A Pipette : N/A

Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.

пеаvy ме	cais		$\vee$	PAS	3
<del>//                                   </del>	LOD	Units	Result	Pass /	A

Metal		LOD	Units	Result	Pass / Fail	Action Level
TOTAL CONTAMINANT	LOAD METAL	<b>S</b> 0.08	ppm	ND	PASS	1.1
ARSENIC		0.02	ppm	ND	PASS	0.2
CADMIUM		0.02	ppm	ND	PASS	0.2
MERCURY		0.02	ppm	ND	PASS	0.2
LEAD		0.02	ppm	ND	PASS	0.5
Analyzed by: 1022, 585, 4044	<b>Weight:</b> 0.2506g	Extraction da: 05/01/23 08:0			tracted b 022,3619	y:

Analysis Method: SOP.T.30.082.FL, SOP.T.40.082.FL

Analytical Batch: DA059504HEA Instrument Used: DA-ICPMS-003 Analyzed Date: 05/01/23 13:02:28 Reviewed On: 05/02/23 10:24:42 Batch Date: 04/29/23 18:20:28

Dilution: 50

Reagent: 040623.R23; 042623.R82; 042823.R30; 042523.R25; 042823.R28; 042823.R29;

041123.R28: 042523.R20: 020123.02

Consumables: 179436; 210508058; 12628-309CC-309

Pipette: DA-061; DA-191; DA-216

Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.



Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA Testing 97164





#### Kaycha Labs

Grape Diamond Lilac Diesel Cartridge Concentrate 0.5g Grape Diamond Lilac Diesel

Matrix : Derivative Type: Distillate



**PASSED** 

Page 6 of 6

# **Certificate of Analysis**

Result

Analyte

82 NE 26th street Miami, FL, 33137, US Telephone: (305) 900-6266 Email: Taylor.lones@getfluent.com Sample : DA30429001-006 Harvest/Lot ID: 2109 2476 6079 2864

Batch#: 1638 4569 9772

Sampled: 04/28/23 Ordered: 04/28/23

PASS

N/A

Sample Size Received: 15.5 units Total Amount : 2888 units Completed: 05/02/23 Expires: 05/02/24 Sample Method: SOP.T.20.010

Filth/Foreign **Material** 

**PASSED** 

**Action Level** 

Filth and Foreign Material ND 0.1 % Analyzed by: 1879, 4044 Weight:

NA N/A

LOD Units

Analysis Method: SOP.T.40.090 Reviewed On: 05/01/23 18:48:00 Batch Date: 05/01/23 18:41:40

Analytical Batch : DA059556FIL
Instrument Used : Filth/Foreign Material Microscope Analyzed Date: 05/01/23 18:43:11

Dilution: N/AReagent: N/A Pipette: N/A

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.



### **Water Activity**

PASSED

Analyte LOD Units Result P/F **Action Level** PASS Water Activity 0.01 aw 0.502 0.85 Extraction date: 04/29/23 14:50:31 Extracted by: 2926 Analyzed by: 2926, 585, 4044

Analysis Method: SOP.T.40.019 Analytical Batch: DA059496WAT

Instrument Used : DA-028 Rotronic Hygropalm

Analyzed Date : N/A Dilution: N/A

Reagent: 100522.09 Consumables : PS-14 Pipette: N/A

Reviewed On: 04/30/23 00:11:05 Batch Date: 04/29/23 12:03:45

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Jorge Segredo

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA Testing 97164

