



Certificate of Analysis

COMPLIANCE FOR RETAIL

Sample: DA30429009-004
Harvest/Lot ID: 1281 2014 4356 6429
Batch#: 1281 2014 4356 6429
Cultivation Facility: Tampa Cultivation
Processing Facility : Tampa Processing
Source Facility : Tampa Cultivation
Seed to Sale# 8085 1895 0003 9467
Batch Date: 03/29/23
Sample Size Received: 15.5 gram
Total Amount: 2817 units
Retail Product Size: 0.5 gram
Ordered : 04/29/23
Sampled : 04/29/23
Completed: 05/02/23
Sampling Method: SOP.T.20.010

May 02, 2023 | FLUENT

82 NE 26th street
Miami, FL, 33137, US



PASSED

Pages 1 of 6

PRODUCT IMAGE



SAFETY RESULTS



Pesticides
PASSED



Heavy Metals
PASSED



Microbials
PASSED



Mycotoxins
PASSED



Residuals Solvents
PASSED



Filtration
PASSED



Water Activity
PASSED



Moisture
NOT TESTED



Terpenes
TESTED

MISC.



Cannabinoid

PASSED



Total THC

92.496%

Total THC/Container : 462.48 mg



Total CBD

0.262%

Total CBD/Container : 1.31 mg



Total Cannabinoids

97.869%

Total Cannabinoids/Container : 489.345 mg

	D9-THC	THCA	CBD	CBDA	D8-THC	CBG	CBGA	CBN	THCV	CBDV	CBC
%	92.425	0.081	0.262	ND	0.275	2.308	ND	0.781	0.571	ND	1.166
mg/unit	462.125	0.405	1.31	ND	1.375	11.54	ND	3.905	2.855	ND	5.83
LOD	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001
	%	%	%	%	%	%	%	%	%	%	%

Analyzed by:
1665, 585, 1440

Weight:
0.1028g

Extraction date:
05/01/23 09:27:15

Extracted by:
3335,1665

Analysis Method : SOP.T.40.031, SOP.T.30.031

Analytical Batch : DA059510POT

Instrument Used : DA-LC-007

Analyzed Date : 05/01/23 10:05:39

Reviewed On : 05/02/23 11:44:00

Batch Date : 04/30/23 01:20:28

Dilution : 400

Reagent : 041923.R09; 032123.11; 033123.R04

Consumables : 250346; CE0123; 12628-309CC-309; 61633-125C6-125E; R1KB14270

Pipette : DA-079; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Jorge Segredo

Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164



Signature
05/02/23



Certificate of Analysis

PASSED

FLUENT

 82 NE 26th street
 Miami, FL, 33137, US
 Telephone: (305) 900-6266
 Email: Taylor.Jones@getfluent.com

Sample : DA30429009-004

Harvest/Lot ID: 1281 2014 4356 6429

 Batch# : 1281 2014 4356
 6429

Sampled : 04/29/23

Ordered : 04/29/23

Sample Size Received : 15.5 gram

Total Amount : 2817 units

Completed : 05/02/23 Expires: 05/02/24

Sample Method : SOP.T.20.010

Page 2 of 6

<



Certificate of Analysis

PASSED

FLUENT

 82 NE 26th street
 Miami, FL, 33137, US
 Telephone: (305) 900-6266
 Email: Taylor.Jones@getfluent.com

Sample : DA30429009-004

Harvest/Lot ID: 1281 2014 4356 6429

 Batch# : 1281 2014 4356
 6429

Sampled : 04/29/23

Ordered : 04/29/23

Sample Size Received : 15.5 gram

Total Amount : 2817 units

Completed : 05/02/23 Expires: 05/02/24

Sample Method : SOP.T.20.010

Page 3 of 6



Pesticides

PASSED

Pesticide	LOD	Units	Action Level	Pass/Fail	Result	Pesticide	LOD	Units	Action Level	Pass/Fail	Result
TOTAL CONTAMINANT LOAD (PESTICIDES)	0.01	ppm	5	PASS	ND	OXAMYL	0.01	ppm	0.5	PASS	ND
TOTAL DIMETHOMORPH	0.01	ppm	0.2	PASS	ND	PACLOBUTRAZOL	0.01	ppm	0.1	PASS	ND
TOTAL PERMETHRIN	0.01	ppm	0.1	PASS	ND	PHOSMET	0.01	ppm	0.1	PASS	ND
TOTAL PYRETHRINS	0.01	ppm	0.5	PASS	ND	PIPERONYL BUTOXIDE	0.01	ppm	3	PASS	ND
TOTAL SPINETORAM	0.01	ppm	0.2	PASS	ND	PRALLETHRIN	0.01	ppm	0.1	PASS	ND
TOTAL SPINOSAD	0.01	ppm	0.1	PASS	ND	PROPICONAZOLE	0.01	ppm	0.1	PASS	ND
ABAMECTIN B1A	0.01	ppm	0.1	PASS	ND	PROPOXUR	0.01	ppm	0.1	PASS	ND
ACEPHATE	0.01	ppm	0.1	PASS	ND	PYRIDABEN	0.01	ppm	0.2	PASS	ND
ACEQUINOCYL	0.01	ppm	0.1	PASS	ND	SPIROMESIFEN	0.01	ppm	0.1	PASS	ND
ACETAMIPRID	0.01	ppm	0.1	PASS	ND	SPIROTETRAMAT	0.01	ppm	0.1	PASS	ND
ALDICARB	0.01	ppm	0.1	PASS	ND	SPIROXAMINE	0.01	ppm	0.1	PASS	ND
AZOXYSTROBIN	0.01	ppm	0.1	PASS	ND	TEBUCONAZOLE	0.01	ppm	0.1	PASS	ND
BIFENAZATE	0.01	ppm	0.1	PASS	ND	THIACLOPRID	0.01	ppm	0.1	PASS	ND
BIFENTHRIN	0.01	ppm	0.1	PASS	ND	THIAMETHOXAM	0.01	ppm	0.5	PASS	ND
BOSCALID	0.01	ppm	0.1	PASS	ND	TRIFLOXYSTROBIN	0.01	ppm	0.1	PASS	ND
CARBARYL	0.01	ppm	0.5	PASS	ND	PENTACHLORONITROBENZENE (PCNB) *	0.01	PPM	0.15	PASS	ND
CARBOFURAN	0.01	ppm	0.1	PASS	ND	PARATHION-METHYL *	0.01	PPM	0.1	PASS	ND
CHLORANTRANILIPROLE	0.01	ppm	1	PASS	ND	CAPTAN *	0.07	PPM	0.7	PASS	ND
CHLORMEQUAT CHLORIDE	0.01	ppm	1	PASS	ND	CHLORDANE *	0.01	PPM	0.1	PASS	ND
CHLORPYRIFOS	0.01	ppm	0.1	PASS	ND	CHLORFENAPYR *	0.01	PPM	0.1	PASS	ND
CLOFENTHIZINE	0.01	ppm	0.2	PASS	ND	CYFLUTHRIN *	0.05	PPM	0.5	PASS	ND
COUMAPHOS	0.01	ppm	0.1	PASS	ND	CYPERMETHRIN *	0.05	PPM	0.5	PASS	ND
DAMINOZIDE	0.01	ppm	0.1	PASS	ND						
DIAZINON	0.01	ppm	0.1	PASS	ND	Analized by: 3379, 585, 1440	Weight: 0.2063g	Extraction date: 05/01/23 13:46:39		Extracted by: 3379,450,585	
DICHLORVOS	0.01	ppm	0.1	PASS	ND	Analysis Method :SOP.T.30.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.101.FL (Gainesville), SOP.T.40.102.FL (Davie)					
DIMETHOATE	0.01	ppm	0.1	PASS	ND	Analytical Batch :DA059527PES		Reviewed On :05/02/23 10:37:45			
ETHOPROPHOS	0.01	ppm	0.1	PASS	ND	Instrument Used :DA-LCMS-003 (PES)		Batch Date :05/01/23 09:10:01			
ETOFENPROX	0.01	ppm	0.1	PASS	ND	Analyzed Date :05/01/23 12:59:26					
ETOXAZOLE	0.01	ppm	0.1	PASS	ND	Dilution : 250					
FENHEXAMID	0.01	ppm	0.1	PASS	ND	Reagent : 042423.R10; 042723.R05; 042723.R10; 042423.R12; 042623.R45; 042623.R20; 040521.11					
FENOXYCARB	0.01	ppm	0.1	PASS	ND	Consumables : 6697075-02					
FENPYROXIMATE	0.01	ppm	0.1	PASS	ND	Pipette : DA-093; DA-094; DA-219					
FIPRONIL	0.01	ppm	0.1	PASS	ND	Testing for agricultural agents is performed utilizing Liquid Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
FLONICAMID	0.01	ppm	0.1	PASS	ND	Analized by: 450, 585, 1440	Weight: 0.2063g	Extraction date: 05/01/23 13:46:39		Extracted by: 3379,450,585	
FLUDIOXONIL	0.01	ppm	0.1	PASS	ND	Analysis Method :SOP.T.30.151.FL (Gainesville), SOP.T.30.151A.FL (Davie), SOP.T.40.151.FL (Gainesville)					
HEXYTHIAZOX	0.01	ppm	0.1	PASS	ND	Analytical Batch :DA059528VOL		Reviewed On :05/02/23 10:53:23			
IMAZALIL	0.01	ppm	0.1	PASS	ND	Instrument Used :DA-GCMS-001		Batch Date :05/01/23 09:15:32			
IMIDACLOPRID	0.01	ppm	0.4	PASS	ND	Analyzed Date :05/01/23 14:01:48					
KRESOXIM-METHYL	0.01	ppm	0.1	PASS	ND	Dilution : 250					
MALATHION	0.01	ppm	0.2	PASS	ND	Reagent : 042723.R10; 040521.11; 042723.R38; 042723.R39					
METALAXYL	0.01	ppm	0.1	PASS	ND	Consumables : 6697075-02; 14725401					
METHIOCARB	0.01	ppm	0.1	PASS	ND	Pipette : DA-080; DA-146; DA-218					
METHOMYL	0.01	ppm	0.1	PASS	ND	Testing for agricultural agents is performed utilizing Gas Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
MEVINPHOS	0.01	ppm	0.1	PASS	ND						
MYCLOBUTANIL	0.01	ppm	0.1	PASS	ND						
NALED	0.01	ppm	0.25	PASS	ND						



Certificate of Analysis

PASSED
FLUENT

 82 NE 26th street
 Miami, FL, 33137, US
 Telephone: (305) 900-6266
 Email: Taylor.Jones@getfluent.com

Sample : DA30429009-004

Harvest/Lot ID: 1281 2014 4356 6429

 Batch# : 1281 2014 4356
 6429

Sampled : 04/29/23

Ordered : 04/29/23

Sample Size Received : 15.5 gram

Total Amount : 2817 units

Completed : 05/02/23 Expires: 05/02/24

Sample Method : SOP.T.20.010

Page 4 of 6



Residual Solvents

PASSED

Solvents	LOD	Units	Action Level	Pass/Fail	Result
1,1-DICHLOROETHENE	0.8	ppm	8	PASS	ND
1,2-DICHLOROETHANE	0.2	ppm	2	PASS	ND
2-PROPANOL	50	ppm	500	PASS	ND
ACETONE	75	ppm	750	PASS	ND
ACETONITRILE	6	ppm	60	PASS	ND
BENZENE	0.1	ppm	1	PASS	ND
BUTANES (N-BUTANE)	500	ppm	5000	PASS	ND
CHLOROFORM	0.2	ppm	2	PASS	ND
DICHLOROMETHANE	12.5	ppm	125	PASS	ND
ETHANOL	500	ppm	5000	PASS	ND
ETHYL ACETATE	40	ppm	400	PASS	ND
ETHYL ETHER	50	ppm	500	PASS	ND
ETHYLENE OXIDE	0.5	ppm	5	PASS	ND
HEPTANE	500	ppm	5000	PASS	ND
METHANOL	25	ppm	250	PASS	ND
N-HEXANE	25	ppm	250	PASS	ND
PENTANES (N-PENTANE)	75	ppm	750	PASS	ND
PROPANE	500	ppm	5000	PASS	ND
TOLUENE	15	ppm	150	PASS	ND
TOTAL XYLENES	15	ppm	150	PASS	ND
TRICHLOROETHYLENE	2.5	ppm	25	PASS	ND

 Analyzed by:
 850, 585, 1440

 Weight:
 0.0246g

 Extraction date:
 05/01/23 13:13:28

 Extracted by:
 850,2076

 Analysis Method : SOP.T.40.041.FL
 Analytical Batch : DA059551SOL
 Instrument Used : DA-GCMS-002
 Analyzed Date : 05/02/23 10:27:42

 Reviewed On : 05/02/23 11:04:48
 Batch Date : 05/01/23 13:08:04

 Dilution : 1
 Reagent : 030420.09
 Consumables : R2017.167; G201.167
 Pipette : DA-309 25uL Syringe 35028

Residual solvents analysis is performed utilizing Gas Chromatography Mass Spectrometry in accordance with with F.S. Rule 64ER20-39.





Certificate of Analysis

PASSED
FLUENT

 82 NE 26th street
 Miami, FL, 33137, US
 Telephone: (305) 900-6266
 Email: Taylor.Jones@getfluent.com

Sample : DA30429009-004

Harvest/Lot ID: 1281 2014 4356 6429

Batch# : 1281 2014 4356 6429

Sampled : 04/29/23

Ordered : 04/29/23




Sample Size Received : 15.5 gram

Total Amount : 2817 units

Completed : 05/02/23 Expires: 05/02/24

Sample Method : SOP.T.20.010

Page 5 of 6

	Microbial	PASSED					Mycotoxins	PASSED				
Analyte	LOD	Units	Result	Pass / Fail	Action Level	Analyte	LOD	Units	Result	Pass / Fail	Action Level	
ECOLI SHIGELLA			Not Present	PASS		AFLATOXIN B2	0.002	ppm	ND	PASS	0.02	
SALMONELLA SPECIFIC GENE			Not Present	PASS		AFLATOXIN B1	0.002	ppm	ND	PASS	0.02	
ASPERGILLUS FLAVUS			Not Present	PASS		OCHRATOXIN A	0.002	ppm	ND	PASS	0.02	
ASPERGILLUS FUMIGATUS			Not Present	PASS		AFLATOXIN G1	0.002	ppm	ND	PASS	0.02	
ASPERGILLUS TERREUS			Not Present	PASS		AFLATOXIN G2	0.002	ppm	ND	PASS	0.02	
ASPERGILLUS NIGER			Not Present	PASS								
TOTAL YEAST AND MOLD	10	CFU/g	<10	PASS	100000	Analyzed by: 3379, 585, 1440	Weight: 0.2063g	Extraction date: 05/01/23 13:46:39	Extracted by: 3379,450,585			
Analyzed by: 3390, 3621, 585, 1440 Weight: 0.874g Extraction date: 04/30/23 15:38:20 Extracted by: 3390						Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.40.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.102.FL (Davie) Analytical Batch : DA059529MYC Instrument Used : N/A Analyzed Date : 05/01/23 12:59:53 Reviewed On : 05/02/23 10:57:34 Batch Date : 05/01/23 09:15:36						
Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL Analytical Batch : DA059511MIC Reviewed On : 05/02/23 11:44:15 Batch Date : 04/30/23 09:36:59 Instrument Used : PathogenDx Scanner DA-111,Applied Biosystems Thermocycler DA-010,fisherbrand Isotemp Heat Block DA-020,fisherbrand Isotemp Heat Block DA-049,Fisher Scientific Isotemp Heat Block DA-021 Analyzed Date : 05/01/23 12:23:17						Dilution : 250 Reagent : 042423.R10; 042723.R05; 042723.R10; 042423.R12; 042623.R45; 042623.R20; 040521.11 Consumables : 6697075-02 Pipette : DA-093; DA-094; DA-219						
Dilution : N/A Reagent : 021623.07; 042623.R85; 092122.06 Consumables : 7563002012 Pipette : N/A						Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.						
Analyzed by: 3390, 3336, 585, 1440 Weight: 0.874g Extraction date: N/A Extracted by: 3390						<div></div> Heavy Metals PASSED						
Analysis Method : SOP.T.40.208 (Gainesville), SOP.T.40.209.FL Analytical Batch : DA059512TYM Instrument Used : Incubator (25-27C) DA-096 Analyzed Date : 05/01/23 12:26:42 Reviewed On : 05/02/23 14:46:50 Batch Date : 04/30/23 09:38:04						Metal	LOD	Units	Result	Pass / Fail	Action Level	
Dilution : 10 Reagent : 021623.07; 032323.R29 Consumables : N/A Pipette : N/A						TOTAL CONTAMINANT LOAD METALS	0.08	ppm	ND	PASS	1.1	
						ARSENIC	0.02	ppm	ND	PASS	0.2	
						CADMIUM	0.02	ppm	ND	PASS	0.2	
						MERCURY	0.02	ppm	ND	PASS	0.2	
						LEAD	0.02	ppm	ND	PASS	0.5	
Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.						Analyzed by: 1022, 585, 1440	Weight: 0.2349g	Extraction date: 05/01/23 08:30:23	Extracted by: 1022,3619			



Certificate of Analysis

PASSED
FLUENT

 82 NE 26th street
 Miami, FL, 33137, US
 Telephone: (305) 900-6266
 Email: Taylor.Jones@getfluent.com

Sample : DA30429009-004

Harvest/Lot ID: 1281 2014 4356 6429

 Batch# : 1281 2014 4356
 6429

Sampled : 04/29/23

Ordered : 04/29/23

Sample Size Received : 15.5 gram

Total Amount : 2817 units

Completed : 05/02/23 Expires: 05/02/24

Sample Method : SOP.T.20.010

Page 6 of 6


Filth/Foreign Material
PASSED

Analyte	LOD	Units	Result	P/F	Action Level
Filth and Foreign Material	0.1	%	ND	PASS	1

Analyzed by: 1879, 1440	Weight: NA	Extraction date: N/A	Extracted by: N/A
----------------------------	---------------	-------------------------	----------------------

Analysis Method : SOP.T.40.090

Analytical Batch : DA059556FIL

Instrument Used : Filth/Foreign Material Microscope

Analyzed Date : 05/01/23 18:43:11

Reviewed On : 05/01/23 18:47:44

Batch Date : 05/01/23 18:41:40

Dilution : N/A

Reagent : N/A

Consumables : N/A

Pipette : N/A

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.


Water Activity
PASSED

Analyte	LOD	Units	Result	P/F	Action Level
Water Activity	0.01	aw	0.479	PASS	0.85

Analyzed by: 2926, 585, 1440	Weight: 0.189g	Extraction date: 05/02/23 14:40:55	Extracted by: 2926
---------------------------------	-------------------	---------------------------------------	-----------------------

Analysis Method : SOP.T.40.019

Analytical Batch : DA059596WAT

Instrument Used : DA-028 Rotronic Hygropalm

Analyzed Date : 05/02/23 14:39:19

Reviewed On : 05/02/23 14:46:51

Batch Date : 05/02/23 11:23:15

Dilution : N/A

Reagent : 100522.09

Consumables : PS-14

Pipette : N/A

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.