

4131 SW 47th AVENUE SUITE 1408 DAVIE, FL, 33314, US (954) 368-7664

Certificate of Analysis

COMPLIANCE FOR RETAIL

Kaycha Labs

Sour Diesel Disposable Pen 0.3g Sour Diesel Matrix: Derivative Type: Distillate




PASSED

Sample:DA30429009-005 Harvest/Lot ID: 8835 3870 2712 6828 Batch#: 8835 3870 2712 6828 Cultivation Facility: Tampa Cultivation Processing Facility : Tampa Processing Source Facility : Tampa Cultivation Seed to Sale# 4735 3453 4602 7633 Batch Date: 02/27/23 Sample Size Received: 15.3 gram Total Amount: 976 units Retail Product Size: 0.3 gram Ordered : 04/29/23 Sampled : 04/29/23 Completed: 05/02/23

May 02, 2023 | FLUENT

82 NE 26th street Miami, FL, 33137, US



This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Jorge Segredo

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164





Sour Diesel Disposable Pen 0.3g Sour Diesel Matrix : Derivative Type: Distillate



PASSED

TESTED

4131 SW 47th AVENUE SUITE 1408 DAVIE, FL, 33314, US (954) 368-7664

Certificate of Analysis

FLUENT

82 NE 26th street Miami, FL, 33137, US Telephone: (305) 900-6266 Email: Taylor.Jones@getfluent.com Sample : DA30429009-005 Harvest/Lot ID: 8835 3870 2712 6828 Batch# : 8835 3870 2712 Sample 6828 Total Ar

Sampled : 04/29/23 Ordered : 04/29/23 12 6828 Sample Size Received : 15.3 gram Total Amount : 976 units Completed : 05/02/23 Expires: 05/02/24 Sample Method : SOP.T.20.010

Page 2 of 6

Ô

Те	rp	e	ne	S
	5 M			-

Terpenes	LOD (%)	mg/unit	% Result	%)	Terpenes			LOD (%)	mg/unit	%	Result (%)
TOTAL TERPENES	0.007	6.84	2.28		FARNESENE			()	0.048	0.016	
TOTAL TERPINEOL	0.007	< 0.06	<0.02		ALPHA-HUMU	LENE		0.007	0.237	0.079	
ALPHA-BISABOLOL	0.007	< 0.06	<0.02		VALENCENE			0.007	ND	ND	
ALPHA-PINENE	0.007	0.192	0.064		CIS-NEROLID	DL		0.007	ND	ND	
CAMPHENE	0.007	< 0.06	<0.02		TRANS-NERO	LIDOL		0.007	ND	ND	
ABINENE	0.007	ND	ND		CARYOPHYLL	ENE OXIDE		0.007	ND	ND	
BETA-PINENE	0.007	0.252	0.084		GUAIOL			0.007	ND	ND	
BETA-MYRCENE	0.007	2.433	0.811		CEDROL			0.007	ND	ND	
LPHA-PHELLANDRENE	0.007	ND	ND		Analyzed by:		Weight:		Extraction da	ate:	Extracted by:
3-CARENE	0.007	ND	ND		2076, 585, 1440		1.1339g		05/01/23 16		2076
ALPHA-TERPINENE	0.007	ND	ND			: SOP.T.30.061A.FL, S	OP.T.40.061A.FL				
IMONENE	0.007	2.085	0.695			: DA059543TER					05/02/23 18:08:50
UCALYPTOL	0.007	ND	ND			d:DA-GCMS-005 05/01/23 17:21:43			Batch	Date : 05/	/01/23 10:40:08
CIMENE	0.007	0.06	0.02		Dilution : 10						
AMMA-TERPINENE	0.007	ND	ND		Reagent : 1216	22.35					
ABINENE HYDRATE	0.007	ND	ND			210414634; MKCN9995	5; CE0123; R1KB1	.4270			
ERPINOLENE	0.007	0.063	0.021		Pipette : N/A						
ENCHONE	0.007	ND	ND		Terpenoid testing	is performed utilizing Gas	s Chromatography N	lass Speci	rometry. For all I	Flower samp	ples, the Total Terpenes % is dry-weight corrected.
INALOOL	0.007	0.453	0.151								
ENCHYL ALCOHOL	0.007	0.165	0.055								
OPULEGOL	0.007	ND	ND								
AMPHOR	0.007	ND	ND								
SOBORNEOL	0.007	ND	ND								
ORNEOL	0.013	< 0.12	< 0.04								
IEXAHYDROTHYMOL	0.007	ND	ND								
	0.007	ND	ND								
IEROL		ND	ND								
	0.007	ND	ND								
ULEGONE	0.007 0.007	ND	ND								
IEROL PULEGONE SERANIOL SERANYL ACETATE											
ULEGONE ERANIOL	0.007	ND	ND								

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Jorge Segredo

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164





Sour Diesel Disposable Pen 0.3g Sour Diesel Matrix : Derivative Type: Distillate



PASSED

PASSED

Page 3 of 6

82 NE 26th street Miami, FL, 33137, US Telephone: (305) 900-6266 Email: Taylor.Jones@getfluent.com

FLUENT

R S

DAVIE, FL, 33314, US (954) 368-7664

Pesticides

Pesticide	LOD	Units	Action Level	Pass/Fail	Result	Pesticide
TOTAL CONTAMINANT LOAD (PESTICIDES)	0.01	ppm	5	PASS	ND	OXAMYL
TOTAL DIMETHOMORPH	0.01	ppm	0.2	PASS	ND	PACLOBUTRAZOL
TOTAL PERMETHRIN	0.01	ppm	0.1	PASS	ND	PHOSMET
TOTAL PYRETHRINS	0.01	ppm	0.5	PASS	ND	PIPERONYL BUTOXIDE
TOTAL SPINETORAM	0.01	ppm	0.2	PASS	ND	
TOTAL SPINOSAD	0.01	ppm	0.1	PASS	ND	PRALLETHRIN
BAMECTIN B1A	0.01	ppm	0.1	PASS	ND	PROPICONAZOLE
СЕРНАТЕ	0.01	ppm	0.1	PASS	ND	PROPOXUR
CEQUINOCYL	0.01	ppm	0.1	PASS	ND	PYRIDABEN
ACETAMIPRID	0.01	ppm	0.1	PASS	ND	SPIROMESIFEN
ALDICARB	0.01	ppm	0.1	PASS	ND	SPIROTETRAMAT
AZOXYSTROBIN	0.01	ppm	0.1	PASS	ND	SPIROXAMINE
BIFENAZATE	0.01	ppm	0.1	PASS	ND	TEBUCONAZOLE
BIFENTHRIN	0.01	ppm	0.1	PASS	ND	THIACLOPRID
BOSCALID	0.01	ppm	0.1	PASS	ND	THIAMETHOXAM
CARBARYL	0.01	ppm	0.5	PASS	ND	TRIFLOXYSTROBIN
CARBOFURAN	0.01	ppm	0.1	PASS	ND	
CHLORANTRANILIPROLE	0.01	ppm	1	PASS	ND	PENTACHLORONITROBENZ
CHLORMEQUAT CHLORIDE	0.01	ppm	1	PASS	ND	PARATHION-METHYL *
CHLORPYRIFOS	0.01	ppm	0.1	PASS	ND	CAPTAN *
LOFENTEZINE	0.01	ppm	0.2	PASS	ND	CHLORDANE *
COUMAPHOS	0.01	ppm	0.1	PASS	ND	CHLORFENAPYR *
DAMINOZIDE	0.01	ppm	0.1	PASS	ND	CYFLUTHRIN *
DIAZINON	0.01	ppm	0.1	PASS	ND	CYPERMETHRIN *
ICHLORVOS	0.01	ppm	0.1	PASS	ND	
DIMETHOATE	0.01	ppm	0.1	PASS	ND	Analyzed by: 3379, 585, 1440
THOPROPHOS	0.01	ppm	0.1	PASS	ND	Analysis Method : SOP.T.30
TOFENPROX	0.01	ppm	0.1	PASS	ND	SOP.T.40.102.FL (Davie)
TOXAZOLE	0.01	ppm	0.1	PASS	ND	Analytical Batch : DA05952
ENHEXAMID	0.01	ppm	0.1	PASS	ND	Instrument Used : DA-LCM
ENOXYCARB	0.01	ppm	0.1	PASS	ND	Analyzed Date :05/01/23 1
ENPYROXIMATE	0.01	ppm	0.1	PASS	ND	Dilution : 250
IPRONIL	0.01	ppm	0.1	PASS	ND	Reagent : 042423.R10; 042 Consumables : 6697075-02
LONICAMID	0.01	ppm	0.1	PASS	ND	Pipette : DA-093: DA-094:
LUDIOXONIL	0.01	ppm	0.1	PASS	ND	Testing for agricultural agent
IEXYTHIAZOX	0.01	ppm	0.1	PASS	ND	Spectrometry in accordance
MAZALIL	0.01	ppm	0.1	PASS	ND	Analyzed by:
MIDACLOPRID	0.01	ppm	0.4	PASS	ND	450, 585, 1440
KRESOXIM-METHYL	0.01	ppm	0.1	PASS	ND	Analysis Method : SOP.T.30
MALATHION	0.01	ppm	0.2	PASS	ND	Analytical Batch : DA05952
METALAXYL	0.01	ppm	0.1	PASS	ND	Instrument Used : DA-GCM Analyzed Date : 05/01/23 1
METHIOCARB	0.01	ppm	0.1	PASS	ND	Dilution : 250
METHOMYL	0.01	ppm	0.1	PASS	ND	Reagent : 042723.R10; 040
MEVINPHOS	0.01	ppm	0.1	PASS	ND	Consumables : 6697075-02
MYCLOBUTANIL	0.01	ppm	0.1	PASS	ND	Pipette : DA-080; DA-146; I
NALED	0.01	ppm	0.25	PASS	ND	Testing for agricultural agent in accordance with F.S. Rule (

Certificate of Analysis

6828

Sample : DA30429009-005 Harvest/Lot ID: 8835 3870 2712 6828

Batch#: 8835 3870 2712

Sampled : 04/29/23

Ordered : 04/29/23

Sample Size Received : 15.3 gram

Sample Method : SOP.T.20.010

Completed : 05/02/23 Expires: 05/02/24

Total Amount : 976 units

Pesticide		LOD	Units	Action Level	Pass/Fail	Result
OXAMYL		0.01	ppm	0.5	PASS	ND
PACLOBUTRAZOL		0.01	ppm	0.1	PASS	ND
PHOSMET		0.01	ppm	0.1	PASS	ND
PIPERONYL BUTOXIDE		0.01	ppm	3	PASS	ND
PRALLETHRIN		0.01	ppm	0.1	PASS	ND
PROPICONAZOLE		0.01	ppm	0.1	PASS	ND
PROPOXUR		0.01	ppm	0.1	PASS	ND
PYRIDABEN		0.01	ppm	0.2	PASS	ND
SPIROMESIFEN		0.01	ppm	0.1	PASS	ND
SPIROTETRAMAT		0.01	ppm	0.1	PASS	ND
SPIROXAMINE		0.01	ppm	0.1	PASS	ND
TEBUCONAZOLE		0.01	ppm	0.1	PASS	ND
THIACLOPRID		0.01	ppm	0.1	PASS	ND
THIAMETHOXAM		0.01	ppm	0.5	PASS	ND
TRIFLOXYSTROBIN		0.01	ppm	0.1	PASS	ND
PENTACHLORONITROE	ENZENE (PCNB) *	0.01	PPM	0.15	PASS	ND
PARATHION-METHYL *		0.01	PPM	0.1	PASS	ND
CAPTAN *		0.07	PPM	0.7	PASS	ND
CHLORDANE *		0.01	PPM	0.1	PASS	ND
CHLORFENAPYR *		0.01	PPM	0.1	PASS	ND
CYFLUTHRIN *		0.05	PPM	0.5	PASS	ND
CYPERMETHRIN *		0.05	PPM	0.5	PASS	ND
Analyzed by:	Weight:		on date:		Extracted b	
3379, 585, 1440 Analysis Method : SOP. SOP.T.40.102.FL (Davie			3 13:46:40 .30.102.FL	(Davie), SOP	3379,450,58 T.40.101.FL (0	
Analytical Batch : DA05 Instrument Used : DA-1 Analyzed Date : 05/01/	59527PES _CMS-003 (PES)			l On : 05/02/2 te : 05/01/23		
Dilution : 250 Reagent : 042423.R10; Consumables : 669707 Pipette : DA-093; DA-0	5-02 94; DA-219					
Testing for agricultural a Spectrometry in accorda			l Chromatog	graphy Triple-	Quadrupole Ma	SS
Analyzed by: 450, 585, 1440	Weight: 0.2213g	Extraction date: 05/01/23 13:46:40			Extracted by 3379,450,58	
Analysis Method :SOP. Analytical Batch :DAO Instrument Used :DA- Analyzed Date :05/01/	59528VOL GCMS-001	R	eviewed O	L (Davie), SC n :05/02/23 1 :05/01/23 09	L0:53:23	
Dilution : 250 Reagent : 042723.R10:	040521 11. 042723	R38: 0427	23 R39			

Testing for agricultural agents is performed utilizing Gas Chromatography Triple-Quadrupole Mass Spe in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Jorge Segredo

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164



05/02/23



Sour Diesel Disposable Pen 0.3g Sour Diesel Matrix : Derivative Type: Distillate



PASSED

PASSED

Page 4 of 6

4131 SW 47th AVENUE SUITE 1408 DAVIE, FL, 33314, US (954) 368-7664

Certificate of Analysis

FLUENT

ñ

82 NE 26th street Miami, FL, 33137, US Telephone: (305) 900-6266 Email: Taylor.jones@qetfluent.com
 Sample : DA30429009-005

 Harvest/Lot ID: 8835 3870 2712
 6828

 Batch#: 8835 3870 2712
 Sample

 6828
 Total Ar

 Sampled: 04/29/23
 Complet

 Ordered: 04/29/23
 Sample

12 6828 Sample Size Received : 15.3 gram Total Amount : 976 units Completed : 05/02/23 Expires: 05/02/24 Sample Method : SOP.T.20.010

-

Residual Solvents

Solvents	LOD	Units	Action Level	Pass/Fail	Result
1,1-DICHLOROETHENE	0.8	ppm	8	PASS	ND
1,2-DICHLOROETHANE	0.2	ppm	2	PASS	ND
2-PROPANOL	50	ppm	500	PASS	ND
ACETONE	75	ppm	750	PASS	ND
ACETONITRILE	6	ppm	60	PASS	ND
BENZENE	0.1	ppm	1	PASS	ND
BUTANES (N-BUTANE)	500	ppm	5000	PASS	ND
CHLOROFORM	0.2	ppm	2	PASS	ND
DICHLOROMETHANE	12.5	ppm	125	PASS	ND
ETHANOL	500	ppm	5000	PASS	ND
ETHYL ACETATE	40	ppm	400	PASS	ND
ETHYL ETHER	50	ppm	500	PASS	ND
THYLENE OXIDE	0.5	ppm	5	PASS	ND
IEPTANE	500	ppm	5000	PASS	ND
METHANOL	25	ppm	250	PASS	ND
I-HEXANE	25	ppm	250	PASS	ND
PENTANES (N-PENTANE)	75	ppm	750	PASS	ND
PROPANE	500	ppm	5000	PASS	ND
OLUENE	15	ppm	150	PASS	ND
TOTAL XYLENES	15	ppm	150	PASS	ND
TRICHLOROETHYLENE	2.5	ppm	25	PASS	ND
Analyzed by: 850, 585, 1440	Weight: 0.0224g	Extraction date: 05/01/23 13:13:28		Extract 850,20	
Analysis Method : SOP.T.40.041.FL Analytical Batch : DA059551SOL nstrument Used : DA-GCMS-002 Analyzed Date : 05/02/23 10:27:42			ed On : 05/02/23 11:04:49 Date : 05/01/23 13:08:04		
Dilution : 1 Reagent : 030420.09 Consumables : R2017.167; G201.167 Pipette : DA-309 25uL Syringe 35028			$\mathbf{L}\mathbf{V}$	$\chi\chi\chi$	

Residual solvents analysis is performed utilizing Gas Chromatography Mass Spectrometry in accordance with with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Jorge Segredo

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164





Sour Diesel Disposable Pen 0.3g Sour Diesel Matrix : Derivative Type: Distillate



PASSED

4131 SW 47th AVENUE SUITE 1408 DAVIE, FL, 33314, US (954) 368-7664

Microbial

Certificate of Analysis

FLUENT

PE

82 NE 26th street Miami, FL, 33137, US Telephone: (305) 900-6266 Email: Taylor.Jones@getfluent.com Sample : DA30429009-005 Harvest/Lot ID: 8835 3870 2712 6828 Batch#: 8835 3870 2712 6828

Sampled : 04/29/23 Ordered : 04/29/23

Sample Size Received : 15.3 gram Total Amount : 976 units Completed : 05/02/23 Expires: 05/02/24 Sample Method : SOP.T.20.010

	Pag	e	5	of	6
--	-----	---	---	----	---

~₽ĭ	FIICION						Ν.
Analyte		LOD	Units	Result	Pass / Fail	Action Level	5
ECOLI SHIGE	ELLA			Not Present	PASS		1
SALMONELL	A SPECIFIC GENE			Not Present	PASS		1
ASPERGILLU	IS FLAVUS			Not Present	PASS		0
ASPERGILLU	IS FUMIGATUS			Not Present	PASS		J
ASPERGILLU	IS TERREUS			Not Present	PASS		1
ASPERGILLU	IS NIGER			Not Present	PASS		A
TOTAL YEAS	T AND MOLD	10	CFU/g	<10	PASS	100000	3
Analyzed by: 3390, 3621, 58	35, 1440	Weight: 0.8917g	Extraction 0 04/30/23 1		Extracte 3390	d by:	A S
	od : SOP.T.40.056C ch : DA059511MIC	, SOP.T.40.05	58.FL, SOP.T.		wed On : 05	/02/23	A Ir A
	ed : PathogenDx So nermocycler DA-010			Batch	Date : 04/3	0/23	D
	brand Isotemp Hea				.55		0
Isotemp Heat							C
Analyzed Date	: 05/01/23 12:23:1	17					Ρ
Dilution : N/A Reagent : 021 Consumables : Pipette : N/A	623.07; 042623.R8 : 7563002012	35; 092122.06	;				a
Analyzed by: 3390, 3336, 58	35, 1440	Weight: 0.8917g	Extract N/A	ion date:	Extracted 3390	by:	
Analytical Bate	od : SOP.T.40.208 (ch : DA059512TYM ed : Incubator (25-)		Rev	9.FL iewed On : 05/0 :h Date : 04/30/			N
	: 05/01/23 12:26:4		Date	in Date : 04/30/	25 09.30.0		1
Dilution : 10							- 1
	623.07; 032323.R2	9					9
Consumables : Pipette : N/A	N/A						N L
	mold testing is perfor F.S. Rule 64ER20-39		IPN and tradit	ional culture base	d techniques	in	A
							-

PAS	SED	သို့	Mycotox	ins			PAS	SED	
Pass / Action Fail Level PASS PASS PASS PASS PASS PASS		Analyte AFLATOXIN B2 AFLATOXIN B1 OCHRATOXIN A AFLATOXIN G1 AFLATOXIN G2	24	LOD 0.002 0.002 0.002 0.002 0.002	Units ppm ppm ppm ppm ppm	Result ND ND ND ND ND	Pass / Fail PASS PASS PASS PASS PASS	Action Level 0.02 0.02 0.02 0.02 0.02 0.02	
PASS PASS	100000	Analyzed by: 3379, 585, 1440	Weight: 0.2213g				Extracted by: 3379,450,585		
Extracte 3390 wed On : 05,		SOP.T.30.102.FL Analytical Batch : Instrument Used		2.FL (Davie) Review	/ed On : 0	5/02/23 10 01/23 09:1	0:57:35		
Date: 04/3	0/23	Dilution : 250	3.R10; 042723.R05; 0 997075-02	42723.R10; 0424	23.R12; C	42623.R4:	5; 042623	3.R20;	
			utilizing Liquid Chroma S. Rule 64ER20-39.	tography with Triple	-Quadrupo	le Mass Spe	ctrometry	in	
Extracted 3390	by:	Hg	Heavy M	etals		X	PAS	SED	

Metal		LOD	Units	Result	Pass / Fail	Action Level
TOTAL CONTAMINANT LOAD METALS		LS 0.08	ppm	ND	PASS	1.1
ARSENIC		0.02	ppm	ND	PASS	0.2
CADMIUM		0.02	ppm	ND	PASS	0.2
MERCURY		0.02	ppm	ND	PASS	0.2
LEAD		0.02	ppm	ND	PASS	0.5
Analyzed by: 1022, 585, 1440	Weight: 0.2279g	Extraction da 05/01/23 08:		Extracted by: 1022,3619		
Analysis Method : SOP Analytical Batch : DA0			od On 1 05	/02/23 10:	21.27	
Instrument Used : DA- Analyzed Date : 05/01/	CPMS-003			9/23 18:30		

Dilution: 50 Reagent : 040623.R23; 042623.R82; 042823.R30; 042523.R25; 042823.R28; 042823.R29; 041123.R28; 042523.R20; 020123.02 Consumables : 179436; 210508058; 12628-309CC-309 Pipette : DA-061; DA-191; DA-216

Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Jorge Segredo Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164



Signature

05/02/23



4131 SW 47th AVENUE SUITE 1408

Kaycha Labs

Page 6 of 6

Sour Diesel Disposable Pen 0.3g Sour Diesel Matrix : Derivative Type: Distillate



PASSED

Certificate of Analysis

Ordered : 04/29/23

FLUENT

82 NE 26th street Miami, FL, 33137, US Telephone: (305) 900-6266 Email: Taylor.lones@getfluent.com

DAVIE, FL, 33314, US (954) 368-7664

Sample : DA30429009-005 Harvest/Lot ID: 8835 3870 2712 6828 Batch# : 8835 3870 2712 6828 Sampled : 04/29/23 Completer

12 6828 Sample Size Received : 15.3 gram Total Amount : 976 units Completed : 05/02/23 Expires: 05/02/24 Sample Method : 50P.T.20.010





Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Jorge Segredo

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

