



Certificate of Analysis

COMPLIANCE FOR RETAIL
Sample: DA30506004-003
Harvest/Lot ID: 4267 8428 7609 0822
Batch#: 4267 8428 7609 0822
Cultivation Facility: Tampa Cultivation
Processing Facility : Tampa Processing
Source Facility : Tampa Cultivation
Seed to Sale# 0686 2210 6781 2001
Batch Date: 03/28/23
Sample Size Received: 15.5 gram
Total Amount: 2881 units
Retail Product Size: 0.5 gram
Ordered: 05/05/23
Sampled: 05/05/23
Completed: 05/09/23
Sampling Method: SOP.T.20.010

May 09, 2023 | FLUENT

82 NE 26th street
Miami, FL, 33137, US

PASSED

Pages 1 of 6

PRODUCT IMAGE

SAFETY RESULTS

**Pesticides
PASSED**

**Heavy Metals
PASSED**

**Microbials
PASSED**

**Mycotoxins
PASSED**

**Residuals Solvents
PASSED**

**Filtration
PASSED**

**Water Activity
PASSED**

**Moisture
NOT TESTED**

**Terpenes
TESTED**
MISC.

Cannabinoid
PASSED

Total THC
92.904%
Total THC/Container : 464.52 mg

Total CBD
0.254%
Total CBD/Container : 1.27 mg

Total Cannabinoids
97.071%
Total Cannabinoids/Container : 485.355 mg

	D9-THC	THCA	CBD	CBDA	D8-THC	CBG	CBGA	CBN	THCV	CBDV	CBC
%	92.904	ND	0.254	ND	0.221	1.515	0.068	0.909	0.684	ND	0.516
mg/unit	464.52	ND	1.27	ND	1.105	7.575	0.34	4.545	3.42	ND	2.58
LOD	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001
	%	%	%	%	%	%	%	%	%	%	%

Analyzed by:
1665, 585, 1440

Weight:
0.0974g

Extraction date:
05/08/23 10:01:14

Extracted by:
1665

Analysis Method : SOP.T.40.031, SOP.T.30.031

Analytical Batch : DA059862POT

Instrument Used : DA-LC-007

Analyzed Date : 05/08/23 10:03:30

Reviewed On : 05/09/23 09:52:06

Batch Date : 05/06/23 23:30:31

Dilution : 400

Reagent : 050123.R14; 070621.18; 050123.R11

Consumables : 280670723; CE0123; 61633-125C6-125E; R1KB14270

Pipette : DA-079; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.


Jorge Segredo

Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164



Signature
05/09/23



Type: Distillate



PASSED

82 NE 26th street
Miami, FL, 33137, US
Telephone: (305) 900-6266
Email: Taylor.jones@getfluent.com

Sampled : 05/05/23
Ordered : 05/05/23

Sample Size Received : 15.5 gram
Total Amount : 2881 units
Completed : 05/09/23 **Expires:** 05/09/24
Sample Method : SOP.T.20.010

Page 2 of 6



Terpenes

TESTED

Terpenes	LOD (%)	mg/unit	%	Result (%)	Terpenes	LOD (%)	mg/unit	%	Result (%)
TOTAL TERPENES	0.007	15.18	3.036		FARNESENE		ND	ND	
TOTAL TERPINEOL	0.007	ND	ND		ALPHA-HUMULENE	0.007	0.275	0.055	
ALPHA-BISABOLOL	0.007	0.225	0.045		VALENCENE	0.007	0.165	0.033	
ALPHA-PINENE	0.007	0.365	0.073		CIS-NEROLIDOL	0.007	ND	ND	
CAMPHENE	0.007	<0.1	<0.02		TRANS-NEROLIDOL	0.007	<0.1	<0.02	
SABINENE	0.007	ND	ND		CARYOPHYLLENE OXIDE	0.007	0.115	0.023	
BETA-PINENE	0.007	0.415	0.083		GUAIOL	0.007	<0.1	<0.02	
BETA-MYRCENE	0.007	2.115	0.423		CEDROL	0.007	ND	ND	
ALPHA-PHELLANDRENE	0.007	0.895	0.179		Analized by:				Extracted by:
3-CARENE	0.007	0.265	0.053		1879, 585, 1440	Weight:	0.5329g	Extraction date:	1879
ALPHA-TERPINENE	0.007	0.19	0.038					05/07/23 15:47:22	
LIMONENE	0.007	ND	ND		Analysis Method : SOP.T.30.061A.FL, SOP.T.40.061A.FL				
EUCALYPTOL	0.007	ND	ND		Analytical Batch : DA05986TER				
OCIMENE	0.007	1.72	0.344		Instrument Used : DA-GCMS-004			Reviewed On : 05/09/23 13:15:12	
GAMMA-TERPINENE	0.007	0.12	0.024		Analyzed Date : 05/07/23 15:01:27			Batch Date : 05/07/23 10:09:52	
SABINENE HYDRATE	0.007	ND	ND		Dilution : 10				
TERPINOLENE	0.007	6.975	1.395		Reagent : N/A				
FENCHONE	0.007	ND	ND		Consumables : N/A				
LINALLOL	0.007	0.215	0.043		Pipette : N/A				
FENCHYL ALCOHOL	0.007	<0.1	<0.02		Terpenoid testing is performed utilizing Gas Chromatography Mass Spectrometry. For all Flower samples, the Total Terpenes % is dry-weight corrected.				
ISOPULEGOL	0.007	ND	ND						
CAMPHOR	0.013	ND	ND						
ISOBORNEOL	0.007	<0.1	<0.02						
BORNEOL	0.013	ND	ND						
HEXAHYDROTHYMOL	0.007	0.13	0.026						
NEROL	0.007	ND	ND						
PULEGONE	0.007	ND	ND						
GERANIOL	0.007	ND	ND						
GERANYL ACETATE	0.007	ND	ND						
ALPHA-CEDRENE	0.007	ND	ND						
BETA-CARYOPHYLLENE	0.007	0.995	0.199						
Total (%)			3.036						

Signature
05/09/23



Certificate of Analysis

PASSED

FLUENT

 82 NE 26th street
 Miami, FL, 33137, US
 Telephone: (305) 900-6266
 Email: Taylor.Jones@getfluent.com

Sample : DA30506004-003

Harvest/Lot ID: 4267 8428 7609 0822

Batch# : 4267 8428 7609 0822

Sampled : 05/05/23

Ordered : 05/05/23

Sample Size Received : 15.5 gram

Total Amount : 2881 units

Completed : 05/09/23 Expires: 05/09/24

Sample Method : SOP.T.20.010

Page 3 of 6



Pesticides

PASSED

Pesticide	LOD	Units	Action Level	Pass/Fail	Result	Pesticide	LOD	Units	Action Level	Pass/Fail	Result
TOTAL CONTAMINANT LOAD (PESTICIDES)	0.01	ppm	5	PASS	ND	OXAMYL	0.01	ppm	0.5	PASS	ND
TOTAL DIMETHOMORPH	0.01	ppm	0.2	PASS	ND	PACLOBUTRAZOL	0.01	ppm	0.1	PASS	ND
TOTAL PERMETHRIN	0.01	ppm	0.1	PASS	ND	PHOSMET	0.01	ppm	0.1	PASS	ND
TOTAL PYRETHRINS	0.01	ppm	0.5	PASS	ND	PIPERONYL BUTOXIDE	0.01	ppm	3	PASS	ND
TOTAL SPINETORAM	0.01	ppm	0.2	PASS	ND	PRALLETHRIN	0.01	ppm	0.1	PASS	ND
TOTAL SPINOSAD	0.01	ppm	0.1	PASS	ND	PROPICONAZOLE	0.01	ppm	0.1	PASS	ND
ABAMECTIN B1A	0.01	ppm	0.1	PASS	ND	PROPOXUR	0.01	ppm	0.1	PASS	ND
ACEPHATE	0.01	ppm	0.1	PASS	ND	PYRIDABEN	0.01	ppm	0.2	PASS	ND
ACEQUINOCYL	0.01	ppm	0.1	PASS	ND	SPIROMESIFEN	0.01	ppm	0.1	PASS	ND
ACETAMIPRID	0.01	ppm	0.1	PASS	ND	SPIROTETRAMAT	0.01	ppm	0.1	PASS	ND
ALDICARB	0.01	ppm	0.1	PASS	ND	SPIROXAMINE	0.01	ppm	0.1	PASS	ND
AZOXYSTROBIN	0.01	ppm	0.1	PASS	ND	TEBUCONAZOLE	0.01	ppm	0.1	PASS	ND
BIFENAZATE	0.01	ppm	0.1	PASS	ND	THIACLOPRID	0.01	ppm	0.1	PASS	ND
BIFENTHRIN	0.01	ppm	0.1	PASS	ND	THIAMETHOXAM	0.01	ppm	0.5	PASS	ND
BOSCALID	0.01	ppm	0.1	PASS	ND	TRIFLOXYSTROBIN	0.01	ppm	0.1	PASS	ND
CARBARYL	0.01	ppm	0.5	PASS	ND	PENTACHLORONITROBENZENE (PCNB) *	0.01	PPM	0.15	PASS	ND
CARBOFURAN	0.01	ppm	0.1	PASS	ND	PARATHION-METHYL *	0.01	PPM	0.1	PASS	ND
CHLORANTRANILIPROLE	0.01	ppm	1	PASS	ND	CAPTAN *	0.07	PPM	0.7	PASS	ND
CHLORMEQUAT CHLORIDE	0.01	ppm	1	PASS	ND	CHLORDANE *	0.01	PPM	0.1	PASS	ND
CHLORPYRIFOS	0.01	ppm	0.1	PASS	ND	CHLORFENAPYR *	0.01	PPM	0.1	PASS	ND
CLOFENTHIZINE	0.01	ppm	0.2	PASS	ND	CYFLUTHRIN *	0.05	PPM	0.5	PASS	ND
COUMAPHOS	0.01	ppm	0.1	PASS	ND	CYPERMETHRIN *	0.05	PPM	0.5	PASS	ND
DAMINOZIDE	0.01	ppm	0.1	PASS	ND						
DIAZINON	0.01	ppm	0.1	PASS	ND	Analyzed by:	Weight:	Extraction date:	Extracted by:		
DICHLORVOS	0.01	ppm	0.1	PASS	ND	3379, 585, 1440	0.2281g	05/08/23 15:13:13	450,585		
DIMETHOATE	0.01	ppm	0.1	PASS	ND	Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.101.FL (Gainesville),					
ETHOPROPHOS	0.01	ppm	0.1	PASS	ND	SOP.T.40.102.FL (Davie)					
ETOFENPROX	0.01	ppm	0.1	PASS	ND	Analytical Batch : DA059878PES				Reviewed On : 05/09/23 19:07:52	
ETOXAZOLE	0.01	ppm	0.1	PASS	ND	Instrument Used : DA-LCMS-003 (PES)				Batch Date : 05/08/23 09:00:30	
FENHEXAMID	0.01	ppm	0.1	PASS	ND	Analyzed Date : 05/08/23 14:08:53					
FENOXYCARB	0.01	ppm	0.1	PASS	ND	Dilution : 250					
FENPYROXIMATE	0.01	ppm	0.1	PASS	ND	Reagent : 050123.R24; 050223.R25; 050223.R01; 042623.R45; 050323.R01; 040521.11; 050323.R03					
FIPRONIL	0.01	ppm	0.1	PASS	ND	Consumables : 6697075-02					
FLONICAMID	0.01	ppm	0.1	PASS	ND	Pipette : DA-093; DA-094; DA-219					
FLUDIOXONIL	0.01	ppm	0.1	PASS	ND	Testing for agricultural agents is performed utilizing Liquid Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
HEXYTHIAZOX	0.01	ppm	0.1	PASS	ND	Analyzed by:	Weight:	Extraction date:	Extracted by:		
IMAZALIL	0.01	ppm	0.1	PASS	ND	450, 585, 1440	0.2281g	05/08/23 15:13:13	450,585		
IMIDACLOPRID	0.01	ppm	0.4	PASS	ND	Analysis Method : SOP.T.30.151.FL (Gainesville), SOP.T.30.151A.FL (Davie), SOP.T.40.151.FL					
KRESOXIM-METHYL	0.01	ppm	0.1	PASS	ND	Analytical Batch : DA059879VOL				Reviewed On : 05/09/23 12:47:41	
MALATHION	0.01	ppm	0.2	PASS	ND	Instrument Used : DA-GCMS-001				Batch Date : 05/08/23 09:07:14	
METALAXYL	0.01	ppm	0.1	PASS	ND	Analyzed Date : 05/08/23 15:24:25					
METHIOCARB	0.01	ppm	0.1	PASS	ND	Dilution : 250					
METHOMYL	0.01	ppm	0.1	PASS	ND	Reagent : 050223.R25; 040521.11; 042723.R38; 050223.R19					
MEVINPHOS	0.01	ppm	0.1	PASS	ND	Consumables : 6697075-02; 14725401					
MYCLOBUTANIL	0.01	ppm	0.1	PASS	ND	Pipette : DA-080; DA-146; DA-218					
NALED	0.01	ppm	0.25	PASS	ND	Testing for agricultural agents is performed utilizing Gas Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					



Certificate of Analysis

PASSED
FLUENT

 82 NE 26th street
 Miami, FL, 33137, US
 Telephone: (305) 900-6266
 Email: Taylor.Jones@getfluent.com

Sample : DA30506004-003

Harvest/Lot ID: 4267 8428 7609 0822

Batch# : 4267 8428 7609 0822

Sampled : 05/05/23

Ordered : 05/05/23

Sample Size Received : 15.5 gram

Total Amount : 2881 units

Completed : 05/09/23 Expires: 05/09/24

Sample Method : SOP.T.20.010

Page 4 of 6



Residual Solvents

PASSED

Solvents	LOD	Units	Action Level	Pass/Fail	Result
1,1-DICHLOROETHENE	0.8	ppm	8	PASS	ND
1,2-DICHLOROETHANE	0.2	ppm	2	PASS	ND
2-PROPANOL	50	ppm	500	PASS	ND
ACETONE	75	ppm	750	PASS	ND
ACETONITRILE	6	ppm	60	PASS	ND
BENZENE	0.1	ppm	1	PASS	ND
BUTANES (N-BUTANE)	500	ppm	5000	PASS	ND
CHLOROFORM	0.2	ppm	2	PASS	ND
DICHLOROMETHANE	12.5	ppm	125	PASS	ND
ETHANOL	500	ppm	5000	PASS	ND
ETHYL ACETATE	40	ppm	400	PASS	ND
ETHYL ETHER	50	ppm	500	PASS	ND
ETHYLENE OXIDE	0.5	ppm	5	PASS	ND
HEPTANE	500	ppm	5000	PASS	ND
METHANOL	25	ppm	250	PASS	ND
N-HEXANE	25	ppm	250	PASS	ND
PENTANES (N-PENTANE)	75	ppm	750	PASS	ND
PROPANE	500	ppm	5000	PASS	ND
TOLUENE	15	ppm	150	PASS	ND
TOTAL XYLENES	15	ppm	150	PASS	ND
TRICHLOROETHYLENE	2.5	ppm	25	PASS	ND

 Analyzed by:
 850, 585, 1440

 Weight:
 0.0254g

 Extraction date:
 05/09/23 14:46:21

 Extracted by:
 850

 Analysis Method : SOP.T.40.041.FL
 Analytical Batch : DA059910SOL
 Instrument Used : DA-GCMS-002
 Analyzed Date : 05/09/23 15:15:06

 Reviewed On : 05/09/23 17:47:50
 Batch Date : 05/08/23 18:23:03

 Dilution : 1
 Reagent : 030420.09
 Consumables : R2017.167; G201.167
 Pipette : DA-309 25 uL Syringe 35028

Residual solvents analysis is performed utilizing Gas Chromatography Mass Spectrometry in accordance with with F.S. Rule 64ER20-39.



Certificate of Analysis

PASSED
FLUENT

 82 NE 26th street
 Miami, FL, 33137, US
 Telephone: (305) 900-6266
 Email: Taylor.Jones@getfluent.com

Sample : DA30506004-003

Harvest/Lot ID: 4267 8428 7609 0822

Batch# : 4267 8428 7609 0822

Sampled : 05/05/23

Ordered : 05/05/23

Sample Size Received : 15.5 gram

Total Amount : 2881 units

Completed : 05/09/23 Expires: 05/09/24

Sample Method : SOP.T.20.010

Page 5 of 6

	Microbial	PASSED		Mycotoxins	PASSED
---	------------------	---------------	---	-------------------	---------------

Analyte	LOD	Units	Result	Pass / Fail	Action Level
ASPERGILLUS TERREUS			Not Present	PASS	
ASPERGILLUS NIGER			Not Present	PASS	
ASPERGILLUS FUMIGATUS			Not Present	PASS	
ASPERGILLUS FLAVUS			Not Present	PASS	
SALMONELLA SPECIFIC GENE			Not Present	PASS	
ECOLI SHIGELLA			Not Present	PASS	
TOTAL YEAST AND MOLD	10	CFU/g	<10	PASS	100000

Analyzed by: 3336, 585, 1440 Weight: 1.115g Extraction date: 05/06/23 14:19:30 Extracted by: 3336,3390

 Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL
 Analytical Batch : DA059840MIC

 Instrument Used : PathogenDx Scanner DA-111, fisherbrand Isotemp Heat Block DA-020, fisherbrand Isotemp Heat Block DA-049, Fisher Scientific Isotemp Heat Block DA-021, APPLIED BIOSYSTEMS THERMOCYCLER DA-254
 Analyzed Date : 05/06/23 16:12:11

 Dilution : N/A
 Reagent : 021623.08; 042623.R85; 092122.08
 Consumables : 7563002019
 Pipette : N/A

Analyzed by: 3336, 3390, 585, 1440 Weight: 1.115g Extraction date: 05/06/23 14:19:30 Extracted by: 3336

 Analysis Method : SOP.T.40.208 (Gainesville), SOP.T.40.209.FL
 Analytical Batch : DA059854TYM Reviewed On : 05/08/23 15:32:18
 Instrument Used : Incubator (25-27C) DA-097 Batch Date : 05/06/23 15:51:31
 Analyzed Date : 05/06/23 15:54:15

 Dilution : 10
 Reagent : 021623.08; 032323.R29
 Consumables : 007109
 Pipette : DA-068

Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.

Analyte	LOD	Units	Result	Pass / Fail	Action Level
AFLATOXIN B2	0.002	ppm	ND	PASS	0.02
AFLATOXIN B1	0.002	ppm	ND	PASS	0.02
OCHRATOXIN A	0.002	ppm	ND	PASS	0.02
AFLATOXIN G1	0.002	ppm	ND	PASS	0.02
AFLATOXIN G2	0.002	ppm	ND	PASS	0.02

Analyzed by: 3379, 585, 1440 Weight: 0.2281g Extraction date: 05/08/23 15:13:13 Extracted by: 450,585

Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.40.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.102.FL (Davie)

Analytical Batch : DA059880MYC

Instrument Used : N/A

Analyzed Date : 05/08/23 14:09:09

Dilution : 250

Reagent : 050123.R24; 050223.R25; 050223.R01; 042623.R45; 050323.R01; 040521.11; 050323.R03

Consumables : 6697075-02

Pipette : DA-093; DA-094; DA-219

Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.



Heavy Metals

PASSED

Metal	LOD	Units	Result	Pass / Fail	Action Level
TOTAL CONTAMINANT LOAD METALS	0.08	ppm	ND	PASS	1.1
ARSENIC	0.02	ppm	ND	PASS	0.2
CADMIUM	0.02	ppm	ND	PASS	0.2
MERCURY	0.02	ppm	ND	PASS	0.2
LEAD	0.02	ppm	ND	PASS	0.5

Analyzed by: 1022, 585, 1440 Weight: 0.2711g Extraction date: 05/08/23 08:17:03 Extracted by: 1022,3619

Analysis Method : SOP.T.30.082.FL, SOP.T.40.082.FL

Analytical Batch : DA059843HEA

Instrument Used : DA-ICPMS-003

Analyzed Date : 05/08/23 14:32:06

Dilution : 50

Reagent : 040623.R23; 042623.R82; 050523.R44; 050423.R01; 050523.R42; 050523.R43; 050423.R32; 042523.R20; 020123.02

Consumables : 179436; 210508058; 12628-309CC-309

Pipette : DA-061; DA-191; DA-216

Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.



Certificate of Analysis

PASSED
FLUENT

 82 NE 26th street
 Miami, FL, 33137, US
 Telephone: (305) 900-6266
 Email: Taylor.Jones@getfluent.com

Sample : DA30506004-003

Harvest/Lot ID: 4267 8428 7609 0822

Batch# : 4267 8428 7609 0822

Sampled : 05/05/23

Ordered : 05/05/23

Sample Size Received : 15.5 gram

Total Amount : 2881 units

Completed : 05/09/23 Expires: 05/09/24

Sample Method : SOP.T.20.010

Page 6 of 6


Filth/Foreign Material
PASSED

Analyte	LOD	Units	Result	P/F	Action Level
Filth and Foreign Material	0.1	%	ND	PASS	1

Analyzed by: 1879, 1440	Weight: NA	Extraction date: N/A	Extracted by: N/A
----------------------------	---------------	-------------------------	----------------------

Analysis Method : SOP.T.40.090

Analytical Batch : DA059873FIL

Instrument Used : Filth/Foreign Material Microscope

Analyzed Date : N/A

Reviewed On : 05/07/23 22:48:59

Batch Date : 05/07/23 22:16:42

Dilution : N/A

Reagent : N/A

Consumables : N/A

Pipette : N/A

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.


Water Activity
PASSED

Analyte	LOD	Units	Result	P/F	Action Level
Water Activity	0.01	aw	0.495	PASS	0.85

Analyzed by: 2926, 585, 1440	Weight: 0.112g	Extraction date: 05/08/23 14:30:30	Extracted by: 2926
---------------------------------	-------------------	---------------------------------------	-----------------------

Analysis Method : SOP.T.40.019

Analytical Batch : DA059849WAT

Instrument Used : DA-028 Rotronic Hygropalm

Analyzed Date : N/A

Reviewed On : 05/08/23 16:09:30

Batch Date : 05/06/23 13:29:34

Dilution : N/A

Reagent : 100522.09

Consumables : PS-14

Pipette : N/A

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.