

Certificate of Analysis

COMPLIANCE FOR RETAIL

May 09, 2023 | FLUENT

82 NE 26th street Miami, FL, 33137, US



Kaycha Labs

Kiwi X Kiwi Disposable Pen 0.3g

Kiwi X Kiwi Matrix: Derivative Type: Distillate



Harvest/Lot ID: 0250 6065 8323 1779

Batch#: 2751 3515 3246 3324 **Cultivation Facility: Tampa Cultivation Processing Facility: Tampa Processing**

Source Facility: Tampa Cultivation Seed to Sale# 0250 6065 8323 1779

Batch Date: 03/03/23

Sample Size Received: 15.3 gram

Total Amount: 892 units Retail Product Size: 0.3 gram

Ordered: 05/06/23

Sampled: 05/06/23 Completed: 05/09/23

Sampling Method: SOP.T.20.010

PASSED

Pages 1 of 6

SAFETY RESULTS







Pesticides Heavy Metals PASSED



Microbials



Mycotoxins



Residuals Solvents PASSED



Filth



Water Activity



Moisture



TESTED

PASSED



Cannabinoid

Total THC

89.72% Total THC/Container: 269.16 mg



Total CBD 0.291% Total CBD/Container: 0.873 mg

Reviewed On: 05/09/23 12:19:48 Batch Date: 05/06/23 23:30:31



Total Cannabinoids

Total Cannabinoids/Container: 284.55 mg

	1										
	D9-THC	THCA	CBD	CBDA	D8-THC	CBG	CBGA	CBN	THCV	CBDV	СВС
%	89.72	ND	0.291	ND	0.181	2.304	ND	0.903	0.721	ND	0.73
mg/unit	269.16	ND	0.873	ND	0.543	6.912	ND	2.709	2.163	ND	2.19
LOD	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001
	%	%	%	%	%	%	%	%	%	%	%
Analyzed by: 1665, 585, 4044			Weight: 0.0969			ion date: 23 10:01:30				extracted by:	

Analysis Method : SOP.T.40.031, SOP.T.30.031 Analytical Batch : DA059862POT Instrument Used : DA-LC-007

Analyzed Date: 05/08/23 10:03:30

Reagent: 050123.R14; 070621.18; 050123.R11

Consumables: 280670723; CE0123; 61633-125C6-125E; R1KB14270

Pipette : DA-079; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Jorge Segredo

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA Testing 97164



Signature 05/09/23



Kaycha Labs

Kiwi X Kiwi Disposable Pen 0.3g

Kiwi X Kiwi Matrix : Derivative Type: Distillate



PASSED

Certificate of Analysis

82 NE 26th street Miami, FL, 33137, US Telephone: (305) 900-6266 Email: Taylor.Jones@getfluent.com Sample : DA30506010-005 Harvest/Lot ID: 0250 6065 8323 1779

Batch#: 2751 3515 3246

Sampled: 05/06/23 Ordered: 05/06/23

Sample Size Received: 15.3 gram Total Amount: 892 units

Completed: 05/09/23 Expires: 05/09/24

Sample Method: SOP.T.20.010

Page 2 of 6



Terpenes

T	F	S	T	Ē	r
		_	4	-	

	(%)	mg/unit	t % Result (%)	Terpenes	(%)	mg/unit	%	Result (%)
TOTAL TERPENES	0.007	12.429	4.143	FARNESENE		0.144	0.048	
OTAL TERPINEOL	0.007	0.072	0.024	ALPHA-HUMULENE	0.007	0.36	0.12	
LPHA-BISABOLOL	0.007	< 0.06	< 0.02	VALENCENE	0.007	< 0.06	< 0.02	
ALPHA-PINENE	0.007	0.348	0.116	CIS-NEROLIDOL	0.007	ND	ND	
CAMPHENE	0.007	< 0.06	<0.02	TRANS-NEROLIDOL	0.007	< 0.06	< 0.02	
SABINENE	0.007	ND	ND	CARYOPHYLLENE OXIDE	0.007	0.069	0.023	
BETA-PINENE	0.007	0.333	0.111	GUAIOL	0.007	ND	ND	
ETA-MYRCENE	0.007	6.18	2.06	CEDROL	0.007	ND	ND	
ALPHA-PHELLANDRENE	0.007	ND	ND	Analyzed by: Weight	t:	Extraction dat	e:	Extracted by:
3-CARENE	0.007	ND	ND	1879, 585, 4044 1.04g		05/07/23 15:4		1879
ALPHA-TERPINENE	0.007	ND	ND	Analysis Method: SOP.T.30.061A.FL, SOP.T.40.06	1A.FL			
IMONENE	0.007	2.241	0.747	Analytical Batch : DA059868TER				5/09/23 13:16:23
UCALYPTOL	0.007	< 0.06	<0.02	Instrument Used: DA-GCMS-004 Analyzed Date: 05/07/23 15:01:27		Batch	Date : 05/	07/23 10:09:52
CIMENE	0.007	0.483	0.161	Dilution: 10				
AMMA-TERPINENE	0.007	ND	ND	Reagent : N/A				
ABINENE HYDRATE	0.007	ND	ND	Consumables : N/A				
ERPINOLENE	0.007	< 0.06	<0.02	Pipette: N/A				
ENCHONE	0.007	< 0.06	< 0.02	Terpenoid testing is performed utilizing Gas Chromatogra	aphy Mass Spec	trometry. For all f	lower samp	oles, the Total Terpenes % is dry-weight corrected.
NALOOL	0.007	0.534	0.178					
	0.007	0.189	0.063					
NCHYL ALCOHOL								
	0.007	< 0.06	< 0.02					
SOPULEGOL	0.007 0.013	<0.06 ND	<0.02 ND					
SOPULEGOL AMPHOR								
GOPULEGOL AMPHOR GOBORNEOL	0.013	ND	ND					
SOPULEGOL AMPHOR SOBORNEOL ORNEOL	0.013 0.007	ND ND	ND ND					
OPULEGOL AMPHOR OBORNEOL DRNEOL EXAHYDROTHYMOL	0.013 0.007 0.013	ND ND <0.12	ND ND <0.04					
OPULEGOL AMPHOR OBORNEOL ORNEOL EXAHYDROTHYMOL EROL	0.013 0.007 0.013 0.007	ND ND <0.12 ND	ND ND <0.04 ND					
SOPULEGOL AMPHOR SOBORNEOL ORNEOL EXAHYDROTHYMOL EROL ULEGONE	0.013 0.007 0.013 0.007 0.007	ND ND <0.12 ND ND	ND ND <0.04 ND					
SOPULEGOL AMPHOR SOBORNEOL ORNEOL EXAHYDROTHYMOL EROL ULEGONE ERANIOL	0.013 0.007 0.013 0.007 0.007	ND ND <0.12 ND ND ND	ND ND <0.04 ND ND					
EMCHYL ALCOHOL SOPULEGOL CAMPHOR SOBORNEOL JORNEOL HEXAHYDROTHYMOL HEROL UREOL SERANIOL SERANIOL LERANIOL LERANIEL ACETATE LLPHA-CEDERENE	0.013 0.007 0.013 0.007 0.007 0.007	ND ND <0.12 ND ND ND ND	ND ND <0.04 ND ND ND ND <0.02					

Total (%)

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Jorge Segredo

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164





Kaycha Labs

Kiwi X Kiwi Disposable Pen 0.3g

Kiwi X Kiwi Matrix : Derivative Type: Distillate



PASSED

Certificate of Analysis

82 NE 26th street Miami, FL, 33137, US Telephone: (305) 900-6266 Email: Taylor.lones@getfluent.com Sample : DA30506010-005 Harvest/Lot ID: 0250 6065 8323 1779

Batch#: 2751 3515 3246

Sampled: 05/06/23 Ordered: 05/06/23

Sample Size Received: 15.3 gram Total Amount: 892 units

Completed: 05/09/23 Expires: 05/09/24 Sample Method: SOP.T.20.010

Page 3 of 6



Pesticides

esticide	LOD	Units	Action Level	Pass/Fail		Pesticide	LOD	Units	Action Level	Pass/Fail	Result
OTAL CONTAMINANT LOAD (PESTICIDES)	0.01	ppm	5	PASS	ND	OXAMYL	0.01	ppm	0.5	PASS	ND
OTAL DIMETHOMORPH	0.01	ppm	0.2	PASS	ND	PACLOBUTRAZOL	0.01	ppm	0.1	PASS	ND
OTAL PERMETHRIN	0.01	ppm	0.1	PASS	ND	PHOSMET	0.01	ppm	0.1	PASS	ND
OTAL PYRETHRINS	0.01	ppm	0.5	PASS	ND	PIPERONYL BUTOXIDE	0.01	ppm	3	PASS	ND
OTAL SPINETORAM	0.01	ppm	0.2	PASS	ND	PRALLETHRIN	0.01	ppm	0.1	PASS	ND
OTAL SPINOSAD	0.01	ppm	0.1	PASS	ND		0.01		0.1	PASS	ND
BAMECTIN B1A	0.01	ppm	0.1	PASS	ND	PROPICONAZOLE		ppm			
CEPHATE	0.01	ppm	0.1	PASS	ND	PROPOXUR	0.01	ppm	0.1	PASS	ND
CEQUINOCYL	0.01	ppm	0.1	PASS	ND	PYRIDABEN	0.01	ppm	0.2	PASS	ND
CETAMIPRID	0.01	ppm	0.1	PASS	ND	SPIROMESIFEN	0.01	ppm	0.1	PASS	ND
DICARB	0.01	ppm	0.1	PASS	ND	SPIROTETRAMAT	0.01	ppm	0.1	PASS	ND
ZOXYSTROBIN	0.01	ppm	0.1	PASS	ND	SPIROXAMINE	0.01	ppm	0.1	PASS	ND
FENAZATE	0.01	ppm	0.1	PASS	ND	TEBUCONAZOLE	0.01	ppm	0.1	PASS	ND
FENTHRIN	0.01	ppm	0.1	PASS	ND	THIACLOPRID	0.01	ppm	0.1	PASS	ND
OSCALID	0.01	ppm	0.1	PASS	ND	THIAMETHOXAM	0.01	ppm	0.5	PASS	ND
ARBARYL	0.01	ppm	0.5	PASS	ND	TRIFLOXYSTROBIN	0.01	ppm	0.1	PASS	ND
ARBOFURAN	0.01	ppm	0.1	PASS	ND		0.01	PPM	0.15	PASS	ND
HLORANTRANILIPROLE	0.01	ppm	1	PASS	ND	PENTACHLORONITROBENZENE (PCNB) *					
HLORMEQUAT CHLORIDE	0.01	ppm	1	PASS	ND	PARATHION-METHYL *	0.01	PPM	0.1	PASS	ND
ILORPYRIFOS	0.01	ppm	0.1	PASS	ND	CAPTAN *	0.07	PPM	0.7	PASS	ND
OFENTEZINE	0.01	ppm	0.2	PASS	ND	CHLORDANE *	0.01	PPM	0.1	PASS	ND
DUMAPHOS	0.01	ppm	0.1	PASS	ND	CHLORFENAPYR *	0.01	PPM	0.1	PASS	ND
AMINOZIDE	0.01	ppm	0.1	PASS	ND	CYFLUTHRIN *	0.05	PPM	0.5	PASS	ND
AZINON	0.01	ppm	0.1	PASS	ND	CYPERMETHRIN *	0.05	PPM	0.5	PASS	ND
CHLORVOS	0.01	ppm	0.1	PASS	ND	Analyzed by: Weight:	Evtrac	tion date:		Extracted	hv:
METHOATE	0.01	ppm	0.1	PASS	ND	3379, 585, 4044 0.2642a		23 15:13:16		450.585	Jy.
HOPROPHOS	0.01	ppm	0.1	PASS	ND	Analysis Method : SOP.T.30.101.FL (Gainesv	ville), SOP.7	T.30.102.FL	(Davie), SOP	.T.40.101.FL (Gainesvill
OFENPROX	0.01	ppm	0.1	PASS	ND	SOP.T.40.102.FL (Davie)					
OXAZOLE	0.01	ppm	0.1	PASS	ND	Analytical Batch : DA059878PES			On: 05/09/2		
NHEXAMID	0.01	ppm	0.1	PASS	ND	Instrument Used : DA-LCMS-003 (PES)		Batch Da	te:05/08/23	09:00:30	
NOXYCARB	0.01	ppm	0.1	PASS	ND	Analyzed Date : 05/08/23 14:08:53					
NPYROXIMATE	0.01	ppm	0.1	PASS	ND	Dilution: 250 Reagent: 050123.R24; 050223.R25; 050223	2 001, 042	622 D4E, 0	-0222 DO1. 0	40521 11.050	222 002
PRONIL	0.01	ppm	0.1	PASS	ND	Consumables: 6697075-02	J.NU1, U42	023.N43, U.	30323.R01, 0	40321.11, 030	1323.NU3
ONICAMID	0.01	ppm	0.1	PASS	ND	Pipette : DA-093; DA-094; DA-219					
UDIOXONIL	0.01	ppm	0.1	PASS	ND	Testing for agricultural agents is performed uti	lizing Liquio	Chromato	graphy Triple-	Quadrupole Ma	SS
EXYTHIAZOX	0.01	ppm	0.1	PASS	ND	Spectrometry in accordance with F.S. Rule 64E	R20-39.				
IAZALIL	0.01	ppm	0.1	PASS	ND	Analyzed by: Weight:		ion date:		Extracted	by:
IDACLOPRID	0.01	ppm	0.4	PASS	ND	450, 585, 4044 0.2642g		3 15:13:16		450,585	
RESOXIM-METHYL	0.01	ppm	0.1	PASS	ND	Analysis Method : SOP.T.30.151.FL (Gainesv					
ALATHION	0.01	ppm	0.2	PASS	ND	Analytical Batch : DA059879VOL Instrument Used : DA-GCMS-001			n:05/09/23 1 :05/08/23 09		
ETALAXYL	0.01	ppm	0.1	PASS	ND	Analyzed Date: 05/08/23 15:24:25	\	accii Date	05/00/25 03	.07.14	
ETHIOCARB	0.01	ppm	0.1	PASS	ND	Dilution : 250					
ETHOMYL	0.01	ppm	0.1	PASS	ND	Reagent: 050223.R25; 040521.11; 042723.	R38; 0502	23.R19			
EVINPHOS	0.01	ppm	0.1	PASS	ND	Consumables : 6697075-02; 14725401					
LVINFIIOS						P DA 0000 DA 146 DA 310					
IYCLOBUTANIL	0.01	ppm	0.1	PASS	ND	Pipette : DA-080; DA-146; DA-218					

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Jorge Segredo

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164





Kaycha Labs

Kiwi X Kiwi Disposable Pen 0.3g

Kiwi X Kiwi Matrix : Derivative Type: Distillate



PASSED

Page 4 of 6

Certificate of Analysis

82 NE 26th street Miami, FL, 33137, US Telephone: (305) 900-6266 Email: Taylor.lones@getfluent.com Sample : DA30506010-005 Harvest/Lot ID: 0250 6065 8323 1779

Batch#: 2751 3515 3246

Sampled: 05/06/23

Ordered: 05/06/23

Sample Size Received: 15.3 gram Total Amount: 892 units Completed: 05/09/23 Expires: 05/09/24 Sample Method: SOP.T.20.010

Residual Solvents

PASSED

Solvents	LOD	Units	Action Level	Pass/Fail	Result
1,1-DICHLOROETHENE	0.8	ppm	8	PASS	ND
1,2-DICHLOROETHANE	0.2	ppm	2	PASS	ND
2-PROPANOL	50	ppm	500	PASS	ND
ACETONE	75	ppm	750	PASS	ND
ACETONITRILE	6	ppm	60	PASS	ND
BENZENE	0.1	ppm	1	PASS	ND
BUTANES (N-BUTANE)	500	ppm	5000	PASS	ND
CHLOROFORM	0.2	ppm	2	PASS	ND
DICHLOROMETHANE	12.5	ppm	125	PASS	ND
ETHANOL	500	ppm	5000	PASS	ND
ETHYL ACETATE	40	ppm	400	PASS	ND
ETHYL ETHER	50	ppm	500	PASS	ND
ETHYLENE OXIDE	0.5	ppm	5	PASS	ND
HEPTANE	500	ppm	5000	PASS	ND
METHANOL	25	ppm	250	PASS	ND
N-HEXANE	25	ppm	250	PASS	ND
PENTANES (N-PENTANE)	75	ppm	750	PASS	ND
PROPANE	500	ppm	5000	PASS	ND
TOLUENE	15	ppm	150	PASS	ND
TOTAL XYLENES	15	ppm	150	PASS	ND
TRICHLOROETHYLENE	2.5	ppm	25	PASS	ND
Analyzed by: 850, 585, 4044	Weight: 0.021g	Extraction date: 05/09/23 14:46:2	23	// // \	Extracted by: 850

Analysis Method: SOP.T.40.041.FL Analytical Batch: DA059910SOL Instrument Used: DA-GCMS-002

Analyzed Date: 05/09/23 15:15:06 Dilution: 1

Reagent: 030420.09 Consumables: R2017.167; G201.167 Pipette: DA-309 25 uL Syringe 35028 Reviewed On: 05/09/23 17:47:58 Batch Date: 05/08/23 18:23:03

Residual solvents analysis is performed utilizing Gas Chromatography Mass Spectrometry in accordance with with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Jorge Segredo

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164





Kaycha Labs

Kiwi X Kiwi Disposable Pen 0.3g

Kiwi X Kiwi Matrix : Derivative

Type: Distillate



Certificate of Analysis

82 NE 26th street Miami, FL, 33137, US Telephone: (305) 900-6266 Email: Taylor.lones@getfluent.com Sample : DA30506010-005

Batch#: 2751 3515 3246

Sampled: 05/06/23 Ordered: 05/06/23

Harvest/Lot ID: 0250 6065 8323 1779

Sample Size Received: 15.3 gram Total Amount: 892 units

Completed: 05/09/23 Expires: 05/09/24 Sample Method: SOP.T.20.010

PASSED

Page 5 of 6



Microbial

PASSED



Mycotoxins

SOP.T.30.102.FL (Davie), SOP.T.40.102.FL (Davie)

Analytical Batch: DA059880MYC

Analyzed Date: 05/08/23 14:09:09

Pipette: DA-093; DA-094; DA-219

Instrument Used : N/A

Consumables: 6697075-02

Dilution: 250

050323.R03

PASSED

Action

Level

0.02

0.02

0.02

0.02

0.02

Pass /

Fail

PASS

PASS

PASS

PASS

PASS

Extracted by: 450,585

Reviewed On: 05/09/23 19:10:02

Batch Date: 05/08/23 09:07:21

Analyte	LOD	Units	Result	Pass / Fail	Action Level	Analyte		LOD	Units	Result	Pas Fail
ASPERGILLUS TERREUS			Not Present	PASS		AFLATOXIN B2		0.002	ppm	ND	PAS
ASPERGILLUS NIGER			Not Present	PASS		AFLATOXIN B1		0.002	ppm	ND	PAS
ASPERGILLUS FUMIGATUS			Not Present	PASS		OCHRATOXIN A		0.002	ppm	ND	PAS
ASPERGILLUS FLAVUS			Not Present	PASS		AFLATOXIN G1		0.002	ppm	ND	PAS
SALMONELLA SPECIFIC GENE			Not Present	PASS		AFLATOXIN G2		0.002	ppm	ND	PAS
ECOLI SHIGELLA			Not Present	PASS		Analyzed by:	Weight:	Extraction da	to:	- N	Extrac
TOTAL YEAST AND MOLD	10	CFU/g	<10	PASS	100000	3379, 585, 4044	0.2642g	05/08/23 15:3			150,58
Analyzed by: Wei	ight:	Extraction d	ate:	Extracte	d by:	Analysis Method : SOP	.T.30.101.FL (Ga	inesville), SOP.T.	40.101.FL	(Gainesv	ille),

3390, 3336, 585, 4044 1.002g 05/07/23 10:45:05 3336

Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL Analytical Batch : DA059844MIC

Reviewed On: 05/09/23 Batch Date: 05/06/23

Instrument Used: PathogenDx Scanner DA-111.Applied Biosystems Thermocycler DA-171,fisherbrand Isotemp Heat Block

DA-020, fisherbrand Isotemp Heat Block DA-049, Fisher Scientific Isotemp Heat Block DA-021

Analyzed Date: 05/06/23 16:12:07

Reagent: 021623.08; 042623.R85; 092122.08

Pipette: N/A				_ н			
Analyzed by: 3390, 3336, 585, 4044	Weight: 1.002g	Extraction date: 05/07/23 10:46:22	Extracted by: 3336	[Hg]	Heavy Metals		PASSED
Analysis Method : SOP.T.40.	.208 (Gainesville	e), SOP.T.40.209.FL		Metal	100	Unite	Pasult Pass / Astion

Analytical Batch: DA059855TYM Reviewed On: 05/09/23 12:19:21 Instrument Used : Incubator (25-27C) DA-097 Batch Date: 05/06/23 15:51:42 **Analyzed Date :** 05/06/23 15:54:16

Dilution: 10 Reagent: 021623.08; 032323.R29

Consumables: 007109 Pipette : DA-068

Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.

Metal		LOD	Units	Result	Pass / Fail	Action Level
TOTAL CONTAMINANT	LOAD METALS	0.08	ppm	ND	PASS	1.1
ARSENIC		0.02	ppm	ND	PASS	0.2
CADMIUM		0.02	ppm	ND	PASS	0.2
MERCURY		0.02	ppm	ND	PASS	0.2
LEAD		0.02	ppm	ND	PASS	0.5
Analyzed by: 1022, 585, 4044	Weight: 0.289a	Extraction da 05/08/23 08:			Extracted 3619	by:

Reagent: 050123.R24; 050223.R25; 050223.R01; 042623.R45; 050323.R01; 040521.11;

Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

Analysis Method: SOP.T.30.082.FL, SOP.T.40.082.FL
Analytical Batch: DA059843HEA Revie
Instrument Used: DA-ICPMS-003 Batcl Analyzed Date: 05/08/23 14:32:06

Reviewed On: 05/09/23 11:11:20 Batch Date: 05/06/23 10:28:32

Dilution: 50

Reagent: 040623.R23; 042623.R82; 050523.R44; 050423.R01; 050523.R42; 050523.R43; 050423.R32; 042523.R20; 020123.02

Consumables: 179436; 210508058; 12628-309CC-309

Pipette: DA-061; DA-191; DA-216

Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Jorge Segredo

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA Testing 97164





Kaycha Labs

Kiwi X Kiwi Disposable Pen 0.3g

Kiwi X Kiwi Matrix : Derivative Type: Distillate



PASSED

Page 6 of 6

Certificate of Analysis

82 NE 26th street Miami, FL, 33137, US Telephone: (305) 900-6266 Email: Taylor.lones@getfluent.com Sample : DA30506010-005 Harvest/Lot ID: 0250 6065 8323 1779

Batch#: 2751 3515 3246

Sampled: 05/06/23 Ordered: 05/06/23

Sample Size Received: 15.3 gram Total Amount: 892 units Completed: 05/09/23 Expires: 05/09/24 Sample Method: SOP.T.20.010



PASSED

Analyte LOD Units Result **Action Level** Filth and Foreign Material ND PASS 0.1 % Analyzed by: 1879, 4044 Extracted by: NA N/A N/A

Analysis Method: SOP.T.40.090

Analytical Batch: DA059873FIL
Instrument Used: Filth/Foreign Material Microscope

 $\textbf{Analyzed Date}: \ \mathbb{N}/\mathbb{A}$

Reviewed On: 05/07/23 22:48:56 Batch Date: 05/07/23 22:16:42

Dilution: N/AReagent: N/A Pipette: N/A

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.



Water Activity

PASSED

Analyte		LOD	Units	Result	P/F	Action Leve
Water Activity		0.01	aw	0.511	PASS	0.85
Analyzed by:	Weight:	Ex	traction d	ate:	Ex	tracted by:
2926, 585, 4044	0.277g	05	5/08/23 15	:26:44	29	926

Reviewed On: 05/08/23 15:34:24

Batch Date: 05/06/23 13:30:39

Analysis Method: SOP.T.40.019 Analytical Batch: DA059850WAT

Instrument Used : N/A Analyzed Date : N/A

Dilution: N/A Reagent: 100522.09 Consumables : PS-14 Pipette: N/A

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Jorge Segredo

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

