

Certificate of Analysis

COMPLIANCE FOR RETAIL

Kaycha Labs

Miami Vibes Cartridge Concentrate 0.5g Miami Vibes

Matrix: Derivative Type: Distillate

Sample: DA30506010-006 Harvest/Lot ID: 8118 3274 8436 4169

Batch#: 8300 4387 3885 0450

Cultivation Facility: Tampa Cultivation Processing Facility: Tampa Processing

Source Facility: Tampa Cultivation Seed to Sale# 8118 3274 8436 4169

Batch Date: 03/28/23

Sample Size Received: 15.5 gram

Total Amount: 2850 units Retail Product Size: 0.5 gram

> Ordered: 05/06/23 Sampled: 05/06/23

Completed: 05/09/23

Sampling Method: SOP.T.20.010

PASSED

Pages 1 of 6

May 09, 2023 | FLUENT 82 NE 26th street Miami, FL, 33137, US

PRODUCT IMAGE

SAFETY RESULTS







Pesticides



Heavy Metals



Microbials



Mycotoxins



Residuals Solvents

PASSED



Filth





THCV

0.7

3.5

%

0.001



Moisture



MISC.

TESTED

PASSED

CRC

0.564

0.001

2.82

%



Cannabinoid

Total THC

93.826%

THCA

0.094

0.47

0.001

Total THC/Container: 469.13 mg



CBDA

ND

ND

0.001

Total CBD 0.249% Total CBD/Container: 1.245 mg

CRG

1.456

7.28

0.001

%



0.922

0.001

4.61

Total Cannabinoids

CRDV

ND

ND

%

Extracted by:

0.001

Total Cannabinoids/Container: 489.38 mg

	D9-THC
%	93.744
mg/unit	468.72

Analyzed by: 1665, 585, 4044	
Analysis Method : SOP.T Analytical Batch : DA059	

%

Weight: 0.0883q **Extraction date** 05/08/23 10:01:34

D8-THC

0.147

0.735

0.001

%

Reviewed On: 05/09/23 12:19:51 Batch Date: 05/06/23 23:30:31

CRGA

ND

ND

0.001

Instrument Used: DA-LC-007 Analyzed Date: 05/08/23 10:03:30

0.001

Reagent: 050123.R14; 070621.18; 050123.R11

LOD

Consumables: 280670723; CE0123; 61633-125C6-125E; R1KB14270

Pipette : DA-079; DA-108; DA-078

ctrum cannabinoid analysis utilizing High Performance Liguid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39

CBD

0.249

1.245

0.001

%

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors



Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA Testing 97164



Signature 05/09/23



Kaycha Labs

Miami Vibes Cartridge Concentrate 0.5g

Miami Vibes Matrix : Derivative Type: Distillate



PASSED

Certificate of Analysis

82 NE 26th street Miami, FL, 33137, US Telephone: (305) 900-6266 Email: Taylor.Jones@getfluent.com Sample : DA30506010-006 Harvest/Lot ID: 8118 3274 8436 4169

Batch#: 8300 4387 3885

Sampled: 05/06/23 Ordered: 05/06/23

Sample Size Received: 15.5 gram Total Amount : 2850 units Completed: 05/09/23 Expires: 05/09/24

Sample Method: SOP.T.20.010

Page 2 of 6



Terpenes

			TESTED
LOD (%)	mg/unit %	Result (%)	

Terpenes	LOD (%)	mg/uni	it %	Result (%)	Terpenes		LOD (%)	mg/un	it %	Result (%)	
TOTAL TERPENES	0.007	7.31	1.462		FARNESENE		,	ND	ND		
TOTAL TERPINEOL	0.007	ND	ND		ALPHA-HUMULENE		0.007	0.125	0.025		
ALPHA-BISABOLOL	0.007	< 0.1	< 0.02		VALENCENE		0.007	< 0.1	< 0.02		
ALPHA-PINENE	0.007	0.165	0.033		CIS-NEROLIDOL		0.007	< 0.1	< 0.02		
CAMPHENE	0.007	ND	ND		TRANS-NEROLIDOL		0.007	ND	ND		
SABINENE	0.007	ND	ND		CARYOPHYLLENE OXIDE		0.007	< 0.1	< 0.02		
BETA-PINENE	0.007	0.205	0.041		GUAIOL		0.007	ND	ND		
BETA-MYRCENE	0.007	1.02	0.204		CEDROL		0.007	ND	ND		
ALPHA-PHELLANDRENE	0.007	0.525	0.105		Analyzed by:	Weight:		Extraction	date:		Extracted by:
3-CARENE	0.007	0.115	0.023		1879, 585, 4044	1.0108g		05/07/23			1879
ALPHA-TERPINENE	0.007	< 0.1	< 0.02		Analysis Method : SOP.T.30.061A.FI	, SOP.T.40.061A.F					
IMONENE	0.007	0.48	0.096		Analytical Batch : DA059868TER					5/09/23 13:16:28	
UCALYPTOL	0.007	ND	ND		Instrument Used: DA-GCMS-004 Analyzed Date: 05/07/23 15:01:27			Bat	ch Date : 05/	07/23 10:09:52	
CIMENE	0.007	0.83	0.166		Dilution: 10						
AMMA-TERPINENE	0.007	< 0.1	< 0.02		Reagent : N/A						
ABINENE HYDRATE	0.007	ND	ND		Consumables : N/A						
ERPINOLENE	0.007	3.25	0.65		Pipette : N/A						
ENCHONE	0.007	ND	ND		Terpenoid testing is performed utilizing	Gas Chromatography	Mass Spec	trometry. For a	II Flower samp	oles, the Total Terpenes	% is dry-weight corrected
INALOOL	0.007	0.105	0.021								
ENCHYL ALCOHOL	0.007	< 0.1	< 0.02								
OPULEGOL	0.007	ND	ND								
AMPHOR	0.013	ND	ND								
SOBORNEOL	0.007	ND	ND								
ORNEOL	0.013	ND	ND								
HEXAHYDROTHYMOL	0.007	< 0.1	< 0.02								
VEROL	0.007	ND	ND								
PULEGONE	0.007	ND	ND								
GERANIOL	0.007	ND	ND								
GERANYL ACETATE	0.007	ND	ND								
LPHA-CEDRENE	0.007	ND	ND								
BETA-CARYOPHYLLENE	0.007	0.49	0.098								
otal (%)		-/-	1.462		/ / / / / / / / / / / / / / / / / / / 		-	4-	×	 	

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Jorge Segredo

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164





Kaycha Labs

Miami Vibes Cartridge Concentrate 0.5g

Miami Vibes Matrix : Derivative Type: Distillate



PASSED

Certificate of Analysis

82 NE 26th street Miami, FL, 33137, US Telephone: (305) 900-6266 Email: Taylor.lones@getfluent.com Sample : DA30506010-006 Harvest/Lot ID: 8118 3274 8436 4169

Batch#: 8300 4387 3885

Sampled: 05/06/23 Ordered: 05/06/23

Sample Size Received: 15.5 gram Total Amount : 2850 units Completed: 05/09/23 Expires: 05/09/24

Sample Method: SOP.T.20.010

Page 3 of 6

点の

Pesticides

PASSED

esticide	LOD	Units	Action Level	Pass/Fail	Result	Pesticide	LOD	Units	Action Level	Pass/Fail	Result
OTAL CONTAMINANT LOAD (PESTICIDES)	0.01	ppm	5	PASS	ND	OXAMYL	0.01	ppm	0.5	PASS	ND
OTAL DIMETHOMORPH	0.01	ppm	0.2	PASS	ND	PACLOBUTRAZOL	0.01	ppm	0.1	PASS	ND
OTAL PERMETHRIN	0.01	ppm	0.1	PASS	ND	PHOSMET	0.01	mag	0.1	PASS	ND
OTAL PYRETHRINS	0.01	ppm	0.5	PASS	ND	PIPERONYL BUTOXIDE	0.01	ppm	3	PASS	ND
OTAL SPINETORAM	0.01	ppm	0.2	PASS	ND	PRALLETHRIN	0.01	ppm	0.1	PASS	ND
OTAL SPINOSAD	0.01	ppm	0.1	PASS	ND	PROPICONAZOLE	0.01	ppm	0.1	PASS	ND
BAMECTIN B1A	0.01	ppm	0.1	PASS	ND				0.1	PASS	ND
CEPHATE	0.01	ppm	0.1	PASS	ND	PROPOXUR	0.01	ppm			
CEQUINOCYL	0.01	ppm	0.1	PASS	ND	PYRIDABEN	0.01	ppm	0.2	PASS	ND
CETAMIPRID	0.01	ppm	0.1	PASS	ND	SPIROMESIFEN	0.01	ppm	0.1	PASS	ND
LDICARB	0.01	ppm	0.1	PASS	ND	SPIROTETRAMAT	0.01	ppm	0.1	PASS	ND
ZOXYSTROBIN	0.01	ppm	0.1	PASS	ND	SPIROXAMINE	0.01	ppm	0.1	PASS	ND
FENAZATE	0.01	ppm	0.1	PASS	ND	TEBUCONAZOLE	0.01	ppm	0.1	PASS	ND
FENTHRIN	0.01	ppm	0.1	PASS	ND	THIACLOPRID	0.01	ppm	0.1	PASS	ND
OSCALID	0.01	ppm	0.1	PASS	ND	THIAMETHOXAM	0.01	ppm	0.5	PASS	ND
ARBARYL	0.01	ppm	0.5	PASS	ND	TRIFLOXYSTROBIN	0.01	ppm	0.1	PASS	ND
ARBOFURAN	0.01	ppm	0.1	PASS	ND	PENTACHLORONITROBENZENE (PCNB) *	0.01	PPM	0.15	PASS	ND
HLORANTRANILIPROLE	0.01	ppm	1	PASS	ND		0.01	PPM	0.13	PASS	ND
HLORMEQUAT CHLORIDE	0.01	ppm	1	PASS	ND	PARATHION-METHYL *					
HLORPYRIFOS	0.01	ppm	0.1	PASS	ND	CAPTAN *	0.07	PPM	0.7	PASS	ND
LOFENTEZINE	0.01	ppm	0.2	PASS	ND	CHLORDANE *	0.01	PPM	0.1	PASS	ND
DUMAPHOS	0.01	ppm	0.1	PASS	ND	CHLORFENAPYR *	0.01	PPM	0.1	PASS	ND
AMINOZIDE	0.01	ppm	0.1	PASS	ND	CYFLUTHRIN *	0.05	PPM	0.5	PASS	ND
AZINON	0.01	ppm	0.1	PASS	ND	CYPERMETHRIN *	0.05	PPM	0.5	PASS	ND
CHLORVOS	0.01	ppm	0.1	PASS	ND	Analyzed by: Weight:	Extrac	tion date:		Extracted	bv:
METHOATE	0.01	ppm	0.1	PASS	ND	3379, 585, 4044 0.2323g		23 15:13:17		450,585	.,
THOPROPHOS	0.01	ppm	0.1	PASS	ND	Analysis Method: SOP.T.30.101.FL (Gaine	sville), SOP.	Г.30.102.FL	(Davie), SOP	.T.40.101.FL (Gainesvill
TOFENPROX	0.01	ppm	0.1	PASS	ND	SOP.T.40.102.FL (Davie)					
TOXAZOLE	0.01	ppm	0.1	PASS	ND	Analytical Batch : DA059878PES			On:05/09/2		
NHEXAMID	0.01	ppm	0.1	PASS	ND	Instrument Used : DA-LCMS-003 (PES) Analyzed Date : 05/08/23 14:08:53		Batch Da	te:05/08/23	09:00:30	
ENOXYCARB	0.01	ppm	0.1	PASS	ND	Dilution: 250					
ENPYROXIMATE	0.01	ppm	0.1	PASS	ND	Reagent: 050123.R24; 050223.R25; 0502	23.R01: 042	623.R45: 0!	50323.R01: 0	40521.11: 050	323.R03
PRONIL	0.01	ppm	0.1	PASS	ND	Consumables : 6697075-02	25(02) 0 12	025	3032302, 0	.0322.12, 030	525.1105
ONICAMID	0.01	ppm	0.1	PASS	ND	Pipette: DA-093; DA-094; DA-219					
UDIOXONIL	0.01	ppm	0.1	PASS	ND	Testing for agricultural agents is performed u		d Chromatog	graphy Triple-0	Quadrupole Ma	SS
EXYTHIAZOX	0.01	ppm	0.1	PASS	ND	Spectrometry in accordance with F.S. Rule 64					
IAZALIL	0.01	ppm	0.1	PASS	ND	Analyzed by: Weight:		ion date:		Extracted	by:
IIDACLOPRID	0.01	ppm	0.4	PASS	ND	450, 585, 4044 0.2323g Analysis Method : SOP.T.30.151.FL (Gaine		3 15:13:17	L (Davio) CO	450,585 D T 40 151 EL	
RESOXIM-METHYL	0.01	ppm	0.1	PASS	ND	Analytical Batch : DA059879VOL			n :05/09/23 1		
ALATHION	0.01	ppm	0.2	PASS	ND	Instrument Used : DA-GCMS-001			05/08/23 09:		
ETALAXYL	0.01	ppm	0.1	PASS	ND	Analyzed Date : 05/08/23 15:24:25	V			V	
ETHIOCARB	0.01	ppm	0.1	PASS	ND	Dilution: 250					
ETHOMYL	0.01	ppm	0.1	PASS	ND	Reagent: 050223.R25; 040521.11; 04272	3.R38; 0502	23.R19			
EVINPHOS	0.01	ppm	0.1	PASS	ND	Consumables: 6697075-02; 14725401					
YCLOBUTANIL ALED	0.01	ppm	0.1	PASS	ND	Pipette : DA-080; DA-146; DA-218					
	0.01	ppm	0.25	PASS	ND	Testing for agricultural agents is performed u	itilizina Gas (hromatogra	nhy Trinle-Ou	adrunala Macc	Spectrom

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Jorge Segredo

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164





Kaycha Labs

Miami Vibes Cartridge Concentrate 0.5g

Miami Vibes Matrix : Derivative Type: Distillate



Certificate of Analysis

FLUENT

82 NE 26th street Miami, FL, 33137, US **Telephone:** (305) 900-6266 **Email:** Taylor.Jones@getfluent.com Sample : DA30506010-006 Harvest/Lot ID: 8118 3274 8436 4169

Batch#: 8300 4387 3885

Sampled: 05/06/23 Ordered: 05/06/23 Sample Size Received: 15.5 gram
Total Amount: 2850 units

Completed: 05/09/23 Expires: 05/09/24 Sample Method: SOP.T.20.010

Reviewed On: 05/09/23 17:47:58

Batch Date: 05/08/23 18:23:03

PASSED

Page 4 of 6



Residual Solvents

PASSED

Solvents	LOD	Units	Action Level	Pass/Fail	Result
1,1-DICHLOROETHENE	0.8	ppm	8	PASS	ND
1,2-DICHLOROETHANE	0.2	ppm	2	PASS	ND
2-PROPANOL	50	ppm	500	PASS	ND
ACETONE	75	ppm	750	PASS	ND
ACETONITRILE	6	ppm	60	PASS	ND
BENZENE	0.1	ppm	1	PASS	ND
BUTANES (N-BUTANE)	500	ppm	5000	PASS	ND
CHLOROFORM	0.2	ppm	2	PASS	ND
DICHLOROMETHANE	12.5	ppm	125	PASS	ND
ETHANOL	500	ppm	5000	PASS	ND
ETHYL ACETATE	40	ppm	400	PASS	ND
ETHYL ETHER	50	ppm	500	PASS	ND
ETHYLENE OXIDE	0.5	ppm	5	PASS	ND
HEPTANE	500	ppm	5000	PASS	ND
METHANOL	25	ppm	250	PASS	ND
N-HEXANE	25	ppm	250	PASS	ND
PENTANES (N-PENTANE)	75	ppm	750	PASS	ND
PROPANE	500	ppm	5000	PASS	ND
TOLUENE	15	ppm	150	PASS	ND
TOTAL XYLENES	15	ppm	150	PASS	ND
TRICHLOROETHYLENE	2.5	ppm	25	PASS	ND
Analyzed by: 850, 585, 4044	Weight: 0.0268g	Extraction date: 05/09/23 14:46		// // \	Extracted by: 850

Analysis Method: SOP.T.40.041.FL Analytical Batch: DA059910SOL Instrument Used: DA-GCMS-002 Analyzed Date: 05/09/23 15:15:06

Dilution: 1
Reagent: 030420.09

Consumables: R2017.167; G201.167 Pipette: DA-309 25 uL Syringe 35028

Residual solvents analysis is performed utilizing Gas Chromatography Mass Spectrometry in accordance with with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Jorge Segredo

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164





Kaycha Labs

Miami Vibes Cartridge Concentrate 0.5g

Miami Vibes Matrix : Derivative



PASSED

Type: Distillate

Reviewed On: 05/09/23 19:10:09

Batch Date: 05/08/23 09:07:21

Certificate of Analysis

82 NE 26th street Miami, FL, 33137, US Telephone: (305) 900-6266 Email: Taylor.lones@getfluent.com Sample : DA30506010-006 Harvest/Lot ID: 8118 3274 8436 4169

Batch#: 8300 4387 3885

Sampled: 05/06/23 Ordered: 05/06/23

Sample Size Received: 15.5 gram Total Amount : 2850 units

Completed: 05/09/23 Expires: 05/09/24 Sample Method: SOP.T.20.010

Page 5 of 6



Microbial



PASSED

Analyte	LOD	Units	Result	Pass / Fail	Action Level	A
ASPERGILLUS TERREUS			Not Present	PASS		A
ASPERGILLUS NIGER			Not Present	PASS		Α
ASPERGILLUS FUMIGATUS			Not Present	PASS		0
ASPERGILLUS FLAVUS			Not Present	PASS		Α
SALMONELLA SPECIFIC GENE			Not Present	PASS		A
ECOLI SHIGELLA			Not Present	PASS		An
TOTAL YEAST AND MOLD	10	CFU/g	<10	PASS	100000	33
Analysis of him	a laula de	Fisher office a	1-4	Proton et a	at today	7.

Extraction date: Extracted by: Analyzed by: 3390, 3336, 585, 4044 05/07/23 10:45:05 1.158g

Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL Analytical Batch : DA059844MIC

Reviewed On: 05/09/23

Batch Date: 05/06/23

Instrument Used: PathogenDx Scanner DA-111.Applied Biosystems Thermocycler DA-171,fisherbrand Isotemp Heat Block DA-020, fisherbrand Isotemp Heat Block DA-049, Fisher Scientific

Isotemp Heat Block DA-021 Analyzed Date: 05/06/23 16:12:07

Dilution: N/A

Reagent: 021623.08; 042623.R85; 092122.08

Consumables: 7563002019

Analyzed by: 3390, 3336, 585, 4044

Pipette: N/A

Extraction date: 05/07/23 10:46:22	Extracted by: 3336	Hg	Heavy
COD T 40 200 FI			

Analysis Method: SOP.T.40.208 (Gainesville), SOP.T.40.209.FL Analytical Batch : DA059855TYM Instrument Used : Incubator (25-27C) DA-097 Reviewed On: 05/09/23 12:19:27 Batch Date: 05/06/23 15:51:42 **Analyzed Date :** 05/06/23 15:54:16

1.158g

Dilution: 10 Reagent: 021623.08; 032323.R29

Consumables: 007109 Pipette : DA-068

Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.

***	Mycotoxins				PAS	3
nalyte		LOD	Units	Result	Pass / Fail	A
FLATOXIN B	2	0.002	ppm	ND	PASS	0
FLATOXIN B	1	0.002	ppm	ND	PASS	0

Analyte		LOD	Units	Result	Pass / Fail	Action Level
AFLATOXIN B2		0.002	ppm	ND	PASS	0.02
AFLATOXIN B1		0.002	ppm	ND	PASS	0.02
OCHRATOXIN A		0.002	ppm	ND	PASS	0.02
AFLATOXIN G1		0.002	ppm	ND	PASS	0.02
AFLATOXIN G2		0.002	ppm	ND	PASS	0.02
Analyzed by: 3379, 585, 4044	Weight: 0.2323g	Extraction da 05/08/23 15:1		xtracted 150,585	by:	

Analysis Method: SOP.T.30.101.FL (Gainesville), SOP.T.40.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.102.FL (Davie)

Analytical Batch: DA059880MYC

Instrument Used : N/A Analyzed Date: 05/08/23 14:09:09

Dilution: 250

Reagent: 050123.R24; 050223.R25; 050223.R01; 042623.R45; 050323.R01; 040521.11; 050323.R03

Consumables: 6697075-02 Pipette: DA-093; DA-094; DA-219

 $My cotox ins \ testing \ utilizing \ Liquid \ Chromatography \ with \ Triple-Quadrupole \ Mass \ Spectrometry \ in accordance \ with \ F.S. \ Rule \ 64ER20-39.$



/ Metals

PASSED

Metal		LOD	Units	Result	Pass / Fail	Action Level
TOTAL CONTAMINAN	IT LOAD METALS	0.08	ppm	ND	PASS	1.1
ARSENIC		0.02	ppm	ND	PASS	0.2
CADMIUM		0.02	ppm	ND	PASS	0.2
MERCURY		0.02	ppm	ND	PASS	0.2
LEAD		0.02	ppm	ND	PASS	0.5
Analyzed by: 1022, 585, 4044	Weight: 0.2742g	Extraction da 05/08/23 08			Extracted 3619	l by:

Analysis Method: SOP.T.30.082.FL, SOP.T.40.082.FL

Analytical Batch: DA059843HEA Instrument Used : DA-ICPMS-003 Analyzed Date: 05/08/23 14:32:06 Reviewed On: 05/09/23 11:11:22 Batch Date: 05/06/23 10:28:32

Dilution: 50

Reagent: 040623.R23; 042623.R82; 050523.R44; 050423.R01; 050523.R42; 050523.R43; 050423.R32; 042523.R20; 020123.02

Consumables: 179436; 210508058; 12628-309CC-309

Pipette: DA-061; DA-191; DA-216

Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.



Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA Testing 97164







Miami Vibes Cartridge Concentrate 0.5g

Miami Vibes Matrix : Derivative Type: Distillate



PASSED

Page 6 of 6

Certificate of Analysis

82 NE 26th street Miami, FL, 33137, US Telephone: (305) 900-6266 Email: Taylor.lones@getfluent.com Sample : DA30506010-006 Harvest/Lot ID: 8118 3274 8436 4169

Batch#: 8300 4387 3885

Sampled: 05/06/23 Ordered: 05/06/23

Sample Size Received: 15.5 gram Total Amount : 2850 units Completed: 05/09/23 Expires: 05/09/24 Sample Method: SOP.T.20.010



Filth/Foreign **Material**

PASSED

Analyte LOD Units Result **Action Level** Filth and Foreign Material ND PASS 0.1 %

Analyzed by: 1879, 4044 NA N/A N/A

Analysis Method: SOP.T.40.090

Analytical Batch : DA059873FIL
Instrument Used : Filth/Foreign Material Microscope

Reviewed On: 05/07/23 22:48:55 Batch Date: 05/07/23 22:16:42

 $\textbf{Analyzed Date}: \ \mathbb{N}/\mathbb{A}$ Dilution: N/A

Reagent: N/A Pipette: N/A

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.



2926, 585, 4044

Water Activity

PASSED

Analyzed by:		dW ctraction d			tracted by:	
Water Activity	0.01	aw	0.545	PASS	0.85	
Analyte	LOD	Units	Result	P/F	Action Le	ve

05/08/23 15:26:45

Analysis Method: SOP.T.40.019

Analytical Batch: DA059850WAT Instrument Used : N/A Analyzed Date : N/A

Dilution: N/A Reagent: 100522.09 Consumables : PS-14 Pipette: N/A

Batch Date: 05/06/23 13:30:39

Reviewed On: 05/08/23 15:38:15

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Jorge Segredo

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

