

4131 SW 47th AVENUE SUITE 1408 DAVIE, FL, 33314, US (954) 368-7664

Certificate of Analysis

COMPLIANCE FOR RETAIL

Kaycha Labs

Dark Chocolate Bar 10 PC Dark Chocolate Bar Matrix: Edible Type: Chocolate




PASSED

Sample:DA30506010-008 Harvest/Lot ID: 6179 8842 3629 7747 Batch#: 9479 0293 4231 1523 Cultivation Facility: Tampa Cultivation Processing Facility : Tampa Processing Source Facility : Tampa Cultivation Seed to Sale# 6179 8842 3629 7747 Batch Date: 03/03/23 Sample Size Received: 1400 gram Total Amount: 3518 units Retail Product Size: 40.0490 gram Ordered: 05/06/23 Sampled: 05/06/23 Completed: 05/10/23 Sampling Method: SOP.T.20.010

May 10, 2023 | FLUENT

82 NE 26th street Miami, FL, 33137, US



This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Jorge Segredo

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164



Signature

05/10/23



4131 SW 47th AVENUE SUITE 1408

Certificate of Analysis

Sample : DA30506010-008 Harvest/Lot ID: 6179 8842 3629 7747

Batch#: 9479 0293 4231

Sampled : 05/06/23

Ordered : 05/06/23

Sample Size Received : 1400 gram

Sample Method : SOP.T.20.010

Completed : 05/10/23 Expires: 05/10/24

Total Amount : 3518 units

DAVIE, FL, 33314, US (954) 368-7664

Kaycha Labs

Dark Chocolate Bar 10 PC Dark Chocolate Bar Matrix : Edible Type: Chocolate



PASSED

PASSED

ND

ND

Pass/Fail Result

Page 2 of 5

Email: Taylor.lones@getfluent.com R S

82 NE 26th street Miami, FL, 33137, US

Telephone: (305) 900-6266

FLUENT

Pesticides

Pesticide	LOD	Units	Action Level	Pass/Fail		Pesticide	LOD	Units	Action Level
TOTAL CONTAMINANT LOAD (PESTICIDES)	0.01	ppm	30	PASS	ND	OXAMYL	0.01	ppm	0.5
TOTAL DIMETHOMORPH	0.01	ppm	3	PASS	ND	PACLOBUTRAZOL	0.01	ppm	0.1
TOTAL PERMETHRIN	0.01	ppm	1	PASS	ND	PHOSMET	0.01	ppm	0.2
TOTAL PYRETHRINS	0.01	ppm	1	PASS	ND	PIPERONYL BUTOXIDE	0.01	ppm	3
TOTAL SPINETORAM	0.01	ppm	3	PASS	ND	PRALLETHRIN	0.01	maa	0.4
TOTAL SPINOSAD	0.01	ppm	3	PASS	ND	PROPICONAZOLE	0.01	ppm	1
ABAMECTIN B1A	0.01	ppm	0.3	PASS	ND		0.01	ppm	0.1
ACEPHATE	0.01	ppm	3	PASS	ND	PROPOXUR			
ACEQUINOCYL	0.01	ppm	2	PASS	ND	PYRIDABEN	0.01	ppm	3
ACETAMIPRID	0.01	ppm	3	PASS	ND	SPIROMESIFEN	0.01	ppm	3
ALDICARB	0.01	ppm	0.1	PASS	ND	SPIROTETRAMAT	0.01	ppm	3
AZOXYSTROBIN	0.01	ppm	3	PASS	ND	SPIROXAMINE	0.01	ppm	0.1
BIFENAZATE	0.01	ppm	3	PASS	ND	TEBUCONAZOLE	0.01	ppm	1
BIFENTHRIN	0.01	ppm	0.5	PASS	ND	THIACLOPRID	0.01	ppm	0.1
BOSCALID	0.01	ppm	3	PASS	ND	THIAMETHOXAM	0.01	ppm	1
CARBARYL	0.01	ppm	0.5	PASS	ND	TRIFLOXYSTROBIN	0.01	ppm	3
CARBOFURAN	0.01	ppm	0.1	PASS	ND	PENTACHLORONITROBENZENE (PCNB) *	0.01	PPM	0.2
CHLORANTRANILIPROLE	0.01	ppm	3	PASS	ND		0.01	PPM	0.1
CHLORMEQUAT CHLORIDE	0.01	ppm	3	PASS	ND	PARATHION-METHYL *			
CHLORPYRIFOS	0.01	ppm	0.1	PASS	ND	CAPTAN *	0.07	PPM	3
CLOFENTEZINE	0.01	ppm	0.5	PASS	ND	CHLORDANE *	0.01	PPM	0.1
COUMAPHOS	0.01	ppm	0.1	PASS	ND	CHLORFENAPYR *	0.01	PPM	0.1
DAMINOZIDE	0.01	ppm	0.1	PASS	ND	CYFLUTHRIN *	0.05	PPM	1
DIAZINON	0.01	ppm	3	PASS	ND	CYPERMETHRIN *	0.05	PPM	1
DICHLORVOS	0.01	ppm	0.1	PASS	ND	Analyzed by: Weight:	Extrac	tion date:	
DIMETHOATE	0.01	ppm	0.1	PASS	ND	3379, 585, 4044 0.8687g		23 15:18:57	
ETHOPROPHOS	0.01	ppm	0.1	PASS	ND	Analysis Method : SOP.T.30.101.FL (Gaine	sville), SOP.1	.30.102.FL	(Davie), SOI
ETOFENPROX	0.01	ppm	0.1	PASS	ND	SOP.T.40.102.FL (Davie)			
ETOXAZOLE	0.01	ppm	1.5	PASS	ND	Analytical Batch : DA059884PES			l On :05/10/ te :05/08/23
FENHEXAMID	0.01	ppm	3	PASS	ND	Instrument Used :DA-LCMS-003 (PES) Analyzed Date :05/08/23 14:08:47		batch Da	te:05/06/23
FENOXYCARB	0.01	ppm	0.1	PASS	ND	Dilution : 250			
FENPYROXIMATE	0.01	ppm	2	PASS	ND	Reagent: 050123.R24; 050323.R03; 0502	23.R25: 050	223.R01: 04	42623.R45: (
FIPRONIL	0.01	ppm	0.1	PASS	ND	Consumables : 6697075-02			
FLONICAMID	0.01	ppm	2	PASS	ND	Pipette : DA-093; DA-094; DA-219			
FLUDIOXONIL	0.01	ppm	3	PASS	ND	Testing for agricultural agents is performed u		d Chromatog	graphy Triple
HEXYTHIAZOX	0.01	ppm	2	PASS	ND	Spectrometry in accordance with F.S. Rule 64			
IMAZALIL	0.01	ppm	0.1	PASS	ND	Analyzed by: Weight: 450, 585, 4044 0.8687g		ion date:	
IMIDACLOPRID	0.01	ppm	1	PASS	ND	450, 585, 4044 0.8687g Analysis Method :SOP.T.30.151.FL (Gaine		3 15:18:57	L (Davia) C(
KRESOXIM-METHYL	0.01	ppm	1	PASS	ND	Analytical Batch : DA059885VOL			n :05/10/23
MALATHION	0.01	ppm	2	PASS	ND	Instrument Used : DA-GCMS-006			05/08/23 09
METALAXYL	0.01	ppm	3	PASS	ND	Analyzed Date : 05/08/23 15:30:50			
METHIOCARB	0.01	ppm	0.1	PASS	ND	Dilution : 250			
METHOMYL	0.01	ppm	0.1	PASS	ND	Reagent: 050223.R25; 040521.11; 04272	3.R38; 0502	23.R19	
MEVINPHOS	0.01	ppm	0.1	PASS	ND	Consumables : 6697075-02; 14725401			
MYCLOBUTANIL	0.01	ppm	3	PASS	ND	Pipette : DA-080; DA-146; DA-218			
NALED	0.01	ppm	0.5	PASS	ND	Testing for agricultural agents is performed u in accordance with F.S. Rule 64ER20-39.	itilizing Gas C	.nromatogra	pny Triple-Q

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Jorge Segredo Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164





Signature 05/10/23

PASS

PASS

0.2 PASS ND 3 PASS ND 0.4 PASS ND PASS ND 0.1 PASS ND 3 PASS ND PASS ND 3 PASS ND 3 0.1 PASS ND 1 PASS ND PASS 0.1 ND PASS ND PASS 3 ND 0.2 PASS ND PASS ND 0.1 PASS ND 3 PASS 0.1 ND 0.1 PASS ND PASS ND PASS ND 1 Extracted by: 450,585 avie), SOP.T.40.101.FL (Gainesville), :05/10/23 10:00:31 05/08/23 09:24:14 23.R45; 050323.R01; 040521.11 hy Triple-Quadrupole Mass Extracted by: 450.585 avie), SOP.T.40.151.FL 05/10/23 10:01:41 08/23 09:29:47 Triple-Quadrupole Mass Spectrometry



4131 SW 47th AVENUE SUITE 1408 DAVIE, FL, 33314, US (954) 368-7664

Certificate of Analysis

FLUENT

ñ

82 NE 26th street Miami, FL, 33137, US Telephone: (305) 900-6266 Email: Taylor.jones@qetfluent.com Sample : DA30506010-008 Harvest/Lot ID: 6179 8842 3629 7747 Batch# : 9479 0293 4231 1523 Sampled : 05/06/23 Sampled : 05/06/23

Ordered : 05/06/23

1629 7747 Sample Size Received : 1400 gram Total Amount : 3518 units Completed : 05/10/23 Expires: 05/10/24 Sample Method : SOP.T.20.010 Kaycha Labs

Dark Chocolate Bar 10 PC Dark Chocolate Bar Matrix : Edible Type: Chocolate



PASSED

PASSED

Page 3 of 5

Residual Solvents

Solvents		LOD	Units	Action Level	Pass/Fail	Result
1,1-DICHLOROETHENE		0.8	ppm	8	PASS	ND
1,2-DICHLOROETHANE		0.2	ppm	2	PASS	ND
2-PROPANOL		50	ppm	500	PASS	ND
ACETONE		75	ppm	750	PASS	ND
ACETONITRILE		6	ppm	60	PASS	ND
BENZENE		0.1	ppm	1	PASS	ND
BUTANES (N-BUTANE)		500	ppm	5000	PASS	ND
CHLOROFORM		0.2	ppm	2	PASS	ND
DICHLOROMETHANE		12.5	ppm	125	PASS	ND
THANOL		500	ppm	5000	PASS	ND
THYL ACETATE		40	ppm	400	PASS	ND
THYL ETHER		50	ppm	500	PASS	ND
THYLENE OXIDE		0.5	ppm	5	PASS	ND
IEPTANE		500	ppm	5000	PASS	ND
IETHANOL		25	ppm	250	PASS	ND
-HEXANE		25	ppm	250	PASS	ND
ENTANES (N-PENTANE)		75	ppm	750	PASS	ND
ROPANE		500	ppm	5000	PASS	ND
OLUENE		15	ppm	150	PASS	ND
OTAL XYLENES		15	ppm	150	PASS	ND
RICHLOROETHYLENE		2.5	ppm	25	PASS	ND
nalyzed by: 50, 585, 4044	Weight: 0.0252g		Extraction date 05/09/23 14:4		1/ 1/ 1	Extracted by: 850
Analysis Method : SOP.T.40.041.FL Analytical Batch : DA059910SOL nstrument Used : DA-GCMS-002 Analyzed Date : 05/09/23 15:15:06				wed On : 05/09/23 17:47:59 Date : 05/08/23 18:23:03		
Dilution : 1 Reagent : 030420.09 Consumables : R2017.167; G201.167 Pipette : DA-309 25 uL Syringe 35028						

Residual solvents analysis is performed utilizing Gas Chromatography Mass Spectrometry in accordance with with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Jorge Segredo

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164



Signature

05/10/23



Kaycha Labs

Dark Chocolate Bar 10 PC Dark Chocolate Bar Matrix : Edible Type: Chocolate



PASSED

Certificate of Analysis

FLUENT

82 NE 26th street Miami, FL, 33137, US Telephone: (305) 900-6266 Email: Taylor.Jones@getfluent.com

DAVIE, FL, 33314, US (954) 368-7664

Sample : DA30506010-008 Harvest/Lot ID: 6179 8842 3629 7747 Batch# : 9479 0293 4231 Sample

Sampled : 05/06/23 Ordered : 05/06/23 Sample Size Received : 1400 gram Total Amount : 3518 units Completed : 05/10/23 Expires: 05/10/24 Sample Method : SOP.T.20.010

Pä	aa	е	4	of	ľ
	- 5				

JOF J	Microl	oial			PAS	SED	Ş	Mycotox	ins			PAS	SEC	
Analyte		LC	DD Unit	s Result	Pass /	Action	Analyte		LOD	Units	Result	Pass /	Action	
ASPERGILLU				Not Present	Fail PASS	Level	AFLATOXIN E	22	0.002	ppm	ND	Fail PASS	Level 0.02	
ASPERGILLU				Not Presen			AFLATOXIN		0.002	ppm	ND	PASS	0.02	
	S FUMIGATUS			Not Presen			OCHRATOXIN		0.002	ppm	ND	PASS	0.02	
ASPERGILLU				Not Presen			AFLATOXIN		0.002	ppm	ND	PASS	0.02	
	A SPECIFIC GENI	F		Not Present			AFLATOXIN		0.002	ppm	ND	PASS	0.02	
ECOLI SHIGE		- /		Not Presen							_			
	T AND MOLD	1	0 CFU/		PASS	100000	Analyzed by: 3379, 585, 404	4 0.8687g	Extraction da 05/08/23 15:			Extracted 450,585	by:	
Weight: Extraction date: Extracted by: 390, 3336, 585, 4044 1.0293g 05/07/23 10:45:06 3336 nalysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL Reviewed On: 05/09/23							Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.40.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.102.FL (Davie) Analytical Batch : DA059886MYC Reviewed On : 05/10/23 09:57:58 Instrument Used : N/A Batch Date : 05/08/23 09:29:49							
Isotemp Heat	orand Isotemp Hea Block DA-021 : 05/06/23 16:12:		-049,Fisher	r Scientific	1			6697075-02 3; DA-094; DA-219 ing utilizing Liquid Chromat	rography with Triple	-Ouadrup	ole Mass Sp	ectrometry	in	
Reagent : 021 Consumables : Pipette : N/A	623.08; 042623.R 7563002019	85; 092122	08	17	1	/	accordance with	F.S. Rule 64ER20-39.			\mathcal{A}	H	7	
Analyzed by: 3390, 3336, 58	85, 4044	Weight: 1.0293g		ion date: 23 10:46:23	Extractor 3336	ed by:	Hg	Heavy M	etals			PAS	SEI	
Analytical Bate Instrument Us	od : SOP.T.40.208 ch : DA059855TYM ed : Incubator (25- : 05/06/23 15:54:	l -27C) DA-0		0.209.FL Reviewed On : 05/ Batch Date : 05/06			Metal TOTAL CONT	AMINANT LOAD META	LOD 0.08	Units ppm	Result	Fail PASS	Actio Level	
Dilution : 10							ARSENIC		0.02	ppm	ND	PASS	1.5	
	623.08; 032323.R	29					CADMIUM		0.02	ppm	0.161	PASS	0.5	
Consumables :							MERCURY		0.02	ppm	ND	PASS	3	
Pipette : DA-0							LEAD		0.02	ppm	ND	PASS	0.5	
	mold testing is perfo n F.S. Rule 64ER20-3		ig MPN and t	raditional culture bas	ed technique	s in	Analyzed by: 1022, 585, 404	4 0.2719g	Extraction dat 05/08/23 09:2			xtracted b 022,3619		
							Analytical Batc Instrument Use	d:SOP.T.30.082.FL, SO h:DA059865HEA cd:DA-ICPMS-003 :05/08/2314:54:14	Review		5/09/23 10 07/23 09:1		$\left \right\rangle$	
							050423.R32; 0 Consumables :	23.R23; 042623.R82; 0 42523.R20; 020123.02 179436; 210508058; 12 51; DA-191; DA-216			050523.R4	2; 05052:	3.R43;	
							Heavy Metals ar with F.S. Rule 64	nalysis is performed using li IER20-39.	nductively Coupled	Plasma Ma	ass Spectro	metry in ac	cordance	

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Jorge Segredo

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164



Signature 05/10/23

ka ka	ycha
	LABS

4131 SW 47th AVENUE SUITE 1408

Kaycha Labs

Dark Chocolate Bar 10 PC Dark Chocolate Bar Matrix : Edible Type: Chocolate



PASSED

PASSED

Certificate of Analysis

FLUENT

Pipette : N/A

82 NE 26th street Miami, FL, 33137, US Telephone: (305) 900-6266 Email: Taylor.Jones@getfluent.com

DAVIE, FL, 33314, US (954) 368-7664

> Sample : DA30506010-008 Harvest/Lot ID: 6179 8842 3629 7747 Batch#: 9479 0293 4231

Sampled : 05/06/23 Ordered : 05/06/23

Sample Size Received : 1400 gram Total Amount : 3518 units Completed : 05/10/23 Expires: 05/10/24 Sample Method : SOP.T.20.010

Homogeneity

ED

	Filth/F Materi			ΡΑ	SS
Analyte Filth and Fore	ion Material	LOD Units	Result	P/F PASS	Actio

	Materia		\rightarrow	Amount of tests conducted : 26							
Analyte Filth and Fore	ign Material	LOD Units 0.1 %	Result ND	P/F PASS	Action Level	Analyte	LOD	Units	Pass/Fail	Result	
Analyzed by: Weight: Extraction date: Extracted by: 1879, 4044 NA N/A N/A Analysis Method : SOP.T.40.090 SOP N/A N/A						TOTAL THC - HOMOGENEITY (RSD)	0.001	%	PASS	8.858	Level
Analytical Batch : DA059872FIL Instrument Used : Filth/Foreign Material Microscope Analyzed Date : N/A					Analyzed by	Average Weight		action date :	23	Extracted By	
Dilution : N/A Reagent : N/A		7-	1	/		- 3963, 3605, 585, 4044 Analysis Method : SOP.T.30.111.	4.277g	VIA.	7/23 15:09:01		3963
Consumables : N Pipette : N/A	I/A naterial inspection is pe		mastion utiliz	ing paled au		Analysis Method : 307.1.30.111.1 Analytical Batch : DA059869HOM Instrument Used : DA-LC-006 Analyzed Date : 05/07/23 15:17:1	477	Review	ed On : 05/09/2 Date : 05/07/23		
	Water A	e 64ER20-39.			SSED	Dilution : 40 Reagent : 050123.01; 042623.R4 Consumables : 947.109; 250346; 61633-125C6-125E; R1KB14270 Pipette : DA-079; DA-108; DA-07	CE0123; 115			-308D;	
		1-1-		-	$\langle \rangle$	Homogeneity testing is performed ut accordance with F.S. Rule 64ER20-39		formance	Liquid Chromatog	raphy with	UV detection in

Analyte LOD Units P/F Action Level Result PASS Water Activity 0.01 aw 0.557 0.85 Extracted by: 2926 Extraction date: 05/08/23 15:26:45 Analyzed by: 2926, 585, 4044 Weight: 4.068g Analysis Method : SOP.T.40.019 Reviewed On: 05/08/23 15:34:27 Analytical Batch : DA059850WAT Instrument Used : N/A Batch Date : 05/06/23 13:30:39 Analyzed Date : N/A Dilution : N/A Reagent : 100522.09 Consumables : PS-14

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Jorge Segredo Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA Testing 97164



Signature 05/10/23

Page 5 of 5