



Certificate of Analysis

COMPLIANCE FOR RETAIL

Sample: DA30511003-006
Harvest/Lot ID: 0986 2201 1103 0741
Batch#: 3211 3560 8587 3237
Cultivation Facility: Tampa Cultivation
Processing Facility : Tampa Processing
Source Facility : Tampa Cultivation
Seed to Sale# 0986 2201 1103 0741
Batch Date: 02/03/23
Sample Size Received: 50 gram
Total Amount: 959 units
Retail Product Size: 11.7978 gram
Ordered: 05/10/23
Sampled: 05/10/23
Completed: 05/13/23
Sampling Method: SOP.T.20.010

May 13, 2023 | FLUENT

 82 NE 26th street
 Miami, FL, 33137, US

PASSED

Pages 1 of 5

PRODUCT IMAGE

SAFETY RESULTS

 Pesticides
PASSED

 Heavy Metals
PASSED

 Microbials
PASSED

 Mycotoxins
PASSED

 Residuals Solvents
PASSED

 Filtration
PASSED

 Water Activity
PASSED

 Moisture
 NOT TESTED

 Terpenes
 NOT TESTED

MISC.

Cannabinoid
PASSED

Total THC
0.767%

Total THC/Container : 90.489 mg


Total CBD
0.032%

Total CBD/Container : 3.775 mg


Total Cannabinoids
0.839%

Total Cannabinoids/Container : 98.984 mg

	D9-THC	THCA	CBD	CBDA	D8-THC	CBG	CBGA	CBN	THCV	CBDV	CBC
%	0.767	ND	0.032	ND	0.003	0.015	ND	0.009	0.005	ND	0.008
mg/unit	90.489	ND	3.775	ND	0.353	1.769	ND	1.061	0.589	ND	0.943
LOD	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001
%	%	%	%	%	%	%	%	%	%	%	%

 Analyzed by:
 1665, 585, 1440

 Weight:
 2.8861g

 Extraction date:
 05/11/23 10:47:57

 Extracted by:
 3335,1665

 Analysis Method : SOP.T.40.031, SOP.T.30.031
 Analytical Batch : DA060038POT
 Instrument Used : DA-LC-007
 Analyzed Date : 05/11/23 10:59:04

 Reviewed On : 05/13/23 14:06:07
 Batch Date : 05/11/23 09:19:35

 Dilution : 40
 Reagent : 050123.01; 050923.R09; 071222.46; 121321.34; 050923.R07
 Consumables : 280670723; CE0123; 61633-125C6-125E; R1KB14270
 Pipette : DA-079; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Jorge Segredo
 Lab Director

 State License # CMTL-0002
 ISO 17025 Accreditation # ISO/IEC
 17025:2017 Accreditation PJLA-
 Testing 97164

 Signature
 05/13/23



Certificate of Analysis

PASSED

FLUENT

 82 NE 26th street
 Miami, FL, 33137, US
 Telephone: (305) 900-6266
 Email: Taylor.Jones@getfluent.com

Sample : DA30511003-006

Harvest/Lot ID: 0986 2201 1103 0741

 Batch# : 3211 3560 8587
 3237

Sampled : 05/10/23

Ordered : 05/10/23

Sample Size Received : 50 gram

Total Amount : 959 units

Completed : 05/13/23 Expires: 05/13/24

Sample Method : SOP.T.20.010

Page 2 of 5



Pesticides

PASSED

Pesticide	LOD	Units	Action Level	Pass/Fail	Result	Pesticide	LOD	Units	Action Level	Pass/Fail	Result
TOTAL CONTAMINANT LOAD (PESTICIDES)	0.01	ppm	30	PASS	ND	OXAMYL	0.01	ppm	0.5	PASS	ND
TOTAL DIMETHOMORPH	0.01	ppm	3	PASS	ND	PACLOBUTRAZOL	0.01	ppm	0.1	PASS	ND
TOTAL PERMETHRIN	0.01	ppm	1	PASS	ND	PHOSMET	0.01	ppm	0.2	PASS	ND
TOTAL PYRETHRINS	0.01	ppm	1	PASS	ND	PIPERONYL BUTOXIDE	0.01	ppm	3	PASS	ND
TOTAL SPINETORAM	0.01	ppm	3	PASS	ND	PRALLETHRIN	0.01	ppm	0.4	PASS	ND
TOTAL SPINOSAD	0.01	ppm	3	PASS	ND	PROPICONAZOLE	0.01	ppm	1	PASS	ND
ABAMECTIN B1A	0.01	ppm	0.3	PASS	ND	PROPOXUR	0.01	ppm	0.1	PASS	ND
ACEPHATE	0.01	ppm	3	PASS	ND	PYRIDABEN	0.01	ppm	3	PASS	ND
ACEQUINOCYL	0.01	ppm	2	PASS	ND	SPIROMESIFEN	0.01	ppm	3	PASS	ND
ACETAMIPRID	0.01	ppm	3	PASS	ND	SPIROTETRAMAT	0.01	ppm	3	PASS	ND
ALDICARB	0.01	ppm	0.1	PASS	ND	SPIROXAMINE	0.01	ppm	0.1	PASS	ND
AZOXYSTROBIN	0.01	ppm	3	PASS	ND	TEBUCONAZOLE	0.01	ppm	1	PASS	ND
BIFENAZATE	0.01	ppm	3	PASS	ND	THIACLOPRID	0.01	ppm	0.1	PASS	ND
BIFENTHRIN	0.01	ppm	0.5	PASS	ND	THIAMETHOXAM	0.01	ppm	1	PASS	ND
BOSCALID	0.01	ppm	3	PASS	ND	TRIFLOXYSTROBIN	0.01	ppm	3	PASS	ND
CARBARYL	0.01	ppm	0.5	PASS	ND	PENTACHLORONITROBENZENE (PCNB) *	0.01	PPM	0.2	PASS	ND
CARBOFURAN	0.01	ppm	0.1	PASS	ND	PARATHION-METHYL *	0.01	PPM	0.1	PASS	ND
CHLORANTRANILIPROLE	0.01	ppm	3	PASS	ND	CAPTAN *	0.07	PPM	3	PASS	ND
CHLORMEQUAT CHLORIDE	0.01	ppm	3	PASS	ND	CHLORDANE *	0.01	PPM	0.1	PASS	ND
CHLORPYRIFOS	0.01	ppm	0.1	PASS	ND	CHLORFENAPYR *	0.01	PPM	0.1	PASS	ND
CLOFENTEZINE	0.01	ppm	0.5	PASS	ND	CYFLUTHRIN *	0.05	PPM	1	PASS	ND
COUMAPHOS	0.01	ppm	0.1	PASS	ND	CYPERMETHRIN *	0.05	PPM	1	PASS	ND
DAMINOZIDE	0.01	ppm	0.1	PASS	ND						
DIAZINON	0.01	ppm	3	PASS	ND	Analyzed by:	Weight:	Extraction date:	Extracted by:		
DICHLORVOS	0.01	ppm	0.1	PASS	ND	3379, 585, 1440	0.9057g	05/11/23 13:01:24	3379,585		
DIMETHOATE	0.01	ppm	0.1	PASS	ND	Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.101.FL (Gainesville),					
ETHOPROPHOS	0.01	ppm	0.1	PASS	ND	SOP.T.40.102.FL (Davie)					
ETOFENPROX	0.01	ppm	0.1	PASS	ND	Instrumental Batch : DA060046PES			Reviewed On : 05/12/23 13:23:15		
ETOXAZOLE	0.01	ppm	1.5	PASS	ND	Instrument Used : DA-LCMS-003 (PES)			Batch Date : 05/11/23 09:46:16		
FENHEXAMID	0.01	ppm	3	PASS	ND	Analyzed Date : 05/11/23 13:06:20					
FENOXYCARB	0.01	ppm	0.1	PASS	ND	Dilution : 250					
FENPYROXIMATE	0.01	ppm	2	PASS	ND	Reagent : 050823.R10; 050923.R04; 051023.R18; 051023.R47; 042623.R45; 051023.R16; 040521.11					
FIPRONIL	0.01	ppm	0.1	PASS	ND	Consumables : 6697075-02					
FLONICAMID	0.01	ppm	2	PASS	ND	Pipette : DA-093; DA-094; DA-219					
FLUDIOXONIL	0.01	ppm	3	PASS	ND	Testing for agricultural agents is performed utilizing Liquid Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
HEXYTHIAZOX	0.01	ppm	2	PASS	ND	Analyzed by:	Weight:	Extraction date:	Extracted by:		
IMAZALIL	0.01	ppm	0.1	PASS	ND	450, 585, 1440	0.9057g	05/11/23 13:01:24	3379,585		
IMIDACLOPRID	0.01	ppm	1	PASS	ND	Analysis Method : SOP.T.30.151.FL (Gainesville), SOP.T.30.151A.FL (Davie), SOP.T.40.151.FL					
KRESOXIM-METHYL	0.01	ppm	1	PASS	ND	Analytical Batch : DA060049VOL			Reviewed On : 05/12/23 10:24:34		
MALATHION	0.01	ppm	2	PASS	ND	Instrument Used : DA-GCMS-006			Batch Date : 05/11/23 09:49:52		
METALAXYL	0.01	ppm	3	PASS	ND	Analyzed Date : 05/11/23 14:00:41					
METHIOCARB	0.01	ppm	0.1	PASS	ND	Dilution : 250					
METHOMYL	0.01	ppm	0.1	PASS	ND	Reagent : 051023.R18; 040521.11; 042723.R38; 050223.R19					
MEVINPHOS	0.01	ppm	0.1	PASS	ND	Consumables : 6697075-02; 14725401					
MYCLOBUTANIL	0.01	ppm	3	PASS	ND	Pipette : DA-080; DA-146; DA-218					
NALED	0.01	ppm	0.5	PASS	ND	Testing for agricultural agents is performed utilizing Gas Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					



Certificate of Analysis

PASSED
FLUENT

 82 NE 26th street
 Miami, FL, 33137, US
 Telephone: (305) 900-6266
 Email: Taylor.Jones@getfluent.com

Sample : DA30511003-006

Harvest/Lot ID: 0986 2201 1103 0741

 Batch# : 3211 3560 8587
 3237

Sampled : 05/10/23

Ordered : 05/10/23

Sample Size Received : 50 gram

Total Amount : 959 units

Completed : 05/13/23 Expires: 05/13/24

Sample Method : SOP.T.20.010

Page 3 of 5



Residual Solvents

PASSED

Solvents	LOD	Units	Action Level	Pass/Fail	Result
1,1-DICHLOROETHENE	0.8	ppm	8	PASS	ND
1,2-DICHLOROETHANE	0.2	ppm	2	PASS	ND
2-PROPANOL	50	ppm	500	PASS	ND
ACETONE	75	ppm	750	PASS	ND
ACETONITRILE	6	ppm	60	PASS	ND
BENZENE	0.1	ppm	1	PASS	ND
BUTANES (N-BUTANE)	500	ppm	5000	PASS	ND
CHLOROFORM	0.2	ppm	2	PASS	ND
DICHLOROMETHANE	12.5	ppm	125	PASS	ND
ETHANOL	500	ppm	5000	PASS	ND
ETHYL ACETATE	40	ppm	400	PASS	ND
ETHYL ETHER	50	ppm	500	PASS	ND
ETHYLENE OXIDE	0.5	ppm	5	PASS	ND
HEPTANE	500	ppm	5000	PASS	ND
METHANOL	25	ppm	250	PASS	ND
N-HEXANE	25	ppm	250	PASS	ND
PENTANES (N-PENTANE)	75	ppm	750	PASS	ND
PROPANE	500	ppm	5000	PASS	ND
TOLUENE	15	ppm	150	PASS	ND
TOTAL XYLENES	15	ppm	150	PASS	ND
TRICHLOROETHYLENE	2.5	ppm	25	PASS	ND

 Analyzed by:
 850, 585, 1440

 Weight:
 0.0267g

 Extraction date:
 05/12/23 13:31:57

 Extracted by:
 850

 Analysis Method : SOP.T.40.041.FL
 Analytical Batch : DA060071SOL
 Instrument Used : DA-GCMS-003
 Analyzed Date : 05/12/23 14:05:34

 Reviewed On : 05/12/23 14:42:28
 Batch Date : 05/11/23 14:29:09

 Dilution : 1
 Reagent : 030420.09
 Consumables : R2017.167; G201.167
 Pipette : DA-309 25 uL Syringe 35028

Residual solvents analysis is performed utilizing Gas Chromatography Mass Spectrometry in accordance with with F.S. Rule 64ER20-39.



Certificate of Analysis

PASSED

FLUENT

 82 NE 26th street
 Miami, FL, 33137, US
 Telephone: (305) 900-6266
 Email: Taylor.Jones@getfluent.com

Sample : DA30511003-006

Harvest/Lot ID: 0986 2201 1103 0741

 Batch# : 3211 3560 8587
 3237

 Sampled : 05/10/23
 Ordered : 05/10/23




Sample Size Received : 50 gram

Total Amount : 959 units

Completed : 05/13/23 Expires: 05/13/24

Sample Method : SOP.T.20.010

Page 4 of 5

 Microbial PASSED						 Mycotoxins PASSED					
Analyte	LOD	Units	Result	Pass / Fail	Action Level	Analyte	LOD	Units	Result	Pass / Fail	Action Level
ECOLI SHIGELLA			Not Present	PASS		AFLATOXIN B2	0.002	ppm	ND	PASS	0.02
SALMONELLA SPECIFIC GENE			Not Present	PASS		AFLATOXIN B1	0.002	ppm	ND	PASS	0.02
ASPERGILLUS FLAVUS			Not Present	PASS		OCHRATOXIN A	0.002	ppm	ND	PASS	0.02
ASPERGILLUS FUMIGATUS			Not Present	PASS		AFLATOXIN G1	0.002	ppm	ND	PASS	0.02
ASPERGILLUS TERREUS			Not Present	PASS		AFLATOXIN G2	0.002	ppm	ND	PASS	0.02
ASPERGILLUS NIGER			Not Present	PASS							
TOTAL YEAST AND MOLD	10	CFU/g	<10	PASS	100000						
Analyzed by: 3336, 3621, 585, 1440 Weight: 0.9202g Extraction date: 05/11/23 10:57:46 Extracted by: 3336,3390 Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL Analytical Batch : DA060033MIC Instrument Used : PathogenDx Scanner DA-111,Applied Biosystems Thermocycler DA-010,fisherbrand Isotemp Heat Block DA-020,fisherbrand Isotemp Heat Block DA-049,Fisher Scientific Isotemp Heat Block DA-021 Analyzed Date : 05/11/23 11:41:29 Dilution : N/A Reagent : 031023.07; 042623.R85; 092122.08 Consumables : 7563002005 Pipette : N/A						Analyzed by: 3379, 585, 1440 Weight: 0.9057g Extraction date: 05/11/23 13:01:24 Extracted by: 3379,585 Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.40.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.102.FL (Davie) Analytical Batch : DA060048MYC Instrument Used : N/A Analyzed Date : 05/11/23 13:06:59 Dilution : 250 Reagent : 050823.R10; 050923.R04; 051023.R18; 051023.R47; 042623.R45; 051023.R16; 040521.11 Consumables : 6697075-02 Pipette : DA-093; DA-094; DA-219 Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
Reviewed On : 05/12/23 10:56:41 Batch Date : 05/11/23						Reviewed On : 05/12/23 13:21:53 Batch Date : 05/11/23 09:49:49					
Analyzed by: 3336, 585, 1440 Weight: 0.9202g Extraction date: 05/11/23 10:57:46 Extracted by: 3336,3390 Analysis Method : SOP.T.40.208 (Gainesville), SOP.T.40.209.FL Analytical Batch : DA060063TYM Instrument Used : Incubator (25-27C) DA-096 Analyzed Date : 05/11/23 11:41:01 Dilution : 10 Reagent : 031023.07 Consumables : 007109 Pipette : N/A Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.						 Heavy Metals PASSED					
Metal	LOD	Units	Result	Pass / Fail	Action Level						
TOTAL CONTAMINANT LOAD METALS	0.08	ppm	ND	PASS	5						
ARSENIC	0.02	ppm	ND	PASS	1.5						
CADMIUM	0.02	ppm	ND	PASS	0.5						
MERCURY	0.02	ppm	ND	PASS	3						
LEAD	0.02	ppm	ND	PASS	0.5						
Analyzed by: 1022, 585, 1440 Weight: 0.2248g Extraction date: 05/11/23 11:52:52 Extracted by: 1022,3807 Analysis Method : SOP.T.30.082.FL, SOP.T.40.082.FL Analytical Batch : DA060039HEA Instrument Used : DA-ICPMS-003 Analyzed Date : 05/11/23 17:45:52 Dilution : 50 Reagent : 050923.R24; 042623.R82; 050523.R44; 051123.R01; 050523.R42; 050523.R43; 050423.R32; 050923.01; 042523.R20 Consumables : 179436; 210508058; 12628-309CC-309 Pipette : DA-061; DA-191; DA-216 Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.											



Certificate of Analysis

PASSED
FLUENT

 82 NE 26th street
 Miami, FL, 33137, US
 Telephone: (305) 900-6266
 Email: Taylor.Jones@getfluent.com

Sample : DA30511003-006

Harvest/Lot ID: 0986 2201 1103 0741

 Batch# : 3211 3560 8587
 3237

Sampled : 05/10/23

Ordered : 05/10/23

Sample Size Received : 50 gram

Total Amount : 959 units

Completed : 05/13/23 Expires: 05/13/24

Sample Method : SOP.T.20.010

Page 5 of 5


Filth/Foreign Material
PASSED
Homogeneity
PASSED

Amount of tests conducted : 12

Analyte	LOD	Units	Result	P/F	Action Level
Filth and Foreign Material	0.1	%	ND	PASS	1

 Analyzed by: 1879, 1440
 Weight: NA
 Extraction date: N/A
 Extracted by: N/A

Analysis Method : SOP.T.40.090

Analytical Batch : DA060141FIL

Instrument Used : Filth/Foreign Material Microscope

Analyzed Date : 05/12/23 23:34:12

Reviewed On : 05/12/23 23:44:18

Batch Date : 05/12/23 18:44:58

Dilution : N/A

Reagent : N/A

Consumables : N/A

Pipette : N/A

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.


Water Activity
PASSED

Analyte	LOD	Units	Result	P/F	Action Level
Water Activity	0.01	aw	0.33	PASS	0.85

 Analyzed by: 2926, 585, 1440
 Weight: 1.333g
 Extraction date: 05/11/23 12:22:23
 Extracted by: 2926

Analysis Method : SOP.T.40.019

Analytical Batch : DA059940WAT

Instrument Used : DA-028 Rotronic HygroPalm

Analyzed Date : 05/09/23 11:46:42

Reviewed On : 05/11/23 13:56:45

Batch Date : 05/09/23 10:35:23

Dilution : N/A

Reagent : 100522.09

Consumables : PS-14

Pipette : N/A

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.

Analyte	LOD	Units	Pass/Fail	Result	Action Level
TOTAL THC - HOMOGENEITY (RSD)	0.001	%	PASS	6.273	25
TOTAL CBD - HOMOGENEITY (RSD)	0.001	%	PASS	4.298	25

 Analyzed by: 3335, 585, 1440
 Average Weight: 1.05g
 Extraction date: 05/11/23 08:59:57
 Extracted By: 3335

Analysis Method : SOP.T.30.111.FL, SOP.T.40.111.FL

Analytical Batch : DA060034HOM

Instrument Used : DA-LC-001 (Homo)

Analyzed Date : 05/11/23 09:00:07

Reviewed On : 05/12/23 09:50:49

Batch Date : 05/11/23 08:15:38

Dilution : 40

Reagent : 050123.01; 042623.R47; 071222.35; 042623.R46

Consumables : 947.109; 250346; CE123; 115C4-1151; 12620-308CD-308D;

61633-125C6-125E; R1KB45277

Pipette : DA-079; DA-108; DA-078

Homogeneity testing is performed utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.