

Certificate of Analysis

COMPLIANCE FOR RETAIL

May 15, 2023 | FLUENT

82 NE 26th street Miami, FL, 33137, US



Kaycha Labs

Static Charge Cartridge 1g (90%) Static Charge

Matrix: Derivative Type: Distillate



Batch#: 4812 9218 4728 3699

Cultivation Facility: Tampa Cultivation Processing Facility: Tampa Processing

Source Facility: Tampa Cultivation Seed to Sale# 4267 6081 6587 3406

Batch Date: 03/28/23

Sample Size Received: 16 gram Total Amount: 1451 units

> Retail Product Size: 1 gram Ordered: 05/11/23

> > Sampled: 05/11/23 Completed: 05/15/23

Sampling Method: SOP.T.20.010

PASSED

Pages 1 of 6

SAFETY RESULTS



PRODUCT IMAGE









D8-THC

0.203

2.03

0.001

0/0







THCV

0.724

7.24

0.001

%







MISC.

Pesticides PASSED

Heavy Metals

Microbials

Mycotoxins

Residuals Solvents PASSED

Filth

Water Activity

Moisture

PASSED

CRC

0.952

9.52

0.001

%



Cannabinoid

Total THC

Total THC/Container: 931.67 mg

93.167%

ND

%

0.001



CBDA

ND

ND

%

Weight: 0.1046g

0.001

Total CBD 0.284%

CRG

2 09

20.9

0.001

%

Extraction date: 05/12/23 12:02:33

Total CBD/Container: 2.84 mg



CBN

0.932

9.32

0.001

Total Cannabinoids

Total Cannabinoids/Container: 983.52 mg

CRDV

ND

ND

%

Extracted by:

0.001



	D9-THC	
%	93.167	
mg/unit	931.67	
LOD	0.001	

%

Analyzed by: 1665, 585, 4044

Analysis Method : SOP.T.40.031, SOP.T.30.031 Analytical Batch : DA060084POT Instrument Used : DA-LC-007 Analyzed Date: 05/12/23 12:04:35

Reagent: 050923.R09; 030923.08; 050923.R07

Consumables: 280670723; CE0123; 61633-125C6-125E; 0000185478

Pipette : DA-079; DA-108; DA-078

trum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39

CBD

0.284

2.84

%

0.001

Reviewed On: 05/13/23 13:20:57 Batch Date: 05/12/23 08:37:06

CRGA

ND

ND

0.001

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors



Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA Testing 97164





Kaycha Labs

Static Charge Cartridge 1g (90%)

Static Charge Matrix : Derivative Type: Distillate



TESTED

PASSED

Certificate of Analysis

82 NE 26th street Miami, FL, 33137, US Telephone: (305) 900-6266 Email: Taylor.Jones@getfluent.com Sample : DA30512003-005 Harvest/Lot ID: 4812 9218 4728 3699

Batch#: 4812 9218 4728

Sampled: 05/11/23 Ordered: 05/11/23

Sample Size Received: 16 gram Total Amount : 1451 units Completed: 05/15/23 Expires: 05/15/24

Sample Method: SOP.T.20.010

Page 2 of 6



Terpenes

rpenes	LOD (%)	mg/unit	%	Result (%)	
RNESENE		0.22	0.022		
PHA-HUMULENE	0.007	0.53	0.053		

					\rightarrow							_
Terpenes	LOD (%)	mg/uni	it %	Result (%)		Terpenes		LOD (%)	mg/unit	%	Result (%)	
TOTAL TERPENES	0.007	14.79	1.479			FARNESENE			0.22	0.022		
TOTAL TERPINEOL	0.007	< 0.2	< 0.02			ALPHA-HUMULENE		0.007	0.53	0.053		
ALPHA-BISABOLOL	0.007	< 0.2	< 0.02			VALENCENE		0.007	ND	ND		
ALPHA-PINENE	0.007	0.91	0.091			CIS-NEROLIDOL		0.007	ND	ND		
CAMPHENE	0.007	0.21	0.021			TRANS-NEROLIDOL		0.007	ND	ND		
SABINENE	0.007	ND	ND			CARYOPHYLLENE OXIDE		0.007	< 0.2	< 0.02		
BETA-PINENE	0.007	0.83	0.083			GUAIOL		0.007	ND	ND		
BETA-MYRCENE	0.007	2.45	0.245			CEDROL		0.007	ND	ND		
ALPHA-PHELLANDRENE	0.007	ND	ND			Analyzed by:	Weight:		Extraction da			Extracted by:
B-CARENE	0.007	ND	ND		ĺ	2076, 585, 4044	0.8088g		05/12/23 14:	30:49		2076
ALPHA-TERPINENE	0.007	ND	ND			Analysis Method: SOP.T.30.061A.FL,	SOP.T.40.061A.FL					
LIMONENE	0.007	5.74	0.574			Analytical Batch : DA060100TER Instrument Used : DA-GCMS-005					05/15/23 12:51:19 /12/23 10:26:47	
EUCALYPTOL	0.007	ND	ND			Analyzed Date : 05/15/23 11:47:33			Batch	Date: US/	112/23 10:20:47	
CIMENE	0.007	0.82	0.082			Dilution: 10						
GAMMA-TERPINENE	0.007	ND	ND			Reagent : N/A						
SABINENE HYDRATE	0.007	ND	ND			Consumables : 210414634; MKCN99	95; CE0123; R1KB1	4270				
TERPINOLENE	0.007	0.21	0.021			Pipette : N/A						
ENCHONE	0.007	ND	ND			Terpenoid testing is performed utilizing G	ias Chromatography M	lass Spect	trometry. For all F	lower samp	ples, the Total Terpenes %	is dry-weight corrected.
INALOOL	0.007	0.53	0.053									
ENCHYL ALCOHOL	0.007	0.47	0.047									
SOPULEGOL	0.007	ND	ND									
AMPHOR	0.007	ND	ND									
SOBORNEOL	0.007	ND	ND									
ORNEOL	0.013	< 0.4	< 0.04									
HEXAHYDROTHYMOL	0.007	ND	ND									
NEROL	0.007	ND	ND									
PULEGONE	0.007	ND	ND									
GERANIOL	0.007	< 0.2	< 0.02									
GERANYL ACETATE	0.007	ND	ND									
ALPHA-CEDRENE	0.007	ND	ND									
BETA-CARYOPHYLLENE	0.007	1.87	0.187									
otal (%)			1.479									

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Jorge Segredo

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164





Kaycha Labs

Static Charge Cartridge 1g (90%)

Static Charge Matrix : Derivative Type: Distillate



PASSED

Certificate of Analysis

82 NE 26th street Miami, FL, 33137, US Telephone: (305) 900-6266 Email: Taylor.lones@getfluent.com Sample : DA30512003-005 Harvest/Lot ID: 4812 9218 4728 3699

Batch#: 4812 9218 4728

Sampled: 05/11/23 Ordered: 05/11/23

Sample Size Received: 16 gram Total Amount : 1451 units Completed: 05/15/23 Expires: 05/15/24

Sample Method: SOP.T.20.010

Page 3 of 6



Pesticides

P	A	S	S	E	D

esticide	LOD		Action Level	Pass/Fail		Pesticide		LOD	Units	Action Level	Pass/Fail	Resu
OTAL CONTAMINANT LOAD (PESTICIDES)	0.01	ppm	5	PASS	ND	OXAMYL		0.01	ppm	0.5	PASS	ND
OTAL DIMETHOMORPH	0.01	ppm	0.2	PASS	ND	PACLOBUTRAZOL		0.01	ppm	0.1	PASS	ND
OTAL PERMETHRIN	0.01	ppm	0.1	PASS	ND	PHOSMET		0.01	ppm	0.1	PASS	ND
OTAL PYRETHRINS	0.01	ppm	0.5	PASS	ND	PIPERONYL BUTOXIDE		0.01	ppm	3	PASS	ND
OTAL SPINETORAM	0.01	ppm	0.2	PASS	ND			0.01	mag	0.1	PASS	ND
OTAL SPINOSAD	0.01	ppm	0.1	PASS	ND	PRALLETHRIN			1.1.		PASS	ND
BAMECTIN B1A	0.01	ppm	0.1	PASS	ND	PROPICONAZOLE		0.01	ppm	0.1		
СЕРНАТЕ	0.01	ppm	0.1	PASS	ND	PROPOXUR		0.01	ppm	0.1	PASS	ND
CEQUINOCYL	0.01	ppm	0.1	PASS	ND	PYRIDABEN		0.01	ppm	0.2	PASS	ND
CETAMIPRID	0.01	ppm	0.1	PASS	ND	SPIROMESIFEN		0.01	ppm	0.1	PASS	ND
LDICARB	0.01	ppm	0.1	PASS	ND	SPIROTETRAMAT		0.01	ppm	0.1	PASS	ND
ZOXYSTROBIN	0.01	ppm	0.1	PASS	ND	SPIROXAMINE		0.01	ppm	0.1	PASS	ND
IFENAZATE	0.01	ppm	0.1	PASS	ND	TEBUCONAZOLE		0.01	ppm	0.1	PASS	ND
IFENTHRIN	0.01	ppm	0.1	PASS	ND	THIACLOPRID		0.01	ppm	0.1	PASS	ND
OSCALID	0.01	ppm	0.1	PASS	ND	THIAMETHOXAM		0.01	ppm	0.5	PASS	ND
ARBARYL	0.01	ppm	0.5	PASS	ND			0.01	mag	0.1	PASS	ND
ARBOFURAN	0.01	ppm	0.1	PASS	ND	TRIFLOXYSTROBIN			PPM		PASS	ND
HLORANTRANILIPROLE	0.01	ppm	1	PASS	ND	PENTACHLORONITROBE	NZENE (PCNB) *	0.01		0.15		
HLORMEQUAT CHLORIDE	0.01	ppm	1	PASS	ND	PARATHION-METHYL *		0.01	PPM	0.1	PASS	ND
HLORPYRIFOS	0.01	ppm	0.1	PASS	ND	CAPTAN *		0.07	PPM	0.7	PASS	ND
LOFENTEZINE	0.01	ppm	0.2	PASS	ND	CHLORDANE *		0.01	PPM	0.1	PASS	ND
OUMAPHOS	0.01	ppm	0.1	PASS	ND	CHLORFENAPYR *		0.01	PPM	0.1	PASS	ND
AMINOZIDE	0.01	ppm	0.1	PASS	ND	CYFLUTHRIN *		0.05	PPM	0.5	PASS	ND
IAZINON	0.01	ppm	0.1	PASS	ND	CYPERMETHRIN *		0.05	PPM	0.5	PASS	ND
ICHLORVOS	0.01	ppm	0.1	PASS	ND	Analyzed by:	Weight:	Evrhum et	tion date:		Extracted	Llever
IMETHOATE	0.01	ppm	0.1	PASS	ND	3379, 585, 4044	0.2389q		23 15:26:22		450.585	ı by:
THOPROPHOS	0.01	ppm	0.1	PASS	ND	Analysis Method : SOP.T.				Davie) SOP		Gaines
TOFENPROX	0.01	ppm	0.1	PASS	ND	SOP.T.40.102.FL (Davie)	.50120211	, 501	.501202112 (, Davie, , Doi		- Cumico
TOXAZOLE	0.01	ppm	0.1	PASS	ND	Analytical Batch : DA060			Reviewed	On:05/15/2	3 09:24:50	
ENHEXAMID	0.01	ppm	0.1	PASS	ND	Instrument Used : DA-LC			Batch Date	e:05/12/23	10:44:17	
ENOXYCARB	0.01	ppm	0.1	PASS	ND	Analyzed Date: 05/12/23	3 15:21:42					
ENPYROXIMATE	0.01	ppm	0.1	PASS	ND	Dilution: 250	F0000 B04 0F100	D10 0F1	000 047 04	2622 045 0	F1000 D16 0	40501.1
IPRONIL	0.01	ppm	0.1	PASS	ND	Reagent: 050823.R10; 0 Consumables: 6697075		3.R18; 0510	J23.R47; U4.	2623.R45; U	51023.R16; 0	40521
LONICAMID	0.01	ppm	0.1	PASS	ND	Pipette : DA-093: DA-094						
LUDIOXONIL	0.01	ppm	0.1	PASS	ND	Testing for agricultural age	ents is performed uti	lizina Liquid	Chromatogr	raphy Triple-	Quadrupole Ma	ass
EXYTHIAZOX	0.01	ppm	0.1	PASS	ND	Spectrometry in accordance			/		1	
MAZALIL	0.01	ppm	0.1	PASS	ND	Analyzed by:	Weight:		on date:		Extracted	by:
MIDACLOPRID	0.01	ppm	0.4	PASS	ND	450, 585, 4044	0.2389g		3 15:26:22		450,585	
RESOXIM-METHYL	0.01	ppm	0.1	PASS	ND	Analysis Method: SOP.T						- /
ALATHION	0.01	ppm	0.2	PASS	ND	Analytical Batch : DA060				:05/15/23 1		
ETALAXYL	0.01	ppm	0.1	PASS	ND	Instrument Used : DA-GO Analyzed Date : 05/12/23		Ва	attn Date :	05/12/23 10:	40.01	
ETHIOCARB	0.01	ppm	0.1	PASS	ND	Dilution: 250	, 13.30.33					
ETHOMYL	0.01	ppm	0.1	PASS	ND	Reagent: 051023.R18; 0	40521.11: 042723	R38: 05023	23.R19			
EVINPHOS	0.01	ppm	0.1	PASS	ND	Consumables: 6697075		, 05022				
IYCLOBUTANIL	0.01	ppm	0.1	PASS	ND	Pipette : DA-080; DA-146						
ITCLUBUTANIL			0.25	PASS	ND		ents is performed uti					

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Jorge Segredo

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164





Kaycha Labs

Static Charge Cartridge 1g (90%)

Static Charge Matrix : Derivative Type: Distillate



PASSED

Page 4 of 6

Certificate of Analysis

82 NE 26th street Miami, FL, 33137, US Telephone: (305) 900-6266 Email: Taylor.lones@getfluent.com Sample : DA30512003-005 Harvest/Lot ID: 4812 9218 4728 3699

Batch#: 4812 9218 4728

Sampled: 05/11/23 Ordered: 05/11/23

Sample Size Received: 16 gram Total Amount: 1451 units Completed: 05/15/23 Expires: 05/15/24 Sample Method: SOP.T.20.010

Residual Solvents

PASSED

Solvents	LOD	Units	Action Level	Pass/Fail	Result
1,1-DICHLOROETHENE	0.8	ppm	8	PASS	ND
1,2-DICHLOROETHANE	0.2	ppm	2	PASS	ND
2-PROPANOL	50	ppm	500	PASS	ND
ACETONE	75	ppm	750	PASS	ND
ACETONITRILE	6	ppm	60	PASS	ND
BENZENE	0.1	ppm	1	PASS	ND
BUTANES (N-BUTANE)	500	ppm	5000	PASS	ND
CHLOROFORM	0.2	ppm	2	PASS	ND
DICHLOROMETHANE	12.5	ppm	125	PASS	ND
ETHANOL	500	ppm	5000	PASS	ND
ETHYL ACETATE	40	ppm	400	PASS	ND
ETHYL ETHER	50	ppm	500	PASS	ND
ETHYLENE OXIDE	0.5	ppm	5	PASS	ND
HEPTANE	500	ppm	5000	PASS	ND
METHANOL	25	ppm	250	PASS	ND
N-HEXANE	25	ppm	250	PASS	ND
PENTANES (N-PENTANE)	75	ppm	750	PASS	ND
PROPANE	500	ppm	5000	PASS	ND
TOLUENE	15	ppm	150	PASS	ND
TOTAL XYLENES	15	ppm	150	PASS	ND
TRICHLOROETHYLENE	2.5	ppm	25	PASS	ND
Analyzed by: 850, 585, 4044	Weight: 0.0281g	Extraction date: 05/13/23 11:22:		// // \	Extracted by: 850

Analysis Method : SOP.T.40.041.FL Analytical Batch : DA060136SOL Instrument Used: DA-GCMS-003

Analyzed Date: 05/15/23 14:04:01

Dilution: 1 Reagent: 030420.09

Consumables: R2017.167; G201.167 Pipette: DA-309 25 uL Syringe 35028

Reviewed On: 05/15/23 14:30:05 Batch Date: 05/12/23 16:07:26

Residual solvents analysis is performed utilizing Gas Chromatography Mass Spectrometry in accordance with with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Jorge Segredo

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164





Kaycha Labs

Static Charge Cartridge 1g (90%)

Static Charge Matrix : Derivative Type: Distillate



PASSED

82 NE 26th street Miami, FL, 33137, US Telephone: (305) 900-6266 Email: Taylor.lones@getfluent.com Sample : DA30512003-005 Harvest/Lot ID: 4812 9218 4728 3699

Batch#: 4812 9218 4728

Certificate of Analysis

Sampled: 05/11/23 Ordered: 05/11/23

Sample Size Received: 16 gram Total Amount: 1451 units Completed: 05/15/23 Expires: 05/15/24

Sample Method: SOP.T.20.010

Page 5 of 6



Microbial



Mycotoxins

PASSED

Analyte Lo	OD Units	Result	Pass / Fail	Action Level	Analyte	
ASPERGILLUS TERREUS		Not Present	PASS		AFLATOXIN B2	
ASPERGILLUS NIGER		Not Present	PASS		AFLATOXIN B1	
ASPERGILLUS FUMIGATUS		Not Present	PASS		OCHRATOXIN A	
ASPERGILLUS FLAVUS		Not Present	PASS		AFLATOXIN G1	
SALMONELLA SPECIFIC GENE		Not Present	PASS		AFLATOXIN G2	
ECOLI SHIGELLA		Not Present	PASS		Analyzed by:	Weig
TOTAL YEAST AND MOLD	LO CFU/g	<10	PASS	100000	3379, 585, 4044	0.23
Amplymed by:	Evelupetion	data	Evrhup abo	al lavo	Augusta Markhard CO	D T 20 101

xtracted by: Analyzed by: 3390, 3336, 585, 4044 1.118g 05/12/23 11:44:08

Analysis Method: SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL

Analytical Batch: DA060087MIC

Reviewed On: 05/15/23

Instrument Used: PathogenDx Scanner DA-111. Applied Biosystems Batch Date: 05/12/23

MiniAmp Thermocycler DA-190,fisherbrand Isotemp Heat Block DA-020,fisherbrand Isotemp Heat Block DA-049,Fisher Scientific Isotemp Heat Block DA-021

Analyzed Date : 05/12/23 12:21:50

Dilution: N/A

Reagent: 031523.13; 042623.R85; 092122.08

Consumables: 7563002057

Pipette: N/A

200	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,				3			
Analyte		LOD	Units	Result	Pass / Fail	Action Level		
AFLATOXIN B2		0.002	ppm	ND	PASS	0.02		
AFLATOXIN B1		0.002	ppm	ND	PASS	0.02		
OCHRATOXIN A		0.002	ppm	ND	PASS	0.02		

PASS mag 0.02 0.002 PASS 0.02 ppm **Extraction date:** iaht: Extracted by: 389g 05/12/23 15:26:22 450,585

Analysis Method: SOP.T.30.101.FL (Gainesville), SOP.T.40.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.102.FL (Davie) Reviewed On: 05/15/23 09:26:03

Analytical Batch: DA060112MYC Instrument Used : N/A

Analyzed Date: 05/12/23 15:22:02

Dilution: 250

Reagent: 050823.R10; 050923.R04; 051023.R18; 051023.R47; 042623.R45; 051023.R16;

040521.11 Consumables: 6697075-02

Pipette: DA-093; DA-094; DA-219

Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.



Heavy Metals

PASSED

Analyzed by: 3336, 3621, 585, 4044	Weight: 1.118g	Extraction date: 05/12/23 11:44:08	Extracted by: 3336,3390
Analysis Method : SOP.T.40.208	(Gainesville	e), SOP.T.40.209.FL	
Analytical Batch: DA060127TYM		Reviewed On :	05/15/23 09:43:34
Instrument Used: Incubator (25-	27C) DA-09	7 Batch Date: 05	/12/23 11:52:58
Analyzed Date: 05/12/23 12:58:	57		

Dilution: 10 Reagent: 031523.13 Consumables: 007109 Pipette: N/A

Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.

Metal		LOD	Units	Result	Pass / Fail	Action Level
TOTAL CONTAMINANT	LOAD METAL	S 0.08	ppm	ND	PASS	1.1
ARSENIC		0.02	ppm	ND	PASS	0.2
CADMIUM		0.02	ppm	ND	PASS	0.2
MERCURY		0.02	ppm	ND	PASS	0.2
LEAD		0.02	ppm	ND	PASS	0.5
Analyzed by: 1022, 585, 4044	Weight: 0.2406g	Extraction dat 05/12/23 12:3			ctracted b 022,3807	y:

Analysis Method: SOP.T.30.082.FL, SOP.T.40.082.FL

Analytical Batch: DA060098HEA Instrument Used: DA-ICPMS-003 Analyzed Date: 05/12/23 15:12:34 Reviewed On: 05/13/23 13:20:38 Batch Date: 05/12/23 10:23:09

Batch Date: 05/12/23 10:45:59

Dilution: 50

Reagent: 050923.R24; 042623.R82; 050523.R44; 051123.R01; 050523.R42; 050322.74; 050423.R32; 050923.01; 042523.R20

Consumables: 179436; 210508058; 12628-309CC-309

Pipette: DA-061; DA-191; DA-216

Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Jorge Segredo

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164





Kaycha Labs

Static Charge Cartridge 1g (90%)

Static Charge Matrix : Derivative Type: Distillate



PASSED

Page 6 of 6

Certificate of Analysis

82 NE 26th street Miami, FL, 33137, US Telephone: (305) 900-6266 Email: Taylor.lones@getfluent.com Sample : DA30512003-005 Harvest/Lot ID: 4812 9218 4728 3699

Batch#: 4812 9218 4728

Sampled: 05/11/23 Ordered: 05/11/23

Sample Size Received: 16 gram Total Amount : 1451 units Completed: 05/15/23 Expires: 05/15/24 Sample Method: SOP.T.20.010



Filth/Foreign **PASSED**

Analyte LOD Units Result **Action Level** Filth and Foreign Material ND PASS 0.1 % Weight:

Analyzed by: 1879, 4044 NA N/A N/A

Analysis Method: SOP.T.40.090

Analytical Batch : DA060151FIL
Instrument Used : Filth/Foreign Material Microscope

Analyzed Date: 05/12/23 23:34:01

Dilution: N/AReagent: N/A

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.



Pipette: N/A

Water Activity

PASSED

Reviewed On: 05/12/23 23:45:42 Batch Date: 05/12/23 23:32:38

Reviewed On: 05/13/23 13:20:58

Batch Date: 05/12/23 12:17:01

Analyte LOD Units Result P/F **Action Level** 0.644 PASS Water Activity 0.01 aw 0.85 Extraction date: 05/13/23 07:32:59 Extracted by: 2926 Analyzed by: 2926, 585, 4044

Analysis Method: SOP.T.40.019 Analytical Batch: DA060129WAT

Instrument Used : DA-028 Rotronic Hygropalm

Analyzed Date: 05/13/23 07:26:20

Dilution: N/A Reagent: 100522.09 Consumables : PS-14 Pipette: N/A

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Jorge Segredo

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA Testing 97164

