



Certificate of Analysis

COMPLIANCE FOR RETAIL

Sample: DA30513005-002
Harvest/Lot ID: HYB-TT-050923-C0089
Batch#: 2154 0978 4517 9539
Cultivation Facility: Zolfo Springs Cultivation
Processing Facility: Zolfo Springs Processing
Source Facility: Zolfo Springs Cultivation
Seed to Sale# 0953 4237 5428 0734
Batch Date: 04/06/23
Sample Size Received: 31.5 gram
Total Amount: 841 units
Retail Product Size: 3.5 gram
Ordered: 05/12/23
Sampled: 05/12/23
Completed: 05/16/23
Sampling Method: SOP.T.20.010

May 16, 2023 | FLUENT


82 NE 26th street
Miami, FL, 33137, US



PASSED

Pages 1 of 5

PRODUCT IMAGE



SAFETY RESULTS



Pesticides
PASSED



Heavy Metals
PASSED



Microbials
PASSED



Mycotoxins
PASSED



Residuals Solvents
NOT TESTED



Filtration
PASSED



Water Activity
PASSED



Moisture
PASSED



Terpenes
TESTED

MISC.



Cannabinoid

PASSED



Total THC

21.145%

Dry Weight



Total CBD

0.056%

Dry Weight



Total Cannabinoids

24.454%

Dry Weight

	D9-THC	THCA	CBD	CBDA	D8-THC	CBG	CBGA	CBN	THCV	CBDV	CBC	TOTAL CBD (DRY)	TOTAL THC (DRY)	TOTAL CANNABINOIDS (DRY)
%	1.003	19.869	ND	0.056	0.014	0.048	0.286	0.013	ND	ND	0.023	0.056	21.145	24.454
mg/unit	35.105	695.415	ND	1.96	0.49	1.68	10.01	0.455	ND	ND	0.805	1.96	740.075	855.89
LOD	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001
%	%	%	%	%	%	%	%	%	%	%	%	%	%	%

Total THC
18.428%
644.98 mg /Container

Total CBD
0.049%
1.715 mg /Container

As Received

Analyzed by:
1665, 3112, 4044

Weight:
0.217g

Extraction date:
05/15/23 09:47:46

Extracted by:
1665

Analysis Method : SOP.T.40.031, SOP.T.30.031

Analytical Batch : DA060185POT

Instrument Used : DA-LC-002 (Flower)

Analyzed Date : 05/15/23 09:50:17

Dilution : 400

Reagent : 050923.R10; 032123.11; 050923.R05

Consumables : 280670723; CE0123; 61633-125C6-125E; R1KB14270

Pipette : DA-079; DA-108; DA-078

Reviewed On : 05/16/23 08:50:59

Batch Date : 05/14/23 00:17:00

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Jorge Segredo

Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164



Signature
05/16/23



Certificate of Analysis

PASSED
FLUENT

 82 NE 26th street
 Miami, FL, 33137, US
 Telephone: (305) 900-6266
 Email: Taylor.Jones@getfluent.com

Sample : DA30513005-002
Harvest/Lot ID: HYB-TT-050923-C0089
Batch# : 2154 0978 4517
 9539

Sampled : 05/12/23
Ordered : 05/12/23
Sample Size Received : 31.5 gram
Total Amount : 841 units
Completed : 05/16/23 Expires: 05/16/24
Sample Method : SOP.T.20.010

Page 2 of 5

</



Certificate of Analysis

PASSED


FLUENT

 82 NE 26th street
 Miami, FL, 33137, US
 Telephone: (305) 900-6266
 Email: Taylor.Jones@getfluent.com

 Sample : DA30513005-002
 Harvest/Lot ID: HYB-TT-050923-C0089

 Batch# : 2154 0978 4517
 Sample Size Received : 31.5 gram
 Total Amount : 841 units
 Completed : 05/16/23 Expires: 05/16/24
 Sample Method : SOP.T.20.010

Page 3 of 5



Pesticides

PASSED

Pesticide	LOD	Units	Action Level	Pass/Fail	Result	Pesticide	LOD	Units	Action Level	Pass/Fail	Result
TOTAL CONTAMINANT LOAD (PESTICIDES)	0.01	ppm	5	PASS	ND	OXAMYL	0.01	ppm	0.5	PASS	ND
TOTAL DIMETHOMORPH	0.01	ppm	0.2	PASS	ND	PACLOBUTRAZOL	0.01	ppm	0.1	PASS	ND
TOTAL PERMETHRIN	0.01	ppm	0.1	PASS	ND	PHOSMET	0.01	ppm	0.1	PASS	ND
TOTAL PYRETHRINS	0.01	ppm	0.5	PASS	ND	PIPERONYL BUTOXIDE	0.01	ppm	3	PASS	ND
TOTAL SPINETORAM	0.01	ppm	0.2	PASS	ND	PRALLETHRIN	0.01	ppm	0.1	PASS	ND
TOTAL SPINOSAD	0.01	ppm	0.1	PASS	ND	PROPICONAZOLE	0.01	ppm	0.1	PASS	ND
ABAMECTIN B1A	0.01	ppm	0.1	PASS	ND	PROPOXUR	0.01	ppm	0.1	PASS	ND
ACEPHATE	0.01	ppm	0.1	PASS	ND	PYRIDABEN	0.01	ppm	0.2	PASS	ND
ACEQUINOCYL	0.01	ppm	0.1	PASS	ND	SPIROMESIFEN	0.01	ppm	0.1	PASS	ND
ACETAMIPRID	0.01	ppm	0.1	PASS	ND	SPIROTETRAMAT	0.01	ppm	0.1	PASS	ND
ALDICARB	0.01	ppm	0.1	PASS	ND	SPIROXAMINE	0.01	ppm	0.1	PASS	ND
AZOXYSTROBIN	0.01	ppm	0.1	PASS	ND	TEBUCONAZOLE	0.01	ppm	0.1	PASS	ND
BIFENAZATE	0.01	ppm	0.1	PASS	ND	THIACLOPRID	0.01	ppm	0.1	PASS	ND
BIFENTHRIN	0.01	ppm	0.1	PASS	ND	THIAMETHOXAM	0.01	ppm	0.5	PASS	ND
BOSCALID	0.01	ppm	0.1	PASS	ND	TRIFLOXYSTROBIN	0.01	ppm	0.1	PASS	ND
CARBARYL	0.01	ppm	0.5	PASS	ND	PENTACHLORONITROBENZENE (PCNB) *	0.01	PPM	0.15	PASS	ND
CARBOFURAN	0.01	ppm	0.1	PASS	ND	PARATHION-METHYL *	0.01	PPM	0.1	PASS	ND
CHLORANTRANILIPROLE	0.01	ppm	1	PASS	ND	CAPTAN *	0.07	PPM	0.7	PASS	ND
CHLORMEQUAT CHLORIDE	0.01	ppm	1	PASS	ND	CHLORDANE *	0.01	PPM	0.1	PASS	ND
CHLORPYRIFOS	0.01	ppm	0.1	PASS	ND	CHLORFENAPYR *	0.01	PPM	0.1	PASS	ND
CLOFENTEZINE	0.01	ppm	0.2	PASS	ND	CYFLUTHRIN *	0.05	PPM	0.5	PASS	ND
COUMAPHOS	0.01	ppm	0.1	PASS	ND	CYPERMETHRIN *	0.05	PPM	0.5	PASS	ND
DAMINOZIDE	0.01	ppm	0.1	PASS	ND						
DIAZINON	0.01	ppm	0.1	PASS	ND	Analyzed by:	Weight:	Extraction date:	Extracted by:		
DICHLORVOS	0.01	ppm	0.1	PASS	ND	4056, 3379, 1665, 585, 4044	0.8394g	05/15/23 14:02:30	450,1665		
DIMETHOATE	0.01	ppm	0.1	PASS	ND	Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.101.FL (Gainesville), SOP.T.40.102.FL (Davie)					
ETHOPROPHOS	0.01	ppm	0.1	PASS	ND	Analytical Batch : DA060176PES			Reviewed On : 05/16/23 09:12:02		
ETOFENPROX	0.01	ppm	0.1	PASS	ND	Instrument Used : DA-LCMS-003 (PES)			Batch Date : 05/13/23 12:41:46		
ETOXAZOLE	0.01	ppm	0.1	PASS	ND	Analyzed Date : 05/15/23 12:30:23					
FENHEXAMID	0.01	ppm	0.1	PASS	ND	Dilution : 250					
FENOXYCARB	0.01	ppm	0.1	PASS	ND	Reagent : 050823.R10; 050923.R04; 051023.R18; 051023.R47; 042623.R45; 051023.R16; 040521.11					
FENPYROXIMATE	0.01	ppm	0.1	PASS	ND	Consumables : 6697075-02					
FIPRONIL	0.01	ppm	0.1	PASS	ND	Pipette : DA-093; DA-094; DA-219					
FLONICAMID	0.01	ppm	0.1	PASS	ND	Testing for agricultural agents is performed utilizing Liquid Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
FLUDIOXONIL	0.01	ppm	0.1	PASS	ND	Analyzed by:	Weight:	Extraction date:	Extracted by:		
HEXYTHIAZOX	0.01	ppm	0.1	PASS	ND	450, 585, 4044	0.8394g	05/15/23 14:02:30	450,1665		
IMAZALIL	0.01	ppm	0.1	PASS	ND	Analysis Method : SOP.T.30.151.FL (Gainesville), SOP.T.30.151A.FL (Davie), SOP.T.40.151.FL					
IMIDACLOPRID	0.01	ppm	0.4	PASS	ND	Analytical Batch : DA060194VOL			Reviewed On : 05/16/23 10:57:58		
KRESOXIM-METHYL	0.01	ppm	0.1	PASS	ND	Instrument Used : DA-GCMS-006			Batch Date : 05/14/23 13:42:19		
MALATHION	0.01	ppm	0.2	PASS	ND	Analyzed Date : 05/15/23 14:19:47					
METALAXYL	0.01	ppm	0.1	PASS	ND	Dilution : 250					
METHIOCARB	0.01	ppm	0.1	PASS	ND	Reagent : 051023.R18; 040521.11; 042723.R38; 050223.R19					
METHOMYL	0.01	ppm	0.1	PASS	ND	Consumables : 6697075-02; 14725401					
MEVINPHOS	0.01	ppm	0.1	PASS	ND	Pipette : DA-080; DA-146; DA-218					
MYCLOBUTANIL	0.01	ppm	0.1	PASS	ND	Testing for agricultural agents is performed utilizing Gas Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
NALED	0.01	ppm	0.25	PASS	ND						



Certificate of Analysis



PASSED
FLUENT

 82 NE 26th street
 Miami, FL, 33137, US
 Telephone: (305) 900-6266
 Email: Taylor.Jones@getfluent.com

 Sample : DA30513005-002
 Harvest/Lot ID: HYB-TT-050923-C0089

 Batch# : 2154 0978 4517 Sample Size Received : 31.5 gram
 9539 Total Amount : 841 units
 Sampled : 05/12/23 Completed : 05/16/23 Expires: 05/16/24
 Ordered : 05/12/23 Sample Method : SOP.T.20.010

Page 4 of 5

	Microbial	PASSED		Mycotoxins	PASSED					
Analyte			Analyte							
LOD	Units	Result	Pass / Fail	Action Level	LOD	Units	Result	Pass / Fail	Action Level	
ECOLI SHIGELLA			Not Present	PASS		AFLATOXIN B2			0.002 ppm ND PASS 0.02	
SALMONELLA SPECIFIC GENE			Not Present	PASS		AFLATOXIN B1			0.002 ppm ND PASS 0.02	
ASPERGILLUS FLAVUS			Not Present	PASS		OCHRATOXIN A			0.002 ppm ND PASS 0.02	
ASPERGILLUS FUMIGATUS			Not Present	PASS		AFLATOXIN G1			0.002 ppm ND PASS 0.02	
ASPERGILLUS TERREUS			Not Present	PASS		AFLATOXIN G2			0.002 ppm ND PASS 0.02	
ASPERGILLUS NIGER			Not Present	PASS						
TOTAL YEAST AND MOLD			10 CFU/g	610	PASS	100000				
Analyzed by: 3336, 3390, 585, 4044			Weight: 1.0047g	Extraction date: 05/13/23 11:45:24		Extracted by: 3336				
Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL						Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.40.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.102.FL (Davie)				
Analytical Batch : DA060165MIC						Analytical Batch : DA060195MYC				
Instrument Used : PathogenDx Scanner DA-111,fisherbrand Isotemp Heat Block DA-020,fisherbrand Isotemp Heat Block DA-049,Fisher Scientific Isotemp Heat Block DA-021						Instrument Used : N/A				
Analyzed Date : 05/13/23 16:17:15						Analyzed Date : 05/15/23 12:30:53				
Dilution : N/A						Dilution : 250				
Reagent : 031523.02; 042623.R85; 092122.08						Reagent : 050823.R10; 050923.R04; 051023.R18; 051023.R47; 042623.R45; 051023.R16; 040521.11				
Consumables : 7563002016						Consumables : 6697075-02				
Pipette : N/A						Pipette : DA-093; DA-094; DA-219				
						Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.				
Analyzed by: 3621, 3390, 585, 4044			Weight: 1.0047g	Extraction date: 05/13/23 11:45:24		Extracted by: 3336,3621				
Analysis Method : SOP.T.40.208 (Gainesville), SOP.T.40.209.FL						Analysis Method : SOP.T.30.082.FL, SOP.T.40.082.FL				
Analytical Batch : DA060178TYM						Analytical Batch : DA060167HEA				
Instrument Used : Incubator (25-27C) DA-096						Instrument Used : DA-ICPMS-003				
Analyzed Date : 05/13/23 13:04:17						Analyzed Date : 05/15/23 13:22:12				
Dilution : 10						Dilution : 50				
Reagent : 031523.02; 050923.R23						Reagent : N/A				
Consumables : N/A						Consumables : N/A				
Pipette : N/A						Pipette : N/A				
Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.						Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.				



Certificate of Analysis

PASSED
FLUENT

 82 NE 26th street
 Miami, FL, 33137, US
 Telephone: (305) 900-6266
 Email: Taylor.Jones@getfluent.com

 Sample : DA30513005-002
 Harvest/Lot ID: HYB-TT-050923-C0089

 Batch# : 2154 0978 4517
 Sample Size Received : 31.5 gram
 Total Amount : 841 units
 Completed : 05/16/23 Expires: 05/16/24
 Sample Method : SOP.T.20.010
 Sampled : 05/12/23
 Ordered : 05/12/23

Page 5 of 5


Filth/Foreign Material
PASSED

Moisture
PASSED

Analyte	LOD	Units	Result	P/F	Action Level	Analyte	LOD	Units	Result	P/F	Action Level
Filth and Foreign Material	0.1	%	ND	PASS	1	Moisture Content	1	%	12.85	PASS	15
Analyzed by: 1879, 4044 Weight: NA Extraction date: N/A Analyzed Date: 05/15/23 05:04:54 Analysis Method : SOP.T.40.090 Analytical Batch : DA060203FIL Instrument Used : Filth/Foreign Material Microscope Dilution : N/A Reagent : N/A Consumables : N/A Pipette : N/A						Analyzed by: 2926, 585, 4044 Weight: 0.499g Extraction date: 05/13/23 13:33:54 Analyzed Date: 05/13/23 11:39:57 Analysis Method : SOP.T.40.021 Analytical Batch : DA060174MOI Instrument Used : DA-003 Moisture Analyzer Dilution : N/A Reagent : 101920.06; 020123.02 Consumables : PS-14 Pipette : DA-066					
Reviewed On : 05/15/23 05:11:56 Batch Date : 05/15/23 05:03:18						Reviewed On : 05/13/23 13:38:30 Batch Date : 05/13/23 11:03:48					

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.

Moisture Content analysis utilizing loss-on-drying technology in accordance with F.S. Rule 64ER20-39.


Water Activity
PASSED

Analyte	LOD	Units	Result	P/F	Action Level
Water Activity	0.01	aw	0.596	PASS	0.65
Analyzed by: 2926, 585, 4044 Weight: 0.725g Extraction date: 05/13/23 14:38:32 Analyzed Date: 05/13/23 11:21:39 Analysis Method : SOP.T.40.019 Analytical Batch : DA060159WAT Instrument Used : DA-028 Rotronic HygroPalm Dilution : N/A Reagent : 100522.09 Consumables : PS-14 Pipette : N/A					
Reviewed On : 05/13/23 18:40:38 Batch Date : 05/13/23 08:43:07					

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.