



Certificate of Analysis

COMPLIANCE FOR RETAIL

Sample: DA30513008-002
Harvest/Lot ID: 9576 3244 4944 9862
Batch#: 9576 3244 4944 9862
Cultivation Facility: Tampa Cultivation
Processing Facility : Tampa Processing
Source Facility : Tampa Cultivation
Seed to Sale# 9523 0456 0258 1049
Batch Date: 03/31/22
Sample Size Received: 780 gram
Total Amount: 2718 units
Retail Product Size: 67.9476 gram
Ordered: 05/13/23
Sampled: 05/13/23
Completed: 05/16/23
Sampling Method: SOP.T.20.010

May 16, 2023 | FLUENT

82 NE 26th street
Miami, FL, 33137, US



PASSED

Pages 1 of 5

PRODUCT IMAGE



SAFETY RESULTS



Pesticides
PASSED



Heavy Metals
PASSED



Microbials
PASSED



Mycotoxins
PASSED



Residuals Solvents
PASSED



Filtration
PASSED



Water Activity
PASSED



Moisture
NOT TESTED



Terpenes
NOT TESTED

MISC.



Cannabinoid

PASSED



Total THC

0.064%

Total THC/Container : 43.486 mg



Total CBD

0.063%

Total CBD/Container : 42.807 mg



Total Cannabinoids

0.136%

Total Cannabinoids/Container : 92.409 mg

	D9-THC	THCA	CBD	CBDA	D8-THC	CBG	CBGA	CBN	THCV	CBDV	CBC
%	0.064	ND	0.063	ND	ND	0.004	ND	0.002	ND	ND	0.003
mg/unit	43.486	ND	42.806	ND	ND	2.717	ND	1.358	ND	ND	2.038
LOD	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001
%	%	%	%	%	%	%	%	%	%	%	%

Analized by:
1665, 3335, 585, 1440

Weight:
3.1307g

Extraction date:
05/15/23 10:00:04

Extracted by:
1665

Analysis Method : SOP.T.40.031, SOP.T.30.031
 Analytical Batch : DA060190POT
 Instrument Used : DA-LC-007
 Analyzed Date : 05/15/23 10:02:40

Reviewed On : 05/16/23 10:05:38
 Batch Date : 05/14/23 00:21:10

Dilution : 40
 Reagent : 050123.01; 050923.R09; 071222.35; 070121.27; 050923.R07
 Consumables : 280670723; CE0123; 61633-125C6-125E; R1KB14270
 Pipette : DA-079; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Jorge Segredo
Lab Director

State License # CMTL-0002
 ISO 17025 Accreditation # ISO/IEC
 17025:2017 Accreditation PJLA-
 Testing 97164



Signature
05/16/23



Certificate of Analysis

PASSED

FLUENT

 82 NE 26th street
 Miami, FL, 33137, US
 Telephone: (305) 900-6266
 Email: Taylor.Jones@getfluent.com

Sample : DA30513008-002

Harvest/Lot ID: 9576 3244 4944 9862

 Batch# : 9576 3244 4944
 9862

Sampled : 05/13/23

Ordered : 05/13/23

Sample Size Received : 780 gram

Total Amount : 2718 units

Completed : 05/16/23 Expires: 05/16/24

Sample Method : SOP.T.20.010

Page 2 of 5



Pesticides

PASSED

Pesticide	LOD	Units	Action Level	Pass/Fail	Result	Pesticide	LOD	Units	Action Level	Pass/Fail	Result
TOTAL CONTAMINANT LOAD (PESTICIDES)	0.01	ppm	30	PASS	ND	OXAMYL	0.01	ppm	0.5	PASS	ND
TOTAL DIMETHOMORPH	0.01	ppm	3	PASS	ND	PACLOBUTRAZOL	0.01	ppm	0.1	PASS	ND
TOTAL PERMETHRIN	0.01	ppm	1	PASS	ND	PHOSMET	0.01	ppm	0.2	PASS	ND
TOTAL PYRETHRINS	0.01	ppm	1	PASS	ND	PIPERONYL BUTOXIDE	0.01	ppm	3	PASS	ND
TOTAL SPINETORAM	0.01	ppm	3	PASS	ND	PRALLETHRIN	0.01	ppm	0.4	PASS	ND
TOTAL SPINOSAD	0.01	ppm	3	PASS	ND	PROPICONAZOLE	0.01	ppm	1	PASS	ND
ABAMECTIN B1A	0.01	ppm	0.3	PASS	ND	PROPOXUR	0.01	ppm	0.1	PASS	ND
ACEPHATE	0.01	ppm	3	PASS	ND	PYRIDABEN	0.01	ppm	3	PASS	ND
ACEQUINOCYL	0.01	ppm	2	PASS	ND	SPIROMESIFEN	0.01	ppm	3	PASS	ND
ACETAMIPRID	0.01	ppm	3	PASS	ND	SPIROTETRAMAT	0.01	ppm	3	PASS	ND
ALDICARB	0.01	ppm	0.1	PASS	ND	SPIROXAMINE	0.01	ppm	0.1	PASS	ND
AZOXYSTROBIN	0.01	ppm	3	PASS	ND	TEBUCONAZOLE	0.01	ppm	1	PASS	ND
BIFENAZATE	0.01	ppm	3	PASS	ND	THIACLOPRID	0.01	ppm	0.1	PASS	ND
BIFENTHRIN	0.01	ppm	0.5	PASS	ND	THIAMETHOXAM	0.01	ppm	1	PASS	ND
BOSCALID	0.01	ppm	3	PASS	ND	TRIFLOXYSTROBIN	0.01	ppm	3	PASS	ND
CARBARYL	0.01	ppm	0.5	PASS	ND	PENTACHLORONITROBENZENE (PCNB) *	0.01	PPM	0.2	PASS	ND
CARBOFURAN	0.01	ppm	0.1	PASS	ND	PARATHION-METHYL *	0.01	PPM	0.1	PASS	ND
CHLORANTRANILIPROLE	0.01	ppm	3	PASS	ND	CAPTAN *	0.07	PPM	3	PASS	ND
CHLORMEQUAT CHLORIDE	0.01	ppm	3	PASS	ND	CHLORDANE *	0.01	PPM	0.1	PASS	ND
CHLORPYRIFOS	0.01	ppm	0.1	PASS	ND	CHLORFENAPYR *	0.01	PPM	0.1	PASS	ND
CLOFENTEZINE	0.01	ppm	0.5	PASS	ND	CYFLUTHRIN *	0.05	PPM	1	PASS	ND
COUMAPHOS	0.01	ppm	0.1	PASS	ND	CYPERMETHRIN *	0.05	PPM	1	PASS	ND
DAMINOZIDE	0.01	ppm	0.1	PASS	ND						
DIAZINON	0.01	ppm	3	PASS	ND	Analyzed by:	Weight:	Extraction date:	Extracted by:		
DICHLORVOS	0.01	ppm	0.1	PASS	ND	3379, 1665, 585, 1440	1.1199g	05/15/23 14:07:08	450,1665		
DIMETHOATE	0.01	ppm	0.1	PASS	ND	Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.101.FL (Gainesville),					
ETHOPROPHOS	0.01	ppm	0.1	PASS	ND	SOP.T.40.102.FL (Davie)					
ETOFENPROX	0.01	ppm	0.1	PASS	ND	Instrumental Batch : DA060182PES			Reviewed On : 05/16/23 10:27:23		
ETOXAZOLE	0.01	ppm	1.5	PASS	ND	Instrument Used : DA-LCMS-003 (PES)			Batch Date : 05/13/23 14:49:12		
FENHEXAMID	0.01	ppm	3	PASS	ND	Analyzed Date : 05/15/23 12:30:20					
FENOXYCARB	0.01	ppm	0.1	PASS	ND	Dilution : 250					
FENPYROXIMATE	0.01	ppm	2	PASS	ND	Reagent : 050823.R10; 050923.R04; 051023.R18; 051023.R47; 042623.R45; 051023.R16; 040521.11					
FIPRONIL	0.01	ppm	0.1	PASS	ND	Consumables : 6697075-02					
FLONICAMID	0.01	ppm	2	PASS	ND	Pipette : DA-093; DA-094; DA-219					
FLUDIOXONIL	0.01	ppm	3	PASS	ND	Testing for agricultural agents is performed utilizing Liquid Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
HEXYTHIAZOX	0.01	ppm	2	PASS	ND	Analyzed by:	Weight:	Extraction date:	Extracted by:		
IMAZALIL	0.01	ppm	0.1	PASS	ND	450, 585, 1440	1.1199g	05/15/23 14:07:08	450,1665		
IMIDACLOPRID	0.01	ppm	1	PASS	ND	Analysis Method : SOP.T.30.151.FL (Gainesville), SOP.T.30.151A.FL (Davie), SOP.T.40.151.FL					
KRESOXIM-METHYL	0.01	ppm	1	PASS	ND	Analytical Batch : DA060198VOL			Reviewed On : 05/16/23 11:05:21		
MALATHION	0.01	ppm	2	PASS	ND	Instrument Used : DA-GCMS-006			Batch Date : 05/14/23 13:44:49		
METALAXYL	0.01	ppm	3	PASS	ND	Analyzed Date : 05/15/23 14:20:09					
METHIOCARB	0.01	ppm	0.1	PASS	ND	Dilution : 250					
METHOMYL	0.01	ppm	0.1	PASS	ND	Reagent : 051023.R18; 040521.11; 042723.R38; 050223.R19					
MEVINPHOS	0.01	ppm	0.1	PASS	ND	Consumables : 6697075-02; 14725401					
MYCLOBUTANIL	0.01	ppm	3	PASS	ND	Pipette : DA-080; DA-146; DA-218					
NALED	0.01	ppm	0.5	PASS	ND	Testing for agricultural agents is performed utilizing Gas Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					



Certificate of Analysis

PASSED
FLUENT

 82 NE 26th street
 Miami, FL, 33137, US
 Telephone: (305) 900-6266
 Email: Taylor.Jones@getfluent.com

Sample : DA30513008-002

Harvest/Lot ID: 9576 3244 4944 9862

Batch# : 9576 3244 4944 9862

Sampled : 05/13/23

Ordered : 05/13/23

Sample Size Received : 780 gram

Total Amount : 2718 units

Completed : 05/16/23 Expires: 05/16/24

Sample Method : SOP.T.20.010

Page 3 of 5



Residual Solvents

PASSED

Solvents	LOD	Units	Action Level	Pass/Fail	Result
1,1-DICHLOROETHENE	0.8	ppm	8	PASS	ND
1,2-DICHLOROETHANE	0.2	ppm	2	PASS	ND
2-PROPANOL	50	ppm	500	PASS	ND
ACETONE	75	ppm	750	PASS	ND
ACETONITRILE	6	ppm	60	PASS	ND
BENZENE	0.1	ppm	1	PASS	ND
BUTANES (N-BUTANE)	500	ppm	5000	PASS	ND
CHLOROFORM	0.2	ppm	2	PASS	ND
DICHLOROMETHANE	12.5	ppm	125	PASS	ND
ETHANOL	500	ppm	5000	PASS	ND
ETHYL ACETATE	40	ppm	400	PASS	ND
ETHYL ETHER	50	ppm	500	PASS	ND
ETHYLENE OXIDE	0.5	ppm	5	PASS	ND
HEPTANE	500	ppm	5000	PASS	ND
METHANOL	25	ppm	250	PASS	ND
N-HEXANE	25	ppm	250	PASS	ND
PENTANES (N-PENTANE)	75	ppm	750	PASS	ND
PROPANE	500	ppm	5000	PASS	ND
TOLUENE	15	ppm	150	PASS	ND
TOTAL XYLENES	15	ppm	150	PASS	ND
TRICHLOROETHYLENE	2.5	ppm	25	PASS	ND

 Analyzed by:
 850, 585, 1440

 Weight:
 0.0253g

 Extraction date:
 05/16/23 11:35:21

 Extracted by:
 850

 Analysis Method : SOP.T.40.041.FL
 Analytical Batch : DA060225SOL
 Instrument Used : DA-GCMS-002
 Analyzed Date : 05/16/23 11:56:19

 Reviewed On : 05/16/23 13:31:47
 Batch Date : 05/15/23 15:03:43

 Dilution : 1
 Reagent : 030420.09
 Consumables : R2017.167; G201.167
 Pipette : DA-309 25uL Syringe 35028

Residual solvents analysis is performed utilizing Gas Chromatography Mass Spectrometry in accordance with with F.S. Rule 64ER20-39.



Certificate of Analysis

PASSED
FLUENT

 82 NE 26th street
 Miami, FL, 33137, US
 Telephone: (305) 900-6266
 Email: Taylor.Jones@getfluent.com

Sample : DA30513008-002

Harvest/Lot ID: 9576 3244 4944 9862

Batch# : 9576 3244 4944 9862

Sampled : 05/13/23

Ordered : 05/13/23


Sample Size Received : 780 gram


Total Amount : 2718 units


Completed : 05/16/23 Expires: 05/16/24

Sample Method : SOP.T.20.010

Page 4 of 5

	<h1>Microbial</h1>	<h2>PASSED</h2>																																																																		
<table><tr><th>Analyte</th><th>LOD</th><th>Units</th><th>Result</th><th>Pass / Fail</th><th>Action Level</th></tr><tr><td>ECOLI SHIGELLA</td><td></td><td></td><td>Not Present</td><td>PASS</td><td></td></tr><tr><td>SALMONELLA SPECIFIC GENE</td><td></td><td></td><td>Not Present</td><td>PASS</td><td></td></tr><tr><td>ASPERGILLUS FLAVUS</td><td></td><td></td><td>Not Present</td><td>PASS</td><td></td></tr><tr><td>ASPERGILLUS FUMIGATUS</td><td></td><td></td><td>Not Present</td><td>PASS</td><td></td></tr><tr><td>ASPERGILLUS TERREUS</td><td></td><td></td><td>Not Present</td><td>PASS</td><td></td></tr><tr><td>ASPERGILLUS NIGER</td><td></td><td></td><td>Not Present</td><td>PASS</td><td></td></tr><tr><td>TOTAL YEAST AND MOLD</td><td>10</td><td>CFU/g</td><td><10</td><td>PASS</td><td>100000</td></tr></table>	Analyte	LOD	Units	Result	Pass / Fail	Action Level	ECOLI SHIGELLA			Not Present	PASS		SALMONELLA SPECIFIC GENE			Not Present	PASS		ASPERGILLUS FLAVUS			Not Present	PASS		ASPERGILLUS FUMIGATUS			Not Present	PASS		ASPERGILLUS TERREUS			Not Present	PASS		ASPERGILLUS NIGER			Not Present	PASS		TOTAL YEAST AND MOLD	10	CFU/g	<10	PASS	100000	<table><tr><td>Analyzed by: 3621, 3390, 585, 1440</td><td>Weight: 1.1041g</td><td>Extraction date: 05/14/23 16:25:16</td><td>Extracted by: 3621</td></tr><tr><td colspan="3">Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL</td><td rowspan="2">Reviewed On : 05/16/23 15:03:45</td></tr><tr><td colspan="3">Analytical Batch : DA060166MIC</td></tr><tr><td colspan="3">Instrument Used : PathogenDx Scanner DA-111,Applied Biosystems Thermocycler DA-171,fisherbrand Isotemp Heat Block DA-020,fisherbrand Isotemp Heat Block DA-049,Fisher Scientific Isotemp Heat Block DA-021</td><td>Batch Date : 05/13/23 10:37:04</td></tr><tr><td colspan="4">Analyzed Date : 05/13/23 16:17:10</td></tr></table>	Analyzed by: 3621, 3390, 585, 1440	Weight: 1.1041g	Extraction date: 05/14/23 16:25:16	Extracted by: 3621	Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL			Reviewed On : 05/16/23 15:03:45	Analytical Batch : DA060166MIC			Instrument Used : PathogenDx Scanner DA-111,Applied Biosystems Thermocycler DA-171,fisherbrand Isotemp Heat Block DA-020,fisherbrand Isotemp Heat Block DA-049,Fisher Scientific Isotemp Heat Block DA-021			Batch Date : 05/13/23 10:37:04	Analyzed Date : 05/13/23 16:17:10			
Analyte	LOD	Units	Result	Pass / Fail	Action Level																																																															
ECOLI SHIGELLA			Not Present	PASS																																																																
SALMONELLA SPECIFIC GENE			Not Present	PASS																																																																
ASPERGILLUS FLAVUS			Not Present	PASS																																																																
ASPERGILLUS FUMIGATUS			Not Present	PASS																																																																
ASPERGILLUS TERREUS			Not Present	PASS																																																																
ASPERGILLUS NIGER			Not Present	PASS																																																																
TOTAL YEAST AND MOLD	10	CFU/g	<10	PASS	100000																																																															
Analyzed by: 3621, 3390, 585, 1440	Weight: 1.1041g	Extraction date: 05/14/23 16:25:16	Extracted by: 3621																																																																	
Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL			Reviewed On : 05/16/23 15:03:45																																																																	
Analytical Batch : DA060166MIC																																																																				
Instrument Used : PathogenDx Scanner DA-111,Applied Biosystems Thermocycler DA-171,fisherbrand Isotemp Heat Block DA-020,fisherbrand Isotemp Heat Block DA-049,Fisher Scientific Isotemp Heat Block DA-021			Batch Date : 05/13/23 10:37:04																																																																	
Analyzed Date : 05/13/23 16:17:10																																																																				
<table><tr><td>Dilution : N/A</td><td>Reagent : 031523.02; 042623.R85; 092122.08</td></tr><tr><td colspan="2">Consumables : 7563002016</td></tr><tr><td colspan="2">Pipette : N/A</td></tr></table>						Dilution : N/A	Reagent : 031523.02; 042623.R85; 092122.08	Consumables : 7563002016		Pipette : N/A																																																										
Dilution : N/A	Reagent : 031523.02; 042623.R85; 092122.08																																																																			
Consumables : 7563002016																																																																				
Pipette : N/A																																																																				
<table><tr><td>Analyzed by: 3621, 3390, 3336, 585, 1440</td><td>Weight: 1.1041g</td><td>Extraction date: N/A</td><td>Extracted by: 3390</td></tr><tr><td colspan="3">Analysis Method : SOP.T.40.208 (Gainesville), SOP.T.40.209.FL</td><td rowspan="2">Reviewed On : 05/16/23 15:37:52</td></tr><tr><td colspan="3">Analytical Batch : DA060179TYM</td></tr><tr><td colspan="3">Instrument Used : Incubator (25-27C) DA-096</td><td>Batch Date : 05/13/23 13:03:13</td></tr><tr><td colspan="4">Analyzed Date : 05/13/23 13:04:18</td></tr></table>	Analyzed by: 3621, 3390, 3336, 585, 1440	Weight: 1.1041g	Extraction date: N/A	Extracted by: 3390	Analysis Method : SOP.T.40.208 (Gainesville), SOP.T.40.209.FL			Reviewed On : 05/16/23 15:37:52	Analytical Batch : DA060179TYM			Instrument Used : Incubator (25-27C) DA-096			Batch Date : 05/13/23 13:03:13	Analyzed Date : 05/13/23 13:04:18				<table><tr><td>Dilution : 10</td><td>Reagent : 031523.02; 050923.R23</td></tr><tr><td colspan="2">Consumables : N/A</td></tr><tr><td colspan="2">Pipette : N/A</td></tr></table>	Dilution : 10	Reagent : 031523.02; 050923.R23	Consumables : N/A		Pipette : N/A																																											
Analyzed by: 3621, 3390, 3336, 585, 1440	Weight: 1.1041g	Extraction date: N/A	Extracted by: 3390																																																																	
Analysis Method : SOP.T.40.208 (Gainesville), SOP.T.40.209.FL			Reviewed On : 05/16/23 15:37:52																																																																	
Analytical Batch : DA060179TYM																																																																				
Instrument Used : Incubator (25-27C) DA-096			Batch Date : 05/13/23 13:03:13																																																																	
Analyzed Date : 05/13/23 13:04:18																																																																				
Dilution : 10	Reagent : 031523.02; 050923.R23																																																																			
Consumables : N/A																																																																				
Pipette : N/A																																																																				
Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.																																																																				

	<h1>Mycotoxins</h1>	<h2>PASSED</h2>																																																						
<table><tr><th>Analyte</th><th>LOD</th><th>Units</th><th>Result</th><th>Pass / Fail</th><th>Action Level</th></tr><tr><td>AFLATOXIN B2</td><td>0.002</td><td>ppm</td><td>ND</td><td>PASS</td><td>0.02</td></tr><tr><td>AFLATOXIN B1</td><td>0.002</td><td>ppm</td><td>ND</td><td>PASS</td><td>0.02</td></tr><tr><td>OCHRATOXIN A</td><td>0.002</td><td>ppm</td><td>ND</td><td>PASS</td><td>0.02</td></tr><tr><td>AFLATOXIN G1</td><td>0.002</td><td>ppm</td><td>ND</td><td>PASS</td><td>0.02</td></tr><tr><td>AFLATOXIN G2</td><td>0.002</td><td>ppm</td><td>ND</td><td>PASS</td><td>0.02</td></tr></table>	Analyte	LOD	Units	Result	Pass / Fail	Action Level	AFLATOXIN B2	0.002	ppm	ND	PASS	0.02	AFLATOXIN B1	0.002	ppm	ND	PASS	0.02	OCHRATOXIN A	0.002	ppm	ND	PASS	0.02	AFLATOXIN G1	0.002	ppm	ND	PASS	0.02	AFLATOXIN G2	0.002	ppm	ND	PASS	0.02	<table><tr><td>Analyzed by: 3379, 1665, 585, 1440</td><td>Weight: 1.1199g</td><td>Extraction date: 05/15/23 14:07:08</td><td>Extracted by: 450,1665</td></tr><tr><td colspan="3">Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.40.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.102.FL (Davie)</td><td rowspan="2">Reviewed On : 05/16/23 10:25:59</td></tr><tr><td colspan="3">Analytical Batch : DA060199MYC</td></tr><tr><td colspan="3">Instrument Used : N/A</td><td>Batch Date : 05/14/23 13:44:54</td></tr><tr><td colspan="4">Analyzed Date : 05/15/23 12:30:50</td></tr></table>	Analyzed by: 3379, 1665, 585, 1440	Weight: 1.1199g	Extraction date: 05/15/23 14:07:08	Extracted by: 450,1665	Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.40.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.102.FL (Davie)			Reviewed On : 05/16/23 10:25:59	Analytical Batch : DA060199MYC			Instrument Used : N/A			Batch Date : 05/14/23 13:44:54	Analyzed Date : 05/15/23 12:30:50			
Analyte	LOD	Units	Result	Pass / Fail	Action Level																																																			
AFLATOXIN B2	0.002	ppm	ND	PASS	0.02																																																			
AFLATOXIN B1	0.002	ppm	ND	PASS	0.02																																																			
OCHRATOXIN A	0.002	ppm	ND	PASS	0.02																																																			
AFLATOXIN G1	0.002	ppm	ND	PASS	0.02																																																			
AFLATOXIN G2	0.002	ppm	ND	PASS	0.02																																																			
Analyzed by: 3379, 1665, 585, 1440	Weight: 1.1199g	Extraction date: 05/15/23 14:07:08	Extracted by: 450,1665																																																					
Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.40.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.102.FL (Davie)			Reviewed On : 05/16/23 10:25:59																																																					
Analytical Batch : DA060199MYC																																																								
Instrument Used : N/A			Batch Date : 05/14/23 13:44:54																																																					
Analyzed Date : 05/15/23 12:30:50																																																								
<table><tr><td>Dilution : 250</td><td>Reagent : 050823.R10; 050923.R04; 051023.R18; 051023.R47; 042623.R45; 051023.R16; 040521.11</td></tr><tr><td colspan="2">Consumables : 6697075-02</td></tr><tr><td colspan="2">Pipette : DA-093; DA-094; DA-219</td></tr></table>						Dilution : 250	Reagent : 050823.R10; 050923.R04; 051023.R18; 051023.R47; 042623.R45; 051023.R16; 040521.11	Consumables : 6697075-02		Pipette : DA-093; DA-094; DA-219																																														
Dilution : 250	Reagent : 050823.R10; 050923.R04; 051023.R18; 051023.R47; 042623.R45; 051023.R16; 040521.11																																																							
Consumables : 6697075-02																																																								
Pipette : DA-093; DA-094; DA-219																																																								
Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.																																																								

	<h1>Heavy Metals</h1>	<h2>PASSED</h2>																																																						
<table><tr><th>Metal</th><th>LOD</th><th>Units</th><th>Result</th><th>Pass / Fail</th><th>Action Level</th></tr><tr><td>TOTAL CONTAMINANT LOAD METALS</td><td>0.08</td><td>ppm</td><td>ND</td><td>PASS</td><td>5</td></tr><tr><td>ARSENIC</td><td>0.02</td><td>ppm</td><td>ND</td><td>PASS</td><td>1.5</td></tr><tr><td>CADMIUM</td><td>0.02</td><td>ppm</td><td>ND</td><td>PASS</td><td>0.5</td></tr><tr><td>MERCURY</td><td>0.02</td><td>ppm</td><td>ND</td><td>PASS</td><td>3</td></tr><tr><td>LEAD</td><td>0.02</td><td>ppm</td><td>ND</td><td>PASS</td><td>0.5</td></tr></table>	Metal	LOD	Units	Result	Pass / Fail	Action Level	TOTAL CONTAMINANT LOAD METALS	0.08	ppm	ND	PASS	5	ARSENIC	0.02	ppm	ND	PASS	1.5	CADMIUM	0.02	ppm	ND	PASS	0.5	MERCURY	0.02	ppm	ND	PASS	3	LEAD	0.02	ppm	ND	PASS	0.5	<table><tr><td>Analyzed by: 1022, 585, 1440</td><td>Weight: 0.2209g</td><td>Extraction date: 05/15/23 08:21:45</td><td>Extracted by: 1022,3807</td></tr><tr><td colspan="3">Analysis Method : SOP.T.30.082.FL, SOP.T.40.082.FL</td><td rowspan="2">Reviewed On : 05/16/23 09:23:54</td></tr><tr><td colspan="3">Analytical Batch : DA060168HEA</td></tr><tr><td colspan="3">Instrument Used : DA-ICPMS-003</td><td>Batch Date : 05/13/23 10:51:05</td></tr><tr><td colspan="4">Analyzed Date : 05/15/23 13:37:38</td></tr></table>	Analyzed by: 1022, 585, 1440	Weight: 0.2209g	Extraction date: 05/15/23 08:21:45	Extracted by: 1022,3807	Analysis Method : SOP.T.30.082.FL, SOP.T.40.082.FL			Reviewed On : 05/16/23 09:23:54	Analytical Batch : DA060168HEA			Instrument Used : DA-ICPMS-003			Batch Date : 05/13/23 10:51:05	Analyzed Date : 05/15/23 13:37:38			
Metal	LOD	Units	Result	Pass / Fail	Action Level																																																			
TOTAL CONTAMINANT LOAD METALS	0.08	ppm	ND	PASS	5																																																			
ARSENIC	0.02	ppm	ND	PASS	1.5																																																			
CADMIUM	0.02	ppm	ND	PASS	0.5																																																			
MERCURY	0.02	ppm	ND	PASS	3																																																			
LEAD	0.02	ppm	ND	PASS	0.5																																																			
Analyzed by: 1022, 585, 1440	Weight: 0.2209g	Extraction date: 05/15/23 08:21:45	Extracted by: 1022,3807																																																					
Analysis Method : SOP.T.30.082.FL, SOP.T.40.082.FL			Reviewed On : 05/16/23 09:23:54																																																					
Analytical Batch : DA060168HEA																																																								
Instrument Used : DA-ICPMS-003			Batch Date : 05/13/23 10:51:05																																																					
Analyzed Date : 05/15/23 13:37:38																																																								
<table><tr><td>Dilution : 50</td><td>Reagent : N/A</td></tr><tr><td colspan="2">Consumables : N/A</td></tr><tr><td colspan="2">Pipette : N/A</td></tr></table>						Dilution : 50	Reagent : N/A	Consumables : N/A		Pipette : N/A																																														
Dilution : 50	Reagent : N/A																																																							
Consumables : N/A																																																								
Pipette : N/A																																																								
Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.																																																								



Certificate of Analysis

PASSED
FLUENT

 82 NE 26th street
 Miami, FL, 33137, US
 Telephone: (305) 900-6266
 Email: Taylor.Jones@getfluent.com

Sample : DA30513008-002

Harvest/Lot ID: 9576 3244 4944 9862

Batch# : 9576 3244 4944 9862

Sampled : 05/13/23

Ordered : 05/13/23

Sample Size Received : 780 gram

Total Amount : 2718 units

Completed : 05/16/23 Expires: 05/16/24

Sample Method : SOP.T.20.010

Page 5 of 5


Filth/Foreign Material
PASSED
Homogeneity
PASSED

Amount of tests conducted : 24

Analyte	LOD	Units	Result	P/F	Action Level
Filth and Foreign Material	0.1	%	ND	PASS	1

 Analyzed by: 1879, 1440
 Weight: NA
 Extraction date: N/A
 Extracted by: N/A

Analysis Method : SOP.T.40.090

Analytical Batch : DA060204FIL

Instrument Used : Filth/Foreign Material Microscope

Analyzed Date : 05/15/23 05:04:53

Reviewed On : 05/15/23 05:12:06

Batch Date : 05/15/23 05:03:35

Dilution : N/A

Reagent : N/A

Consumables : N/A

Pipette : N/A

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.


Water Activity
PASSED

Analyte	LOD	Units	Result	P/F	Action Level
Water Activity	0.01	aw	0.612	PASS	0.85

 Analyzed by: 3807, 585, 1440
 Weight: 11.064g
 Extraction date: 05/15/23 19:24:39
 Extracted by: 3807,2926

Analysis Method : SOP.T.40.019

Analytical Batch : DA060172WAT

Instrument Used : DA-028 Rotronic HygroPalm

Analyzed Date : 05/13/23 14:40:19

Reviewed On : 05/16/23 10:02:09

Batch Date : 05/13/23 10:57:38

Dilution : N/A

Reagent : 100522.09

Consumables : PS-14

Pipette : N/A

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.

Analyte	LOD	Units	Pass/Fail	Result	Action Level
TOTAL THC - HOMOGENEITY (RSD)	0.001	%	PASS	3.902	25
TOTAL CBD - HOMOGENEITY (RSD)	0.001	%	PASS	3.711	25

 Analyzed by: 3963, 3335, 585, 1440
 Average Weight: 6.249g
 Extraction date: 05/14/23 15:41:27
 Extracted By: 3963

Analysis Method : SOP.T.30.111.FL, SOP.T.40.111.FL

Analytical Batch : DA060191HOM

Instrument Used : DA-LC-006

Analyzed Date : 05/14/23 15:47:35

Reviewed On : 05/16/23 10:02:05

Batch Date : 05/14/23 12:29:41

Dilution : 40

Reagent : 050123.01; 042623.R49; 071222.35; 042623.R48

Consumables : 947.109; 250350; CE0123; 115C4-1151; 12620-308CD-308D;

61633-125C6-125E; R1KB14270

Pipette : DA-079; DA-108; DA-078

Homogeneity testing is performed utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.