



Certificate of Analysis

COMPLIANCE FOR RETAIL

Sample: DA30516002-004
Harvest/Lot ID: 8192 9194 8847 8394
Batch#: 5933 8193 6138 7647
Cultivation Facility: Tampa Cultivation
Processing Facility : Tampa Processing
Source Facility : Tampa Cultivation
Seed to Sale# 8192 9194 8847 8394
Batch Date: 03/31/23
Sample Size Received: 780 gram
Total Amount: 2581 units
Retail Product Size: 65.6951 gram
Ordered: 05/15/23
Sampled: 05/15/23
Completed: 05/18/23
Sampling Method: SOP.T.20.010

May 18, 2023 | FLUENT

82 NE 26th street
Miami, FL, 33137, US



PASSED

Pages 1 of 5

PRODUCT IMAGE



SAFETY RESULTS



Pesticides
PASSED



Heavy Metals
PASSED



Microbials
PASSED



Mycotoxins
PASSED



Residuals Solvents
PASSED



Filtration
PASSED



Water Activity
PASSED



Moisture
NOT TESTED



Terpenes
NOT TESTED

MISC.



Cannabinoid

PASSED



Total THC

0.068%

Total THC/Container : 44.673 mg



Total CBD

0.067%

Total CBD/Container : 44.016 mg



Total Cannabinoids

0.145%

Total Cannabinoids/Container : 95.258 mg

	D9-THC	THCA	CBD	CBDA	D8-THC	CBG	CBGA	CBN	THCV	CBDV	CBC
%	0.067	0.002	0.067	ND	ND	0.004	ND	0.002	ND	ND	0.003
mg/unit	44.015	1.313	44.015	ND	ND	2.627	ND	1.313	ND	ND	1.97
LOD	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001
%	%	%	%	%	%	%	%	%	%	%	%

Analized by:
3112, 585, 1440

Weight:
3.0473g

Extraction date:
05/16/23 11:19:00

Extracted by:
3335

Analysis Method : SOP.T.40.031, SOP.T.30.031
 Analytical Batch : DA060246POT
 Instrument Used : DA-LC-007
 Analyzed Date : 05/16/23 11:50:33

Reviewed On : 05/17/23 09:25:11
 Batch Date : 05/16/23 09:29:11

Dilution : 40
 Reagent : 050923.R09; 032123.11; 050923.R07
 Consumables : 250346; CE0123; 12628-309CC-309; 61633-125C6-125E; R1KB14270
 Pipette : DA-079; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Jorge Segredo
Lab Director

State License # CMTL-0002
 ISO 17025 Accreditation # ISO/IEC
 17025:2017 Accreditation PJLA-
 Testing 97164



Signature
05/18/23



Certificate of Analysis

PASSED

FLUENT

 82 NE 26th street
 Miami, FL, 33137, US
 Telephone: (305) 900-6266
 Email: Taylor.Jones@getfluent.com

Sample : DA30516002-004

Harvest/Lot ID: 8192 9194 8847 8394

 Batch# : 5933 8193 6138
 7647

Sampled : 05/15/23

Ordered : 05/15/23


Sample Size Received : 780 gram

Total Amount : 2581 units

Completed : 05/18/23 Expires: 05/18/24

Sample Method : SOP.T.20.010

Page 2 of 5

<div><div></div><div>Pesticides</div></div>						PASSED					
Pesticide	LOD	Units	Action Level	Pass/Fail	Result	Pesticide	LOD	Units	Action Level	Pass/Fail	Result
TOTAL CONTAMINANT LOAD (PESTICIDES)	0.01	ppm	30	PASS	ND	OXAMYL	0.01	ppm	0.5	PASS	ND
TOTAL DIMETHOMORPH	0.01	ppm	3	PASS	ND	PACLOBUTRAZOL	0.01	ppm	0.1	PASS	ND
TOTAL PERMETHRIN	0.01	ppm	1	PASS	ND	PHOSMET	0.01	ppm	0.2	PASS	ND
TOTAL PYRETHRINS	0.01	ppm	1	PASS	ND	PIPERONYL BUTOXIDE	0.01	ppm	3	PASS	ND
TOTAL SPINETORAM	0.01	ppm	3	PASS	ND	PRALLETHRIN	0.01	ppm	0.4	PASS	ND
TOTAL SPINOSAD	0.01	ppm	3	PASS	ND	PROPICONAZOLE	0.01	ppm	1	PASS	ND
ABAMECTIN B1A	0.01	ppm	0.3	PASS	ND	PROPOXUR	0.01	ppm	0.1	PASS	ND
ACEPHATE	0.01	ppm	3	PASS	ND	PYRIDABEN	0.01	ppm	3	PASS	ND
ACEQUINOCYL	0.01	ppm	2	PASS	ND	SPIROMESIFEN	0.01	ppm	3	PASS	ND
ACETAMIPRID	0.01	ppm	3	PASS	ND	SPIROTETRAMAT	0.01	ppm	3	PASS	ND
ALDICARB	0.01	ppm	0.1	PASS	ND	SPIROXAMINE	0.01	ppm	0.1	PASS	ND
AZOXYSTROBIN	0.01	ppm	3	PASS	ND	TEBUCONAZOLE	0.01	ppm	1	PASS	ND
BIFENAZATE	0.01	ppm	3	PASS	ND	THIACLOPRID	0.01	ppm	0.1	PASS	ND
BIFENTHRIN	0.01	ppm	0.5	PASS	ND	THIAMETHOXAM	0.01	ppm	1	PASS	ND
BOSCALID	0.01	ppm	3	PASS	ND	TRIFLOXYSTROBIN	0.01	ppm	3	PASS	ND
CARBARYL	0.01	ppm	0.5	PASS	ND	PENTACHLORONITROBENZENE (PCNB) *	0.01	PPM	0.2	PASS	ND
CARBOFURAN	0.01	ppm	0.1	PASS	ND	PARATHION-METHYL *	0.01	PPM	0.1	PASS	ND
CHLORANTRANILIPROLE	0.01	ppm	3	PASS	ND	CAPTAN *	0.07	PPM	3	PASS	ND
CHLORMEQUAT CHLORIDE	0.01	ppm	3	PASS	ND	CHLORDANE *	0.01	PPM	0.1	PASS	ND
CHLORPYRIFOS	0.01	ppm	0.1	PASS	ND	CHLORFENAPYR *	0.01	PPM	0.1	PASS	ND
CLOFENTEZINE	0.01	ppm	0.5	PASS	ND	CYFLUTHRIN *	0.05	PPM	1	PASS	ND
COUMAPHOS	0.01	ppm	0.1	PASS	ND	CYPERMETHRIN *	0.05	PPM	1	PASS	ND
DAMINOZIDE	0.01	ppm	0.1	PASS	ND						
DIAZINON	0.01	ppm	3	PASS	ND	Analyzed by:	Weight:	Extraction date:	Extracted by:		
DICHLORVOS	0.01	ppm	0.1	PASS	ND	1665, 585, 1440	0.8663g	05/16/23 13:19:21	1665		
DIMETHOATE	0.01	ppm	0.1	PASS	ND	Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.101.FL (Gainesville),					
ETHOPROPHOS	0.01	ppm	0.1	PASS	ND	SOP.T.40.102.FL (Davie)					
ETOFENPROX	0.01	ppm	0.1	PASS	ND	Analytical Batch : DA060242PES			Reviewed On : 05/17/23 11:19:33		
ETOXAZOLE	0.01	ppm	1.5	PASS	ND	Instrument Used : N/A			Batch Date : 05/16/23 09:23:43		
FENHEXAMID	0.01	ppm	3	PASS	ND	Analyzed Date : 05/16/23 13:04:44					
FENOXYCARB	0.01	ppm	0.1	PASS	ND	Dilution : 250					
FENPYROXIMATE	0.01	ppm	2	PASS	ND	Reagent : 051023.R18; 051023.R47; 042623.R45; 051023.R16; 040521.11					
FIPRONIL	0.01	ppm	0.1	PASS	ND	Consumables : 6697075-02					
FLONICAMID	0.01	ppm	2	PASS	ND	Pipette : DA-093; DA-094; DA-219					
FLUDIOXONIL	0.01	ppm	3	PASS	ND	Testing for agricultural agents is performed utilizing Liquid Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
HEXYTHIAZOX	0.01	ppm	2	PASS	ND	Analyzed by:	Weight:	Extraction date:	Extracted by:		
IMAZALIL	0.01	ppm	0.1	PASS	ND	450, 585, 1440	0.8663g	05/16/23 13:19:21	1665		
IMIDACLOPRID	0.01	ppm	1	PASS	ND	Analysis Method : SOP.T.30.151.FL (Gainesville), SOP.T.30.151A.FL (Davie), SOP.T.40.151.FL					
KRESOXIM-METHYL	0.01	ppm	1	PASS	ND	Analytical Batch : DA060244VOL			Reviewed On : 05/17/23 11:11:13		
MALATHION	0.01	ppm	2	PASS	ND	Instrument Used : DA-GCMS-006			Batch Date : 05/16/23 09:25:02		
METALAXYL	0.01	ppm	3	PASS	ND	Analyzed Date : 05/16/23 13:49:11					
METHIOCARB	0.01	ppm	0.1	PASS	ND	Dilution : 250					
METHOMYL	0.01	ppm	0.1	PASS	ND	Reagent : 051023.R18; 040521.11; 042723.R38; 050223.R19					
MEVINPHOS	0.01	ppm	0.1	PASS	ND	Consumables : 6697075-02; 14725401					
MYCLOBUTANIL	0.01	ppm	3	PASS	ND	Pipette : DA-080; DA-146; DA-218					
NALED	0.01	ppm	0.5	PASS	ND	Testing for agricultural agents is performed utilizing Gas Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					



Certificate of Analysis

PASSED
FLUENT

 82 NE 26th street
 Miami, FL, 33137, US
 Telephone: (305) 900-6266
 Email: Taylor.Jones@getfluent.com

Sample : DA30516002-004

Harvest/Lot ID: 8192 9194 8847 8394

 Batch# : 5933 8193 6138
 7647

Sampled : 05/15/23

Ordered : 05/15/23

Sample Size Received : 780 gram

Total Amount : 2581 units

Completed : 05/18/23 Expires: 05/18/24

Sample Method : SOP.T.20.010

Page 3 of 5



Residual Solvents

PASSED

Solvents	LOD	Units	Action Level	Pass/Fail	Result
1,1-DICHLOROETHENE	0.8	ppm	8	PASS	ND
1,2-DICHLOROETHANE	0.2	ppm	2	PASS	ND
2-PROPANOL	50	ppm	500	PASS	ND
ACETONE	75	ppm	750	PASS	ND
ACETONITRILE	6	ppm	60	PASS	ND
BENZENE	0.1	ppm	1	PASS	ND
BUTANES (N-BUTANE)	500	ppm	5000	PASS	ND
CHLOROFORM	0.2	ppm	2	PASS	ND
DICHLOROMETHANE	12.5	ppm	125	PASS	ND
ETHANOL	500	ppm		TESTED	ND
ETHYL ACETATE	40	ppm	400	PASS	ND
ETHYL ETHER	50	ppm	500	PASS	ND
ETHYLENE OXIDE	0.5	ppm	5	PASS	ND
HEPTANE	500	ppm	5000	PASS	ND
METHANOL	25	ppm	250	PASS	ND
N-HEXANE	25	ppm	250	PASS	ND
PENTANES (N-PENTANE)	75	ppm	750	PASS	ND
PROPANE	500	ppm	5000	PASS	ND
TOLUENE	15	ppm	150	PASS	ND
TOTAL XYLENES	15	ppm	150	PASS	ND
TRICHLOROETHYLENE	2.5	ppm	25	PASS	ND

 Analyzed by:
 850, 585, 1440

 Weight:
 0.0267g

 Extraction date:
 05/17/23 12:36:25

 Extracted by:
 850

 Analysis Method : SOP.T.40.041.FL
 Analytical Batch : DA060270SOL
 Instrument Used : DA-GCMS-003
 Analyzed Date : 05/17/23 12:44:58

 Reviewed On : 05/17/23 13:10:41
 Batch Date : 05/16/23 14:02:58

 Dilution : 1
 Reagent : 030420.09
 Consumables : R2017.167; G201.167
 Pipette : DA-309 25 uL Syringe 35028

Residual solvents analysis is performed utilizing Gas Chromatography Mass Spectrometry in accordance with with F.S. Rule 64ER20-39.



Certificate of Analysis

PASSED
FLUENT

 82 NE 26th street
 Miami, FL, 33137, US
 Telephone: (305) 900-6266
 Email: Taylor.Jones@getfluent.com

Sample : DA30516002-004

Harvest/Lot ID: 8192 9194 8847 8394

 Batch# : 5933 8193 6138
 7647

 Sampled : 05/15/23
 Ordered : 05/15/23



Sample Size Received : 780 gram


Total Amount : 2581 units

Completed : 05/18/23 Expires: 05/18/24

Sample Method : SOP.T.20.010

Page 4 of 5

<div><div></div><div>Microbial</div><div>PASSED</div></div>						<div><div></div><div>Mycotoxins</div><div>PASSED</div></div>					
Analyte	LOD	Units	Result	Pass / Fail	Action Level	Analyte	LOD	Units	Result	Pass / Fail	Action Level
ECOLI SHIGELLA			Not Present	PASS		AFLATOXIN B2	0.002	ppm	ND	PASS	0.02
SALMONELLA SPECIFIC GENE			Not Present	PASS		AFLATOXIN B1	0.002	ppm	ND	PASS	0.02
ASPERGILLUS FLAVUS			Not Present	PASS		OCHRATOXIN A	0.002	ppm	ND	PASS	0.02
ASPERGILLUS FUMIGATUS			Not Present	PASS		AFLATOXIN G1	0.002	ppm	ND	PASS	0.02
ASPERGILLUS TERREUS			Not Present	PASS		AFLATOXIN G2	0.002	ppm	ND	PASS	0.02
ASPERGILLUS NIGER			Not Present	PASS							
TOTAL YEAST AND MOLD	10	CFU/g	<10	PASS	100000	Analyzed by: 1665, 585, 1440	Weight: 0.8663g	Extraction date: 05/16/23 13:19:21	Extracted by: 1665		
Analyzed by: 3336, 3621, 585, 1440	Weight: 1.0401g	Extraction date: 05/16/23 10:51:13	Extracted by: 3390,3336			Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.40.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.102.FL (Davie)					
Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL			Reviewed On : 05/17/23 11:05:56			Analytical Batch : DA060243MYC			Reviewed On : 05/17/23 11:20:46		
Analytical Batch : DA060235MIC						Instrument Used : N/A			Batch Date : 05/16/23 09:24:27		
Instrument Used : PathogenDx Scanner DA-111,Applied Biosystems Thermocycler DA-010,fisherbrand Isotemp Heat Block DA-020,fisherbrand Isotemp Heat Block DA-049,Fisher Scientific Isotemp Heat Block DA-021			Batch Date : 05/16/23 08:17:58			Dilution : 250					
Analyzed Date : 05/16/23 12:12:13						Reagent : 050923.R04; 051023.R47; 042623.R45; 051723.R01; 040521.11					
Dilution : N/A						Consumables : 6697075-02					
Reagent : 031523.02; 042623.R85; 092122.08; 031023.08						Pipette : DA-093; DA-094; DA-219					
Consumables : 7563002017						Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
Pipette : N/A											
Analyzed by: 3336, 585, 1440	Weight: 1.0401g	Extraction date: 05/16/23 10:51:13	Extracted by: 3390,3336								
Analysis Method : SOP.T.40.208 (Gainesville), SOP.T.40.209.FL											
Analytical Batch : DA060267TYM			Reviewed On : 05/18/23 12:09:25								
Instrument Used : Incubator (25-27C) DA-096			Batch Date : 05/16/23 10:55:30								
Analyzed Date : 05/16/23 12:11:45											
Dilution : 10											
Reagent : 031523.02; 031023.08											
Consumables : 007109											
Pipette : N/A											
Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.											

<div><div></div><div>Heavy Metals</div><div>PASSED</div></div>					
Metal	LOD	Units	Result	Pass / Fail	Action Level
TOTAL CONTAMINANT LOAD METALS	0.08	ppm	ND	PASS	5
ARSENIC	0.02	ppm	ND	PASS	1.5
CADMIUM	0.02	ppm	ND	PASS	0.5
MERCURY	0.02	ppm	ND	PASS	3
LEAD	0.02	ppm	ND	PASS	0.5
Analyzed by: 1022, 585, 1440	Weight: 0.2621g	Extraction date: 05/16/23 10:14:22	Extracted by: 3807,1022		


Heavy Metals
PASSED

Metal	LOD	Units	Result	Pass / Fail	Action Level
TOTAL CONTAMINANT LOAD METALS	0.08	ppm	ND	PASS	5
ARSENIC	0.02	ppm	ND	PASS	1.5
CADMIUM	0.02	ppm	ND	PASS	0.5
MERCURY	0.02	ppm	ND	PASS	3
LEAD	0.02	ppm	ND	PASS	0.5
Analyzed by: 1022, 585, 1440	Weight: 0.2621g	Extraction date: 05/16/23 10:14:22	Extracted by: 3807,1022		
Analysis Method : SOP.T.30.082.FL, SOP.T.40.082.FL					
Analytical Batch : DA060239HEA			Reviewed On : 05/17/23 10:10:59		
Instrument Used : DA-ICPMS-003			Batch Date : 05/16/23 09:09:47		
Analyzed Date : 05/16/23 13:13:53					
Dilution : 50					
Reagent : 050923.R24; 042623.R82; 051223.R23; 051123.R01; 051223.R21; 051223.R22; 050423.R32; 050923.01; 042523.R20					
Consumables : 179436; 210508058; 12620-308CD-308D					
Pipette : DA-061; DA-191; DA-216					

Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.



Certificate of Analysis

PASSED
FLUENT

 82 NE 26th street
 Miami, FL, 33137, US
 Telephone: (305) 900-6266
 Email: Taylor.Jones@getfluent.com

Sample : DA30516002-004

Harvest/Lot ID: 8192 9194 8847 8394

 Batch# : 5933 8193 6138
 7647

Sampled : 05/15/23

Ordered : 05/15/23

Sample Size Received : 780 gram

Total Amount : 2581 units

Completed : 05/18/23 Expires: 05/18/24

Sample Method : SOP.T.20.010

Page 5 of 5


Filth/Foreign Material
PASSED
Homogeneity
PASSED

Amount of tests conducted : 24

Analyte	LOD	Units	Result	P/F	Action Level
Filth and Foreign Material	0.1	%	ND	PASS	1

 Analyzed by: 1879, 1440
 Weight: NA
 Extraction date: N/A
 Extracted by: N/A

Analysis Method : SOP.T.40.090

Analytical Batch : DA060325FIL

Instrument Used : Filth/Foreign Material Microscope

Analyzed Date : 05/17/23 21:23:09

Reviewed On : 05/17/23 21:40:55

Batch Date : 05/17/23 14:17:26

Dilution : N/A

Reagent : N/A

Consumables : N/A

Pipette : N/A

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.


Water Activity
PASSED

Analyte	LOD	Units	Result	P/F	Action Level
Water Activity	0.01	aw	0.595	PASS	0.85

 Analyzed by: 2926, 585, 1440
 Weight: 12.641g
 Extraction date: 05/16/23 14:25:56
 Extracted by: 2926

Analysis Method : SOP.T.40.019

Analytical Batch : DA060256WAT

Instrument Used : DA-028 Rotronic HygroPalm

Analyzed Date : 05/16/23 14:25:18

Reviewed On : 05/16/23 15:51:26

Batch Date : 05/16/23 09:40:35

Dilution : N/A

Reagent : 100522.09

Consumables : PS-14

Pipette : N/A

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.

Analyte	LOD	Units	Pass/Fail	Result	Action Level
TOTAL THC - HOMOGENEITY (RSD)	0.001	%	PASS	5.326	25
TOTAL CBD - HOMOGENEITY (RSD)	0.001	%	PASS	5.275	25

 Analyzed by: 3335, 585, 1440
 Average Weight: 6.178g
 Extraction date: 05/16/23 10:50:02
 Extracted By: 3335

Analysis Method : SOP.T.30.111.FL, SOP.T.40.111.FL

Analytical Batch : DA060236HOM

Instrument Used : DA-LC-004

Analyzed Date : N/A

Reviewed On : 05/17/23 09:23:43

Batch Date : 05/16/23 08:59:51

Dilution : 40

Reagent : 050923.01; 050423.R02; 071222.46; 050923.R02

Consumables : 947.109; 250350; CE0123; 115C4-1151; 12628-309CC-309; 61633-125C6-125E; R1KB14270

Pipette : DA-079; DA-108; DA-078

Homogeneity testing is performed utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.