

# **Certificate of Analysis**

**COMPLIANCE FOR RETAIL** 

**Kaycha Labs** 

Emerald Fire OG Disposable Pen 0.3g Emerald Fire OG

Matrix: Derivative Type: Distillate

Sample: DA30518002-006 Harvest/Lot ID: 2902 6127 1995 8400

Batch#: 2902 6127 1995 8400

**Cultivation Facility: Tampa Cultivation Processing Facility: Tampa Processing** 

**Source Facility: Tampa Cultivation** Seed to Sale# 5386 2074 9844 2086

Batch Date: 03/17/23

Sample Size Received: 15.3 gram

Total Amount: 934 units Retail Product Size: 0.3 gram

Ordered: 05/17/23

Sampled: 05/17/23 Completed: 05/20/23

Sampling Method: SOP.T.20.010

**PASSED** 

Pages 1 of 6

May 20, 2023 | FLUENT

82 NE 26th street Miami, FL, 33137, US



PRODUCT IMAGE

SAFETY RESULTS











Heavy Metals



Microbials

Mycotoxins



Residuals Solvents PASSED



Filth



Water Activity

THCV

0.487

1.461

0.001

%



Moisture



MISC.

TESTED

**PASSED** 

CRC

0.673

2.019

0.001

%



### Cannabinoid

**Total THC** 

85.345%

Total THC/Container: 256.035 mg



CRDA

ND

ND

%

0.001

Weight: 0.1044g

D8-THC

0.222

0.666

0.001

**Total CBD** 0.356% Total CBD/Container: 1.068 mg

CRG

1.814

5.442

0.001

Extraction date: 05/18/23 12:21:52

%



CBN

1.181

3.543

0.001

**Total Cannabinoids** 90.078%

CRDV

ND

ND

Extracted by

0.001

Total Cannabinoids/Container: 270.234 mg



	D9-THC	_
%	85.345	
mg/unit	256.035	
LOD	0.001	

		, ,
: 585, 4044		
	.T.40.031,	30.0

Reviewed On: 05/19/23 12:48:27 Batch Date: 05/18/23 09:50:10

CRGA

ND

ND

0.001

Instrument Used: DA-LC-007 Analyzed Date: 05/18/23 12:38:50

Reagent: 032123.11

Analyzed by 3112, 3335,

Consumables: 250346; CE0123; 12628-309CC-309; 61633-125C6-125E; R1KB14270

ND

0.001

Pipette : DA-079; DA-108; DA-078

trum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39

CBD

0.356

1.068

0.001

%

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors

## Jorge Segredo

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA Testing 97164





#### **Kaycha Labs**

Emerald Fire OG Disposable Pen 0.3g

Emerald Fire OG Matrix : Derivative Type: Distillate

Page 2 of 6



# **PASSED**

**Certificate of Analysis** 

82 NE 26th street Miami, FL, 33137, US Telephone: (305) 900-6266 Email: Taylor.Jones@getfluent.com Sample : DA30518002-006 Harvest/Lot ID: 2902 6127 1995 8400

Batch#: 2902 6127 1995

Sampled: 05/17/23 Ordered: 05/17/23

Sample Size Received: 15.3 gram Total Amount : 934 units Completed: 05/20/23 Expires: 05/20/24

Sample Method: SOP.T.20.010

# **Terpenes**

**TESTED** 

Terpenes	LOD	mg/unit	: %	Result (%)		Terpenes		LOD	mg/uni	: %	Result (%)	
TOTAL TERPENES	(%) 0.007	9.549	3.183			FARNESENE		(%)	0.252	0.084		
TOTAL TERPINEOL	0.007	0.219	0.073			ALPHA-HUMULENE		0.007	0.51	0.17		
ALPHA-BISABOLOL	0.007	< 0.06	< 0.02			VALENCENE		0.007	ND.	ND		
ALPHA-PINENE	0.007	0.204	0.068		/	CIS-NEROLIDOL		0.007	ND	ND		
CAMPHENE	0.007	0.072	0.024			TRANS-NEROLIDOL		0.007	< 0.06	< 0.02		
SABINENE	0.007	ND	ND			CARYOPHYLLENE OXIDE		0.007	< 0.06	< 0.02		
BETA-PINENE	0.007	0.306	0.102		- 1	GUAIOL		0.007	ND	ND		
BETA-MYRCENE	0.007	1.641	0.547			CEDROL		0.007	ND	ND		
ALPHA-PHELLANDRENE	0.007	< 0.06	<0.02					0.007				
3-CARENE	0.007	<0.06	< 0.02			Analyzed by: 2076, 585, 4044	Weight: 0.8823g		05/18/23 1			Extracted by: 2076
ALPHA-TERPINENE	0.007	ND	ND			Analysis Method : SOP.T.30.061A.F.			,-0,25 1			
IMONENE	0.007	2.448	0.816			Analytical Batch : DA060366TER	L, SOF.1.40.001A.F		Revi	ewed On: 0	5/20/23 19:21:42	
EUCALYPTOL	0.007	2.448 ND	ND		1	nstrument Used : DA-GCMS-004			Bato	h Date : 05/	18/23 10:05:09	
CIMENE	0.007	0.12	0.04			Analyzed Date : N/A						
SAMMA-TERPINENE	0.007	ND	ND			Dilution: 10 Reagent: 121622.28						
ABINENE HYDRATE	0.007	ND	ND			Consumables : 210414634; MKCN9	995: CE0123: R1KB	14270				
ERPINOLENE	0.007	0.147	0.049			Pipette : N/A						
ENCHONE	0.007	<0.147	< 0.049		/T	Terpenoid testing is performed utilizing	Gas Chromatography	Mass Spect	rometry. For al	Flower samp	oles, the Total Terpenes	% is dry-weight corrected.
INALOOL	0.007	1.134	0.378									
	0.007											
ENCHAL VI COROL	0.007	0.438										
	0.007	0.438	0.146									
SOPULEGOL	0.007	<0.06	< 0.02									
SOPULEGOL CAMPHOR	0.007 0.007	<0.06 <0.18	<0.02 <0.06									
SOPULEGOL CAMPHOR SOBORNEOL	0.007 0.007 0.007	<0.06 <0.18 <0.06	<0.02 <0.06 <0.02									
SOPULEGOL CAMPHOR SOBORNEOL JORNEOL	0.007 0.007 0.007 0.013	<0.06 <0.18 <0.06 <0.12	<0.02 <0.06 <0.02 <0.04									
SOPULEGOL CAMPHOR SOBORNEOL BORNEOL HEXAHYDROTHYMOL	0.007 0.007 0.007 0.013 0.007	<0.06 <0.18 <0.06 <0.12 ND	<0.02 <0.06 <0.02 <0.04 ND									
SOPULEGOL :AMPHOR SOBORNEOL IORNEOL IEXAHYDROTHYMOL IEROL	0.007 0.007 0.007 0.013 0.007	<0.06 <0.18 <0.06 <0.12 ND	<0.02 <0.06 <0.02 <0.04 ND									
SOPULEGOL AMPHOR SOBORNEOL IORNEOL IEXAHYDROTHYMOL IEROL UULEGONE	0.007 0.007 0.007 0.013 0.007 0.007	<0.06 <0.18 <0.06 <0.12 ND ND	<0.02 <0.06 <0.02 <0.04 ND ND									
SOPULEGOL CAMPHOR SOBORNEOL SORNEOL SEXAHYDROTHYMOL NEROL ULEGONE SERANIOL	0.007 0.007 0.007 0.013 0.007 0.007 0.007	<0.06 <0.18 <0.06 <0.12 ND ND ND <0.06	<0.02 <0.06 <0.02 <0.04 ND ND ND <0.02									
FENCHYL ALCOHOL SOPPULEGOL CAMPHOR SOBORNEOL BORNEOL HEXAHYDROTHYMOL NEROL PULEGONE GERANIOL GERANIOL GERANIOL ACETATE ALPHA-CEDRENE	0.007 0.007 0.007 0.013 0.007 0.007	<0.06 <0.18 <0.06 <0.12 ND ND	<0.02 <0.06 <0.02 <0.04 ND ND									

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

#### **Jorge Segredo**

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164





#### **Kaycha Labs**

Emerald Fire OG Disposable Pen 0.3g

Emerald Fire OG Matrix : Derivative Type: Distillate



**PASSED** 

# **Certificate of Analysis**

82 NE 26th street Miami, FL, 33137, US Telephone: (305) 900-6266 Email: Taylor.lones@getfluent.com

Batch#: 2902 6127 1995

Sampled: 05/17/23 Ordered: 05/17/23

Sample : DA30518002-006 Harvest/Lot ID: 2902 6127 1995 8400

Sample Size Received: 15.3 gram Total Amount : 934 units

Completed: 05/20/23 Expires: 05/20/24 Sample Method: SOP.T.20.010

Page 3 of 6



#### **Pesticides**

**PASSED** 

Pesticide	LOD	Units	Action Level	Pass/Fail		Pesticide		LOD	Units	Action Level	Pass/Fail	Resu
TOTAL CONTAMINANT LOAD (PESTICIDES)	0.01	ppm	5	PASS	ND	OXAMYL		0.01	ppm	0.5	PASS	ND
OTAL DIMETHOMORPH	0.01	ppm	0.2	PASS	ND	PACLOBUTRAZOL		0.01	ppm	0.1	PASS	ND
OTAL PERMETHRIN	0.01	ppm	0.1	PASS	ND	PHOSMET		0.01	ppm	0.1	PASS	ND
OTAL PYRETHRINS	0.01	ppm	0.5	PASS	ND	PIPERONYL BUTOXIDE		0.01	ppm	3	PASS	ND
OTAL SPINETORAM	0.01	ppm	0.2	PASS	ND			0.01	mag	0.1	PASS	ND
OTAL SPINOSAD	0.01	ppm	0.1	PASS	ND	PRALLETHRIN			1.1.	0.1	PASS	ND
BAMECTIN B1A	0.01	ppm	0.1	PASS	ND	PROPICONAZOLE		0.01	ppm			
CEPHATE	0.01	ppm	0.1	PASS	ND	PROPOXUR		0.01	ppm	0.1	PASS	ND
CEQUINOCYL	0.01	ppm	0.1	PASS	ND	PYRIDABEN		0.01	ppm	0.2	PASS	ND
CETAMIPRID	0.01	ppm	0.1	PASS	ND	SPIROMESIFEN		0.01	ppm	0.1	PASS	ND
DICARB	0.01	ppm	0.1	PASS	ND	SPIROTETRAMAT		0.01	ppm	0.1	PASS	ND
OXYSTROBIN	0.01	ppm	0.1	PASS	ND	SPIROXAMINE		0.01	ppm	0.1	PASS	ND
FENAZATE	0.01	ppm	0.1	PASS	ND	TEBUCONAZOLE		0.01	ppm	0.1	PASS	ND
FENTHRIN	0.01	ppm	0.1	PASS	ND	THIACLOPRID		0.01	ppm	0.1	PASS	ND
DSCALID	0.01	ppm	0.1	PASS	ND	THIAMETHOXAM		0.01	ppm	0.5	PASS	ND
ARBARYL	0.01	ppm	0.5	PASS	ND	TRIFLOXYSTROBIN		0.01	ppm	0.1	PASS	ND
ARBOFURAN	0.01	ppm	0.1	PASS	ND		IZENE (DCND) *	0.01	PPM	0.15	PASS	ND
ILORANTRANILIPROLE	0.01	ppm	1	PASS	ND	PENTACHLORONITROBEN	NZENE (PCNB) *		PPM			ND
ILORMEQUAT CHLORIDE	0.01	ppm	1	PASS	ND	PARATHION-METHYL *		0.01		0.1	PASS	
ILORPYRIFOS	0.01	ppm	0.1	PASS	ND	CAPTAN *		0.07	PPM	0.7	PASS	ND
OFENTEZINE	0.01	ppm	0.2	PASS	ND	CHLORDANE *		0.01	PPM	0.1	PASS	ND
DUMAPHOS	0.01	ppm	0.1	PASS	ND	CHLORFENAPYR *		0.01	PPM	0.1	PASS	ND
AMINOZIDE	0.01	ppm	0.1	PASS	ND	CYFLUTHRIN *		0.05	PPM	0.5	PASS	ND
AZINON	0.01	ppm	0.1	PASS	ND	CYPERMETHRIN *		0.05	PPM	0.5	PASS	ND
CHLORVOS	0.01	ppm	0.1	PASS	ND	Analyzed by:	Weight:	Extrac	tion date:		Extracte	d hv:
METHOATE	0.01	ppm	0.1	PASS	ND	1665, 585, 4044	0.268g		23 12:02:12		1665	u by.
HOPROPHOS	0.01	ppm	0.1	PASS	ND	Analysis Method : SOP.T.3	30.101.FL (Gainesv	ille), SOP.T	.30.102.FL	(Davie), SOP	.T.40.101.FL (	Gaines
OFENPROX	0.01	ppm	0.1	PASS	ND	SOP.T.40.102.FL (Davie)						
OXAZOLE	0.01	ppm	0.1	PASS	ND	Analytical Batch : DA0603	B50PES			n:05/20/23		
NHEXAMID	0.01	ppm	0.1	PASS	ND	Instrument Used : N/A	14.20.10	В	atch Date	:05/18/23 09	:19:18	
NOXYCARB	0.01	ppm	0.1	PASS	ND	Analyzed Date: 05/18/23 Dilution: 250	14:39:10					
NPYROXIMATE	0.01	ppm	0.1	PASS	ND	Reagent: 051023.R18; 05	51023 R47: 042623	R45: 051	723 R01 · 04	10521 11		
PRONIL	0.01	ppm	0.1	PASS	ND	Consumables : 6697075-0		J.IN-3, USI	/23.1101, 0	+0321.11		
ONICAMID	0.01	ppm	0.1	PASS	ND	Pipette: DA-093; DA-094;						
UDIOXONIL	0.01	ppm	0.1	PASS	ND	Testing for agricultural ager			Chromatog	graphy Triple-0	Quadrupole Ma	ISS
EXYTHIAZOX	0.01	ppm	0.1	PASS	ND	Spectrometry in accordance		R20-39.				
IAZALIL	0.01	ppm	0.1	PASS	ND	Analyzed by:	Weight:		ion date:		Extracte	d by:
IIDACLOPRID	0.01	ppm	0.4	PASS	ND	450, 585, 4044	0.268g		3 12:02:12	L (D-14-) CO	1665	
RESOXIM-METHYL	0.01	ppm	0.1	PASS	ND	Analysis Method : SOP.T.3  Analytical Batch : DA0603				L (Davie), SO <b>n :</b> 05/19/23 1		
ALATHION	0.01	ppm	0.2	PASS	ND	Instrument Used : DA-GC				n :05/19/23 1 :05/18/23 09:		
TALAXYL	0.01	ppm	0.1	PASS	ND	Analyzed Date: 05/18/23		\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \	accii bacci	. 55/10/25 05.	20.00	
THIOCARB	0.01	ppm	0.1	PASS	ND	Dilution: 250						
THOMYL	0.01	ppm	0.1	PASS	ND	Reagent: 051023.R18; 04	10521.11; 042723.	R38; 05022	23.R19			
EVINPHOS	0.01	ppm	0.1	PASS	ND	Consumables : 6698360-0						
YCLOBUTANIL	0.01	ppm	0.1	PASS	ND	Pipette : DA-080; DA-146;						
ALED	0.01	ppm	0.25	PASS	ND	Testing for agricultural ager in accordance with F.S. Rule		izing Gas C	hromatogra	phy Triple-Qu	adrupole Mass	Spectr

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

### **Jorge Segredo**

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164





#### **Kaycha Labs**

Emerald Fire OG Disposable Pen 0.3g

Emerald Fire OG Matrix : Derivative Type: Distillate



**Certificate of Analysis** 

82 NE 26th street Miami, FL, 33137, US Telephone: (305) 900-6266 Email: Taylor.lones@getfluent.com Sample : DA30518002-006

Batch#: 2902 6127 1995

Sampled: 05/17/23 Ordered: 05/17/23

Harvest/Lot ID: 2902 6127 1995 8400 Sample Size Received: 15.3 gram

Total Amount: 934 units Completed: 05/20/23 Expires: 05/20/24 Sample Method: SOP.T.20.010

**PASSED** 

Page 4 of 6



### **Residual Solvents**

**PASSED** 

Solvents	LOD	Units	Action Level	Pass/Fail	Result
1,1-DICHLOROETHENE	0.8	ppm	8	PASS	ND
1,2-DICHLOROETHANE	0.2	ppm	2	PASS	ND
2-PROPANOL	50	ppm	500	PASS	ND
ACETONE	75	ppm	750	PASS	ND
ACETONITRILE	6	ppm	60	PASS	ND
BENZENE	0.1	ppm	1	PASS	ND
BUTANES (N-BUTANE)	500	ppm	5000	PASS	ND
CHLOROFORM	0.2	ppm	2	PASS	ND
DICHLOROMETHANE	12.5	ppm	125	PASS	ND
ETHANOL	500	ppm	5000	PASS	ND
ETHYL ACETATE	40	ppm	400	PASS	ND
ETHYL ETHER	50	ppm	500	PASS	ND
ETHYLENE OXIDE	0.5	ppm	5	PASS	ND
HEPTANE	500	ppm	5000	PASS	ND
METHANOL	25	ppm	250	PASS	ND
N-HEXANE	25	ppm	250	PASS	ND
PENTANES (N-PENTANE)	75	ppm	750	PASS	ND
PROPANE	500	ppm	5000	PASS	ND
TOLUENE	15	ppm	150	PASS	ND
TOTAL XYLENES	15	ppm	150	PASS	ND
TRICHLOROETHYLENE	2.5	ppm	25	PASS	ND
Analyzed by: 850, 585, 4044	Weight: 0.02g	Extraction date: 05/19/23 13:53:55	5/////	//	Extracted by: 850

Reviewed On: 05/19/23 15:24:36

Batch Date: 05/18/23 13:41:50

Analysis Method : SOP.T.40.041.FL Analytical Batch : DA060381SOL Instrument Used: DA-GCMS-003 Analyzed Date: 05/19/23 13:59:44

Dilution: 1 Reagent: N/A Consumables: N/A Pipette : N/A

Residual solvents analysis is performed utilizing Gas Chromatography Mass Spectrometry in accordance with with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

#### Jorge Segredo

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164





#### **Kaycha Labs**

Emerald Fire OG Disposable Pen 0.3g

Emerald Fire OG Matrix : Derivative Type: Distillate



**PASSED** 

# **Certificate of Analysis**

82 NE 26th street Miami, FL, 33137, US Telephone: (305) 900-6266 Email: Taylor.lones@getfluent.com Sample : DA30518002-006 Harvest/Lot ID: 2902 6127 1995 8400

Batch#: 2902 6127 1995

Sampled: 05/17/23 Ordered: 05/17/23

Sample Size Received: 15.3 gram Total Amount: 934 units

Completed: 05/20/23 Expires: 05/20/24

Sample Method: SOP.T.20.010

Page 5 of 6



### Microbial



# **Mycotoxins**

### **PASSED**

Analyte		LOD	Units	Result	Pass / Fail	Action Level	7
<b>ASPERGILLUS</b>	TERREUS			Not Present	PASS		1
<b>ASPERGILLUS</b>	NIGER			Not Present	PASS		1
<b>ASPERGILLUS</b>	FUMIGATUS			Not Present	PASS		(
<b>ASPERGILLUS</b>	FLAVUS			Not Present	PASS		1
SALMONELLA	SPECIFIC GENE			Not Present	PASS		1
<b>ECOLI SHIGEL</b>	.LA			Not Present	PASS		A
TOTAL YEAST	AND MOLD	10	CFU/g	<10	PASS	100000	1
Analyzed by:	Weight	Eytra	ction date:		Extracted	hv	۸

3336, 585, 4044 1.045g 05/18/23 10:45:41

Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL Analytical Batch : DA060343MIC

Reviewed On: 05/20/23

Batch Date: 05/18/23

Instrument Used: PathogenDx Scanner DA-111.Applied Biosystems Thermocycler DA-013,fisherbrand Isotemp Heat Block

DA-020, fisherbrand Isotemp Heat Block DA-049, Fisher Scientific Isotemp Heat Block DA-021

Analyzed Date: 05/18/23 12:00:56

Reagent: 031523.01; 042623.R85; 092122.09

Consumables : 7563002060

Pipette: N/A

<b>Weight:</b> 1.045g		Extracted by: 3621,3390		
060369TYM ubator (25-27C)	R	eviewed On		
	L			
	1.045g P.T.40.208 (Gain 060369TYM	1.045g 05/18/23 10:4 P.T.40.208 (Gainesville), SOP.T.40. 160369TYM Rubator (25-27C) DA-096 B 1/23 11:41:58 050923.R23	1.045g 05/18/23 10:45:41 P.T.40.208 (Gainesville), SOP.T.40.209.FL 160369TYM Reviewed On ubator (25-27C) DA-096 Batch Date : 0 17/23 11:41:58	1.045g 05/18/23 10:45:41 3621,3390 P.T.40.208 (Gainesville), SOP.T.40.209.FL 160369TYM Reviewed On: 05/20/23 13:48:18 160363T1:41:58 Reviewed On: 05/18/23 10:45:53 Reviewed On: 05/18/23 10:45:53

Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.

Analyte		LOD	Units	Result	Pass / Fail	Action Level
AFLATOXIN B2		0.002	ppm	ND	PASS	0.02
AFLATOXIN B1		0.002	ppm	ND	PASS	0.02
OCHRATOXIN A		0.002	ppm	ND	PASS	0.02
AFLATOXIN G1		0.002	ppm	ND	PASS	0.02
AFLATOXIN G2		0.002	ppm	ND	PASS	0.02
Analyzed by:	Weight:	Extraction			Extracte	d by:
1665, 795, 585, 4044	0.268g	05/18/23	12:02:12		1665	

Analysis Method: SOP.T.30.101.FL (Gainesville), SOP.T.40.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.102.FL (Davie)

Analytical Batch: DA060352MYC

Instrument Used : N/A

Analyzed Date: 05/18/23 14:40:16

Dilution: 250

Reagent: 051023.R18; 051023.R47; 042623.R45; 051723.R01; 040521.11

Consumables: 6697075-02 Pipette: DA-093; DA-094; DA-219

Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.



## **Heavy Metals**

### **PASSED**

Metal	LOD	Units	Result	Pass / Fail	Action	
TOTAL CONTAMINANT LOAD META	ALS 0.08	ppm ppm ppm	ND	PASS PASS PASS	1.1	
ARSENIC	0.02		ND ND		0.2	
CADMIUM	0.02				0.2	
MERCURY	0.02	ppm	ND	PASS	0.2	
LEAD	0.02	ppm	ND	PASS	0.5	
Analyzed by: Weight: 1022, 585, 4044 0.2835g	Extraction da 05/18/23 10			Extracted 3619	by:	

Analysis Method: SOP.T.30.082.FL, SOP.T.40.082.FL

Analytical Batch : DA060348HEA Instrument Used : DA-ICPMS-003 **Analyzed Date:** 05/18/23 13:54:39 Reviewed On: 05/19/23 16:19:04 Batch Date: 05/18/23 09:11:56

Reviewed On: 05/20/23 13:58:35

Batch Date: 05/18/23 09:30:47

Dilution: 50

Reagent: 050923.R24; 042623.R82; 051223.R23; 051123.R01; 051223.R21; 051223.R22;

050423.R32; 050923.01; 042523.R20 Consumables: 179436; 210508058; 12620-308CD-308D

Pipette: DA-061; DA-191; DA-216

Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64FR20-39

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.



Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164





#### **Kaycha Labs**

Emerald Fire OG Disposable Pen 0.3g

Emerald Fire OG Matrix : Derivative Type: Distillate



**PASSED** 

Page 6 of 6

# **Certificate of Analysis**

82 NE 26th street Miami, FL, 33137, US Telephone: (305) 900-6266 Email: Taylor.lones@getfluent.com Sample : DA30518002-006 Harvest/Lot ID: 2902 6127 1995 8400

Batch#: 2902 6127 1995

Sampled: 05/17/23 Ordered: 05/17/23

Sample Size Received: 15.3 gram Total Amount: 934 units Completed: 05/20/23 Expires: 05/20/24 Sample Method: SOP.T.20.010



#### Filth/Foreign **Material**

**PASSED** 

Reviewed On: 05/18/23 14:21:16 Batch Date: 05/18/23 14:16:18

Analyte LOD Units Result **Action Level** Filth and Foreign Material ND PASS 0.1 % Analyzed by: 1879, 4044 Weight: NA N/A N/A

Analysis Method: SOP.T.40.090

Analytical Batch : DA060384FIL
Instrument Used : Filth/Foreign Material Microscope

Analyzed Date: 05/18/23 14:17:03

Dilution: N/A

Reagent: N/A Pipette: N/A

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.



## **Water Activity**

# PASSED

Analyte Water Activity		<b>LOD</b> 0.01	<b>Units</b> aw	Result 0.456	P/F PASS	Action Level 0.85
Analyzed by: 2926, 585, 4044	Weight:		traction d			tracted by:

Analysis Method: SOP.T.40.019 Analytical Batch: DA060373WAT

Instrument Used : DA-028 Rotronic Hygropalm

Analyzed Date: 05/18/23 14:52:22

Dilution: N/A Reagent: 100522.09 Consumables : PS-14 Pipette: N/A

Reviewed On: 05/19/23 12:48:28 Batch Date: 05/18/23 10:58:49

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Jorge Segredo

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

