

Certificate of Analysis

COMPLIANCE FOR RETAIL

Kaycha Labs

Miami Vibes Cartridge Concentrate 0.5g

Miami Vibes Matrix: Derivative Type: Distillate



Sample: DA30518002-005 Harvest/Lot ID: 4225 5637 5053 2176

Batch#: 4225 5637 5053 2176

Cultivation Facility: Tampa Cultivation Processing Facility: Tampa Processing

Source Facility: Tampa Cultivation Seed to Sale# 0777 9851 8019 5936

Batch Date: 03/21/23

Sample Size Received: 15.5 gram

Total Amount: 2908 units Retail Product Size: 0.5 gram

> Ordered: 05/17/23 Sampled: 05/17/23

Completed: 05/20/23

Sampling Method: SOP.T.20.010

PASSED

Pages 1 of 6

PRODUCT IMAGE

82 NE 26th street Miami, FL, 33137, US

SAFETY RESULTS



Pesticides



Heavy Metals



Microbials



Mycotoxins



Residuals Solvents PASSED



Filth



Water Activity

THCV

0.531

2.655

0.001

%



Moisture



MISC.

TESTED

PASSED

CRC

0.652

0.001

%

3.26



Cannabinoid

May 20, 2023 | FLUENT

Total THC

89.323%

Total THC/Container: 446.615 mg



D8-THC

0.342

1.71

0.001

%

CBDA

ND

ND

%

0.001

Weight: 0.1016g

Total CBD

0.28%

CRG

2 507

0.001

%

12.535

Extraction date: 05/18/23 12:21:51

Reviewed On: 05/19/23 12:48:21 Batch Date: 05/18/23 09:50:10

Total CBD/Container: 1.4 mg

CRGA

ND

ND

0.001



0.738

3.69

0.001

Total Cannabinoids

CRDV

ND

ND

Extracted by

0.001

Total Cannabinoids/Container: 471.865 mg



| mg/unit | 446.615 | |
|------------------------------|---------|--|
| LOD | 0.001 | |
| | % | |
| Analyzed by: 3112, 3335, 585 | , 4044 | |

Analysis Method: SOP.T.40.031, SOP.T.30.031
Analytical Batch: DA060357POT Instrument Used: DA-LC-007

Analyzed Date: 05/18/23 12:38:50

Reagent: 032123.11

Consumables: 250346; CE0123; 12628-309CC-309; 61633-125C6-125E; R1KB14270

ND

%

0.001

Pipette : DA-079; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39

CBD

0.28

1.4

%

0.001

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors



Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA Testing 97164





Kaycha Labs

Miami Vibes Cartridge Concentrate 0.5g

Miami Vibes Matrix : Derivative Type: Distillate



PASSED

Certificate of Analysis

82 NE 26th street Miami, FL, 33137, US Telephone: (305) 900-6266 Email: Taylor.Jones@getfluent.com Sample : DA30518002-005 Harvest/Lot ID: 4225 5637 5053 2176

Batch#: 4225 5637 5053

Sampled: 05/17/23 Ordered: 05/17/23

Sample Size Received: 15.5 gram Total Amount : 2908 units Completed: 05/20/23 Expires: 05/20/24 Sample Method: SOP.T.20.010

Page 2 of 6



Terpenes

TESTED

| OTAL TERPENES OTAL TERPINEOL LPHA-BISABOLOL LPHA-PINENE AMPHENE BAINENE ETA-PINENE ETA-MYKCENE LPHA-PHELAINDRENE -CARENE LPHA-TERPINENE MONENE | 0.007 0.007 0.007 0.007 0.007 0.007 0.007 0.007 0.007 0.007 0.007 0.007 | 5.63 ND 0.12 0.12 ND ND 0.15 0.75 0.395 <0.1 <0.1 | 1.126 ND 0.024 0.024 ND ND 0.03 0.15 0.079 <0.02 <0.02 <0.02 0.073 | ALPH. VALEI CIS-N TRAN CARY GUAIG CEDR Analyze 2076, 5 | OL ed by: 85, 4044 | Weight: 0.9115g | 0.007 0.007 0.007 0.007 0.007 0.007 | <0.1 ND | | | Extracted by: 2076 |
|--|--|---|--|--|---|------------------------|--|--|---|---------------------------|--------------------------|
| LPHA-BISABOLOL LPHA-PINENE AMPHENE BABINENE ETA-PINENE ETA-MYACENE LPHA-PHELLANDRENE C-AGRENE LPHA-TERPINENE IUGALYPTOL | 0.007 0.007 0.007 0.007 0.007 0.007 0.007 0.007 0.007 | 0.12 0.12 ND ND 0.15 0.75 0.395 <0.1 <0.1 0.365 | 0.024 0.024 ND ND 0.03 0.15 0.079 <0.02 | VALEI CIS-N TRAN CARY GUAIC CEDR Analyze 2076, 5 | NCENE EROLIDOL S-NEROLIDOL OPHYLENE OXIDE OL OL ed by: | Weight: 0.9115g | 0.007 0.007 0.007 0.007 0.007 | <0.1 ND ND <0.1 ND <0.1 | <0.02 ND ND <0.02 ND <0.02 | | |
| LPHA-PINENE AMPHENE ABRIENE ETA-PINENE ETA-PINECRIE LPHA-PHELLANDRENE CARENE LPHA-TERPINENE IMONENE UCALYPTOL | 0.007 0.007 0.007 0.007 0.007 0.007 0.007 0.007 | 0.12 ND ND 0.15 0.75 0.395 <0.1 <0.1 | 0.024 ND ND 0.03 0.15 0.079 <<0.02 <0.02 | CIS-N TRAN CARYY GUAI CEDR Analyze 2076, 5 Analysi | EROLIDOL S-NEROLIDOL OPHYLLENE OXIDE OL OL ed by: 185, 4044 | Weight: 0.9115g | 0.007 0.007 0.007 0.007 | ND ND <0.1 ND <0.1 Extraction da | ND ND <0.02 ND <0.02 | | |
| AMPHENE BETA-PINENE ETA-PINENE ETA-PATCENE LPHA-PHELLANDRENE C-ARENE LPHA-TERPINENE IMONENE UCALYPTOL | 0.007 0.007 0.007 0.007 0.007 0.007 0.007 | ND ND 0.15 0.75 0.395 <0.1 <0.1 0.365 | ND ND 0.03 0.15 0.079 <-0.02 <-0.02 | TRAN CARY GUAI CEDR Analyze 2076, 5 | S-NEROLIDOL OPHYLLENE OXIDE OL OL ed by: 885, 4044 | Weight: 0.9115g | 0.007 0.007 0.007 | ND <0.1 ND <0.1 | ND <0.02 ND <0.02 | | |
| ABINENE ETA-PINENE ETA-MYRCENE LPHA-PHELLANDRENE -CARENE LPHA-TERPINENE IMONENE UCALYPTOL | 0.007 0.007 0.007 0.007 0.007 0.007 | ND 0.15 0.75 0.395 <0.1 <0.1 0.365 | ND 0.03 0.15 0.079 <0.02 <0.02 | CARY GUAIG CEDR Analyze 2076, 5 | OPHYLLENE OXIDE OL OL ed by: 185, 4044 | Weight: 0.9115g | 0.007 0.007 | <0.1 ND <0.1 Extraction da | <0.02 ND <0.02 | | |
| ETA-PINENE ETA-MYRCENE LPHA-PHELLANDRENE -CARENE LPHA-TERPINENE IMONENE UCALYPTOL | 0.007 0.007 0.007 0.007 0.007 0.007 | 0.15 0.75 0.395 <0.1 <0.1 0.365 | 0.03 0.15 0.079 <0.02 <0.02 | GUAIC CEDR Analyze 2076, 5 Analysi | OL OL ed by: 85, 4044 | Weight: 0.9115g | 0.007 | ND <0.1 | ND <0.02 | | |
| ETA-MYRCENE LPHA-PHELLANDRENE -CARENE LPHA-TERPINENE IMONENE UCALYPTOL | 0.007 0.007 0.007 0.007 0.007 | 0.75 0.395 <0.1 <0.1 0.365 | 0.15 0.079 <0.02 <0.02 | CEDRO Analyze 2076, 5 Analysi | OL ed by: 85, 4044 | Weight: 0.9115g | | <0.1 Extraction da | <0.02 | | |
| LPHA-PHELLANDRENE -CARENE LPHA-TERPINENE IMONIENE UCALYPTOL | 0.007 0.007 0.007 0.007 | 0.395 <0.1 <0.1 0.365 | 0.079 <0.02 <0.02 | Analyze 2076, 5 Analysi | ed by: 585, 4044 | Weight: 0.9115g | 0.007 | Extraction da | ate: | | |
| -CARENE LPHA-TERPINENE IMONENE UCALYPTOL | 0.007 0.007 0.007 | <0.1 <0.1 0.365 | <0.02 <0.02 | 2076, 5 Analysi | 85, 4044 | Weight: 0.9115g | | | | | |
| LPHA-TERPINENE IMONENE UCALYPTOL | 0.007 0.007 | <0.1 0.365 | <0.02 | 2076, 5 Analysi | 85, 4044 | 0.9115g | | 05/18/23 12: | 09:15 | | |
| IMONENE UCALYPTOL | 0.007 | 0.365 | | | - M-45-4 . COD T 20 061 4 Ft C | | | | | | 2010 |
| UCALYPTOL | | | 0.073 | | s Method: SOP.T.30.061A.FL, S | OP.T.40.061A.FL | | | | | |
| | 0.007 | | 0.075 | | cal Batch : DA060366TER | | | | | 5/20/23 19:21:40 | |
| | | ND | ND | | nent Used : DA-GCMS-004 ed Date : N/A | | | Batch | Date: 05/1 | 18/23 10:05:09 | |
| CIMENE | 0.007 | 0.63 | 0.126 | Dilution | | | | | | | |
| AMMA-TERPINENE | 0.007 | < 0.1 | < 0.02 | | nt:121622.28 | | | | | | |
| ABINENE HYDRATE | 0.007 | ND | ND | | nables: 210414634; MKCN9995 | ; CE0123; R1KB1 | 14270 | | | | |
| RPINOLENE | 0.007 | 2.53 | 0.506 | Pipette | | | | | | | |
| ENCHONE | 0.007 | ND | ND | Terpeno | id testing is performed utilizing Gas | Chromatography N | Mass Spect | rometry. For all f | Flower sample | les, the Total Terpenes 9 | % is dry-weight correcte |
| NALOOL | 0.007 | < 0.1 | <0.02 | | | | | | | | |
| NCHYL ALCOHOL | 0.007 | < 0.1 | <0.02 | | | | | | | | |
| OPULEGOL | 0.007 | ND | ND | | | | | | | | |
| AMPHOR | 0.007 | < 0.3 | < 0.06 | | | | | | | | |
| OBORNEOL | 0.007 | < 0.1 | < 0.02 | | | | | | | | |
| DRNEOL | 0.013 | ND | ND | | | | | | | | |
| EXAHYDROTHYMOL | 0.007 | < 0.1 | <0.02 | | | | | | | | |
| EROL | 0.007 | ND | ND | | | | | | | | |
| JLEGONE | 0.007 | ND | ND | | | | | | | | |
| ERANIOL | 0.007 | ND | ND | | | | | | | | |
| ERANYL ACETATE | 0.007 | ND | ND | | | | | | | | |
| PHA-CEDRENE | 0.007 | ND | ND | | | | | | | | |
| ETA-CARYOPHYLLENE | 0.007 | 0.45 | 0.09 | | | | | | | | |

Total (%)

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Jorge Segredo

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164





Kaycha Labs

Miami Vibes Cartridge Concentrate 0.5g

Miami Vibes Matrix : Derivative Type: Distillate



PASSED

Certificate of Analysis

82 NE 26th street Miami, FL, 33137, US Telephone: (305) 900-6266 Email: Taylor.lones@getfluent.com Sample : DA30518002-005 Harvest/Lot ID: 4225 5637 5053 2176

Batch#: 4225 5637 5053

Sampled: 05/17/23 Ordered: 05/17/23

Sample Size Received: 15.5 gram Total Amount : 2908 units

Completed: 05/20/23 Expires: 05/20/24

Sample Method: SOP.T.20.010

Page 3 of 6



Pesticides

PASSED

| Pesticide | LOD | Units | Action Level | Pass/Fail | | Pesticide | LOI |) Units | Action Level | Pass/Fail | Resu |
|------------------------------------|------|-------|-----------------|-----------|----|--|-------------------|--------------|------------------------------|---------------|--------|
| OTAL CONTAMINANT LOAD (PESTICIDES) | 0.01 | ppm | 5 | PASS | ND | OXAMYL | 0.03 | . ppm | 0.5 | PASS | ND |
| OTAL DIMETHOMORPH | 0.01 | ppm | 0.2 | PASS | ND | PACLOBUTRAZOL | 0.03 | . ppm | 0.1 | PASS | ND |
| OTAL PERMETHRIN | 0.01 | ppm | 0.1 | PASS | ND | PHOSMET | 0.03 | ppm | 0.1 | PASS | ND |
| OTAL PYRETHRINS | 0.01 | ppm | 0.5 | PASS | ND | PIPERONYL BUTOXIDE | 0.03 | | 3 | PASS | ND |
| OTAL SPINETORAM | 0.01 | ppm | 0.2 | PASS | ND | PRALLETHRIN | 0.03 | 1.1. | 0.1 | PASS | ND |
| OTAL SPINOSAD | 0.01 | ppm | 0.1 | PASS | ND | PROPICONAZOLE | 0.03 | 1.1. | 0.1 | PASS | ND |
| BAMECTIN B1A | 0.01 | ppm | 0.1 | PASS | ND | | | | | | ND |
| CEPHATE | 0.01 | ppm | 0.1 | PASS | ND | PROPOXUR | 0.03 | | 0.1 | PASS | |
| CEQUINOCYL | 0.01 | ppm | 0.1 | PASS | ND | PYRIDABEN | 0.03 | | 0.2 | PASS | ND |
| CETAMIPRID | 0.01 | ppm | 0.1 | PASS | ND | SPIROMESIFEN | 0.03 | . ppm | 0.1 | PASS | ND |
| DICARB | 0.01 | ppm | 0.1 | PASS | ND | SPIROTETRAMAT | 0.03 | . ppm | 0.1 | PASS | ND |
| ZOXYSTROBIN | 0.01 | ppm | 0.1 | PASS | ND | SPIROXAMINE | 0.03 | . ppm | 0.1 | PASS | ND |
| FENAZATE | 0.01 | ppm | 0.1 | PASS | ND | TEBUCONAZOLE | 0.03 | ppm | 0.1 | PASS | ND |
| FENTHRIN | 0.01 | ppm | 0.1 | PASS | ND | THIACLOPRID | 0.03 | ppm | 0.1 | PASS | ND |
| DSCALID | 0.01 | ppm | 0.1 | PASS | ND | THIAMETHOXAM | 0.03 | | 0.5 | PASS | ND |
| ARBARYL | 0.01 | ppm | 0.5 | PASS | ND | | 0.0 | P.F. | 0.3 | PASS | ND |
| ARBOFURAN | 0.01 | ppm | 0.1 | PASS | ND | TRIFLOXYSTROBIN | | | A '/\ / \ | | |
| HLORANTRANILIPROLE | 0.01 | ppm | 1 | PASS | ND | PENTACHLORONITROBENZENE (PC | | | 0.15 | PASS | ND |
| HLORMEQUAT CHLORIDE | 0.01 | ppm | 1 | PASS | ND | PARATHION-METHYL * | 0.03 | | 0.1 | PASS | ND |
| HLORPYRIFOS | 0.01 | ppm | 0.1 | PASS | ND | CAPTAN * | 0.0 | PPM | 0.7 | PASS | ND |
| OFENTEZINE | 0.01 | ppm | 0.2 | PASS | ND | CHLORDANE * | 0.03 | . PPM | 0.1 | PASS | ND |
| DUMAPHOS | 0.01 | ppm | 0.1 | PASS | ND | CHLORFENAPYR * | 0.03 | PPM | 0.1 | PASS | ND |
| AMINOZIDE | 0.01 | ppm | 0.1 | PASS | ND | CYFLUTHRIN * | 0.05 | PPM | 0.5 | PASS | ND |
| AZINON | 0.01 | ppm | 0.1 | PASS | ND | CYPERMETHRIN * | 0.05 | PPM | 0.5 | PASS | ND |
| CHLORVOS | 0.01 | ppm | 0.1 | PASS | ND | Analyzed by: Weig | htı Evtr | action date | -/ | Extracte | d by |
| METHOATE | 0.01 | ppm | 0.1 | PASS | ND | 1665, 585, 4044 0.234 | | 8/23 12:02:0 | | 1665 | a by. |
| HOPROPHOS | 0.01 | ppm | 0.1 | PASS | ND | Analysis Method : SOP.T.30.101.FL (| | | | | Gaines |
| OFENPROX | 0.01 | ppm | 0.1 | PASS | ND | SOP.T.40.102.FL (Davie) | | / \ / | (,, | | |
| TOXAZOLE | 0.01 | ppm | 0.1 | PASS | ND | Analytical Batch: DA060350PES | | | On:05/20/23 | | |
| NHEXAMID | 0.01 | ppm | 0.1 | PASS | ND | Instrument Used : N/A | | Batch Date | :05/18/23 09 | 9:19:18 | |
| NOXYCARB | 0.01 | ppm | 0.1 | PASS | ND | Analyzed Date: 05/18/23 14:39:10 | | | | | |
| NPYROXIMATE | 0.01 | ppm | 0.1 | PASS | ND | Dilution: 250 Reagent: 051023.R18; 051023.R47; | 042622 045, 05 | 1722 001. 0 | 40521.11 | | |
| PRONIL | 0.01 | ppm | 0.1 | PASS | ND | Consumables: 6697075-02 | 042623.R45; US | 1/23.RU1; (| 140521.11 | | |
| LONICAMID | 0.01 | ppm | 0.1 | PASS | ND | Pipette : DA-093: DA-094: DA-219 | | | | | |
| LUDIOXONIL | 0.01 | ppm | 0.1 | PASS | ND | Testing for agricultural agents is perfor | med utilizina Lia | id Chromato | graphy Triple- | Ouadrupole Ma | SS |
| EXYTHIAZOX | 0.01 | ppm | 0.1 | PASS | ND | Spectrometry in accordance with F.S. R | tule 64ER20-39. | | Ă : / | \ '/ ` | |
| IAZALIL | 0.01 | ppm | 0.1 | PASS | ND | Analyzed by: Weigh | | ction date: | | Extracted | by: |
| IIDACLOPRID | 0.01 | ppm | 0.4 | PASS | ND | 450, 585, 4044 0.2345 | 5 | /23 12:02:0 | | 1665 | |
| RESOXIM-METHYL | 0.01 | ppm | 0.1 | PASS | ND | Analysis Method : SOP.T.30.151.FL (| | | | | |
| ALATHION | 0.01 | ppm | 0.2 | PASS | ND | Analytical Batch : DA060351VOL Instrument Used : DA-GCMS-001 | | | n:05/19/23 1 :05/18/23 09 | | |
| TALAXYL | 0.01 | ppm | 0.1 | PASS | ND | Analyzed Date : 05/18/23 15:47:39 | | Datti Date | .03/10/23 09 | .20.39 | |
| ETHIOCARB | 0.01 | ppm | 0.1 | PASS | ND | Dilution: 250 | | | | | |
| ETHOMYL | 0.01 | ppm | 0.1 | PASS | ND | Reagent: 051023.R18; 040521.11; 0 | 042723.R38; 050 | 223.R19 | | | |
| EVINPHOS | 0.01 | ppm | 0.1 | PASS | ND | Consumables : 6698360-03; 147254 | | | | | |
| YCLOBUTANIL | 0.01 | ppm | 0.1 | PASS | ND | Pipette: DA-080; DA-146; DA-218 | | | | | |
| ALED | 0.01 | ppm | 0.25 | PASS | ND | Testing for agricultural agents is perfor in accordance with F.S. Rule 64ER20-39 | | Chromatogr | aphy Triple-Qu | adrupole Mass | Spectr |

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Jorge Segredo

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164





Kaycha Labs

Miami Vibes Cartridge Concentrate 0.5g

Miami Vibes Matrix : Derivative Type: Distillate



Certificate of Analysis

82 NE 26th street Miami, FL, 33137, US Telephone: (305) 900-6266 Email: Taylor.lones@getfluent.com Sample : DA30518002-005 Harvest/Lot ID: 4225 5637 5053 2176

Batch#: 4225 5637 5053

Sampled: 05/17/23 Ordered: 05/17/23

Sample Size Received: 15.5 gram

Total Amount : 2908 units Completed: 05/20/23 Expires: 05/20/24 Sample Method: SOP.T.20.010

PASSED

Page 4 of 6



Residual Solvents

PASSED

| Solvents | LOD | Units | Action Level | Pass/Fail | Result |
|--------------------------------|------------------------|--|--------------|-----------|----------------------|
| 1,1-DICHLOROETHENE | 0.8 | ppm | 8 | PASS | ND |
| 1,2-DICHLOROETHANE | 0.2 | ppm | 2 | PASS | ND |
| 2-PROPANOL | 50 | ppm | 500 | PASS | ND |
| ACETONE | 75 | ppm | 750 | PASS | ND |
| ACETONITRILE | 6 | ppm | 60 | PASS | ND |
| BENZENE | 0.1 | ppm | 1 | PASS | ND |
| BUTANES (N-BUTANE) | 500 | ppm | 5000 | PASS | ND |
| CHLOROFORM | 0.2 | ppm | 2 | PASS | ND |
| DICHLOROMETHANE | 12.5 | ppm | 125 | PASS | ND |
| ETHANOL | 500 | ppm | 5000 | PASS | ND |
| ETHYL ACETATE | 40 | ppm | 400 | PASS | ND |
| ETHYL ETHER | 50 | ppm | 500 | PASS | ND |
| ETHYLENE OXIDE | 0.5 | ppm | 5 | PASS | ND |
| HEPTANE | 500 | ppm | 5000 | PASS | ND |
| METHANOL | 25 | ppm | 250 | PASS | ND |
| N-HEXANE | 25 | ppm | 250 | PASS | ND |
| PENTANES (N-PENTANE) | 75 | ppm | 750 | PASS | ND |
| PROPANE | 500 | ppm | 5000 | PASS | ND |
| TOLUENE | 15 | ppm | 150 | PASS | ND |
| TOTAL XYLENES | 15 | ppm | 150 | PASS | ND |
| TRICHLOROETHYLENE | 2.5 | ppm | 25 | PASS | ND |
| Analyzed by: 850, 585, 4044 | Weight: 0.0241g | Extraction date: 05/19/23 13:53 | | // // \ | Extracted by: 850 |

Analysis Method : SOP.T.40.041.FL Analytical Batch : DA060381SOL Instrument Used: DA-GCMS-003

Analyzed Date: 05/19/23 13:59:44 Dilution: 1

Reviewed On: 05/19/23 15:24:35 Batch Date: 05/18/23 13:41:50

Reagent: N/A Consumables: N/A Pipette : N/A

Residual solvents analysis is performed utilizing Gas Chromatography Mass Spectrometry in accordance with with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Jorge Segredo

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164





Kaycha Labs

Miami Vibes Cartridge Concentrate 0.5g

Miami Vibes Matrix : Derivative Type: Distillate



PASSED

Certificate of Analysis

82 NE 26th street Miami, FL, 33137, US Telephone: (305) 900-6266 Email: Taylor.lones@getfluent.com Sample : DA30518002-005 Harvest/Lot ID: 4225 5637 5053 2176

Batch#: 4225 5637 5053

Sampled: 05/17/23 Ordered: 05/17/23

Sample Size Received: 15.5 gram Total Amount: 2908 units Completed: 05/20/23 Expires: 05/20/24 Sample Method: SOP.T.20.010

Page 5 of 6

Reviewed On: 05/20/23 13:58:33

Batch Date: 05/18/23 09:30:47



Microbial



PASSED

| Analyte | LOD | Units | Result | Pass / Fail | Action Level | |
|--------------------------|-------|-------------|-------------|----------------|-----------------|---|
| ASPERGILLUS TERREUS | | | Not Present | PASS | | |
| ASPERGILLUS NIGER | | | Not Present | PASS | | |
| ASPERGILLUS FUMIGATUS | | | Not Present | PASS | | |
| ASPERGILLUS FLAVUS | | | Not Present | PASS | | |
| SALMONELLA SPECIFIC GENE | | | Not Present | PASS | | |
| ECOLI SHIGELLA | | | Not Present | PASS | | |
| TOTAL YEAST AND MOLD | 10 | CFU/g | <10 | PASS | 100000 | • |
| Analyzed by: Weight: | Eytra | ction date: | | Extracted | hv | 7 |

3336, 585, 4044 0.89g 05/18/23 10:45:41 3621

Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL Analytical Batch : DA060343MIC

Reviewed On: 05/20/23

13:40:49 Batch Date: 05/18/23

Instrument Used: PathogenDx Scanner DA-111.Applied Biosystems Thermocycler DA-013,fisherbrand Isotemp Heat Block DA-020, fisherbrand Isotemp Heat Block DA-049, Fisher Scientific

Isotemp Heat Block DA-021 Analyzed Date: 05/18/23 12:00:56

Dilution: N/A

Reagent: 031523.01; 042623.R85; 092122.09

Consumables : 7563002060

Pipette: N/A

| Analyzed by: 3336, 585, 4044 | Weight: 0.89g | Extraction date: 05/18/23 10:45:41 | Extracted by: 3621,3390 |
|---------------------------------|------------------|------------------------------------|-------------------------|
| Analysis Method : SO | P T 40 208 (Gain | esville) SOP T 40 200 FI | |

Analytical Batch : DA060369TYM Instrument Used : Incubator (25-27C) DA-096 Reviewed On: 05/20/23 13:48:17 Batch Date : 05/18/23 10:45:53 **Analyzed Date :** 05/18/23 11:41:58

Dilution: 10 Reagent: 031523.01; 050923.R23

Consumables: 007109
Pipette: N/A

Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.

| Ç. | Mycotoxins | | |
|------|------------|-----|--|
| lyte | | LOD | |

| Analyte | | LOD | Units | Result | Pass / Fail | Action Level |
|--------------------------------------|--------------------|------------------------|-------|--------|----------------|-----------------|
| AFLATOXIN B2 | | 0.002 | ppm | ND | PASS | 0.02 |
| AFLATOXIN B1 | | 0.002 | ppm | ND | PASS | 0.02 |
| OCHRATOXIN A | | 0.002 | ppm | ND | PASS | 0.02 |
| AFLATOXIN G1 | | 0.002 | ppm | ND | PASS | 0.02 |
| AFLATOXIN G2 | | 0.002 | ppm | ND | PASS | 0.02 |
| Analyzed by: 1665, 795, 585, 4044 | Weight: 0.2345g | Extraction 05/18/23 | | | Extracte | d by: |

Analysis Method: SOP.T.30.101.FL (Gainesville), SOP.T.40.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.102.FL (Davie)

Analytical Batch: DA060352MYC

Instrument Used : N/A

Analyzed Date: 05/18/23 14:40:16

Dilution: 250

Reagent: 051023.R18; 051023.R47; 042623.R45; 051723.R01; 040521.11

Consumables: 6697075-02 Pipette: DA-093; DA-094; DA-219

Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.



Heavy Metals

PASSED

| Metal | LOD | Units | Result | Pass / Fail | Action Level |
|--|-------------------------------|-------|--------|-------------------|-----------------|
| TOTAL CONTAMINANT LOAD MET | ALS 0.08 | ppm | ND | PASS | 1.1 |
| ARSENIC | 0.02 | ppm | ND | PASS | 0.2 |
| CADMIUM | 0.02 | ppm | ND | PASS | 0.2 |
| MERCURY | 0.02 | ppm | ND | PASS | 0.2 |
| LEAD | 0.02 | ppm | ND | PASS | 0.5 |
| Analyzed by: Weight: 1022, 585, 4044 0.2485g | Extraction da 05/18/23 10: | | | Extracted 3619 | by: |

Analysis Method: SOP.T.30.082.FL, SOP.T.40.082.FL

Analytical Batch : DA060348HEA Instrument Used : DA-ICPMS-003 **Analyzed Date:** 05/18/23 13:54:39 Reviewed On: 05/19/23 16:19:03 Batch Date: 05/18/23 09:11:56

Reagent: 050923.R24; 042623.R82; 051223.R23; 051123.R01; 051223.R21; 051223.R22;

050423.R32; 050923.01; 042523.R20 Consumables: 179436; 210508058; 12620-308CD-308D

Pipette: DA-061; DA-191; DA-216

Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64FR20-39

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.



Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164







Miami Vibes Cartridge Concentrate 0.5g

Miami Vibes Matrix : Derivative Type: Distillate



PASSED

Page 6 of 6

Certificate of Analysis

82 NE 26th street Miami, FL, 33137, US Telephone: (305) 900-6266 Email: Taylor.lones@getfluent.com Sample : DA30518002-005 Harvest/Lot ID: 4225 5637 5053 2176

Batch#: 4225 5637 5053

Sampled: 05/17/23 Ordered: 05/17/23

Sample Size Received: 15.5 gram Total Amount : 2908 units Completed: 05/20/23 Expires: 05/20/24 Sample Method: SOP.T.20.010

Material

Filth/Foreign **PASSED**

Analyte LOD Units Result **Action Level** Filth and Foreign Material ND PASS 0.1 %

Analyzed by: 1879, 4044 Weight: NA N/A N/A

Analysis Method: SOP.T.40.090

Analytical Batch : DA060384FIL
Instrument Used : Filth/Foreign Material Microscope

Analyzed Date: 05/18/23 14:17:03

Dilution: N/AReagent: N/A

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.



Pipette: N/A

Water Activity

PASSED

Reviewed On: 05/19/23 12:48:23

Batch Date: 05/18/23 10:58:49

Reviewed On: 05/18/23 14:21:18 Batch Date: 05/18/23 14:16:18

Analyte LOD Units Result P/F **Action Level** PASS Water Activity 0.01 aw 0.499 0.85 Extraction date: 05/18/23 14:53:12 Extracted by: 2926 Analyzed by: 2926, 585, 4044

Analysis Method: SOP.T.40.019 Analytical Batch: DA060373WAT

Instrument Used : DA-028 Rotronic Hygropalm

Analyzed Date: 05/18/23 14:52:22

Dilution: N/A Reagent: 100522.09 Consumables : PS-14

Pipette: N/A Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Jorge Segredo

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA Testing 97164

