



Certificate of Analysis

COMPLIANCE FOR RETAIL

Sample:DA30519004-005
Harvest/Lot ID: 5758 4891 8560 6139
Batch#: 5758 4891 8560 6139
Cultivation Facility: Tampa Cultivation
Processing Facility : Tampa Processing
Source Facility : Tampa Cultivation
Seed to Sale# 0210 0022 7302 8318
Batch Date: 03/21/23
Sample Size Received: 210 gram
Total Amount: 1662 units
Retail Product Size: 60 gram
Ordered: 05/18/23
Sampled: 05/18/23
Completed: 05/22/23
Revision Date: 05/22/23
Sampling Method: SOP.T.20.010


May 22, 2023 | FLUENT

82 NE 26th street
Miami, FL, 33137, US

PASSED

Pages 1 of 5

PRODUCT IMAGE



SAFETY RESULTS


Pesticides
PASSED

Heavy Metals
PASSED

Microbials
PASSED

Mycotoxins
PASSED

Residuals Solvents
PASSED

Filtration
PASSED

Water Activity
PASSED

Moisture
NOT TESTED

Terpenes
NOT TESTED

MISC.



Cannabinoid

PASSED


Total THC

0.608%

Total THC/Container : 364.8 mg



Total CBD

0.003%

Total CBD/Container : 1.8 mg



Total Cannabinoids

0.653%

Total Cannabinoids/Container : 391.8 mg

	D9-THC	THCA	CBD	CBDA	D8-THC	CBG	CBGA	CBN	THCV	CBDV	CBC
%	0.608	ND	0.003	ND	0.003	0.025	ND	0.009	0.003	ND	0.002
mg/unit	364.8	ND	1.8	ND	1.8	15	ND	5.4	1.8	ND	1.2
LOD	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001
%		%	%	%	%	%	%	%	%	%	%

Analyzed by:
3112, 1665, 585, 4044

Weight:
2.9318g

Extraction date:
05/19/23 12:34:17

Extracted by:
3335,3112

Analysis Method : SOP.T.40.031, SOP.T.30.031

Analytical Batch : DA060415POT

Instrument Used : DA-LC-007

Analyzed Date : 05/19/23 13:07:52

Reviewed On : 05/19/23 23:45:10

Batch Date : 05/19/23 10:39:41

Dilution : 400

Reagent : 070121.27

Consumables : 250346; CE0123; 12628-309CC-309; 61633-125C6-125E; R1KB14270

Pipette : DA-079; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Jorge Segredo
Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation P/LA-
Testing 97164



Signature
05/22/23

Revision: #1 - Clerical error.

Revision: #1

This revision supersedes any and all previous versions of this document.



Certificate of Analysis

PASSED

FLUENT

 82 NE 26th street
 Miami, FL, 33137, US
 Telephone: (305) 900-6266
 Email: Taylor.Jones@getfluent.com

Sample : DA30519004-005

Harvest/Lot ID: 5758 4891 8560 6139

Batch# : 5758 4891 8560 6139

Sampled : 05/18/23

Ordered : 05/18/23


Sample Size Received : 210 gram

Total Amount : 1662 units

Completed : 05/22/23 Expires: 05/22/24

Sample Method : SOP.T.20.010

Page 2 of 5



Pesticides

PASSED

Pesticide	LOD	Units	Action Level	Pass/Fail	Result	Pesticide	LOD	Units	Action Level	Pass/Fail	Result
TOTAL CONTAMINANT LOAD (PESTICIDES)	0.01	ppm	30	PASS	ND	OXAMYL	0.01	ppm	0.5	PASS	ND
TOTAL DIMETHOMORPH	0.01	ppm	3	PASS	ND	PACLOBUTRAZOL	0.01	ppm	0.1	PASS	ND
TOTAL PERMETHRIN	0.01	ppm	1	PASS	ND	PHOSMET	0.01	ppm	0.2	PASS	ND
TOTAL PYRETHRINS	0.01	ppm	1	PASS	ND	PIPERONYL BUTOXIDE	0.01	ppm	3	PASS	ND
TOTAL SPINETORAM	0.01	ppm	3	PASS	ND	PRALLETHRIN	0.01	ppm	0.4	PASS	ND
TOTAL SPINOSAD	0.01	ppm	3	PASS	ND	PROPICONAZOLE	0.01	ppm	1	PASS	ND
ABAMECTIN B1A	0.01	ppm	0.3	PASS	ND	PROPOXUR	0.01	ppm	0.1	PASS	ND
ACEPHATE	0.01	ppm	3	PASS	ND	PYRIDABEN	0.01	ppm	3	PASS	ND
ACEQUINOCYL	0.01	ppm	2	PASS	ND	SPIROMESIFEN	0.01	ppm	3	PASS	ND
ACETAMIPRID	0.01	ppm	3	PASS	ND	SPIROTETRAMAT	0.01	ppm	3	PASS	ND
ALDICARB	0.01	ppm	0.1	PASS	ND	SPIROXAMINE	0.01	ppm	0.1	PASS	ND
AZOXYSTROBIN	0.01	ppm	3	PASS	ND	TEBUCONAZOLE	0.01	ppm	1	PASS	ND
BIFENAZATE	0.01	ppm	3	PASS	ND	THIACLOPRID	0.01	ppm	0.1	PASS	ND
BIFENTHRIN	0.01	ppm	0.5	PASS	ND	THIAMETHOXAM	0.01	ppm	1	PASS	ND
BOSCALID	0.01	ppm	3	PASS	ND	TRIFLOXYSTROBIN	0.01	ppm	3	PASS	ND
CARBARYL	0.01	ppm	0.5	PASS	ND	PENTACHLORONITROBENZENE (PCNB) *	0.01	PPM	0.2	PASS	ND
CARBOFURAN	0.01	ppm	0.1	PASS	ND	PARATHION-METHYL *	0.01	PPM	0.1	PASS	ND
CHLORANTRANILIPROLE	0.01	ppm	3	PASS	ND	CAPTAN *	0.07	PPM	3	PASS	ND
CHLORMEQUAT CHLORIDE	0.01	ppm	3	PASS	ND	CHLORDANE *	0.01	PPM	0.1	PASS	ND
CHLORPYRIFOS	0.01	ppm	0.1	PASS	ND	CHLORFENAPYR *	0.01	PPM	0.1	PASS	ND
CLOFENTEZINE	0.01	ppm	0.5	PASS	ND	CYFLUTHRIN *	0.05	PPM	1	PASS	ND
COUMAPHOS	0.01	ppm	0.1	PASS	ND	CYPERMETHRIN *	0.05	PPM	1	PASS	ND
DAMINOZIDE	0.01	ppm	0.1	PASS	ND						
DIAZINON	0.01	ppm	3	PASS	ND	Analyzed by: 1665, 585, 4044	Weight: 0.2753g	Extraction date: 05/19/23 15:49:49	Extracted by: 1665		
DICHLORVOS	0.01	ppm	0.1	PASS	ND	Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.101.FL (Gainesville), SOP.T.40.102.FL (Davie)					
DIMETHOATE	0.01	ppm	0.1	PASS	ND	Analytical Batch : DA060426PES				Reviewed On : 05/21/23 14:14:36	
ETHOPROPHOS	0.01	ppm	0.1	PASS	ND	Instrument Used : DA-LCMS-002				Batch Date : 05/19/23 11:25:26	
ETOFENPROX	0.01	ppm	0.1	PASS	ND	Analyzed Date : 05/19/23 15:08:34					
ETOXAZOLE	0.01	ppm	1.5	PASS	ND	Dilution : 250					
FENHEXAMID	0.01	ppm	3	PASS	ND	Reagent : 051023.R18; 051023.R47; 042623.R45; 051723.R01; 040521.11					
FENOXYCARB	0.01	ppm	0.1	PASS	ND	Consumables : 6697075-02					
FENPYROXIMATE	0.01	ppm	2	PASS	ND	Pipette : DA-093; DA-094; DA-219					
FIPRONIL	0.01	ppm	0.1	PASS	ND	Testing for agricultural agents is performed utilizing Liquid Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
FLONICAMID	0.01	ppm	2	PASS	ND	Analyzed by: 450, 585, 4044	Weight: 0.2753g	Extraction date: 05/19/23 15:49:49	Extracted by: 1665		
FLUDIOXONIL	0.01	ppm	3	PASS	ND	Analysis Method : SOP.T.30.151.FL (Gainesville), SOP.T.30.151A.FL (Davie), SOP.T.40.151.FL					
HEXYTHIAZOX	0.01	ppm	2	PASS	ND	Analytical Batch : DA060428VOL				Reviewed On : 05/22/23 09:43:09	
IMAZALIL	0.01	ppm	0.1	PASS	ND	Instrument Used : DA-GCMS-001				Batch Date : 05/19/23 11:26:51	
IMIDACLOPRID	0.01	ppm	1	PASS	ND	Analyzed Date : 05/19/23 15:57:24					
KRESOXIM-METHYL	0.01	ppm	1	PASS	ND	Dilution : 250					
MALATHION	0.01	ppm	2	PASS	ND	Reagent : 051023.R18; 040521.11; 051823.R43; 051823.R44					
METALAXYL	0.01	ppm	3	PASS	ND	Consumables : 6698360-03; 14725401					
METHIOCARB	0.01	ppm	0.1	PASS	ND	Pipette : DA-080; DA-146; DA-218					
METHOMYL	0.01	ppm	0.1	PASS	ND	Testing for agricultural agents is performed utilizing Gas Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
MEVINPHOS	0.01	ppm	0.1	PASS	ND						
MYCLOBUTANIL	0.01	ppm	3	PASS	ND						
NALED	0.01	ppm	0.5	PASS	ND						



Certificate of Analysis

PASSED

FLUENT

 82 NE 26th street
 Miami, FL, 33137, US
 Telephone: (305) 900-6266
 Email: Taylor.Jones@getfluent.com

Sample : DA30519004-005

Harvest/Lot ID: 5758 4891 8560 6139

 Batch# : 5758 4891 8560
 6139

Sampled : 05/18/23

Ordered : 05/18/23

Sample Size Received : 210 gram

Total Amount : 1662 units

Completed : 05/22/23 Expires: 05/22/24

Sample Method : SOP.T.20.010

Page 3 of 5



Residual Solvents

PASSED

Solvents	LOD	Units	Action Level	Pass/Fail	Result
1,1-DICHLOROETHENE	0.8	ppm	8	PASS	ND
1,2-DICHLOROETHANE	0.2	ppm	2	PASS	ND
2-PROPANOL	50	ppm	500	PASS	ND
ACETONE	75	ppm	750	PASS	ND
ACETONITRILE	6	ppm	60	PASS	ND
BENZENE	0.1	ppm	1	PASS	ND
BUTANES (N-BUTANE)	500	ppm	5000	PASS	ND
CHLOROFORM	0.2	ppm	2	PASS	ND
DICHLOROMETHANE	12.5	ppm	125	PASS	ND
ETHANOL	500	ppm		TESTED	ND
ETHYL ACETATE	40	ppm	400	PASS	ND
ETHYL ETHER	50	ppm	500	PASS	ND
ETHYLENE OXIDE	0.5	ppm	5	PASS	ND
HEPTANE	500	ppm	5000	PASS	ND
METHANOL	25	ppm	250	PASS	ND
N-HEXANE	25	ppm	250	PASS	ND
PENTANES (N-PENTANE)	75	ppm	750	PASS	ND
PROPANE	500	ppm	5000	PASS	ND
TOLUENE	15	ppm	150	PASS	ND
TOTAL XYLENES	15	ppm	150	PASS	ND
TRICHLOROETHYLENE	2.5	ppm	25	PASS	ND

 Analyzed by:
 850, 585, 4044

 Weight:
 0.023g

 Extraction date:
 05/19/23 18:28:46

 Extracted by:
 850

 Analysis Method : SOP.T.40.041.FL
 Analytical Batch : DA060441SOL
 Instrument Used : DA-GCMS-003
 Analyzed Date : 05/21/23 08:54:02

 Reviewed On : 05/21/23 14:12:08
 Batch Date : 05/19/23 16:42:38

 Dilution : 1
 Reagent : 030420.09
 Consumables : R2017.167; G201.167
 Pipette : DA-309 25 uL Syringe 35028

Residual solvents analysis is performed utilizing Gas Chromatography Mass Spectrometry in accordance with with F.S. Rule 64ER20-39.



Certificate of Analysis

PASSED

FLUENT

82 NE 26th street
Miami, FL, 33137, US
Telephone: (305) 900-6266
Email: Taylor.Jones@getfluent.com

Sample : DA30519004-005

Harvest/Lot ID: 5758 4891 8560 6139

Batch# : 5758 4891 8560
6139

Sampled : 05/18/23

Ordered : 05/18/23


Sample Size Received : 210 gram


Total Amount : 1662 units


Completed : 05/22/23 Expires: 05/22/24

Sample Method : SOP.T.20.010

Page 4 of 5

	Microbial	PASSED			
Analyte	LOD	Units	Result	Pass / Fail	Action Level
ASPERGILLUS TERREUS			Not Present	PASS	
ASPERGILLUS NIGER			Not Present	PASS	
ASPERGILLUS FUMIGATUS			Not Present	PASS	
ASPERGILLUS FLAVUS			Not Present	PASS	
SALMONELLA SPECIFIC GENE			Not Present	PASS	
ECOLI SHIGELLA			Not Present	PASS	
TOTAL YEAST AND MOLD	10	CFU/g	<10	PASS	100000
Analyzed by: 3621, 3336, 585, 4044	Weight: 0.9378g	Extraction date: 05/19/23 11:59:33	Extracted by: 3336		
Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL			Reviewed On : 05/20/23 16:14:52		
Analytical Batch : DA060392MIC			Batch Date : 05/19/23 08:13:20		
Instrument Used : PathogenDx Scanner DA-111, fisherbrand Isotemp Heat Block DA-020, fisherbrand Isotemp Heat Block DA-049, Fisher Scientific Isotemp Heat Block DA-021, APPLIED BIOSYSTEMS THERMOCYCLER DA-254					
Analyzed Date : 05/19/23 12:56:44					
Dilution : N/A					
Reagent : 031523.01; 042623.R85; 092122.05					
Consumables : 7563002060					
Pipette : N/A					
Analyzed by: 3621, 3336, 585, 4044	Weight: 0.9378g	Extraction date: 05/19/23 11:59:33	Extracted by: 3336, 3621		
Analysis Method : SOP.T.40.208 (Gainesville), SOP.T.40.209.FL			Reviewed On : 05/22/23 10:49:50		
Analytical Batch : DA060434TYM			Batch Date : 05/19/23 11:59:46		
Instrument Used : Incubator (25-27C) DA-097					
Analyzed Date : 05/19/23 12:55:36					
Dilution : 10					
Reagent : 031523.01					
Consumables : 009110					
Pipette : N/A					
Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.					

	Mycotoxins	PASSED			
Analyte	LOD	Units	Result	Pass / Fail	Action Level
AFLATOXIN B2	0.002	ppm	ND	PASS	0.02
AFLATOXIN B1	0.002	ppm	ND	PASS	0.02
OCHRATOXIN A	0.002	ppm	ND	PASS	0.02
AFLATOXIN G1	0.002	ppm	ND	PASS	0.02
AFLATOXIN G2	0.002	ppm	ND	PASS	0.02
Analyzed by: 1665, 585, 4044	Weight: 0.2753g	Extraction date: 05/19/23 15:49:49	Extracted by: 1665		
Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.40.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.102.FL (Davie)					
Analytical Batch : DA060438MYC		Reviewed On : 05/21/23 14:15:45			
Instrument Used : N/A		Batch Date : 05/19/23 15:08:06			
Analyzed Date : 05/19/23 15:09:37					
Dilution : 250					
Reagent : 051023.R18; 051023.R47; 042623.R45; 051723.R01; 040521.11					
Consumables : 6697075-02					
Pipette : DA-093; DA-094; DA-219					
Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					

	Heavy Metals	PASSED			
Metal	LOD	Units	Result	Pass / Fail	Action Level
TOTAL CONTAMINANT LOAD METALS	0.08	ppm	ND	PASS	5
ARSENIC	0.02	ppm	ND	PASS	1.5
CADMIUM	0.02	ppm	ND	PASS	0.5
MERCURY	0.02	ppm	ND	PASS	3
LEAD	0.02	ppm	ND	PASS	0.5
Analyzed by: 1022, 585, 4044	Weight: 0.2948g	Extraction date: 05/19/23 12:44:55	Extracted by: 3619		
Analysis Method : SOP.T.30.082.FL, SOP.T.40.082.FL		Reviewed On : 05/20/23 14:41:02			
Analytical Batch : DA060404HEA		Batch Date : 05/19/23 09:51:08			
Instrument Used : DA-ICPMS-003					
Analyzed Date : 05/19/23 16:30:51					
Dilution : 50					
Reagent : 050923.R24; 042623.R82; 051223.R23; 051123.R01; 051223.R21; 051223.R22; 050423.R32; 050923.01; 051823.R28					
Consumables : 179436; 210508058; 12620-308CD-308D					
Pipette : DA-061; DA-191; DA-216					
Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					



Certificate of Analysis

PASSED

FLUENT

82 NE 26th street
Miami, FL, 33137, US
Telephone: (305) 900-6266
Email: Taylor.Jones@getfluent.com

Sample : DA30519004-005
Harvest/Lot ID: 5758 4891 8560 6139
Batch# : 5758 4891 8560
Sample Size Received : 210 gram
Total Amount : 1662 units
Sampled : 05/18/23
Completed : 05/22/23 Expires: 05/22/24
Ordered : 05/18/23
Sample Method : SOP.T.20.010

Page 5 of 5



Filth/Foreign Material

PASSED

Analyte	LOD	Units	Result	P/F	Action Level
Filth and Foreign Material	0.1	%	ND	PASS	1

Analyzed by: 1879, 4044
Weight: NA
Extraction date: N/A
Extracted by: N/A

Analysis Method : SOP.T.40.090
Analytical Batch : DA060444FIL
Instrument Used : Filth/Foreign Material Microscope
Analyzed Date : 05/21/23 00:25:10
Reviewed On : 05/21/23 00:34:03
Batch Date : 05/19/23 22:43:13

Dilution : N/A
Reagent : N/A
Consumables : N/A
Pipette : N/A

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.



Water Activity

PASSED

Analyte	LOD	Units	Result	P/F	Action Level
Water Activity	0.01	aw	0.663	TESTED	

Analyzed by: 2926, 585, 4044
Weight: 6.618g
Extraction date: 05/20/23 12:00:41
Extracted by: 2926

Analysis Method : SOP.T.40.019
Analytical Batch : DA060425WAT
Instrument Used : DA-028 Rotronic HygroPalm
Analyzed Date : 05/19/23 15:43:41
Reviewed On : 05/20/23 14:40:31
Batch Date : 05/19/23 11:18:19

Dilution : N/A
Reagent : 100522.09
Consumables : PS-14
Pipette : N/A

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.