

Type: Distillate

Miami Vibes Cartridge Concentrate 1g (90%) Miami Vibes Matrix: Derivative




4131 SW 47th AVENUE SUITE 1408 DAVIE, FL, 33314, US (954) 368-7664

# **Certificate of Analysis**

**COMPLIANCE FOR RETAIL** 

Sample:DA30520002-007 Harvest/Lot ID: 4584 3221 7630 1604 Batch#: 4584 3221 7630 1604 Cultivation Facility: Tampa Cultivation Processing Facility : Tampa Processing Source Facility : Tampa Cultivation Seed to Sale# 1447 7311 5174 7317 Batch Date: 03/17/23 Sample Size Received: 16 gram Total Amount: 1429 units Retail Product Size: 1 gram Ordered: 05/19/23 Sampled: 05/19/23

Sampling Method: SOP.T.20.010



This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

### Jorge Segredo

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164



Signature

05/23/23



Miami Vibes Cartridge Concentrate 1g (90%) Miami Vibes Matrix : Derivative



PASSED

TESTED

4131 SW 47th AVENUE SUITE 1408 DAVIE, FL, 33314, US (954) 368-7664

# **Certificate of Analysis**

FLUENT

82 NE 26th street Miami, FL, 33137, US Telephone: (305) 900-6266 Email: Taylor.Jones@getfluent.com Sample : DA30520002-007 Harvest/Lot ID: 4584 3221 7630 1604 Batch#: 4584 3221 7630

Sampled : 05/19/23 Ordered : 05/19/23

Sample Size Received : 16 gram Total Amount : 1429 units Completed : 05/23/23 Expires: 05/23/24 Sample Method : SOP.T.20.010

Page 2 of 6

Type: Distillate



## Or Terpenes

Terpenes	LOD (%)	mg/unit	%	Result (%)	Terpenes		LOD (%)	mg/unit	%	Result (%)
TOTAL TERPENES	0.007	14.36	1.436		FARNESENE			< 0.018	< 0.0018	
TOTAL TERPINEOL	0.007	ND	ND		ALPHA-HUMULENE		0.007	0.24	0.024	
ALPHA-BISABOLOL	0.007	< 0.2	< 0.02		VALENCENE		0.007	<0.2	< 0.02	
LPHA-PINENE	0.007	0.33	0.033		CIS-NEROLIDOL		0.007	ND	ND	
AMPHENE	0.007	ND	ND		TRANS-NEROLIDOL		0.007	ND	ND	
ABINENE	0.007	ND	ND		CARYOPHYLLENE OXIDE		0.007	<0.2	< 0.02	
ETA-PINENE	0.007	0.41	0.041		GUAIOL		0.007	ND	ND	
ETA-MYRCENE	0.007	2.06	0.206		CEDROL		0.007	< 0.2	< 0.02	
LPHA-PHELLANDRENE	0.007	1.05	0.105		Analyzed by:	Weight:		Extraction d	ate:	Extracted by:
-CARENE	0.007	0.23	0.023		2076, 585, 4044	1.0085g		05/21/23 10	:03:21	1879
PHA-TERPINENE	0.007	<0.2	< 0.02		Analysis Method : SOP.T.30.061	A.FL, SOP.T.40.061A.F				
MONENE	0.007	0.96	0.096		Analytical Batch : DA060461TEP Instrument Used : DA-GCMS-004					/23/23 11:08:36 1/23 08:46:52
JCALYPTOL	0.007	ND	ND		Analyzed Date : 05/21/23 22:06:			Batch	Date : 05/2	1/23 08:40:52
CIMENE	0.007	1.66	0.166		Dilution : 10					
AMMA-TERPINENE	0.007	<0.2	<0.02		Reagent : N/A					
ABINENE HYDRATE	0.007	ND	ND		Consumables : N/A					
RPINOLENE	0.007	6.3	0.63		Pipette : N/A					
NCHONE	0.007	ND	ND		Terpenoid testing is performed utiliz	ing Gas Chromatography	Mass Spec	trometry. For all	Flower sampl	es, the Total Terpenes % is dry-weight corrected.
NALOOL	0.007	0.2	0.02							
NCHYL ALCOHOL	0.007	<0.2	<0.02							
DPULEGOL	0.007	ND	ND							
AMPHOR	0.007	<0.6	<0.06							
OBORNEOL	0.007	ND	ND							
ORNEOL	0.013	ND	ND							
EXAHYDROTHYMOL	0.007	< 0.2	<0.02							
EROL	0.007	ND	ND							
ULEGONE	0.007	ND	ND							
RANIOL	0.007	<0.2	<0.02							
ERANYL ACETATE	0.007	ND	ND							
LPHA-CEDRENE	0.007	ND	ND							
ETA-CARYOPHYLLENE	0.007	0.92	0.092							

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

#### Jorge Segredo Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164



05/23/23



Miami Vibes Cartridge Concentrate 1g (90%) Miami Vibes Matrix : Derivative



PASSED

4131 SW 47th AVENUE SUITE 1408 DAVIE, FL, 33314, US (954) 368-7664

Pesticides

## **Certificate of Analysis**

FLUENT

R 0

82 NE 26th street Miami, FL, 33137, US Telephone: (305) 900-6266 Email: Taylor.lones@getfluent.com Sample : DA30520002-007 Harvest/Lot ID: 4584 3221 7630 1604 Batch#: 4584 3221 7630

Sampled : 05/19/23 Ordered : 05/19/23

Sample Size Received : 16 gram Total Amount : 1429 units Completed : 05/23/23 Expires: 05/23/24 Sample Method : SOP.T.20.010

#### Page 3 of 6

Type: Distillate

## PASSED

Pesticide	LOD	Units	Action	Pass/Fail	Result	Pesticide	LOD	Units	Action	Pass/Fail	Result
TOTAL CONTAMINANT LOAD (PESTICIDES)	0.01	ppm	5	PASS	ND		0.01	0.0.00	Level 0.5	PASS	ND
TOTAL DIMETHOMORPH	0.01	ppm	0.2	PASS	ND	OXAMYL		ppm			
TOTAL PERMETHRIN	0.01	ppm	0.1	PASS	ND	PACLOBUTRAZOL	0.01	ppm	0.1	PASS	ND
TOTAL PERMETHRINS	0.01	ppm	0.5	PASS	ND	PHOSMET	0.01	ppm	0.1	PASS	ND
TOTAL SPINETORAM	0.01	ppm	0.2	PASS	ND	PIPERONYL BUTOXIDE	0.01	ppm	3	PASS	ND
TOTAL SPINETORAM	0.01	ppm	0.2	PASS	ND	PRALLETHRIN	0.01	ppm	0.1	PASS	ND
ABAMECTIN B1A	0.01	mag	0.1	PASS	ND	PROPICONAZOLE	0.01	ppm	0.1	PASS	ND
ACEPHATE	0.01	ppm	0.1	PASS	ND	PROPOXUR	0.01	ppm	0.1	PASS	ND
ACEQUINOCYL	0.01	ppm	0.1	PASS	ND	PYRIDABEN	0.01	ppm	0.2	PASS	ND
ACETAMIPRID	0.01	mag	0.1	PASS	ND	SPIROMESIFEN	0.01	ppm	0.1	PASS	ND
ALDICARB	0.01	ppm	0.1	PASS	ND					PASS	
AZOXYSTROBIN	0.01	ppm	0.1	PASS	ND	SPIROTETRAMAT	0.01	ppm	0.1		ND
BIFENAZATE	0.01	mag	0.1	PASS	ND	SPIROXAMINE	0.01	ppm	0.1	PASS	ND
	0.01	ppm	0.1	PASS	ND	TEBUCONAZOLE	0.01	ppm	0.1	PASS	ND
BIFENTHRIN			0.1	PASS	ND	THIACLOPRID	0.01	ppm	0.1	PASS	ND
BOSCALID	0.01	ppm				THIAMETHOXAM	0.01	ppm	0.5	PASS	ND
CARBARYL	0.01	ppm	0.5 0.1	PASS	ND	TRIFLOXYSTROBIN	0.01	ppm	0.1	PASS	ND
CARBOFURAN	0.01	ppm			ND	PENTACHLORONITROBENZENE (PCNB) *	0.01	PPM	0.15	PASS	ND
CHLORANTRANILIPROLE	0.01	ppm	1	PASS	ND	PARATHION-METHYL *	0.01	PPM	0.15	PASS	ND
CHLORMEQUAT CHLORIDE	0.01	ppm	1	PASS	ND					PASS	ND
CHLORPYRIFOS	0.01	ppm	0.1	PASS	ND	CAPTAN *	0.07	PPM	0.7		
CLOFENTEZINE	0.01	ppm	0.2	PASS	ND	CHLORDANE *	0.01	PPM	0.1	PASS	ND
COUMAPHOS	0.01	ppm	0.1	PASS	ND	CHLORFENAPYR *	0.01	PPM	0.1	PASS	ND
DAMINOZIDE	0.01	ppm	0.1	PASS	ND	CYFLUTHRIN *	0.05	PPM	0.5	PASS	ND
DIAZINON	0.01	ppm	0.1	PASS	ND	CYPERMETHRIN *	0.05	PPM	0.5	PASS	ND
DICHLORVOS	0.01	ppm	0.1	PASS	ND	Analyzed by: Weig	uht: E	xtraction d	ate	Extract	ed by:
DIMETHOATE	0.01	ppm	0.1	PASS	ND	<b>1665, 3379, 585, 4044</b> 0.265		5/22/23 08:		1665	cu by:
ETHOPROPHOS	0.01	ppm	0.1	PASS	ND	Analysis Method : SOP.T.30.101.FL (Gaines	5		(Davie), SOP	.T.40.101.FL (	Gainesvil
ETOFENPROX	0.01	ppm	0.1	PASS	ND	SOP.T.40.102.FL (Davie)					
ETOXAZOLE	0.01	ppm	0.1	PASS	ND	Analytical Batch : DA060462PES			On :05/23/2		
FENHEXAMID	0.01	ppm	0.1	PASS	ND	Instrument Used : DA-LCMS-003 (PES)		Batch Dat	e:05/21/23	10:01:22	
FENOXYCARB	0.01	ppm	0.1	PASS	ND	Analyzed Date : 05/22/23 08:33:50					
FENPYROXIMATE	0.01	ppm	0.1	PASS	ND	Dilution: 250	001-040	F01 11, 0F0	222 001.05	1022 001	
FIPRONIL	0.01	ppm	0.1	PASS	ND	Reagent: 051923.R02; 042623.R45; 05172 Consumables: 6697075-02	23.R01; 040	521.11; 052	223.R01; 05	1923.RU1	
FLONICAMID	0.01	ppm	0.1	PASS	ND	Pipette : DA-093; DA-094; DA-219					
FLUDIOXONIL	0.01	ppm	0.1	PASS	ND	Testing for agricultural agents is performed u	tilizina Liaui	1 Chromator	ranhy Trinle-	Quadrupole Ma	55
HEXYTHIAZOX	0.01	ppm	0.1	PASS	ND	Spectrometry in accordance with F.S. Rule 64		a enronacog	inapity inpic	quadrapore na	
MAZALIL	0.01	ppm	0.1	PASS	ND	Analyzed by: Weight:	Extract	ion date:		Extracted	d by:
MIDACLOPRID	0.01	ppm	0.4	PASS	ND	<b>450, 585, 4044</b> 0.267g	05/22/2	3 08:33:21		1665	1.1
KRESOXIM-METHYL	0.01	ppm	0.1	PASS	ND	Analysis Method : SOP.T.30.151.FL (Gaines					
MALATHION	0.01	ppm	0.2	PASS	ND	Analytical Batch : DA060463VOL			1:05/23/23 1		
METALAXYL	0.01	ppm	0.1	PASS	ND	Instrument Used :DA-GCMS-001	В	atch Date :	05/21/23 10	:10:30	
	0.01	ppm	0.1	PASS	ND	Analyzed Date : N/A					
METHIOCARB			0.1	PASS	ND	Dilution : 250	R R01 . 0510	22 0/2-051	022 044		
	0.01	ppm	0.1								
METHIOCARB METHOMYL MEVINPHOS				PASS		Reagent: 051023.R18; 040521.11; 052223		23.143, 031	.823.R44		
	0.01 0.01 0.01	ppm ppm ppm	0.1 0.1 0.1		ND ND	Consumables : 6697075-02; 14725401 Pipette : DA-080: DA-146: DA-218	,	23.843, 031	.823.844		

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

#### Jorge Segredo Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164





Miami Vibes Cartridge Concentrate 1g (90%) Miami Vibes Matrix : Derivative



PASSED

PASSED

4131 SW 47th AVENUE SUITE 1408 DAVIE, FL, 33314, US (954) 368-7664

# **Certificate of Analysis**

FLUENT

82 NE 26th street Miami, FL, 33137, US Telephone: (305) 900-6266 Email: Taylor.jones@qetfluent.com 
 Sample : DA30520002-007

 Harvest/Lot ID: 4584 3221 7630
 Total Ar

 Batch#: 4584 3221 7630
 Sample

 1604
 Total Ar

 Sampled: 05/19/23
 Complet

 Ordered: 05/19/23
 Sample

630 1604 Sample Size Received : 16 gram Total Amount : 1429 units Completed : 05/23/23 Expires: 05/23/24 Sample Method : SOP.T.20.010

Page 4 of 6

Type: Distillate



### **Residual Solvents**

Solvents	LOD	Units	Action Level	Pass/Fail	Result
,1-DICHLOROETHENE	0.8	ppm	8	PASS	ND
,2-DICHLOROETHANE	0.2	ppm	2	PASS	ND
-PROPANOL	50	ppm	500	PASS	ND
CETONE	75	ppm	750	PASS	ND
CETONITRILE	6	ppm	60	PASS	ND
ENZENE	0.1	ppm	1	PASS	ND
UTANES (N-BUTANE)	500	ppm	5000	PASS	ND
HLOROFORM	0.2	ppm	2	PASS	ND
ICHLOROMETHANE	12.5	ppm	125	PASS	ND
THANOL	500	ppm	5000	PASS	ND
THYL ACETATE	40	ppm	400	PASS	ND
THYL ETHER	50	ppm	500	PASS	ND
THYLENE OXIDE	0.5	ppm	5	PASS	ND
EPTANE	500	ppm	5000	PASS	ND
IETHANOL	25	ppm	250	PASS	ND
HEXANE	25	ppm	250	PASS	ND
ENTANES (N-PENTANE)	75	ppm	750	PASS	ND
ROPANE	500	ppm	5000	PASS	ND
DLUENE	15	ppm	150	PASS	ND
OTAL XYLENES	15	ppm	150	PASS	ND
RICHLOROETHYLENE	2.5	ppm	25	PASS	ND
nalyzed by: 50, 585, 4044	Weight: 0.0223g	Extraction date 05/20/23 11:22		1/ 1/ 1/	Extracted by: 850
nalysis Method : SOP.T.40.041.FL nalytical Batch : DA060450SOL nstrument Used : DA-GCMS-002 nalyzed Date : 05/22/23 13:04:49			wed On : 05/22/23 14:13:26 Date : 05/20/23 10:02:08		
ilution : 1 eagent : 030420.09 onsumables : R2017.167; G201.167			1 X V	$\Lambda X$ /	XXA

Residual solvents analysis is performed utilizing Gas Chromatography Mass Spectrometry in accordance with with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

## Jorge Segredo

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164





Type: Distillate

Miami Vibes Cartridge Concentrate 1g (90%) Miami Vibes Matrix : Derivative



PASSED

4131 SW 47th AVENUE SUITE 1408 DAVIE, FL, 33314, US (954) 368-7664

## **Certificate of Analysis**

FLUENT

82 NE 26th street Miami, FL, 33137, US Telephone: (305) 900-6266 Email: Taylor.Jones@getfluent.com Sample : DA30520002-007 Harvest/Lot ID: 4584 3221 7630 1604 Batch#: 4584 3221 7630

Sampled : 05/19/23 Ordered : 05/19/23 Sample Size Received : 16 gram Total Amount : 1429 units Completed : 05/23/23 Expires: 05/23/24 Sample Method : SOP.T.20.010

Page 5 of 6

	06		7	-
D	Δς	:5	E	D

PASSED

Ċ,	Microbia	Û			PAS	SED	သို့	Мус	otoxin	S
ASPERGILLU	S NIGER S FUMIGATUS	LOD	Units	Result Not Present Not Present Not Present Not Present Not Present	Pass / Fail PASS PASS PASS PASS PASS	Action Level	Analyte AFLATOXIN AFLATOXIN OCHRATOXIN AFLATOXIN AFLATOXIN	B1 N A G1	XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX	
ECOLI SHIGE TOTAL YEAS	LLA T AND MOLD	10	CFU/g	Not Present <10	PASS PASS	100000	Analyzed by: 1665, 3379, 58	35, 4044	Weight: 0.267g	<b>E</b> 0
	Weight:           0.85g           od : SOP.T.40.056C, SOP           :h : DA060447MIC	05/20	<b>action date:</b> D/23 11:04:5 B.FL, SOP.T.4	40.209.FL	Extracted 3336 d On : 05/2	$\rightarrow$		FL (Davie), SC <b>:h :</b> DA060464 <b>ed :</b> N/A		
Biosystems Th Block DA-049,	ed : PathogenDx Scanne lermocycler DA-010,fishe Fisher Scientific Isotemp : 05/20/23 14:01:39	erbrand I	sotemp Hea	Batch Da	ate: 05/20/	/23	Dilution : 250 Reagent : 051 Consumables : Pipette : DA-0	6697075-02	523.R45; 05172 A-219	3.R0
Dilution : N/A Reagent : 031 Consumables : Pipette : N/A	523.05; 042623.R85; 09 7563002060	2122.05	-	4	$\square$			ting utilizing Liq h F.S. Rule 64EF	uid Chromatograp 320-39.	ohy w

Analyzed by: 3621, 585, 4044		Extraction date: 05/20/23 11:04:55	Extracted by: 3336
Analysis Method : SOF Analytical Batch : DAO nstrument Used : Inco Analyzed Date : 05/20	60454TYM ubator (25-27C) DA-	Reviewed On	: 05/22/23 12:41:42 05/20/23 12:00:39
Dilution: N/A Reagent: 031523.05; Consumables: N/A Pipette: N/A	050923.R23		
	all and the second as set of a second se	ing MPN and traditional cultu	and the second data should be the second second

	0							
n	Analyte			LOD	Units	Result	Pass / Fail	Action Level
	AFLATOXIN B2			0.002	ppm	ND	PASS	0.02
	AFLATOXIN B1			0.002	ppm	ND	PASS	0.02
	OCHRATOXIN A			0.002	ppm	ND	PASS	0.02
	AFLATOXIN G1			0.002	ppm	ND	PASS	0.02
	AFLATOXIN G2			0.002	ppm	ND	PASS	0.02
00	Analyzed by: 1665, 3379, 585, 40	44	Weight: 0.267g	Extractio 05/22/23	n date: 08:33:21		Extracter 1665	ed by:
	Analysis Method : S SOP.T.30.102.FL (D				40.101.FL	(Gainesvi	lle),	
	Analytical Batch : D. Instrument Used : N Analyzed Date : 05/2	/A				5/23/23 09 21/23 10:3		
	Dilution: 250							

Reagent : 051923.R02; 042623.R45; 051723.R01; 040521.11; 052223.R01; 051923.R01 Consumables : 6697075-02 Pipette : DA-093; DA-094; DA-219

Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

#### **Heavy Metals** Hg

Metal	717	Á	LOD	Units	Result	Pass / Fail	Action Level	
TOTAL CONTAM	NANT LOAD MET	ALS	0.08	ppm	ND	PASS	1.1	
ARSENIC			0.02	ppm	ND	PASS	0.2	
CADMIUM			0.02	ppm	ND	PASS	0.2	
MERCURY			0.02	ppm	ND	PASS	0.2	
LEAD			0.02	ppm	ND	PASS	0.5	
Analyzed by: L022, 585, 4044	Weight: 0.2237g		action da 2/23 08:0		Extracted by: 1022,3619			
Analysis Method : 5 Analytical Batch : 6 nstrument Used : Analyzed Date : 05	DA-ICPMS-003	OP.T.40.	Review		/23/23 09: 0/23 14:03			
Dilution : 50	P24. 042623 P82. 0	510221	010.0510	22 016:0	51022 D1	7. 051023	D D 1 0.	

042623.R82; 051923.R19; 051923.R16; 051923.R17; 051923.R18; Re 050423.R32; 050923.01; 051823.R28 Consumables : 179436; 210508058; 12628-309CC-309

Pipette : DA-061; DA-191; DA-216

Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

#### Jorge Segredo Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164





Miami Vibes Cartridge Concentrate 1g (90%) Miami Vibes Matrix : Derivative



PASSED

4131 SW 47th AVENUE SUITE 1408 DAVIE, FL, 33314, US (954) 368-7664

# **Certificate of Analysis**

Ordered : 05/19/23

FLUENT

Analyte

Water Activity

Analyzed by: 2926, 585, 4044

Dilution : N/A Reagent : 100522.09 Consumables : PS-14 Pipette : N/A

Analysis Method : SOP.T.40.019

Analytical Batch : DA060451WAT Instrument Used : DA-028 Rotronic Hygropalm

Analyzed Date: 05/20/23 13:17:41

82 NE 26th street Miami, FL, 33137, US Telephone: (305) 900-6266 Email: Tavlor.lones@detfluent.com Sample : DA30520002-007 Harvest/Lot ID: 4584 3221 7630 1604 Batch#: 4584 3221 7630 Sample 1604 Sampled: 05/19/23 Complex

PASSED

Action Level

0.85 Extracted by: 2926

P/F

PASS

Reviewed On: 05/20/23 14:43:52

Batch Date : 05/20/23 10:27:00

Result

0.489

30 1604 Sample Size Received : 16 gram Total Amount : 1429 units Completed : 05/23/23 Expires: 05/23/24 Sample Method : 50P.T.20.010



Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.

Units

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.

Extraction date: 05/20/23 13:20:27

Water Activity

Weight: 0.423g LOD

0.01 aw

Page 6 of 6

Type: Distillate

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

## Jorge Segredo

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

