




Certificate of Analysis

COMPLIANCE FOR RETAIL
Sample: DA30520003-004
Harvest/Lot ID: HYB-SD-051523-C0090
Batch#: 6622 7011 4551 7189
Cultivation Facility: Zolfo Springs Cultivation
Processing Facility: Zolfo Springs
Processing
Source Facility: Zolfo Springs Cultivation
Seed to Sale# 9470 8095 6349 7222
Batch Date: 04/18/23
Sample Size Received: 31.5 gram
Total Amount: 2127 units
Retail Product Size: 3.5 gram
Ordered: 05/19/23
Sampled: 05/19/23
Completed: 05/23/23
Sampling Method: SOP.T.20.010
May 23, 2023 | FLUENT

82 NE 26th street
Miami, FL, 33137, US

PASSED
Pages 1 of 5
PRODUCT IMAGE

SAFETY RESULTS

**Pesticides
PASSED**

**Heavy Metals
PASSED**

**Microbials
PASSED**

**Mycotoxins
PASSED**

**Residuals Solvents
NOT TESTED**

**Filtration
PASSED**

**Water Activity
PASSED**

**Moisture
PASSED**

**Terpenes
TESTED**
MISC.

Cannabinoid
PASSED

Total THC
31.767%
Dry Weight

Total CBD
0.056%
Dry Weight

Total Cannabinoids
37.479%
Dry Weight

	D9-THC	THCA	CBD	CBDA	D8-THC	CBG	CBGA	CBN	THCV	CBDV	CBC	TOTAL CBD (DRY)	TOTAL THC (DRY)	TOTAL CANNABINOIDS (DRY)
%	0.585	30.731	<0.01	0.056	<0.01	0.14	0.916	<0.01	0.025	0.01	0.024	0.056	31.767	37.479
mg/unit	20.475	1075.585	<0.35	1.96	<0.35	4.9	32.06	<0.35	0.875	0.35	0.84	1.96	1111.845	1311.765
LOD	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001
%														

**Total THC
27.536%**
963.76 mg /Container

**Total CBD
0.049%**
1.715 mg /Container

As Received
Analyzed by:
1665, 3112, 1440

Weight:
0.2039g

Extraction date:
05/22/23 11:33:33

Extracted by:
1665

Analysis Method : SOP.T.40.031, SOP.T.30.031

Analytical Batch : DA060488POT

Instrument Used : DA-LC-002 (Flower)

Analyzed Date : 05/22/23 11:36:55

Reviewed On : 05/23/23 15:54:06

Batch Date : 05/22/23 08:46:23

Dilution : 400

Reagent : 051823.R07; 071222.01; 051823.R06

Consumables : 280670723; CE0123; 61633-125C6-125E; R1KB14270

Pipette : DA-079; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Jorge Segredo
Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
05/23/23



Certificate of Analysis

PASSED

FLUENT

82 NE 26th street
Miami, FL, 33137, US
Telephone: (305) 900-6266
Email: Taylor.Jones@getfluent.com

Sample : DA30520003-004
Harvest/Lot ID: HYB-SD-051523-C0090

Batch# : 6622 7011 4551 Sample Size Received : 31.5 gram
7189 Total Amount : 2127 units
Sampled : 05/19/23 Completed : 05/23/23 Expires: 05/23/24
Ordered : 05/19/23 Sample Method : SOP.T.20.010

Page 2 of 5



Certificate of Analysis

PASSED

FLUENT

 82 NE 26th street
 Miami, FL, 33137, US
 Telephone: (305) 900-6266
 Email: Taylor.Jones@getfluent.com

Sample : DA30520003-004

Harvest/Lot ID: HYB-SD-051523-C0090

 Batch# : 6622 7011 4551
 7189

Sampled : 05/19/23

Ordered : 05/19/23

Sample Size Received : 31.5 gram

Total Amount : 2127 units

Completed : 05/23/23 Expires: 05/23/24

Sample Method : SOP.T.20.010

Page 3 of 5



Pesticides

PASSED

Pesticide	LOD	Units	Action Level	Pass/Fail	Result	Pesticide	LOD	Units	Action Level	Pass/Fail	Result
TOTAL CONTAMINANT LOAD (PESTICIDES)	0.01	ppm	5	PASS	ND	OXAMYL	0.01	ppm	0.5	PASS	ND
TOTAL DIMETHOMORPH	0.01	ppm	0.2	PASS	ND	PACLOBUTRAZOL	0.01	ppm	0.1	PASS	ND
TOTAL PERMETHRIN	0.01	ppm	0.1	PASS	ND	PHOSMET	0.01	ppm	0.1	PASS	ND
TOTAL PYRETHRINS	0.01	ppm	0.5	PASS	ND	PIPERONYL BUTOXIDE	0.01	ppm	3	PASS	ND
TOTAL SPINETORAM	0.01	ppm	0.2	PASS	ND	PRALLETHRIN	0.01	ppm	0.1	PASS	ND
TOTAL SPINOSAD	0.01	ppm	0.1	PASS	ND	PROPICONAZOLE	0.01	ppm	0.1	PASS	ND
ABAMECTIN B1A	0.01	ppm	0.1	PASS	ND	PROPOXUR	0.01	ppm	0.1	PASS	ND
ACEPHATE	0.01	ppm	0.1	PASS	ND	PYRIDABEN	0.01	ppm	0.2	PASS	ND
ACEQUINOCYL	0.01	ppm	0.1	PASS	ND	SPIROMESIFEN	0.01	ppm	0.1	PASS	ND
ACETAMIPRID	0.01	ppm	0.1	PASS	ND	SPIROTETRAMAT	0.01	ppm	0.1	PASS	ND
ALDICARB	0.01	ppm	0.1	PASS	ND	SPIROXAMINE	0.01	ppm	0.1	PASS	ND
AZOXYSTROBIN	0.01	ppm	0.1	PASS	ND	TEBUCONAZOLE	0.01	ppm	0.1	PASS	ND
BIFENAZATE	0.01	ppm	0.1	PASS	ND	THIACLOPRID	0.01	ppm	0.1	PASS	ND
BIFENTHRIN	0.01	ppm	0.1	PASS	ND	THIAMETHOXAM	0.01	ppm	0.5	PASS	ND
BOSCALID	0.01	ppm	0.1	PASS	ND	TRIFLOXYSTROBIN	0.01	ppm	0.1	PASS	ND
CARBARYL	0.01	ppm	0.5	PASS	ND	PENTACHLORONITROBENZENE (PCNB) *	0.01	PPM	0.15	PASS	ND
CARBOFURAN	0.01	ppm	0.1	PASS	ND	PARATHION-METHYL *	0.01	PPM	0.1	PASS	ND
CHLORANTRANILIPROLE	0.01	ppm	1	PASS	ND	CAPTAN *	0.07	PPM	0.7	PASS	ND
CHLORMEQUAT CHLORIDE	0.01	ppm	1	PASS	ND	CHLORDANE *	0.01	PPM	0.1	PASS	ND
CHLORPYRIFOS	0.01	ppm	0.1	PASS	ND	CHLORFENAPYR *	0.01	PPM	0.1	PASS	ND
CLOFENTHINE	0.01	ppm	0.2	PASS	ND	CYFLUTHRIN *	0.05	PPM	0.5	PASS	ND
COUMAPHOS	0.01	ppm	0.1	PASS	ND	CYPERMETHRIN *	0.05	PPM	0.5	PASS	ND
DAMINOZIDE	0.01	ppm	0.1	PASS	ND						
DIAZINON	0.01	ppm	0.1	PASS	ND	Analyzed by:	Weight:	Extraction date:	Extracted by:		
DICHLORVOS	0.01	ppm	0.1	PASS	ND	1665, 3379, 585, 1440	0.8074g	05/22/23 11:07:55	1665		
DIMETHOATE	0.01	ppm	0.1	PASS	ND	Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.101.FL (Gainesville),					
ETHOPROPHOS	0.01	ppm	0.1	PASS	ND	SOP.T.40.102.FL (Davie)					
ETOFENPROX	0.01	ppm	0.1	PASS	ND	Analytical Batch : DA060466PES			Reviewed On : 05/23/23 10:38:47		
ETOXAZOLE	0.01	ppm	0.1	PASS	ND	Instrument Used : DA-LCMS-003 (PES)			Batch Date : 05/21/23 10:13:33		
FENHEXAMID	0.01	ppm	0.1	PASS	ND	Analyzed Date : 05/22/23 08:34:10					
FENOXYCARB	0.01	ppm	0.1	PASS	ND	Dilution : 250					
FENPYROXIMATE	0.01	ppm	0.1	PASS	ND	Reagent : 051923.R02; 042623.R45; 051723.R01; 040521.11; 052223.R01; 051923.R01					
FIPRONIL	0.01	ppm	0.1	PASS	ND	Consumables : 6697075-02					
FLONICAMID	0.01	ppm	0.1	PASS	ND	Pipette : DA-093; DA-094; DA-219					
FLUDIOXONIL	0.01	ppm	0.1	PASS	ND	Testing for agricultural agents is performed utilizing Liquid Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
HEXYTHIAZOX	0.01	ppm	0.1	PASS	ND	Analyzed by:	Weight:	Extraction date:	Extracted by:		
IMAZALIL	0.01	ppm	0.1	PASS	ND	450, 585, 1440	0.8074g	05/22/23 11:07:55	1665		
IMIDACLOPRID	0.01	ppm	0.4	PASS	ND	Analysis Method : SOP.T.30.151.FL (Gainesville), SOP.T.30.151A.FL (Davie), SOP.T.40.151.FL					
KRESOXIM-METHYL	0.01	ppm	0.1	PASS	ND	Analytical Batch : DA060466VOL			Reviewed On : 05/23/23 11:09:30		
MALATHION	0.01	ppm	0.2	PASS	ND	Instrument Used : DA-GCMS-006			Batch Date : 05/21/23 10:15:49		
METALAXYL	0.01	ppm	0.1	PASS	ND	Analyzed Date : 05/23/23 10:13:55					
METHIOCARB	0.01	ppm	0.1	PASS	ND	Dilution : 250					
METHOMYL	0.01	ppm	0.1	PASS	ND	Reagent : 051023.R18; 040521.11; 051823.R43; 051823.R44					
MEVINPHOS	0.01	ppm	0.1	PASS	ND	Consumables : 6697075-02; 14725401					
MYCLOBUTANIL	0.01	ppm	0.1	PASS	ND	Pipette : DA-080; DA-146; DA-218					
NALED	0.01	ppm	0.25	PASS	ND	Testing for agricultural agents is performed utilizing Gas Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					



Certificate of Analysis

PASSED
FLUENT

 82 NE 26th street
 Miami, FL, 33137, US
 Telephone: (305) 900-6266
 Email: Taylor.Jones@getfluent.com

Sample : DA30520003-004

Harvest/Lot ID: HYB-SD-051523-C0090

 Batch# : 6622 7011 4551
 7189

Sampled : 05/19/23

Ordered : 05/19/23



Sample Size Received : 31.5 gram


Total Amount : 2127 units

Completed : 05/23/23 Expires: 05/23/24

Sample Method : SOP.T.20.010

Page 4 of 5

<div> Microbial</div> <div>PASSED</div>						<div><div></div> Mycotoxins</div> <div>PASSED</div>					
Analyte	LOD	Units	Result	Pass / Fail	Action Level	Analyte	LOD	Units	Result	Pass / Fail	Action Level
ASPERGILLUS TERREUS			Not Present	PASS		AFLATOXIN B2	0.002	ppm	ND	PASS	0.02
ASPERGILLUS NIGER			Not Present	PASS		AFLATOXIN B1	0.002	ppm	ND	PASS	0.02
ASPERGILLUS FUMIGATUS			Not Present	PASS		OCHRATOXIN A	0.002	ppm	ND	PASS	0.02
ASPERGILLUS FLAVUS			Not Present	PASS		AFLATOXIN G1	0.002	ppm	ND	PASS	0.02
SALMONELLA SPECIFIC GENE			Not Present	PASS		AFLATOXIN G2	0.002	ppm	ND	PASS	0.02
ECOLI SHIGELLA			Not Present	PASS							
TOTAL YEAST AND MOLD	10	CFU/g	<10	PASS	100000	Analyzed by: 1665, 3379, 585, 1440	Weight: 0.8074g	Extraction date: 05/22/23 11:07:55	Extracted by: 1665		
Analyzed by: 3336, 585, 1440	Weight: 0.9536g	Extraction date: 05/20/23 11:05:38	Extracted by: 3336			Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.40.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.102.FL (Davie)					
Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL			Reviewed On : 05/23/23 12:31:43			Analytical Batch : DA060467MYC			Reviewed On : 05/23/23 10:39:53		
Analytical Batch : DA060448MIC			Batch Date : 05/20/23 09:35:08			Instrument Used : N/A			Batch Date : 05/21/23 10:16:00		
Analyzed Date : 05/20/23 14:01:35						Analyzed Date : 05/22/23 08:35:00					
Instrument Used : PathogenDx Scanner DA-111,Applied Biosystems Thermocycler DA-013,fisherbrand Isotemp Heat Block DA-049,Fisher Scientific Isotemp Heat Block DA-021						Dilution : 250			051923.R01		
Analyzed Date : 05/20/23 14:01:35						Reagent : 051923.R02; 042623.R45; 051723.R01; 040521.11; 052223.R01; 051923.R01			051923.R01		
Dilution : N/A						Consumables : 6697075-02					
Reagent : 031523.05; 042623.R85; 092122.05						Pipette : DA-093; DA-094; DA-219					
Consumables : 7555001074						Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
Pipette : N/A											
Analyzed by: 3621, 585, 1440	Weight: 0.9536g	Extraction date: 05/20/23 11:05:38	Extracted by: 3336								
Analysis Method : SOP.T.40.208 (Gainesville), SOP.T.40.209.FL											
Analytical Batch : DA060455TYM			Reviewed On : 05/22/23 12:43:01								
Instrument Used : Incubator (25-27C) DA-097			Batch Date : 05/20/23 12:00:42								
Analyzed Date : 05/20/23 12:02:02											
Dilution : N/A											
Reagent : 031523.05; 050923.R23											
Consumables : N/A											
Pipette : N/A											
Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.											

<div><div></div> Heavy Metals</div> <div>PASSED</div>					
Metal	LOD	Units	Result	Pass / Fail	Action Level
TOTAL CONTAMINANT LOAD METALS	0.08	ppm	ND	PASS	1.1
ARSENIC	0.02	ppm	ND	PASS	0.2
CADMIUM	0.02	ppm	ND	PASS	0.2
MERCURY	0.02	ppm	ND	PASS	0.2
LEAD	0.02	ppm	ND	PASS	0.5
Analyzed by: 1022, 585, 1440	Weight: 0.2111g	Extraction date: 05/22/23 08:10:20	Extracted by: 1022,3619		
Analysis Method : SOP.T.30.082.FL, SOP.T.40.082.FL					
Analytical Batch : DA060456HEA					
Instrument Used : DA-ICPMS-003					
Analyzed Date : 05/22/23 13:23:20					
Dilution : 50					
Reagent : N/A					
Consumables : N/A					
Pipette : N/A					
Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					



Certificate of Analysis

PASSED
FLUENT

 82 NE 26th street
 Miami, FL, 33137, US
 Telephone: (305) 900-6266
 Email: Taylor.Jones@getfluent.com

 Sample : DA30520003-004
 Harvest/Lot ID: HYB-SD-051523-C0090

 Batch# : 6622 7011 4551
 7189
 Sampled : 05/19/23
 Ordered : 05/19/23
 Sample Size Received : 31.5 gram
 Total Amount : 2127 units
 Completed : 05/23/23 Expires: 05/23/24
 Sample Method : SOP.T.20.010

Page 5 of 5


Filth/Foreign Material
PASSED

Moisture
PASSED

Analyte	LOD	Units	Result	P/F	Action Level	Analyte	LOD	Units	Result	P/F	Action Level
Filth and Foreign Material	0.1	%	ND	PASS	1	Moisture Content	1	%	13.32	PASS	15
Analyzed by: 1879, 1440 Weight: NA Extraction date: N/A Analyzed Date : 05/21/23 00:38:16						Analyzed by: 2926, 585, 1440 Weight: 0.505g Extraction date: 05/20/23 12:59:26 Analyzed Date : 05/20/23 12:54:18					
Analysis Method : SOP.T.40.090 Analytical Batch : DA060460FIL Instrument Used : Filth/Foreign Material Microscope Reviewed On : 05/21/23 00:42:42 Batch Date : 05/21/23 00:26:04						Analysis Method : SOP.T.40.021 Analytical Batch : DA060453MOI Instrument Used : DA-003 Moisture Analyzer Reviewed On : 05/20/23 14:44:00 Batch Date : 05/20/23 10:47:51					
Dilution : N/A Reagent : N/A Consumables : N/A Pipette : N/A						Dilution : N/A Reagent : 101920.06; 020123.02 Consumables : PS-14 Pipette : DA-066					

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.

Moisture Content analysis utilizing loss-on-drying technology in accordance with F.S. Rule 64ER20-39.


Water Activity
PASSED

Analyte	LOD	Units	Result	P/F	Action Level
Water Activity	0.01	aw	0.557	PASS	0.65
Analyzed by: 2926, 585, 1440 Weight: 0.582g Extraction date: 05/20/23 11:50:56 Analyzed Date : 05/19/23 14:59:07					
Analysis Method : SOP.T.40.019 Analytical Batch : DA060427WAT Instrument Used : DA-028 Rotronic HygroPalm Reviewed On : 05/20/23 14:44:00 Batch Date : 05/19/23 11:26:21					
Dilution : N/A Reagent : 100522.09 Consumables : PS-14 Pipette : N/A					

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.