

Certificate of Analysis

COMPLIANCE FOR RETAIL

May 25, 2023 | FLUENT

82 NE 26th street Miami, FL, 33137, US



Kaycha Labs

Sour Diesel RSO Syringes 1 g Sour Diesel RSO

Matrix: Derivative Type: Distillate



Batch#: 1017 1678 9248 8705

Cultivation Facility: Tampa Cultivation Processing Facility: Tampa Processing

Source Facility: Tampa Cultivation Seed to Sale# 2518 9658 1744 8379

Batch Date: 03/29/23

Sample Size Received: 16 gram Total Amount: 927 units

> Retail Product Size: 1 gram Ordered: 05/22/23

> > Sampled: 05/22/23 Completed: 05/25/23

Sampling Method: SOP.T.20.010

PASSED

Pages 1 of 6

PRODUCT IMAGE

SAFETY RESULTS





Pesticides



Heavy Metals

CBD

0.342

0.001

trum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39

3.42

%



Microbials



Mycotoxins



Residuals Solvents

PASSED



Filth



Water Activity

THCV

0.552

5.52

0.001

%





Moisture



TESTED

MISC.

Cannabinoid

PASSED

CRC

0.601

6.01

0.001

%



Total THC 80.352%

Total THC/Container: 803.52 mg



CBDA

ND

ND

%

0.001

Total CBD

D8-TH

0.21

2.1

%

0.001

0.342% Total CBD/Container: 3.42 mg

CRG

1.822

18.22

0.001

%

Extraction date

05/23/23 11:20:04



CRN

0.75

0.001

7.5

Total Cannabinoids

Total Cannabinoids/Container: 848.38 mg

CRDV

ND

ND

%

Extracted by:

0.001



	D9-THC	THCA
%	80.263	0.102
mg/unit	802.63	1.02
LOD	0.001	0.001
	0/	0/

	70	/
alyzed by: 65, 585, 1440		
	SOP.T.40.031, DA060521POT	

Reviewed On: 05/24/23 12:36:06 Batch Date: 05/23/23 09:34:13

CRGA

0.196

1.96

0.001

Instrument Used: DA-LC-007 Analyzed Date: 05/23/23 11:22:10

Reagent: 052323.R05; 070121.27; 052323.R02

Consumables: 280670723; CE0123; 61633-125C6-125E; R1KB14270

Pipette : DA-079; DA-108; DA-078

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for

pass/fail does not include the MU. Any calculated totals may contain rounding errors

Jorge Segredo

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA Testing 97164





Kaycha Labs

Sour Diesel RSO Syringes 1 g Sour Diesel RSO

Matrix : Derivative Type: Distillate



PASSED

Certificate of Analysis

82 NE 26th street Miami, FL, 33137, US Telephone: (305) 900-6266 Email: Taylor.Jones@getfluent.com Sample : DA30523003-002 Harvest/Lot ID: SA-SOD-040423-A104

Batch#: 1017 1678 9248

Sampled: 05/22/23 Ordered: 05/22/23

Sample Size Received: 16 gram Total Amount : 927 units Completed: 05/25/23 Expires: 05/25/24

Sample Method: SOP.T.20.010

Page 2 of 6



Terpenes

TESTED

	OD %)	mg/unit %	Result (%)	Terpenes		LOD (%)	mg/unit	%	Result (%)	
		21.63 2.1	163	FARNESENE			0.17	0.017		
TOTAL TERPINEOL 0.	.007	<0.2 <0	0.02	ALPHA-HUMULENE		0.007	2.66	0.266		
ALPHA-BISABOLOL 0.	.007	3.54 0.3	354	VALENCENE		0.007	0.3	0.03		
ALPHA-PINENE 0.	.007	0.25 0.0	025	CIS-NEROLIDOL		0.007	ND	ND		
CAMPHENE 0.	.007	<0.2 <0	0.02	TRANS-NEROLIDOL		0.007	1.01	0.101		
SABINENE 0.	.007	ND NE		CARYOPHYLLENE OXIDE		0.007	< 0.2	< 0.02		
BETA-PINENE 0.	.007	0.36 0.0	036	GUAIOL		0.007	ND	ND		
BETA-MYRCENE 0.	.007	3.39 0.3	339	CEDROL		0.007	ND	ND		
LPHA-PHELLANDRENE 0.	.007	ND NE		Analyzed by:	Weight:		Extraction da	ate:		Extracted by:
B-CARENE 0.	.007	ND NE		2076, 585, 1440	0.9698g		05/23/23 14:			3702
ALPHA-TERPINENE 0.	.007	ND NE		Analysis Method : SOP.T.30.063						
IMONENE 0.	.007	3.21 0.3	321	Analytical Batch : DA060513TE Instrument Used : DA-GCMS-00					05/24/23 16:27:00 /23/23 09:09:18	
UCALYPTOL 0.	.007	ND NE		Analyzed Date : 05/24/23 14:26			Batch	Date: US/	/23/23 09:09:18	
CIMENE 0.	.007	<0.2 <0	0.02	Dilution: 10						
AMMA-TERPINENE 0.	.007	ND NE		Reagent: 121622.28						
		ND NC		Consumables : 210414634; MK	CN9995; CE0123; R1KB1	4270				
ABINENE HYDRATE 0.	.007	ND NE		Consumables : 210414634; MK Pipette : N/A						
ABINENE HYDRATE 0. ERPINOLENE 0.	.007	ND NE	0.02	Consumables : 210414634; MK			crometry. For all F	Flower samp	ples, the Total Terpenes %	is dry-weight correc
ABINENE HYDRATE 0. ERPINOLENE 0. ENCHONE 0.	.007 .007 .007	ND NE <0.2 <0	0.02	Consumables : 210414634; MK Pipette : N/A			crometry. For all f	Flower samp	ples, the Total Terpenes %	is dry-weight correct
ABINENE HYDRATE 0. ERPINOLENE 0. ENCHONE 0. NALOOL 0.	.007 .007 .007	ND NE <0.2 <0 ND NE	0.02 0.077	Consumables : 210414634; MK Pipette : N/A			crometry. For all f	Flower samp	ples, the Total Terpenes %	is dry-weight correct
ABINENE HYDRATE 0. ERPINOLENE 0. ENCHONE 0. INALOOL 0. ENCHYL ALCOHOL 0.	.007 .007 .007 .007	ND NE <0.2 <0 ND NE 0.77 0.0	0.02 0.077 0029	Consumables : 210414634; MK Pipette : N/A			crometry. For all P	Flower samp	ples, the Total Terpenes %	is dry-weight correc
ABINENE HYDRATE 0. ERPINOLENE 0. ENCHONE 0. ENCHONE 0. INALOOL 0. ENCHYL ALCOHOL 0. ENCHYL ALC	.007 .007 .007 .007 .007	ND NE <0.2 <0 ND NE 0.77 0.0 0.29 0.0	0.02 0.077 0029	Consumables : 210414634; MK Pipette : N/A			crometry. For all F	Flower samp	ples, the Total Terpenes %	is dry-weight correc
ABINENE HYDRATE 0. ERPINOLENE 0. ENCHONE 0. INALOOL 0. ENCHYL ALCOHOL 0. SOPULEGOL 0. AMPHOR 0.	.007 .007 .007 .007 .007 .007	ND NE <0.2 <0 ND NE 0.77 0.0 0.29 0.0	0 0,02 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	Consumables : 210414634; MK Pipette : N/A			crometry. For all f	Flower samp	ples, the Total Terpenes %	is dry-weight correct
ABINENE HYDRATE 0. ERPINOLENE 0. ERCHONE 0. INALOOL 0. ENCHYL ALCOHOL 0. SOPULEGOL 0. AMPHOR 0. SOBORNEOL 0.	.007 .007 .007 .007 .007 .007 .007	ND NE <0.2 <0 ND NE 0.77 0.0 0.29 0.0 ND NE <0.6 <0	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	Consumables : 210414634; MK Pipette : N/A			crometry. For all f	Flower samp	ples, the Total Terpenes %	is dry-weight correct
ABINENE HYDRATE 0.	.007 .007 .007 .007 .007 .007 .007 .007	ND NE <0.2 <0 ND NE 0.77 0.0 0.29 0.0 ND NE <0.6 <0 ND NE	0.02 0.07 077 029 0.06 0.06	Consumables : 210414634; MK Pipette : N/A			crometry. For all â	Flower samp	ples, the Total Terpenes %	is dry-weight correc
ABINENE HYDRATE 0. ERPINOLENE 0. ERPINOLENE 0. ENCHONE 0. ENCHONE 0. ENCHOLA LICONOL 0. ENCHYL ALCOHOL 0. ENCHYL ENCHOLA 0. ENCHYL ENCHYL 0. ENCHYL 0. EXAHYDROTHYMOL 0. EXAHYDROTHYMOL 0. ERAHYDROTHYMOL 0.	.007 .007 .007 .007 .007 .007 .007 .007	ND NE	0.02 0.02 0.07 0.07 0.09 0.06 0.00	Consumables : 210414634; MK Pipette : N/A			crometry. For all â	Flower samp	ples, the Total Terpenes %	is dry-weight correc
ABINENE HYDRATE CREPINOLENE CNICLENE CNICLENE CNICLENE CNICLED CNICLEGOL CNICLEGOL CNIPPINOR COBRORNEOL CNINCOL CNINCO	.007 .007 .007 .007 .007 .007 .007 .007	ND NE	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	Consumables : 210414634; MK Pipette : N/A			rometry. For all f	Flower samp	ples, the Total Terpenes %	is dry-weight correc
ABINENE HYDRATE 0. ERPINOLENE 0. ERPINOLENE 0. ENCHONE 0. ENCHONE 0. ENCHOLENE 0. ENCHOLENE 0. ENCHYL ALCOHOL 0. ENCHYL 0. ENCHYL 0. ENCHYL 0. EXAMPHOR 0. EXAMPHOR 0. EXAMPHOROTHYMOL 0. EXAMPHOROTHYMOL 0. EXAMPHOROTHYMOL 0. ELECHYL 0. ELECH	.007 .007 .007 .007 .007 .007 .007 .007	ND NE <0.2 < 0.2 < 0.2 ND NE 0.77 0.6 0.29 0.0 ND NE <0.6 < 0.6 ND NE	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	Consumables : 210414634; MK Pipette : N/A			rrometry. For all f	Flower samp	ples, the Total Terpenes %	is dry-weight correc
ABINENE HYDRATE 0. ERPINOLENE 0. INALOOL 0.	.007 .007 .007 .007 .007 .007 .007 .007	ND NE <0.2 < 0.2 < 0.2 ND NE 0.77 0.6 0.29 0.0 ND NE <0.6 < 0.6 ND NE	0.02 0.02 0.077 0.079 0.06 0.06 0.00	Consumables : 210414634; MK Pipette : N/A			rometry. For all f	Flower samp	ples, the Total Terpenes %	is dry-weight correc
SABINENE HYDRATE O. TERPINOLENE O. NALOOL INALOOL SOPULEGOL SOPULEGOL CAMPHOR O. SOBORNEOL O. SOBORNEOL O. HEXAHYDROTHYMOL WEROL ULEGONE SERANIOL O. SERANIYL ACETATE O. SERANIYL ACETATE O. SERANIYL ACETATE	.007 .007 .007 .007 .007 .007 .007 .007	ND NE <0.2 <0.2 <0.2 ND NE <0.2 <0.2 ND NE <0.4 NE <0.4 NE <0.6 NE <0.6 ND NE <0.6 <0.6 <0.6 ND NE <0.2 <0.2 <0.2 ND NE <0.2 <0.2 <0.2 <0.2 <0.2 <0.2 <0.2 <0.2	0.02 0.02 0.07 0.07 0.09 0.006 0.000	Consumables : 210414634; MK Pipette : N/A			crometry. For all 8	Flower samp	ples, the Total Terpenes %	is dry-weight correc
SABINENE HYDRATE O. TERPINOLENE O. LINALOOL O. LINALOOL O. SOPULEGOL CAMPHOR O. SOPULEGOL CAMPHOR O. BORNEOL O. HEXAHYDROTHYMOL O. HEXAHYDROTHYMOL O. HEXAHYDROTHYMOL O. GERANIOL GERANIOL GERANIOL O. GERANYL ACETATE O. LACETATE O. LACET	.007 .007 .007 .007 .007 .007 .007 .007	ND NE NE ND ND NE ND ND NE ND	0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.0	Consumables : 210414634; MK Pipette : N/A			rrometry. For all &	Flower samp	ples, the Total Terpenes %	is dry-weight correc

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Jorge Segredo

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164





Kaycha Labs

Sour Diesel RSO Syringes 1 g Sour Diesel RSO

> Matrix : Derivative Type: Distillate



Certificate of Analysis

82 NE 26th street Miami, FL, 33137, US Telephone: (305) 900-6266 Email: Taylor.lones@getfluent.com Sample : DA30523003-002 Harvest/Lot ID: SA-SOD-040423-A104

Batch#: 1017 1678 9248

Sampled: 05/22/23 Ordered: 05/22/23

Sample Size Received: 16 gram Total Amount: 927 units

Completed: 05/25/23 Expires: 05/25/24 Sample Method: SOP.T.20.010

PASSED

Page 3 of 6



Pesticides

PASSED

Pesticide	LOD	Units	Action Level	Pass/Fail		Pesticide		LOD	Units	Action Level	Pass/Fail	Resu	
TOTAL CONTAMINANT LOAD (PESTICIDES)	0.01	ppm	5	PASS	ND	OXAMYL		0.01	ppm	0.5	PASS	ND	
OTAL DIMETHOMORPH	0.01	ppm	0.2	PASS	ND	PACLOBUTRAZOL		0.01	ppm	0.1	PASS	ND	
OTAL PERMETHRIN	0.01	ppm	0.1	PASS	ND	PHOSMET		0.01	ppm	0.1	PASS	ND	
OTAL PYRETHRINS	0.01	ppm	0.5	PASS	ND	PIPERONYL BUTOXIDE		0.01	ppm	3	PASS	ND	
OTAL SPINETORAM	0.01	ppm	0.2	PASS	ND			0.01	mag	0.1	PASS	ND	
OTAL SPINOSAD	0.01	ppm	0.1	PASS	ND	PRALLETHRIN			1.1.	0.1	PASS	ND	
BAMECTIN B1A	0.01	ppm	0.1	PASS	ND	PROPICONAZOLE		0.01	ppm				
СЕРНАТЕ	0.01	ppm	0.1	PASS	ND	PROPOXUR		0.01	ppm	0.1	PASS	ND	
CEQUINOCYL	0.01	ppm	0.1	PASS	ND	PYRIDABEN		0.01	ppm	0.2	PASS	ND	
CETAMIPRID	0.01	ppm	0.1	PASS	ND	SPIROMESIFEN		0.01	ppm	0.1	PASS	ND	
LDICARB	0.01	ppm	0.1	PASS	ND	SPIROTETRAMAT		0.01	ppm	0.1	PASS	ND	
ZOXYSTROBIN	0.01	ppm	0.1	PASS	ND	SPIROXAMINE		0.01	ppm	0.1	PASS	ND	
FENAZATE	0.01	ppm	0.1	PASS	ND	TEBUCONAZOLE		0.01	ppm	0.1	PASS	ND	
IFENTHRIN	0.01	ppm	0.1	PASS	ND	THIACLOPRID		0.01	ppm	0.1	PASS	ND	
OSCALID	0.01	ppm	0.1	PASS	ND	THIAMETHOXAM		0.01	ppm	0.5	PASS	ND	
ARBARYL	0.01	ppm	0.5	PASS	ND			0.01	mag	0.1	PASS	ND	
ARBOFURAN	0.01	ppm	0.1	PASS	ND	TRIFLOXYSTROBIN			PPM		PASS	ND	
HLORANTRANILIPROLE	0.01	ppm	1	PASS	ND	PENTACHLORONITROBE	:NZENE (PCNB) *	0.01		0.15			
HLORMEQUAT CHLORIDE	0.01	ppm	1	PASS	ND	PARATHION-METHYL *		0.01	PPM	0.1	PASS	ND	
HLORPYRIFOS	0.01	ppm	0.1	PASS	ND	CAPTAN *		0.07	PPM	0.7	PASS	ND	
LOFENTEZINE	0.01	ppm	0.2	PASS	ND	CHLORDANE *		0.01	PPM	0.1	PASS	ND	
DUMAPHOS	0.01	ppm	0.1	PASS	ND	CHLORFENAPYR *		0.01	PPM	0.1	PASS	ND	
AMINOZIDE	0.01	ppm	0.1	PASS	ND	CYFLUTHRIN *		0.05	PPM	0.5	PASS	ND	
AZINON	0.01	ppm	0.1	PASS	ND	CYPERMETHRIN *		0.05	PPM	0.5	PASS	ND	
CHLORVOS	0.01	ppm	0.1	PASS	ND	Analyzed by:	Weight:	Evtracti	on date:		Extracted b		
METHOATE	0.01	ppm	0.1	PASS	ND	3379, 585, 1440	0.2319a		3 14:18:55		3379,450,58		
THOPROPHOS	0.01	ppm	0.1	PASS	ND	Analysis Method : SOP.T				Davie), SOP			
TOFENPROX	0.01	ppm	0.1	PASS	ND	SOP.T.40.102.FL (Davie)		// //		,			
TOXAZOLE	0.01	ppm	0.1	PASS	ND	Analytical Batch : DA060				On:05/24/2			
ENHEXAMID	0.01	ppm	0.1	PASS	ND	Instrument Used : DA-LO			Batch Dat	e:05/23/23	09:51:01		
ENOXYCARB	0.01	ppm	0.1	PASS	ND	Analyzed Date: 05/23/2	3 13:46:34						
ENPYROXIMATE	0.01	ppm	0.1	PASS	ND	Dilution: 250 Reagent: 051923.R02: 0	152222 DA2, A5222	2 DO1. 0E10	22 001, 04	2622 045. 0	E1722 DO1. O	10521 1	
IPRONIL	0.01	ppm	0.1	PASS	ND	Consumables : 6697075		3.KU1; U31:	923.RU1; U4	2023.R43; 0	31/23.RU1; U	+0521.1	
LONICAMID	0.01	ppm	0.1	PASS	ND	Pipette: DA-093; DA-09							
LUDIOXONIL	0.01	ppm	0.1	PASS	ND	Testing for agricultural ag	ents is performed uti	ilizina Liauid	Chromatog	raphy Triple-	Ouadrupole Ma	SS	
EXYTHIAZOX	0.01	ppm	0.1	PASS	ND	Spectrometry in accordan	ce with F.S. Rule 64E	R20-39.	\	\ ' ' /	\ /)		
MAZALIL	0.01	ppm	0.1	PASS	ND	Analyzed by:	Weight:	Extractio			Extracted b		
IIDACLOPRID	0.01	ppm	0.4	PASS	ND	450, 585, 1440	0.2319g	05/23/23			3379,450,58		
RESOXIM-METHYL	0.01	ppm	0.1	PASS	ND	Analysis Method : SOP.T							
ALATHION	0.01	ppm	0.2	PASS	ND	Analytical Batch : DA060 Instrument Used : DA-G				:05/24/23 1 05/23/23 09			
ETALAXYL	0.01	ppm	0.1	PASS	ND	Analyzed Date: 05/23/2		В	accii Date :	03/23/23 09	.31.43		
ETHIOCARB	0.01	ppm	0.1	PASS	ND	Dilution: 250	3 224.34						
ETHOMYL	0.01	ppm	0.1	PASS	ND	Reagent: 052223.R01; (040521.11: 051823	.R43: 05182	23.R44				
EVINPHOS	0.01	ppm	0.1	PASS	ND	Consumables: 6697075		2, 1110.					
YCLOBUTANIL	0.01	ppm	0.1	PASS	ND	Pipette : DA-080; DA-14							
ALED	0.01	ppm	0.25	PASS	ND	Testing for agricultural agin accordance with F.S. Ru		ilizing Gas C	hromatogra	ohy Triple-Qu	adrupole Mass	Spectro	

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Jorge Segredo

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164





Kaycha Labs

Sour Diesel RSO Syringes 1 g Sour Diesel RSO

> Matrix : Derivative Type: Distillate



PASSED

Page 4 of 6

Certificate of Analysis

82 NE 26th street Miami, FL, 33137, US Telephone: (305) 900-6266 Email: Taylor.lones@getfluent.com Sample : DA30523003-002 Harvest/Lot ID: SA-SOD-040423-A104

Batch#: 1017 1678 9248

Sampled: 05/22/23 Ordered: 05/22/23

Sample Size Received: 16 gram Total Amount : 927 units Completed: 05/25/23 Expires: 05/25/24 Sample Method: SOP.T.20.010

Reviewed On: 05/24/23 15:51:08

Residual Solvents

PASSED

Solvents	LOD	Units	Action Level	Pass/Fail	Result
1,1-DICHLOROETHENE	0.8	ppm	8	PASS	ND
1,2-DICHLOROETHANE	0.2	ppm	2	PASS	ND
2-PROPANOL	50	ppm	500	PASS	ND
ACETONE	75	ppm	750	PASS	ND
ACETONITRILE	6	ppm	60	PASS	ND
BENZENE	0.1	ppm	1	PASS	ND
BUTANES (N-BUTANE)	500	ppm	5000	PASS	ND
CHLOROFORM	0.2	ppm	2	PASS	ND
DICHLOROMETHANE	12.5	ppm	125	PASS	ND
ETHANOL	500	ppm	5000	PASS	ND
ETHYL ACETATE	40	ppm	400	PASS	ND
ETHYL ETHER	50	ppm	500	PASS	ND
ETHYLENE OXIDE	0.5	ppm	5	PASS	ND
HEPTANE	500	ppm	5000	PASS	ND
METHANOL	25	ppm	250	PASS	ND
N-HEXANE	25	ppm	250	PASS	ND
PENTANES (N-PENTANE)	75	ppm	750	PASS	ND
PROPANE	500	ppm	5000	PASS	ND
TOLUENE	15	ppm	150	PASS	ND
TOTAL XYLENES	15	ppm	150	PASS	ND
TRICHLOROETHYLENE	2.5	ppm	25	PASS	ND
Analyzed by: 850, 585, 1440	Weight: 0.0226g	Extraction date: 05/24/23 12:41:		// // \	Extracted by: 850

Analysis Method: SOP.T.40.041.FL Analytical Batch: DA060547SOL Instrument Used: DA-GCMS-002

Analyzed Date: 05/24/23 12:53:22 Dilution: 1

Reagent: 030420.09

Consumables: R2017.167; G201.167 Pipette: DA-309 25 uL Syringe 35028

Batch Date: 05/23/23 12:32:24

Residual solvents analysis is performed utilizing Gas Chromatography Mass Spectrometry in accordance with with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Jorge Segredo

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164





Kaycha Labs

Sour Diesel RSO Syringes 1 g Sour Diesel RSO

Matrix : Derivative Type: Distillate



Certificate of Analysis

PASSED

82 NE 26th street Miami, FL, 33137, US Telephone: (305) 900-6266 Email: Taylor.lones@getfluent.com Sample : DA30523003-002 Harvest/Lot ID: SA-SOD-040423-A104

Batch#: 1017 1678 9248

Sampled: 05/22/23 Ordered: 05/22/23

Sample Size Received: 16 gram Total Amount : 927 units Completed: 05/25/23 Expires: 05/25/24 Sample Method: SOP.T.20.010

Page 5 of 6

Reviewed On: 05/24/23 10:14:47

Batch Date: 05/23/23 09:57:40



Microbial

PAS



Mycotoxins

Analyte		LOD	Units	Result	Pass / Fail	Action Level	
ASPERGILLUS TERREUS				Not Present	PASS		
ASPERGILLUS NIGER				Not Present	PASS		
ASPERGILLUS FUMIGAT	US			Not Present	PASS		
ASPERGILLUS FLAVUS				Not Present	PASS		
SALMONELLA SPECIFIC	GENE			Not Present	PASS		
ECOLI SHIGELLA				Not Present	PASS		1
TOTAL YEAST AND MOL	.D	10	CFU/g	<10	PASS	100000	3
Analyzed by:	Weigh	+-	Extraction of	late:	Extracte	d hv	1

Analysis Method: SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL

0.8202g

Analytical Batch : DA060512MIC

3621, 3336, 585, 1440

Reviewed On: 05/25/23

05/23/23 10:53:07

Batch Date: 05/23/23

Extracted by:

Instrument Used: PathogenDx Scanner DA-111.Applied Biosystems Thermocycler DA-013,fisherbrand Isotemp Heat Block DA-020, fisherbrand Isotemp Heat Block DA-049, Fisher Scientific

Isotemp Heat Block DA-021 Analyzed Date: 05/23/23 14:16:34

Reagent: 031523.15; 042623.R85; 092122.05

Consumables: 7563002010

Pipette: N/A

SED	Ş	
A -A1	A Lat.	

PASSED

Analyte		LOI)	Units	Result	Pass / Fail	Action Level	
AFLATOXIN B2		0.002 ppm N	ND	PASS	0.02			
AFLATOXIN B1		0.00)2	ppm	ND	PASS	0.02	
OCHRATOXIN A	0.00)2	ppm	ND	PASS	0.02		
AFLATOXIN G1		0.00)2	ppm	ND	PASS	0.02	
AFLATOXIN G2		0.00)2	ppm	ND	PASS	0.02	
Analyzed by:	Weight:	Extraction date:			Extracted by:			
3379, 585, 1440	0.2319q	05/23/23 1	4:18:	55	337	9,450,58	5	

Analysis Method: SOP.T.30.101.FL (Gainesville), SOP.T.40.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.102.FL (Davie)

Analytical Batch: DA060527MYC

Instrument Used : N/A

Analyzed Date: 05/23/23 14:05:05

Dilution: 250 Reagent: 051923.R02; 052223.R02; 052223.R01; 051923.R01; 042623.R45; 051723.R01;

040521.11

Consumables: 6697075-02

Pipette: DA-093; DA-094; DA-219

Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.



Heavy Metals

PASSED

Analyzed by: 3621, 3336, 585, 1440	Weight: 0.8202g	Extraction date: 05/23/23 10:53:07	Extracted by: 3336,3621
Analysis Method : SOP.T.40.208	(Gainesville), SOP.T.40.209.FL	
Analytical Batch: DA060545TYI	M	Reviewed On:	05/25/23 11:29:15
Instrument Used : Incubator (25	5-27C) DA-09	6 Batch Date: 05	5/23/23 12:07:44
Analyzed Date: 05/23/23 12:09	:39		

Dilution: 10 Reagent: 031523.15; 050923.R23

Consumables : N/A Pipette : N/A

Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.

Metal	LOD	Units	Result	Pass / Fail	Action Level
TOTAL CONTAMINANT LOAD METALS	0.08	ppm	ND	PASS	1.1
ARSENIC	0.02	ppm	ND	PASS	0.2
CADMIUM	0.02	ppm	ND	PASS	0.2
MERCURY	0.02	ppm	ND	PASS	0.2
LEAD	0.02	nnm	ND	PASS	0.5

Analyzed by: Weight: **Extraction date:** Extracted by: 1022, 585, 1440 0.2432g 05/23/23 10:56:39

Analysis Method: SOP.T.30.082.FL, SOP.T.40.082.FL

Analytical Batch : DA060519HEA Instrument Used: DA-ICPMS-003

Analyzed Date: N/A

Reviewed On: 05/24/23 11:29:20 Batch Date: 05/23/23 09:33:00

Dilution: 50

Reagent: 050923.R24; 042623.R82; 051923.R19; 051923.R16; 051923.R17; 051923.R18; 050423.R32; 050923.01; 051823.R28

Consumables: 179436; 15021042; 210508058 Pipette: DA-061; DA-191; DA-216

Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.



Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164





Certificate of Analysis

82 NE 26th street Miami, FL, 33137, US Telephone: (305) 900-6266 Email: Taylor.lones@getfluent.com Sample : DA30523003-002

Batch#: 1017 1678 9248

Sampled: 05/22/23 Ordered: 05/22/23

Harvest/Lot ID: SA-SOD-040423-A104

Sample Size Received: 16 gram Total Amount: 927 units Completed: 05/25/23 Expires: 05/25/24

Sample Method: SOP.T.20.010

Kaycha Labs Sour Diesel RSO Syringes 1 g Sour Diesel RSO Matrix : Derivative Type: Distillate

PASSED

Page 6 of 6

Filth/Foreign **Material**

PASSED

Reviewed On: 05/24/23 13:36:00

Reviewed On: 05/24/23 12:36:11

Batch Date: 05/23/23 07:34:36

Action Level

Analyte LOD Units Result Filth and Foreign Material ND PASS 0.1 %

Analyzed by: 1879, 1440 Weight: Extracted by: NA N/A N/A

Analysis Method: SOP.T.40.090

Analytical Batch : DA060598FIL
Instrument Used : Filth/Foreign Material Microscope

Batch Date: 05/24/23 12:47:10 Analyzed Date: 05/24/23 13:22:04

Dilution: N/AReagent: N/A Pipette: N/A

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.



Water Activity

PASSED

Analyte LOD Units P/F **Action Level** Result PASS Water Activity 0.01 aw 0.49 0.85 Extraction date: 05/24/23 07:12:10 Extracted by: 2926 Analyzed by: 2926, 585, 1440

Analytical Batch: DA060508WAT

Instrument Used : DA-028 Rotronic Hygropalm

Analyzed Date: 05/24/23 07:09:12

Dilution: N/A Reagent: 100522.09 Consumables : PS-14 Pipette: N/A

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Jorge Segredo

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA Testing 97164

