

Kaycha Labs

Miami Vibes Drops 11.25g

Miami Vibes

Matrix: Derivative



Certificate of Analysis

COMPLIANCE FOR RETAIL

products) Sample: DA30607003-006 Harvest/Lot ID: 0444 8387 7026 0425

Batch#: 0444 8387 7026 0425

Cultivation Facility: Tampa Cultivation Processing Facility: Tampa Processing

> **Source Facility: Tampa Cultivation** Seed to Sale# 0745 9886 7490 1023

> > Batch Date: 05/11/23

Sample Size Received: 67.5 gram

Total Amount: 1372 units

Retail Product Size: 11.25 gram Ordered: 06/06/23

Sampled: 06/06/23

Completed: 06/09/23

Sampling Method: SOP.T.20.010

PASSED

Pages 1 of 6

82 NE 26th street Miami, FL, 33137, US

MALLIN MALL

Jun 09, 2023 | FLUENT

PRODUCT IMAGE

SAFETY RESULTS



Pesticides





Heavy Metals



Microbials



Mycotoxins



Type: Products for oral administration (pills, capsules, tinctures, and similar usable

Residuals Solvents PASSED



Filth PASSED



Water Activity

THCV

0.034

3.825

0.001

%



Moisture



MISC.

TESTED

PASSED

CBC

5.4

%

0.048

0.001



Cannabinoid

Total THC

4.041% Total THC/Container: 454.613 mg

ND

%

0.001



CBDA

ND

ND

%

Weight: 2.8608q

0.001

Total CBD

D8-THC

0.005

0.562

0.001

%

0.012%Total CBD/Container: 1.35 mg

CRG

0.07

7.875

0.001

%

Extraction date: 06/07/23 11:37:31



CRN

0.051

5.737

0.001

Total Cannabinoids

CRDV

ND

ND

%

Extracted by: 3335,3112

0.001

Total Cannabinoids/Container: 479.363 mg



454.612

0.001

Analyzed by: 3112, 1665, 585, 4044							
Analysis Method: SOP.T.40.031,	SOP.T.30.031						

Analyzed Date: 06/07/23 11:53:55

Analytical Batch : DA061105POT Instrument Used: DA-LC-007

ma/unit

LOD

Reagent: 060523.R02; 032123.11; 060523.R03 Consumables: 250346; CE0123; 61633-125C6-125E; R1KB14270

Pipette : DA-079; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39

CBD

0.012

0.001

%

1.35

Reviewed On: 06/08/23 10:50:53 Batch Date: 06/07/23 09:56:01

CRGA

ND

ND

0.001

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors

Jorge Segredo

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA Testing 97164



Signature 06/09/23



Kaycha Labs

Miami Vibes Drops 11.25g Miami Vibes

Matrix : Derivative

Type: Products for oral administration (pills, capsules, tinctures, and similar usable products)



Certificate of Analysis

PASSED

82 NE 26th street Miami, FL, 33137, US Telephone: (305) 900-6266 Email: Taylor.Jones@getfluent.com Sample : DA30607003-006 Harvest/Lot ID: 0444 8387 7026 0425

Batch#: 0444 8387 7026

Sampled: 06/06/23 Ordered: 06/06/23

Sample Size Received: 67.5 gram Total Amount : 1372 units Completed: 06/09/23 Expires: 06/09/24

Sample Method: SOP.T.20.010

Page 2 of 6



Terpenes

TESTED

Terpenes	LOD (%)	mg/un	it %	Result (%)	Terpenes		LOD (%)	mg/unit	%	Result (%)	
TOTAL TERPENES	0.007	48.487	0.431		FARNESENE		0.001	ND	ND		
OTAL TERPINEOL	0.007	ND	ND		ALPHA-HUMULENE		0.007	ND	ND		
LPHA-BISABOLOL	0.007	<2.25	< 0.02		VALENCENE		0.007	<2.25	< 0.02		
LPHA-PINENE	0.007	ND	ND		CIS-NEROLIDOL		0.007	ND	ND		
AMPHENE	0.007	ND	ND		TRANS-NEROLIDOL		0.007	ND	ND		
ABINENE	0.007	ND	ND		CARYOPHYLLENE OXIDE		0.007	ND	ND		
BETA-PINENE	0.007	<2.25	< 0.02		GUAIOL		0.007	ND	ND		
ETA-MYRCENE	0.007	7.875	0.07		CEDROL		0.007	ND	ND		
LPHA-PHELLANDRENE	0.007	3.712	0.033		Analyzed by:	Weight:		Extraction da	ite:	Ext	racted by:
-CARENE	0.007	<2.25	< 0.02		2076, 585, 4044	0.9425g		06/07/23 12:	18:24	20	
LPHA-TERPINENE	0.007	ND	ND		Analysis Method: SOP.T.30.061A.FI	L, SOP.T.40.061A.FL					
IMONENE	0.007	2.812	0.025		Analytical Batch : DA061111TER Instrument Used : DA-GCMS-008					6/09/23 15:43:21 07/23 10:23:02	
UCALYPTOL	0.007	ND	ND		Analyzed Date: 06/08/23 12:19:11			Batch	Date: UO/	07/23 10.23.02	
CIMENE	0.007	6.975	0.062		Dilution: 10						
AMMA-TERPINENE	0.007	ND	ND		Reagent: 121622.25						
ABINENE HYDRATE	0.007	ND	ND		Consumables : 210414634; MKCN9	995; CE0123; R1KB	14270				
ERPINOLENE	0.007	23.962	0.213		Pipette : N/A	0					
ENCHONE	0.007	<4.5	< 0.04		Terpenoid testing is performed utilizing	Gas Chromatography I	Mass Spec	trometry. For all F	lower samp	oles, the Total Terpenes % is dry-we	ight correcte
NALOOL	0.007	<2.25	< 0.02								
ENCHYL ALCOHOL	0.007	ND	ND								
OPULEGOL	0.007	ND	ND								
AMPHOR	0.007	ND	ND								
SOBORNEOL	0.007	ND	ND								
ORNEOL	0.013	ND	ND								
HEXAHYDROTHYMOL	0.007	ND	ND								
IEROL	0.007	ND	ND								
ULEGONE	0.007	ND	ND								
ERANIOL	0.007	ND	ND								
ERANYL ACETATE	0.007	ND	ND								
LPHA-CEDRENE	0.007	ND	ND								
BETA-CARYOPHYLLENE	0.007	3.15	0.028								
atal (9/)			0.421		 			4		1 - L - A	

Total (%) 0.431

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.



Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164





4131 SW 47th AVENUE SUITE 1408 DAVIE, FL, 33314, US Kaycha Labs

Miami Vibes Drops 11.25g

Miami Vibes

Matrix : Derivative

Type: Products for oral administration (pills, capsules, tinctures, and similar

usable products)



Certificate of Analysis

PASSED

FILIENT

82 NE 26th street Miami, FL, 33137, US **Telephone:** (305) 900-6266 **Email:** Taylor.Jones@getfluent.com

(954) 368-7664

Sample : DA30607003-006 Harvest/Lot ID: 0444 8387 7026 0425

Batch#: 0444 8387 7026

0425 Sampled: 06/06/23 Ordered: 06/06/23 Sample Size Received: 67.5 gram
Total Amount: 1372 units
Completed: 06/09/23 Expires: 06/09/24
Sample Method: SOP.T.20.010

Page 3 of 6



Pesticides

P	A	S	S	E	D

	LOD	Units	Action Level	Pass/Fail		Pesticide		LOD	Units	Action Level	Pass/Fail	Resul
TAL CONTAMINANT LOAD (PESTICIDES)	0.01	ppm	30	PASS	ND	OXAMYL		0.01	ppm	0.5	PASS	ND
TAL DIMETHOMORPH	0.01	ppm	3	PASS	ND	PACLOBUTRAZOL		0.01	ppm	0.1	PASS	ND
TAL PERMETHRIN	0.01	ppm	1	PASS	ND	PHOSMET		0.01	ppm	0.2	PASS	ND
TAL PYRETHRINS	0.01	ppm	1	PASS	ND	PIPERONYL BUTOXIDE		0.01	ppm	3	PASS	ND
TAL SPINETORAM	0.01	ppm	3	PASS	ND	PRALLETHRIN		0.01	ppm	0.4	PASS	ND
TAL SPINOSAD	0.01	ppm	3	PASS	ND			0.01		1	PASS	ND
AMECTIN B1A	0.01	ppm	0.3	PASS	ND	PROPICONAZOLE			ppm			
EPHATE	0.01	ppm	3	PASS	ND	PROPOXUR		0.01	ppm	0.1	PASS	ND
EQUINOCYL	0.01	ppm	2	PASS	ND	PYRIDABEN		0.01	ppm	3	PASS	ND
ETAMIPRID	0.01	ppm	3	PASS	ND	SPIROMESIFEN		0.01	ppm	3	PASS	ND
DICARB	0.01	ppm	0.1	PASS	ND	SPIROTETRAMAT		0.01	ppm	3	PASS	ND
OXYSTROBIN	0.01	ppm	3	PASS	ND	SPIROXAMINE		0.01	ppm	0.1	PASS	ND
FENAZATE	0.01	ppm	3	PASS	ND	TEBUCONAZOLE		0.01	ppm	1	PASS	ND
FENTHRIN	0.01	ppm	0.5	PASS	ND	THIACLOPRID		0.01	ppm	0.1	PASS	ND
SCALID	0.01	ppm	3	PASS	ND	THIAMETHOXAM		0.01	ppm	1	PASS	ND
RBARYL	0.01	ppm	0.5	PASS	ND	TRIFLOXYSTROBIN		0.01	ppm	3	PASS	ND
RBOFURAN	0.01	ppm	0.1	PASS	ND				V / / /	\		
LORANTRANILIPROLE	0.01	ppm	3	PASS	ND	PENTACHLORONITROBEN	IZENE (PCNB) *	0.01	PPM	0.2	PASS	ND
LORMEQUAT CHLORIDE	0.01	ppm	3	PASS	ND	PARATHION-METHYL *		0.01	PPM	0.1	PASS	ND
LORPYRIFOS	0.01	ppm	0.1	PASS	ND	CAPTAN *		0.07	PPM	3	PASS	ND
OFENTEZINE	0.01	ppm	0.5	PASS	ND	CHLORDANE *		0.01	PPM	0.1	PASS	ND
UMAPHOS	0.01	ppm	0.1	PASS	ND	CHLORFENAPYR *		0.01	PPM	0.1	PASS	ND
MINOZIDE	0.01	ppm	0.1	PASS	ND	CYFLUTHRIN *		0.05	PPM	1	PASS	ND
AZINON	0.01	ppm	3	PASS	ND	CYPERMETHRIN *		0.05	PPM	1	PASS	ND
CHLORVOS	0.01	ppm	0.1	PASS	ND		Malaba			<i>-</i>		
METHOATE	0.01	ppm	0.1	PASS	ND	Analyzed by: 3379, 585, 4044	Weight: 0.2458q		tion date: 23 11:25:28	2	Extracte 4056	d by:
HOPROPHOS	0.01	ppm	0.1	PASS	ND	Analysis Method : SOP.T.3						Gainesv
OFENPROX	0.01	ppm	0.1	PASS	ND	SOP.T.40.102.FL (Davie)	50.101.1 E (Gaines)	ilic), 301.1	.50.102.1 L	(Bavie), Soi		ounicsv
OXAZOLE	0.01	ppm	1.5	PASS	ND	Analytical Batch : DA0610	94PES			On:06/08/2		
NHEXAMID	0.01	ppm	3	PASS	ND	Instrument Used : DA-LCN	7	Batch Date: 06/07/23 08:59:21				
NOXYCARB	0.01	ppm	0.1	PASS	ND	Analyzed Date: 06/07/23	13:24:22					
NPYROXIMATE	0.01	ppm	2	PASS	ND	Dilution: 250		/	/ . \	/.\	.1\	
PRONIL	0.01	ppm	0.1	PASS	ND	Reagent: 060523.R09; 04 Consumables: 6697075-0		R07; 06062	23.R01; 060)223.R18; 06	0523.R26; 053	3123.R0
ONICAMID	0.01	ppm	2	PASS	ND	Pipette : DA-093; DA-094;						
UDIOXONIL	0.01	ppm	3	PASS	ND	Testing for agricultural ager		izina Liauia	Chromaton	ranhy Trinle-(Quadrupole Ma	cc
XYTHIAZOX	0.01	ppm	2	PASS	ND	Spectrometry in accordance			Cilioniatog	парпу піріе-ч	Quadi upole Ma	33
AZALIL	0.01	ppm	0.1	PASS	ND	Analyzed by:	Weight:	Extract	ion date:		Extracted	by:
IDACLOPRID	0.01	ppm	1	PASS	ND	450, 585, 4044	0.2458g	06/07/2	3 11:25:28		4056	
ESOXIM-METHYL	0.01	ppm	1	PASS	ND	Analysis Method: SOP.T.3	30.151.FL (Gainesv	ille), SOP.T	.30.151A.F	L (Davie), SO	P.T.40.151.FL	
ALATHION	0.01	ppm	2	PASS	ND	Analytical Batch: DA0610				n:06/08/23 1		
TALAXYL	0.01	ppm	3	PASS	ND	Instrument Used : DA-GCI		Ва	atch Date :	06/07/23 09:	01:45	
THIOCARB	0.01	ppm	0.1	PASS	ND	Analyzed Date: 06/08/23	09:45:08					
THOMYL	0.01	ppm	0.1	PASS	ND	Dilution: 250 Reagent: 060523.R09; 04	10521 11: 051022	D/13: 05101	3 P//			
VINPHOS	0.01	ppm	0.1	PASS	ND	Consumables: 6697075-0		1173, 03102	23.044			
CLOBUTANIL	0.01	ppm	3	PASS	ND	Pipette : DA-080; DA-146;						
LED	0.01	ppm	0.5	PASS	ND	Testing for agricultural ager in accordance with F.S. Rule	nts is performed util	izing Gas C	hromatogra	phy Triple-Qu	adrupole Mass	Spectro

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Jorge Segredo

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164





Kaycha Labs

Miami Vibes Drops 11.25g Miami Vibes

Matrix : Derivative

Type: Products for oral administration (pills, capsules, tinctures, and similar usable products)



Certificate of Analysis

Sample : DA30607003-006

Harvest/Lot ID: 0444 8387 7026 0425 Batch#: 0444 8387 7026

Sampled: 06/06/23 Ordered: 06/06/23

Sample Size Received: 67.5 gram Total Amount : 1372 units Completed: 06/09/23 Expires: 06/09/24

Sample Method: SOP.T.20.010

PASSED

Page 4 of 6



82 NE 26th street Miami, FL, 33137, US

Telephone: (305) 900-6266

Email: Taylor.lones@getfluent.com

Residual Solvents

PASSED

Solvents	LOD	Units	Action Level	Pass/Fail	Result
1,1-DICHLOROETHENE	0.8	ppm	8	PASS	ND
1,2-DICHLOROETHANE	0.2	ppm	2	PASS	ND
2-PROPANOL	50	ppm	500	PASS	ND
ACETONE	75	ppm	750	PASS	ND
ACETONITRILE	6	ppm	60	PASS	ND
BENZENE	0.1	ppm	1	PASS	ND
BUTANES (N-BUTANE)	500	ppm	5000	PASS	ND
CHLOROFORM	0.2	ppm	2	PASS	ND
DICHLOROMETHANE	12.5	ppm	125	PASS	ND
ETHANOL	500	ppm		TESTED	ND
ETHYL ACETATE	40	ppm	400	PASS	ND
ETHYL ETHER	50	ppm	500	PASS	ND
ETHYLENE OXIDE	0.5	ppm	5	PASS	ND
HEPTANE	500	ppm	5000	PASS	ND
METHANOL	25	ppm	250	PASS	ND
N-HEXANE	25	ppm	250	PASS	ND
PENTANES (N-PENTANE)	75	ppm	750	PASS	ND
PROPANE	500	ppm	5000	PASS	ND
TOLUENE	15	ppm	150	PASS	ND
TOTAL XYLENES	15	ppm	150	PASS	ND
TRICHLOROETHYLENE	2.5	ppm	25	PASS	ND
Analyzed by: 850, 585, 4044	Weight: 0.0225g	Extraction date: 06/08/23 11:23:		//	Extracted by: 850

Analysis Method: SOP.T.40.041.FL Analytical Batch: DA061119SOL Instrument Used: DA-GCMS-002 Analyzed Date: 06/08/23 11:26:12

Dilution: 1 Reagent: N/A Consumables: N/A Pipette : N/A

Reviewed On: 06/08/23 12:00:12 Batch Date: 06/07/23 16:23:48

Residual solvents analysis is performed utilizing Gas Chromatography Mass Spectrometry in accordance with with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Jorge Segredo

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164





Kaycha Labs

Miami Vibes Drops 11.25g Miami Vibes

Matrix : Derivative

Type: Products for oral administration (pills, capsules, tinctures, and similar usable products)



Certificate of Analysis

PASSED

82 NE 26th street Miami, FL, 33137, US Telephone: (305) 900-6266 Email: Taylor.lones@getfluent.com Sample : DA30607003-006 Harvest/Lot ID: 0444 8387 7026 0425

Batch#: 0444 8387 7026

Sampled: 06/06/23 Ordered: 06/06/23

Sample Size Received: 67.5 gram Total Amount: 1372 units Completed: 06/09/23 Expires: 06/09/24 Sample Method: SOP.T.20.010

Page 5 of 6



Microbial



DACCE

Analyte	LOD	Units	Result	Pass / Fail	Action Level	
ASPERGILLUS TERREUS			Not Present	PASS		
ASPERGILLUS NIGER			Not Present	PASS		
ASPERGILLUS FUMIGATUS			Not Present	PASS		
ASPERGILLUS FLAVUS			Not Present	PASS PASS		
SALMONELLA SPECIFIC GENE			Not Present			7
ECOLI SHIGELLA			Not Present	PASS		1
TOTAL YEAST AND MOLD	10	CFU/g	<10	PASS	100000	3
Analyzed by: Weight:	Extr	action date		Extracted	by:	1

3621, 585, 4044 0.9309g 06/07/23 10:15:33

Analysis Method: SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL Analytical Batch: DA061082MIC

Reviewed On: 06/08/23 Batch Date: 06/07/23

Instrument Used: PathogenDx Scanner DA-111.Applied Biosystems Thermocycler DA-010,fisherbrand Isotemp Heat Block

DA-020, fisherbrand Isotemp Heat Block DA-049, Fisher Scientific Isotemp Heat Block DA-021

Analyzed Date : 06/07/23 12:42:55

Dilution: N/A

Reagent: 031523.10; 092122.09; 052323.R22; 020823.16

Consumables : 7562002070

Pipette: N/A

yzed by: , 585, 4044	Weight: 0.9309g	Extraction date: 06/07/23 10:15:33	Extracted by: 3621,3390
usia Mathad . CO	D T 40 200 (Caine	scrille) CORT 40 200 EI	

Analysis Method: SOP.T.4 0.208 (Gainesville), SOP.T.4 Reviewed On: 06/09/23 11:45:13

Analytical Batch : DA061109TYM Instrument Used : Incubator (25-27C) DA-097 Batch Date : 06/07/23 10:15:40 Analyzed Date: 06/07/23 11:33:52

Dilution: 10 Reagent: 031523.10; 050923.R23

Consumables : N/A Pipette : N/A

Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.

J.	Mycotoxins				PAS	SEL
Analyte		LOD	Units	Result	Pass / Fail	Action
AFLATOXIN B	32	0.002	ppm	ND	PASS	0.02
AFLATOXIN B	31	0.002	ppm	ND	PASS	0.02
CHRATOXIN	I A	0.002	mag	ND	PASS	0.02

AFLATOXIN G1 ppm DASS 0.002 **AFLATOXIN G2** 0.002 PASS ppm Analyzed by: **Extraction date:** Weight: Extracted by: 3379, 585, 4044 0.2458g 06/07/23 11:25:28

Analysis Method: SOP.T.30.101.FL (Gainesville), SOP.T.40.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.102.FL (Davie) Analytical Batch: DA061096MYC Reviewed On: 06/08/23 10:46:59

Instrument Used : N/A

Analyzed Date: 06/07/23 13:24:44

Dilution: 250

Reagent: 060523.R09; 040521.11; 060523.R07; 060623.R01; 060223.R18; 060523.R26; 053123.R04

Consumables: 6697075-02

Pipette: DA-093; DA-094; DA-219

Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.



Heavy Metals

PASSED

Metal	LOD	Units	Result	Pass / Fail	Action Level
TOTAL CONTAMINANT LOAD METALS	0.08	ppm	ND	PASS	5
ARSENIC	0.02	ppm	ND	PASS	1.5
CADMIUM	0.02	ppm	ND	PASS	0.5
MERCURY	0.02	ppm	ND	PASS	3
LEAD	0.02	ppm	ND	PASS	0.5
Analyzed by: Weight: Extr	action date:		Extrac	ted by:	

06/07/23 10:18:15

Analysis Method: SOP.T.30.082.FL, SOP.T.40.082.FL

0.2136g

Analytical Batch: DA061088HEA Instrument Used : DA-ICPMS-003 Analyzed Date: 06/07/23 14:34:33 Reviewed On: 06/08/23 10:35:44 Batch Date: 06/07/23 08:43:04

Batch Date: 06/07/23 09:02:40

Dilution: 50

1022, 585, 4044

Reagent: 050923.R24; 042623.R82; 060223.R34; 053123.R03; 060223.R32; 060223.R33; 052523.R15; 050923.01; 051823.R28

Consumables: 179436; 210508058 Pipette: DA-061; DA-191; DA-216

Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.



Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA Testing 97164





Kaycha Labs

Miami Vibes Drops 11.25g Miami Vibes

Matrix : Derivative

usable products)

Type: Products for oral administration (pills, capsules, tinctures, and similar



PASSED

Certificate of Analysis

82 NE 26th street Miami, FL, 33137, US Telephone: (305) 900-6266 Email: Taylor.lones@getfluent.com Sample : DA30607003-006 Harvest/Lot ID: 0444 8387 7026 0425

Batch#: 0444 8387 7026

Sampled: 06/06/23 Ordered: 06/06/23

Sample Size Received: 67.5 gram Total Amount: 1372 units

Completed: 06/09/23 Expires: 06/09/24 Sample Method: SOP.T.20.010

Page 6 of 6



Filth/Foreign **Material**

PASSED

Reviewed On: 06/07/23 22:48:04

Analyte LOD Units Result **Action Level** Filth and Foreign Material ND PASS 0.1 %

Analyzed by: 1879, 4044 Weight: Extracted by: NA N/A N/A

Analysis Method: SOP.T.40.090

Analytical Batch : DA061117FIL
Instrument Used : Filth/Foreign Material Microscope

Batch Date: 06/07/23 11:13:38 Analyzed Date: 06/07/23 11:34:26

Dilution: N/A

Reagent: N/A Pipette: N/A

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.



Water Activity

PASSED

Reviewed On: 06/07/23 16:28:28

Batch Date: 06/07/23 08:51:55

Analyte	LOD	Units	Result	P/F	Action Leve
Water Activity	0.01	aw	0.39	TESTED	

Extraction date: 06/07/23 11:06:27 Analyzed by: 2926, 585, 4044 Extracted by: 2926

Analysis Method: SOP.T.40.019 Analytical Batch: DA061091WAT

Instrument Used : DA-028 Rotronic Hygropalm Analyzed Date: 06/07/23 10:59:54

Dilution: N/A Reagent: 050923.03 Consumables : PS-14 Pipette: N/A

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Jorge Segredo

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA Testing 97164

