

Certificate of Analysis

DAVIE, FL, 33314, US (954) 368-7664

Kaycha Labs

Primus Cartridge Concentrate (1:3) 0.5g Primus



Matrix: Derivative Type: Distillate

Sample:DA30610006-005 Harvest/Lot ID: 4671 5748 5516 7557 Batch#: 4671 5748 5516 7557


Batch#: 4671 5748 5516 7557 Cultivation Facility: Tampa Cultivation Processing Facility : Tampa Processing Source Facility : Tampa Cultivation Seed to Sale# 1335 2408 5047 4998 Batch Date: 04/20/23 Sample Size Received: 15.5 gram Total Amount: 1511 units Retail Product Size: 0.5 gram Ordered: 06/10/23 Sampled: 06/10/23 Completed: 06/13/23 Sampling Method: SOP.T.20.010

Jun 13, 2023 | FLUENT

COMPLIANCE FOR RETAIL

82 NE 26th street Miami, FL, 33137, US

PASSED



This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Jorge Segredo

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164





Primus Cartridge Concentrate (1:3) 0.5g Primus Matrix : Derivative



PASSED

TESTED

4131 SW 47th AVENUE SUITE 1408 DAVIE, FL, 33314, US (954) 368-7664

Certificate of Analysis

FLUENT

82 NE 26th street Miami, FL, 33137, US Telephone: (305) 900-6266 Email: Taylor.Jones@getfluent.com Sample : DA30610006-005 Harvest/Lot ID: 4671 5748 5516 7557 Batch# : 4671 5748 5516 Sample

7557 Sampled : 06/10/23 Ordered : 06/10/23 16 7557 Sample Size Received : 15.5 gram Total Amount : 1511 units Completed : 06/13/23 Expires: 06/13/24 Sample Method : SOP.T.20.010

Page 2 of 6

Type: Distillate



Terpenes

Terpenes	LOD (%)	mg/unit	: % Result (%)	Terpenes LOD mg/unit % Result (%) (%)
OTAL TERPENES	0.007	12.02	2.404	FARNESENE 0.13 0.026
OTAL TERPINEOL	0.007	< 0.1	<0.02	ALPHA-HUMULENE 0.007 0.44 0.088
LPHA-BISABOLOL	0.007	0.13	0.026	VALENCENE 0.007 ND ND
LPHA-PINENE	0.007	0.355	0.071	CIS-NEROLIDOL 0.007 ND ND
AMPHENE	0.007	0.11	0.022	TRANS-NEROLIDOL 0.007 ND ND
ABINENE	0.007	ND	ND	CARYOPHYLLENE OXIDE 0.007 <0.1 <0.02
ETA-PINENE	0.007	0.49	0.098	GUAIOL 0.007 ND ND
ETA-MYRCENE	0.007	2.58	0.516	CEDROL 0.007 ND ND
LPHA-PHELLANDRENE	0.007	< 0.1	<0.02	Analyzed by: Weight: Extraction date: Extracted
-CARENE	0.007	< 0.1	<0.02	2076, 585, 4044 1.0388g 06/11/23 10:56:56 1879
LPHA-TERPINENE	0.007	ND	ND	Analysis Method : SOP.T.30.061A.FL, SOP.T.40.061A.FL
IMONENE	0.007	4.2	0.84	Analytical Batch : DA061245TER Reviewed On : 06/13/23 16:50:15 Instrument Used : DA-GCMS-004 Batch Date : 06/10/23 10:42:11
JCALYPTOL	0.007	< 0.1	<0.02	Analyzed Date: 06/13/23 09:24:29
CIMENE	0.007	<0.1	<0.02	Dilution : 10
AMMA-TERPINENE	0.007	ND	ND	Reagent : 121622.27
ABINENE HYDRATE	0.007	ND	ND	Consumables : 210414634; MKCN9995; CE0123; R1KB14270
ERPINOLENE	0.007	0.51	0.102	Pipette : N/A
INCHONE	0.007	ND	ND	Terpenoid testing is performed utilizing Gas Chromatography Mass Spectrometry. For all Flower samples, the Total Terpenes % is dry-weight co
NALOOL	0.007	1.045	0.209	
NCHYL ALCOHOL	0.007	0.23	0.046	
OPULEGOL	0.007	ND	ND	
AMPHOR	0.007	ND	ND	T T T T T T T T T T T T T T T T T T T
SOBORNEOL	0.007	ND	ND	
ORNEOL	0.013	< 0.2	<0.04	
IEXAHYDROTHYMOL	0.007	ND	ND	
IEROL	0.007	ND	ND	
EKUL	0.007	ND	ND	
		ND	ND	
ULEGONE	0.007			
ULEGONE GERANIOL	0.007	ND	ND	
VULEGONE SERANIOL SERANYL ACETATE ALPHA-CEDRENE			ND ND	

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Jorge Segredo

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164





Primus Cartridge Concentrate (1:3) 0.5g Primus Matrix : Derivative



PASSED

Page 3 of 6

Type: Distillate

4131 SW 47th AVENUE SUITE 1408 DAVIE, FL, 33314, US (954) 368-7664

Certificate of Analysis

FLUENT

R S

82 NE 26th street Miami, FL, 33137, US Telephone: (305) 900-6266 Email: Tavlor.lones@getfluent.com Sample : DA30610006-005 Harvest/Lot ID: 4671 5748 5516 7557 Batch# : 4671 5748 5516 Sample 7557 Tatel 4

Sampled : 06/10/23 Ordered : 06/10/23 Sample Size Received : 15.5 gram Total Amount : 1511 units Completed : 06/13/23 Expires: 06/13/24 Sample Method : SOP.T.20.010

Pesticides

Pesticide	LOD	Units	Action Level	Pass/Fail		Pestici
TOTAL CONTAMINANT LOAD (PESTICIDES)	0.01	ppm	5	PASS	ND	OXAMY
TOTAL DIMETHOMORPH	0.01	ppm	0.2	PASS	ND	PACLO
TOTAL PERMETHRIN	0.01	ppm	0.1	PASS	ND	PHOSM
TOTAL PYRETHRINS	0.01	ppm	0.5	PASS	ND	PIPERO
TOTAL SPINETORAM	0.01	ppm	0.2	PASS	ND	PRALLE
TOTAL SPINOSAD	0.01	ppm	0.1	PASS	ND	
ABAMECTIN B1A	0.01	ppm	0.1	PASS	ND	PROPIC
CEPHATE	0.01	ppm	0.1	PASS	ND	PROPO
CEQUINOCYL	0.01	ppm	0.1	PASS	ND	PYRIDA
CETAMIPRID	0.01	ppm	0.1	PASS	ND	SPIRON
LDICARB	0.01	ppm	0.1	PASS	ND	SPIROT
ZOXYSTROBIN	0.01	ppm	0.1	PASS	ND	SPIROX
BIFENAZATE	0.01	ppm	0.1	PASS	ND	TEBUCO
IFENTHRIN	0.01	ppm	0.1	PASS	ND	THIACL
OSCALID	0.01	ppm	0.1	PASS	ND	THIAM
CARBARYL	0.01	ppm	0.5	PASS	ND	
CARBOFURAN	0.01	ppm	0.1	PASS	ND	TRIFLO
HLORANTRANILIPROLE	0.01	ppm	1	PASS	ND	PENTA
CHLORMEQUAT CHLORIDE	0.01	ppm	1	PASS	ND	PARATI
CHLORPYRIFOS	0.01	ppm	0.1	PASS	ND	CAPTAI
LOFENTEZINE	0.01	ppm	0.2	PASS	ND	CHLOR
OUMAPHOS	0.01	ppm	0.1	PASS	ND	CHLOR
AMINOZIDE	0.01	ppm	0.1	PASS	ND	CYFLUT
DIAZINON	0.01	ppm	0.1	PASS	ND	CYPERI
ICHLORVOS	0.01	ppm	0.1	PASS	ND	
IMETHOATE	0.01	ppm	0.1	PASS	ND	Analyze 3379, 5
THOPROPHOS	0.01	ppm	0.1	PASS	ND	Analysi
TOFENPROX	0.01	ppm	0.1	PASS	ND	SOP.T.4
TOXAZOLE	0.01	ppm	0.1	PASS	ND	Analyti
ENHEXAMID	0.01	ppm	0.1	PASS	ND	Instrum
ENOXYCARB	0.01	ppm	0.1	PASS	ND	Analyze
ENPYROXIMATE	0.01	ppm	0.1	PASS	ND	Dilution
IPRONIL	0.01	ppm	0.1	PASS	ND	Reagen
LONICAMID	0.01	ppm	0.1	PASS	ND	Consun Pipette
LUDIOXONIL	0.01	ppm	0.1	PASS	ND	
IEXYTHIAZOX	0.01	ppm	0.1	PASS	ND	Testing Spectro
MAZALIL	0.01	ppm	0.1	PASS	ND	Analyze
MIDACLOPRID	0.01	ppm	0.4	PASS	ND	450, 58
KRESOXIM-METHYL	0.01	ppm	0.1	PASS	ND	Analysi
MALATHION	0.01	ppm	0.2	PASS	ND	Analyti
ALATHION METALAXYL	0.01	ppm	0.1	PASS	ND	Instrum
METHIOCARB	0.01	ppm	0.1	PASS	ND	Analyze
AETHOCARD	0.01	ppm	0.1	PASS	ND	Dilution
AEVINPHOS	0.01	ppm	0.1	PASS	ND	Reagen Consun
ACLOBUTANIL	0.01	ppm	0.1	PASS	ND	Pipette
VALED	0.01	ppm	0.1	PASS	ND	Testing
NALED	0.01	hhiii	0.25	- A33	ND	in accord

Pesticide		LOD	Units	Action Level	Pass/Fail	Result	
OXAMYL		0.01	ppm	0.5	PASS	ND	
PACLOBUTRAZOL		0.01	ppm	0.1	PASS	ND	
PHOSMET		0.01	ppm	0.1	PASS	ND	
PIPERONYL BUTOXIDE		0.01	ppm	3	PASS	ND	
PRALLETHRIN		0.01	ppm	0.1	PASS	ND	
PROPICONAZOLE		0.01	ppm	0.1	PASS	ND	
PROPOXUR		0.01	ppm	0.1	PASS	ND	
PYRIDABEN		0.01	ppm	0.2	PASS	ND	
SPIROMESIFEN		0.01	ppm	0.1	PASS	ND	
SPIROTETRAMAT		0.01	ppm	0.1	PASS	ND	
PIROXAMINE		0.01	ppm	0.1	PASS	ND	
TEBUCONAZOLE		0.01	ppm	0.1	PASS	ND	
THIACLOPRID		0.01	ppm	0.1	PASS	ND	
THIAMETHOXAM		0.01	ppm	0.5	PASS	ND	
RIFLOXYSTROBIN		0.01	ppm	0.1	PASS	ND	
PENTACHLORONITROBE	NZENE (PCNB) *	0.01	PPM	0.15	PASS	ND	
PARATHION-METHYL *		0.01	PPM	0.1	PASS	ND	
CAPTAN *		0.07	PPM	0.7	PASS	ND	
CHLORDANE *		0.01	PPM	0.1	PASS	ND	
CHLORFENAPYR *		0.01	PPM	0.1	PASS	ND	
CYFLUTHRIN *		0.05	PPM	0.5	PASS	ND	
CYPERMETHRIN *		0.05	PPM	0.5	PASS	ND	
Analyzed by:	Weight:		tion date:		Extracted	d by:	
3379, 585, 4044	0.2304g		23 14:28:4		4056		
Analysis Method : SOP.T SOP.T.40.102.FL (Davie) Analytical Batch : DA061 Instrument Used : DA-LC Analyzed Date : 06/12/2	253PES CMS-003 (PES)	/IIIe), SOP.I	Reviewed	d On : 06/13/2 t e : 06/11/23	3 10:58:23	Gainesville,	
Dilution : 250 Reagent : 060523.R09; (Consumables : 6697075 Pipette : DA-093; DA-094	-02 4; DA-219						
Testing for agricultural age Spectrometry in accordance			I Chromato	graphy Triple-	Quadrupole Ma	SS	
Analyzed by: 150, 585, 4044	Weight: 0.2304g		Extraction date: 06/11/23 14:28:45			Extracted by: 4056	
Analysis Method :SOP.T Analytical Batch :DA061 Instrument Used :DA-Go Analyzed Date :N/A	L254VOL	R	eviewed O	L (Davie), SO n :06/13/23 1 :06/11/23 11:	.0:57:10		
Dilution : 250 Reagent : 060523.R09; (Consumables : 6697075 Pipette : DA-080; DA-14	-02; 14725401	.R43; 05182	23.R44				
Testing for agricultural ag	ents is performed uti	ilizing Gas (hromatogra	anhy Triple Ou	adrupala Macc	Enoctromo	

n accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Jorge Segredo

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164



Signature 06/13/23

PASSED



Primus Cartridge Concentrate (1:3) 0.5g Primus Matrix : Derivative



PASSED

PASSED

4131 SW 47th AVENUE SUITE 1408 DAVIE, FL, 33314, US (954) 368-7664

Certificate of Analysis

Ordered : 06/10/23

FLUENT

82 NE 26th street Miami, FL, 33137, US Telephone: (305) 900-6266 Email: Taylor.Jones@getfluent.com Sample : DA30610006-005 Harvest/Lot ID: 4671 5748 5516 7557 Batch# : 4671 5748 5516 7557 Sampled : 06/10/23 Complet

516 7557 Sample Size Received : 15.5 gram Total Amount : 1511 units Completed : 06/13/23 Expires: 06/13/24 Sample Method : SOP.T.20.010

Page 4 of 6

Type: Distillate



Residual Solvents

Solvents		LOD	Units	Action Level	Pass/Fail	Result
I,1-DICHLOROETHENE		0.8	ppm	8	PASS	ND
,2-DICHLOROETHANE		0.2	ppm	2	PASS	ND
2-PROPANOL		50	ppm	500	PASS	ND
ACETONE		75	ppm	750	PASS	ND
CETONITRILE		6	ppm	60	PASS	ND
ENZENE		0.1	ppm	1	PASS	ND
UTANES (N-BUTANE)		500	ppm	5000	PASS	ND
HLOROFORM		0.2	ppm	2	PASS	ND
ICHLOROMETHANE		12.5	ppm	125	PASS	ND
THANOL		500	ppm	5000	PASS	ND
THYL ACETATE		40	ppm	400	PASS	ND
THYL ETHER		50	ppm	500	PASS	ND
THYLENE OXIDE		0.5	ppm	5	PASS	ND
EPTANE		500	ppm	5000	PASS	ND
IETHANOL		25	ppm	250	PASS	ND
HEXANE		25	ppm	250	PASS	ND
ENTANES (N-PENTANE)		75	ppm	750	PASS	ND
ROPANE		500	ppm	5000	PASS	ND
DLUENE		15	ppm	150	PASS	ND
OTAL XYLENES		15	ppm	150	PASS	ND
RICHLOROETHYLENE		2.5	ppm	25	PASS	ND
nalyzed by: 50, 585, 4044	Weight: 0.029g		Extraction date: 06/13/23 07:05:	41		extracted by: 150
nalysis Method : SOP.T.40.041.FL nalytical Batch : DA061279SOL nstrument Used : DA-GCMS-002 nalyzed Date : 06/13/23 07:33:37				ved On : 06/13/23 10:19:31 Date : 06/12/23 16:06:04	VИ	JUV
vilution:1 leagent:N/A ionsumables:N/A vipette:N/A				TH	\mathcal{N}	$\langle \mathcal{N} \rangle$

Residual solvents analysis is performed utilizing Gas Chromatography Mass Spectrometry in accordance with with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Jorge Segredo

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164





Primus Cartridge Concentrate (1:3) 0.5g Primus Matrix : Derivative



PASSED

4131 SW 47th AVENUE SUITE 1408 DAVIE, FL, 33314, US (954) 368-7664

Microbial

Certificate of Analysis

FLUENT

P

82 NE 26th street Miami, FL, 33137, US Telephone: (305) 900-6266 Email: Taylor.Jones@getfluent.com Sample : DA30610006-005 Harvest/Lot ID: 4671 5748 5516 7557 Batch#: 4671 5748 5516

Sampled : 06/10/23 Ordered : 06/10/23 Sample Size Received : 15.5 gram Total Amount : 1511 units Completed : 06/13/23 Expires: 06/13/24 Sample Method : SOP.T.20.010

980

Pac	je	5	of	(

Type: Distillate

of 6					
	ч	4	2	2	

\sim							
Analyte	$\langle \rangle$	LOD	Units	Result	Pass / Fail	Action Level	
ECOLI SHIGELLA	ECOLI SHIGELLA			Not Present	PASS		
SALMONELLA S	PECIFIC GENE			Not Present	PASS		
ASPERGILLUS F	LAVUS			Not Present	PASS		
ASPERGILLUS F	UMIGATUS			Not Present	PASS		
ASPERGILLUS T	ASPERGILLUS TERREUS			Not Present	PASS		
ASPERGILLUS N	IIGER			Not Present	PASS		
TOTAL YEAST AND MOLD		10	CFU/g	<10	PASS	100000	
Analyzed by: 3390, 585, 4044	Weight: 1.111g		action date: 1/23 10:44:18	Extracted by: 18 3702			
Analytical Batch :				Review 22:26:			
Biosystems Thern	PathogenDx Scar nocycler DA-010,fi nd Isotemp Heat B ck DA-021	sherbrand I	sotemp Heat	Block 09:33:	Date : 06/1 33	.1/23	
Analyzed Date : 0							
Dilution : N/A Reagent : 032123 Consumables : 75 Pipette : N/A	.05; 052323.R22; 62002070	020823.16;	092122.09				

Analysis Method : SOP.T.40.208 (Gainesville), SC Analytical Batch : DA061251TYM Instrument Used : Incubator (25-27C) DA-096 Analyzed Date : 06/12/23 13:55:57	DP.T.40.209.FL Reviewed On : 06/13/23 15:07:25 Batch Date : 06/11/23 09:34:32
Dilution : 10 Reagent : 032123.05; 060723.R45 Consumables : N/A Pipette : N/A	
Total yeast and mold testing is performed utilizing MPI accordance with F.S. Rule 64ER20-39.	N and traditional culture based techniques in

Pass / Actio	on Analyte el		LOD	Units	Result	Pass / Fail	Action Level		
PASS	AFLATOXIN B2		0.002	ppm	ND	PASS	0.02		
PASS	AFLATOXIN B1		0.002	ppm	ND	PASS	0.02		
PASS	OCHRATOXIN A		0.002	ppm	ND	PASS	0.02		
PASS	AFLATOXIN G1		0.002	ppm	ND	PASS	0.02		
PASS	AFLATOXIN G2		0.002	ppm	ND	PASS	0.02		
PASS PASS 100000	Analyzed by: 00 3379, 585, 4044					Extracted by: 4056			
Extracted by: 3702 ed On : 06/13/23	Analysis Method : SOF SOP.T.30.102.FL (Dav Analytical Batch : DAO Instrument Used : N/A Analyzed Date : 06/12	ie), SOP.T.40.102 61255MYC	.FL (Davie) Review	ved On : 0	6/13/23 10 11/23 11:2	0:26:20			
Date:06/11/23	Dilution : 250 Reagent : 060523.R09 060723.R17 Consumables : 66970 Pipette : DA-093; DA-1	75-02	0523.R07; 06062	3.R01; 06	0223.R18;	060523.	R26;		
	Mucotoxing testing utiliz	ring Liquid Chromat	ography with Triple	-Quadrupo	le Mass Spe	ctrometry	in		

Hg Heavy Metals

Metal		LOD	Units	Result	Pass / Fail	Action Level
TOTAL CONTAMINAN	T LOAD METALS	0.08	ppm	ND	PASS	1.1
ARSENIC		0.02	ppm	ND	PASS	0.2
CADMIUM		0.02	ppm	ND	PASS	0.2
MERCURY		0.02	ppm	ND	PASS	0.2
LEAD		0.02	ppm	ND	PASS	0.5
Analyzed by: 1022, 585, 4044	Weight: 0.2416g	Extraction da 06/12/23 07			Extracted 3619	l by:
Analysis Method : SOP.T Analytical Batch : DA061 Instrument Used : DA-IC Analyzed Date : 06/12/2.	242HEA PMS-003	Review	ed On : 06 ()ate : 06/1			

Reagent: 050923.R24; 042623.R82; 060923.R13; 060823.R04; 060923.R11; 060923.R12; 052523.R15; 050923.01; 051823.R28 Consumables: 179436; 15021042; 210508058

Pipette : DA-061; DA-191; DA-216

Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Jorge Segredo Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164





Primus Cartridge Concentrate (1:3) 0.5g Primus Matrix : Derivative



4131 SW 47th AVENUE SUITE 1408 DAVIE, FL, 33314, US (954) 368-7664

Certificate of Analysis

Ordered : 06/10/23

FLUENT

Dilution : N/A Reagent : N/A Consumables : N/A Pipette : N/A

82 NE 26th street Miami, FL, 33137, US Telephone: (305) 900-6266 Email: Taylor.lones@getfluent.com Sample : DA30610006-005 Harvest/Lot ID: 4671 5748 5516 7557 Batch#: 4671 5748 5516 Sampled : 06/10/23

Sample Size Received : 15.5 gram Total Amount : 1511 units Completed : 06/13/23 Expires: 06/13/24 Sample Method : SOP.T.20.010

Filth/Foreign PASSED Material Analyte LOD Units Result P/F **Action Level** Filth and Foreign Material ND PASS 0.1 % 1 Analyzed by: 1879, 4044 Weight: Extraction date: Extracted by: NA N/A N/A Analysis Method : SOP.T.40.090 Analytical Batch : DA061265FIL Instrument Used : Filth/Foreign Material Microscope Reviewed On : 06/11/23 22:41:42 Batch Date : 06/11/23 22:12:27 Analyzed Date : 06/11/23 22:14:51

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.



Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Jorge Segredo Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA Testing 97164



Signature 06/13/23

PASSED

Page 6 of 6

Type: Distillate