



Certificate of Analysis

COMPLIANCE FOR RETAIL

Sample: DA30525002-006
Harvest/Lot ID: ID-CAC-050123-A108
Batch#: 6595 7490 5817 0312
Cultivation Facility: Tampa Cultivation
Processing Facility: Tampa Processing
Source Facility: Tampa Cultivation
Seed to Sale#: 8134 4921 5939 2813
Batch Date: 04/27/23
Sample Size Received: 91 gram
Total Amount: 6940 units
Retail Product Size: 3.5 gram
Ordered: 05/24/23
Sampled: 05/24/23
Completed: 05/27/23
Sampling Method: SOP.T.20.010

May 27, 2023 | FLUENT

82 NE 26th street
Miami, FL, 33137, US



PASSED

Pages 1 of 5

PRODUCT IMAGE



SAFETY RESULTS



Pesticides
PASSED



Heavy Metals
PASSED



Microbials
PASSED



Mycotoxins
PASSED



Residuals Solvents
NOT TESTED



Filtration
PASSED



Water Activity
PASSED



Moisture
PASSED



Terpenes
TESTED

MISC.



Cannabinoid

PASSED



Total THC
24.799%
Dry Weight



Total CBD
0.047%
Dry Weight



Total Cannabinoids
29.592%
Dry Weight

	D9-THC	THCA	CBD	CBDA	D8-THC	CBG	CBGA	CBN	THCV	CBDV	CBC	TOTAL CBD (DRY)	TOTAL THC (DRY)	TOTAL CANNABINOIDS (DRY)
%	0.308	24.983	ND	0.05	<0.01	0.078	1.021	<0.01	ND	ND	0.072	0.047	24.799	29.592
mg/unit	10.78	874.405	ND	1.75	<0.35	2.73	35.735	<0.35	ND	ND	2.52	1.645	867.965	1035.72
LOD	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001
%														

Total THC
22.218%
777.63 mg /Container

Total CBD
0.043%
1.505 mg /Container

As Received

Analyzed by:
3112, 585, 4044

Weight:
0.186g

Extraction date:
05/25/23 10:16:13

Extracted by:
3335,3112

Analysis Method : SOP.T.40.031, SOP.T.30.031

Analytical Batch : DA060622POT

Instrument Used : DA-LC-002 (Flower)

Analyzed Date : 05/25/23 10:23:26

Reviewed On : 05/26/23 14:28:00

Batch Date : 05/25/23 09:14:07

Dilution : 400

Reagent : 052323.R04; 032123.11; 052323.R01

Consumables : 250346; CE0123; 61633-125C6-125E; R1KB14270

Pipette : DA-079; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Jorge Segredo

Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164



Signature
05/27/23



Certificate of Analysis

PASSED

FLUENT

 82 NE 26th street
 Miami, FL, 33137, US
 Telephone: (305) 900-6266
 Email: Taylor.Jones@getfluent.com

Sample : DA30525002-006

Harvest/Lot ID: ID-CAC-050123-A108

 Batch# : 6595 7490 5817
 0312

Sampled : 05/24/23

Ordered : 05/24/23

Sample Size Received : 91 gram

Total Amount : 6940 units

Completed : 05/27/23 Expires: 05/27/24

Sample Method : SOP.T.20.010

Page 2 of 5



Certificate of Analysis

PASSED

FLUENT

 82 NE 26th street
 Miami, FL, 33137, US
 Telephone: (305) 900-6266
 Email: Taylor.Jones@getfluent.com

Sample : DA30525002-006

Harvest/Lot ID: ID-CAC-050123-A108

 Batch# : 6595 7490 5817
 0312

Sampled : 05/24/23

Ordered : 05/24/23

Sample Size Received : 91 gram

Total Amount : 6940 units

Completed : 05/27/23 Expires: 05/27/24

Sample Method : SOP.T.20.010

Page 3 of 5



Pesticides

PASSED

Pesticide	LOD	Units	Action Level	Pass/Fail	Result	Pesticide	LOD	Units	Action Level	Pass/Fail	Result
TOTAL CONTAMINANT LOAD (PESTICIDES)	0.01	ppm	5	PASS	ND	OXAMYL	0.01	ppm	0.5	PASS	ND
TOTAL DIMETHOMORPH	0.01	ppm	0.2	PASS	ND	PACLOBUTRAZOL	0.01	ppm	0.1	PASS	ND
TOTAL PERMETHRIN	0.01	ppm	0.1	PASS	ND	PHOSMET	0.01	ppm	0.1	PASS	ND
TOTAL PYRETHRINS	0.01	ppm	0.5	PASS	ND	PIPERONYL BUTOXIDE	0.01	ppm	3	PASS	ND
TOTAL SPINETORAM	0.01	ppm	0.2	PASS	ND	PRALLETHRIN	0.01	ppm	0.1	PASS	ND
TOTAL SPINOSAD	0.01	ppm	0.1	PASS	ND	PROPICONAZOLE	0.01	ppm	0.1	PASS	ND
ABAMECTIN B1A	0.01	ppm	0.1	PASS	ND	PROPOXUR	0.01	ppm	0.1	PASS	ND
ACEPHATE	0.01	ppm	0.1	PASS	ND	PYRIDABEN	0.01	ppm	0.2	PASS	ND
ACEQUINOCYL	0.01	ppm	0.1	PASS	ND	SPIROMESIFEN	0.01	ppm	0.1	PASS	ND
ACETAMIPRID	0.01	ppm	0.1	PASS	ND	SPIROTETRAMAT	0.01	ppm	0.1	PASS	ND
ALDICARB	0.01	ppm	0.1	PASS	ND	SPIROXAMINE	0.01	ppm	0.1	PASS	ND
AZOXYSTROBIN	0.01	ppm	0.1	PASS	ND	TEBUCONAZOLE	0.01	ppm	0.1	PASS	ND
BIFENAZATE	0.01	ppm	0.1	PASS	ND	THIACLOPRID	0.01	ppm	0.1	PASS	ND
BIFENTHRIN	0.01	ppm	0.1	PASS	ND	THIAMETHOXAM	0.01	ppm	0.5	PASS	ND
BOSCALID	0.01	ppm	0.1	PASS	ND	TRIFLOXYSTROBIN	0.01	ppm	0.1	PASS	ND
CARBARYL	0.01	ppm	0.5	PASS	ND	PENTACHLORONITROBENZENE (PCNB) *	0.01	PPM	0.15	PASS	ND
CARBOFURAN	0.01	ppm	0.1	PASS	ND	PARATHION-METHYL *	0.01	PPM	0.1	PASS	ND
CHLORANTRANILIPROLE	0.01	ppm	1	PASS	ND	CAPTAN *	0.07	PPM	0.7	PASS	ND
CHLORMEQUAT CHLORIDE	0.01	ppm	1	PASS	ND	CHLORDANE *	0.01	PPM	0.1	PASS	ND
CHLORPYRIFOS	0.01	ppm	0.1	PASS	ND	CHLORFENAPYR *	0.01	PPM	0.1	PASS	ND
CLOFENTHIZINE	0.01	ppm	0.2	PASS	ND	CYFLUTHRIN *	0.05	PPM	0.5	PASS	ND
COUMAPHOS	0.01	ppm	0.1	PASS	ND	CYPERMETHRIN *	0.05	PPM	0.5	PASS	ND
DAMINOZIDE	0.01	ppm	0.1	PASS	ND						
DIAZINON	0.01	ppm	0.1	PASS	ND	Analyzed by:	Weight:	Extraction date:	Extracted by:		
DICHLORVOS	0.01	ppm	0.1	PASS	ND	3379, 585, 4044	0.9009g	05/25/23 15:22:19	450,585		
DIMETHOATE	0.01	ppm	0.1	PASS	ND	Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.101.FL (Gainesville),					
ETHOPROPHOS	0.01	ppm	0.1	PASS	ND	SOP.T.40.102.FL (Davie)					
ETOFENPROX	0.01	ppm	0.1	PASS	ND	Instrument Batch : DA060637PES			Reviewed On : 05/26/23 13:57:48		
ETOXAZOLE	0.01	ppm	0.1	PASS	ND	Instrument Used : DA-LCMS-003 (PES)			Batch Date : 05/25/23 10:32:29		
FENHEXAMID	0.01	ppm	0.1	PASS	ND	Analyzed Date : N/A					
FENOXYCARB	0.01	ppm	0.1	PASS	ND	Dilution : 250					
FENPYROXIMATE	0.01	ppm	0.1	PASS	ND	Reagent : 052223.R02; 052423.R32; 052423.R03; 052423.R31; 042623.R45; 052423.R01; 040521.11					
FIPRONIL	0.01	ppm	0.1	PASS	ND	Consumables : 6697075-02					
FLONICAMID	0.01	ppm	0.1	PASS	ND	Pipette : DA-093; DA-094; DA-219					
FLUDIOXONIL	0.01	ppm	0.1	PASS	ND	Testing for agricultural agents is performed utilizing Liquid Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
HEXYTHIAZOX	0.01	ppm	0.1	PASS	ND	Analyzed by:	Weight:	Extraction date:	Extracted by:		
IMAZALIL	0.01	ppm	0.1	PASS	ND	450, 585, 4044	0.9009g	05/25/23 15:22:19	450,585		
IMIDACLOPRID	0.01	ppm	0.4	PASS	ND	Analysis Method : SOP.T.30.151.FL (Gainesville), SOP.T.30.151A.FL (Davie), SOP.T.40.151.FL					
KRESOXIM-METHYL	0.01	ppm	0.1	PASS	ND	Analytical Batch : DA060639VOL			Reviewed On : 05/26/23 13:55:36		
MALATHION	0.01	ppm	0.2	PASS	ND	Instrument Used : DA-GCMS-001			Batch Date : 05/25/23 10:34:31		
METALAXYL	0.01	ppm	0.1	PASS	ND	Analyzed Date : 05/25/23 15:37:38					
METHIOCARB	0.01	ppm	0.1	PASS	ND	Dilution : 250					
METHOMYL	0.01	ppm	0.1	PASS	ND	Reagent : 052423.R03; 040521.11; 051823.R43; 051823.R44					
MEVINPHOS	0.01	ppm	0.1	PASS	ND	Consumables : 6697075-02; 14725401					
MYCLOBUTANIL	0.01	ppm	0.1	PASS	ND	Pipette : DA-080; DA-146; DA-218					
NALED	0.01	ppm	0.25	PASS	ND	Testing for agricultural agents is performed utilizing Gas Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					



Certificate of Analysis

PASSED
FLUENT

 82 NE 26th street
 Miami, FL, 33137, US
 Telephone: (305) 900-6266
 Email: Taylor.Jones@getfluent.com

Sample : DA30525002-006

Harvest/Lot ID: ID-CAC-050123-A108

 Batch# : 6595 7490 5817
 0312

 Sampled : 05/24/23
 Ordered : 05/24/23


Sample Size Received : 91 gram


Total Amount : 6940 units


Completed : 05/27/23 Expires: 05/27/24

Sample Method : SOP.T.20.010

Page 4 of 5

	Microbial	PASSED				
Analyte	LOD	Units	Result	Pass / Fail	Action Level	
ECOLI SHIGELLA			Not Present	PASS		
SALMONELLA SPECIFIC GENE			Not Present	PASS		
ASPERGILLUS FLAVUS			Not Present	PASS		
ASPERGILLUS FUMIGATUS			Not Present	PASS		
ASPERGILLUS TERREUS			Not Present	PASS		
ASPERGILLUS NIGER			Not Present	PASS		
TOTAL YEAST AND MOLD	10	CFU/g	370	PASS	100000	
Analyzed by: 3336, 3390, 585, 4044	Weight: 0.8122g	Extraction date: 05/25/23 10:53:42	Extracted by: 3336	Reviewed On : 05/26/23 19:51:38 Batch Date : 05/25/23 09:18:25		
Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL Analytical Batch : DA060624MIC						
Instrument Used : PathogenDx Scanner DA-111, fisherbrand Isotemp Heat Block DA-020, fisherbrand Isotemp Heat Block DA-049, Fisher Scientific Isotemp Heat Block DA-021, APPLIED BIOSYSTEMS THERMOCYCLER DA-254 Analyzed Date : 05/25/23 10:57:01						
Dilution : N/A Reagent : 031523.07; 092122.03; 092122.09; 052323.R22 Consumables : 7562002089 Pipette : N/A						
Analyzed by: 3336, 3390, 585, 4044	Weight: 0.8122g	Extraction date: 05/25/23 10:53:42	Extracted by: 3336			
Analysis Method : SOP.T.40.208 (Gainesville), SOP.T.40.209.FL Analytical Batch : DA060640TYM Instrument Used : Incubator (25-27C) DA-096 Analyzed Date : 05/25/23 10:56:22 Reviewed On : 05/27/23 13:21:18 Batch Date : 05/25/23 10:55:19						
Dilution : 10 Reagent : 031523.07; 050923.R23 Consumables : 009110 Pipette : N/A						
Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.						

	Mycotoxins	PASSED				
Analyte	LOD	Units	Result	Pass / Fail	Action Level	
AFLATOXIN B2	0.002	ppm	ND	PASS	0.02	
AFLATOXIN B1	0.002	ppm	ND	PASS	0.02	
OCHRATOXIN A	0.002	ppm	ND	PASS	0.02	
AFLATOXIN G1	0.002	ppm	ND	PASS	0.02	
AFLATOXIN G2	0.002	ppm	ND	PASS	0.02	
Analyzed by: 3379, 585, 4044	Weight: 0.9009g	Extraction date: 05/25/23 15:22:19	Extracted by: 450,585			
Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.40.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.102.FL (Davie) Analytical Batch : DA060638MYC Instrument Used : N/A Analyzed Date : N/A Reviewed On : 05/26/23 14:00:04 Batch Date : 05/25/23 10:34:29						
Dilution : 250 Reagent : 052223.R02; 052423.R32; 052423.R03; 052423.R31; 042623.R45; 052423.R01; 040521.11 Consumables : 6697075-02 Pipette : DA-093; DA-094; DA-219						
Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.						

	Heavy Metals	PASSED				
Metal	LOD	Units	Result	Pass / Fail	Action Level	
TOTAL CONTAMINANT LOAD METALS	0.08	ppm	ND	PASS	1.1	
ARSENIC	0.02	ppm	ND	PASS	0.2	
CADMIUM	0.02	ppm	ND	PASS	0.2	
MERCURY	0.02	ppm	ND	PASS	0.2	
LEAD	0.02	ppm	ND	PASS	0.5	
Analyzed by: 1022, 585, 4044	Weight: 0.2378g	Extraction date: 05/25/23 09:24:44	Extracted by: 3807,1022			
Analysis Method : SOP.T.30.082.FL, SOP.T.40.082.FL Analytical Batch : DA060616HEA Instrument Used : DA-ICPMS-003 Analyzed Date : 05/25/23 16:27:51 Reviewed On : 05/26/23 14:01:30 Batch Date : 05/25/23 08:51:02						
Dilution : 50 Reagent : 050923.R24; 042623.R82; 051923.R19; 051923.R16; 051923.R17; 051923.R18; 050423.R32; 050923.01; 051823.R28 Consumables : 179436; 15021042; 210508058 Pipette : DA-061; DA-191; DA-216						
Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.						



Certificate of Analysis

PASSED
FLUENT

 82 NE 26th street
 Miami, FL, 33137, US
 Telephone: (305) 900-6266
 Email: Taylor.Jones@getfluent.com

Sample : DA30525002-006

Harvest/Lot ID: ID-CAC-050123-A108

 Batch# : 6595 7490 5817
 0312

Sampled : 05/24/23

Ordered : 05/24/23

Sample Size Received : 91 gram

Total Amount : 6940 units

Completed : 05/27/23 Expires: 05/27/24

Sample Method : SOP.T.20.010

Page 5 of 5


**Filth/Foreign
Material**
PASSED

Moisture
PASSED

Analyte	LOD	Units	Result	P/F	Action Level	Analyte	LOD	Units	Result	P/F	Action Level
Filth and Foreign Material	0.1	%	ND	PASS	1	Moisture Content	1	%	10.41	PASS	15
Analyzed by: 1879, 4044 Weight: NA Extraction date: N/A Analyzed Date : 05/25/23 12:56:37						Analyzed by: 2926, 585, 4044 Weight: 0.491g Extraction date: 05/25/23 11:07:29 Analyzed Date : 05/25/23 11:05:02					
Analysis Method : SOP.T.40.090 Analytical Batch : DA060633FIL Instrument Used : Filth/Foreign Material Microscope Reviewed On : 05/25/23 12:59:10 Batch Date : 05/25/23 10:12:27						Analysis Method : SOP.T.40.021 Analytical Batch : DA060629MOI Instrument Used : DA-003 Moisture Analyzer Reviewed On : 05/25/23 17:13:45 Batch Date : 05/25/23 09:47:08					
Dilution : N/A Reagent : N/A Consumables : N/A Pipette : N/A						Dilution : N/A Reagent : 101920.06; 020123.02 Consumables : PS-14 Pipette : DA-066					

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.

Moisture Content analysis utilizing loss-on-drying technology in accordance with F.S. Rule 64ER20-39.


Water Activity
PASSED

Analyte	LOD	Units	Result	P/F	Action Level
Water Activity	0.01	aw	0.503	PASS	0.65
Analyzed by: 2926, 585, 4044 Weight: 0.934g Extraction date: 05/25/23 10:42:43 Analyzed Date : 05/25/23 10:41:42					
Analysis Method : SOP.T.40.019 Analytical Batch : DA060628WAT Instrument Used : DA-028 Rotronic HygroPalm Reviewed On : 05/25/23 17:13:45 Batch Date : 05/25/23 09:45:17					
Dilution : N/A Reagent : 100522.09 Consumables : PS-14 Pipette : N/A					

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.

