

4131 SW 47th AVENUE SUITE 1408 DAVIE, FL, 33314, US (954) 368-7664

Certificate of Analysis

COMPLIANCE FOR RETAIL

Kaycha Labs

Miami Vibe Disposable Pen 0.3g Miami Vibes Matrix: Derivative Type: Distillate



PASSED

Sample:DA30526008-005 Harvest/Lot ID: 1685 2319 5835 6722 Batch#: 1685 2319 5835 6722 Cultivation Facility: Tampa Cultivation Processing Facility : Tampa Processing Source Facility : Tampa Cultivation Seed to Sale# 3034 9046 7150 5943 Batch Date: 03/09/23 Sample Size Received: 15.3 gram Total Amount: 1410 units Retail Product Size: 0.3 gram Ordered: 05/25/23 Sampled: 05/25/23 Completed: 05/30/23

May 30, 2023 | FLUENT

82 NE 26th street Miami, FL, 33137, US

Pages 1 of 6 PRODUCT IMAGE SAFETY RESULTS MISC. C Z Pesticides Heavy Metals Microbials **Mycotoxins Residuals Solvents** Filth Water Activity Moisture Terpenes PASSED PASSED PASSED TESTED PASSED PASSED PASSED PASSED PASSED Cannabinoid Total THC Total CBD **Total Cannabinoids** 92.409% 0.345% 6.9% Total THC/Container : 277.227 mg Total CBD/Container : 1.035 mg Total Cannabinoids/Container : 290.7 mg тнса CBD CBDA D8-THC CBGA CBN тнсу CBDV CBC D9-THO CBG 92.409 ND 0.345 ND 0.188 1.729 ND 0.73 0.521 ND 0.978 277.227 0.564 1.563 ND 1.035 ND 5.187 ND 2.19 ND 2.934 mg/unit 0.001 0.001 0.001 0.001 0.001 0.001 0.001 0.001 0.001 0.001 0.001 LOD % % % % % % % % % % % Analyzed by: 1665, 585, 1440 Weight: 0.1003g Extraction date Extracted by: 1665 05/26/23 15:20:49 Analysis Method : SOP.T.40.031, SOP.T.30.031 Analytical Batch : DA060688POT Instrument Used : DA-LC-007 Analyzed Date : 05/26/23 15:22:34 Reviewed On : 05/26/23 20:00:15 Batch Date : 05/26/23 13:31:01 Dilution: 400 Reagent : 052323.R05; 070621.18; 052323.R02 Consumables : 280670723; CE0123; 61633-125C6-125E; R1KB14270 Pipette : DA-079; DA-108; DA-078 Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Jorge Segredo

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164





..... Miami Vibe Disposable Pen 0.3g Miami Vibes Matrix : Derivative Type: Distillate



PASSED

TESTED

4131 SW 47th AVENUE SUITE 1408 DAVIE, FL, 33314, US (954) 368-7664

Certificate of Analysis

FLUENT

82 NE 26th street Miami, FL, 33137, US Telephone: (305) 900-6266 Email: Taylor.Jones@getfluent.com Sample : DA30526008-005 Harvest/Lot ID: 1685 2319 5835 6722 Batch# : 1685 2319 5835 6722

Sampled : 05/25/23 Ordered : 05/25/23

Sample Size Received : 15.3 gram Total Amount : 1410 units Completed : 05/30/23 Expires: 05/30/24 Sample Method : SOP.T.20.010

Page 2 of 6



Or Terpenes

Terpenes	LOD (%)	mg/unit	% Result (%)	Terpenes		LOD (%)	mg/unit	%	Result (%)
OTAL TERPENES	0.007	3.306	1.102	FARNESENE			ND	ND	
OTAL TERPINEOL	0.007	ND	ND	ALPHA-HUMULENE		0.007	0.081	0.027	
LPHA-BISABOLOL	0.007	< 0.06	<0.02	VALENCENE		0.007	< 0.06	< 0.02	
LPHA-PINENE	0.007	0.081	0.027	CIS-NEROLIDOL		0.007	ND	ND	
AMPHENE	0.007	ND	ND	TRANS-NEROLIDOL		0.007	ND	ND	
ABINENE	0.007	ND	ND	CARYOPHYLLENE OXIDE		0.007	ND	ND	
ETA-PINENE	0.007	0.09	0.03	GUAIOL		0.007	ND	ND	
ETA-MYRCENE	0.007	0.423	0.141	CEDROL		0.007	ND	ND	
LPHA-PHELLANDRENE	0.007	0.204	0.068	Analyzed by:	Weight:		Extraction d	ate:	Extracted by:
CARENE	0.007	< 0.06	<0.02	2076, 585, 1440	1.0601g		05/26/23 15	:37:11	2076
LPHA-TERPINENE	0.007	<0.06	<0.02	Analysis Method : SOP.T.30.061A.	FL, SOP.T.40.061A.FI				
MONENE	0.007	0.21	0.07	Analytical Batch : DA060682TER Instrument Used : DA-GCMS-005					5/30/23 10:11:50 26/23 12:52:14
CALYPTOL	0.007	ND	ND	Analyzed Date : 05/28/23 13:21:0	7		Batch	Date: 05/	20/23 12:52:14
CIMENE	0.007	0.354	0.118	Dilution : 10					
AMMA-TERPINENE	0.007	< 0.06	<0.02	Reagent : N/A					
BINENE HYDRATE	0.007	ND	ND	Consumables : 210414634; MKCN	19995; CE0123; R1KB	14270			
RPINOLENE	0.007	1.638	0.546	Pipette : N/A	-		A	_	
NCHONE	0.007	ND	ND	Terpenoid testing is performed utilizing	g Gas Chromatography	mass spec	trometry. For all	Flower samp	oles, the Total Terpenes % is dry-weight corrected.
ALOOL	0.007	<0.06	<0.02						
NCHYL ALCOHOL	0.007	<0.06	<0.02						
DPULEGOL	0.007	ND	ND						
AMPHOR	0.007	< 0.06	<0.02						
DBORNEOL	0.007	ND	ND						
DRNEOL	0.013	ND	ND						
EXAHYDROTHYMOL	0.007	< 0.06	<0.02						
EROL	0.007	ND	ND						
JLEGONE	0.007	ND	ND						
RANIOL	0.007	ND	ND						
	0.007	ND	ND						
ERANYL ACETATE									
ERANYL ACETATE LPHA-CEDRENE	0.007	ND	ND						

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Jorge Segredo Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164





Miami Vibe Disposable Pen 0.3g Miami Vibes Matrix : Derivative Type: Distillate



PASSED

PASSED

Page 3 of 6

Telephone: (305) 900-6266 Email: Taylor.Jones@getfluent.com

82 NE 26th street Miami, FL, 33137, US

FLUENT

R O

DAVIE, FL, 33314, US (954) 368-7664

Pesticides

Pesticide	LOD	Units	Action Level	Pass/Fail	Result	Pesticide
TOTAL CONTAMINANT LOAD (PESTICIDES)	0.01	ppm	5	PASS	ND	OXAMYL
TOTAL DIMETHOMORPH	0.01	ppm	0.2	PASS	ND	PACLOBUTRAZOL
TOTAL PERMETHRIN	0.01	ppm	0.1	PASS	ND	PHOSMET
TOTAL PYRETHRINS	0.01	ppm	0.5	PASS	ND	PIPERONYL BUTOXIDE
TOTAL SPINETORAM	0.01	ppm	0.2	PASS	ND	
TOTAL SPINOSAD	0.01	ppm	0.1	PASS	ND	PRALLETHRIN
ABAMECTIN B1A	0.01	ppm	0.1	PASS	ND	PROPICONAZOLE
ACEPHATE	0.01	ppm	0.1	PASS	ND	PROPOXUR
ACEQUINOCYL	0.01	ppm	0.1	PASS	ND	PYRIDABEN
ACETAMIPRID	0.01	ppm	0.1	PASS	ND	SPIROMESIFEN
ALDICARB	0.01	ppm	0.1	PASS	ND	SPIROTETRAMAT
AZOXYSTROBIN	0.01	ppm	0.1	PASS	ND	SPIROXAMINE
BIFENAZATE	0.01	ppm	0.1	PASS	ND	TEBUCONAZOLE
BIFENTHRIN	0.01	ppm	0.1	PASS	ND	THIACLOPRID
BOSCALID	0.01	ppm	0.1	PASS	ND	THIAMETHOXAM
CARBARYL	0.01	ppm	0.5	PASS	ND	
CARBOFURAN	0.01	ppm	0.1	PASS	ND	TRIFLOXYSTROBIN
CHLORANTRANILIPROLE	0.01	ppm	1	PASS	ND	PENTACHLORONITROBENZENE (F
CHLORMEQUAT CHLORIDE	0.01	ppm	1	PASS	ND	PARATHION-METHYL *
CHLORPYRIFOS	0.01	ppm	0.1	PASS	ND	CAPTAN *
CLOFENTEZINE	0.01	ppm	0.2	PASS	ND	CHLORDANE *
COUMAPHOS	0.01	ppm	0.1	PASS	ND	CHLORFENAPYR *
DAMINOZIDE	0.01	ppm	0.1	PASS	ND	CYFLUTHRIN *
DIAZINON	0.01	ppm	0.1	PASS	ND	CYPERMETHRIN *
DICHLORVOS	0.01	ppm	0.1	PASS	ND	Analyzed by: We
DIMETHOATE	0.01	ppm	0.1	PASS	ND	3379, 585, 1440 0.2
THOPROPHOS	0.01	ppm	0.1	PASS	ND	Analysis Method :SOP.T.30.101.Fl
TOFENPROX	0.01	ppm	0.1	PASS	ND	SOP.T.40.102.FL (Davie)
TOXAZOLE	0.01	ppm	0.1	PASS	ND	Analytical Batch : DA060670PES
ENHEXAMID	0.01	ppm	0.1	PASS	ND	Instrument Used : DA-LCMS-003 (F
ENOXYCARB	0.01	ppm	0.1	PASS	ND	Analyzed Date : N/A
ENPYROXIMATE	0.01	ppm	0.1	PASS	ND	Dilution : 250
IPRONIL	0.01	ppm	0.1	PASS	ND	Reagent : 052223.R02; 052423.R3 Consumables : 6697075-02
FLONICAMID	0.01	ppm	0.1	PASS	ND	Pipette : DA-093; DA-094; DA-219
FLUDIOXONIL	0.01	ppm	0.1	PASS	ND	Testing for agricultural agents is per
HEXYTHIAZOX	0.01	ppm	0.1	PASS	ND	Spectrometry in accordance with F.S
MAZALIL	0.01	ppm	0.1	PASS	ND	Analyzed by: Weig
MIDACLOPRID	0.01	ppm	0.4	PASS	ND	450, 585, 1440 0.27
KRESOXIM-METHYL	0.01	ppm	0.1	PASS	ND	Analysis Method : SOP.T.30.151.Fl
MALATHION	0.01	ppm	0.2	PASS	ND	Analytical Batch : DA060672VOL
METALAXYL	0.01	ppm	0.1	PASS	ND	Instrument Used :DA-GCMS-001 Analyzed Date :05/26/23 21:56:30
METHIOCARB	0.01	ppm	0.1	PASS	ND	Dilution : 250
METHOMYL	0.01	ppm	0.1	PASS	ND	Reagent : 052423.R03; 040521.11
MEVINPHOS	0.01	ppm	0.1	PASS	ND	Consumables : 6697075-02; 1472
MYCLOBUTANIL	0.01	ppm	0.1	PASS	ND	Pipette : DA-080; DA-146; DA-218
NALED	0.01	ppm	0.25	PASS	ND	Testing for agricultural agents is per in accordance with F.S. Rule 64ER20

Certificate of Analysis

6722

Sample : DA30526008-005 Harvest/Lot ID: 1685 2319 5835 6722

Batch# : 1685 2319 5835

Sampled : 05/25/23

Ordered : 05/25/23

Sample Size Received : 15.3 gram

Sample Method : SOP.T.20.010

Completed : 05/30/23 Expires: 05/30/24

Total Amount : 1410 units

Pesticide		LOD	Units	Action	Pass/Fail	Result
				Level		\sim
OXAMYL		0.01	ppm	0.5	PASS	ND
PACLOBUTRAZOL		0.01	ppm	0.1	PASS	ND
PHOSMET		0.01	ppm	0.1	PASS	ND
PIPERONYL BUTOXIDE		0.01	ppm	3	PASS	ND
PRALLETHRIN		0.01	ppm	0.1	PASS	ND
PROPICONAZOLE		0.01	ppm	0.1	PASS	ND
PROPOXUR		0.01	ppm	0.1	PASS	ND
PYRIDABEN		0.01	ppm	0.2	PASS	ND
SPIROMESIFEN		0.01	ppm	0.1	PASS	ND
SPIROTETRAMAT		0.01	ppm	0.1	PASS	ND
PIROXAMINE		0.01	ppm	0.1	PASS	ND
TEBUCONAZOLE		0.01	ppm	0.1	PASS	ND
THIACLOPRID		0.01	ppm	0.1	PASS	ND
HIAMETHOXAM		0.01	ppm	0.5	PASS	ND
RIFLOXYSTROBIN		0.01	ppm	0.1	PASS	ND
ENTACHLORONITRO	BENZENE (PCNB) *	0.01	PPM	0.15	PASS	ND
PARATHION-METHYL		0.01	PPM	0.1	PASS	ND
APTAN *		0.07	PPM	0.7	PASS	ND
CHLORDANE *		0.01	PPM	0.1	PASS	ND
HLORFENAPYR *		0.01	PPM	0.1	PASS	ND
YFLUTHRIN *		0.05	PPM	0.5	PASS	ND
YPERMETHRIN *		0.05	PPM	0.5	PASS	ND
nalyzed by: 379, 585, 1440	Weight: 0.2716g		Extraction date: Extra 05/26/23 17:06:21 4056			
Analysis Method : SOP SOP.T.40.102.FL (Davie Analytical Batch : DA0 nstrument Used : DA- Analyzed Date : N/A Dilution : 250 Reagent : 052223.R02 Consumables : 669707 Pipette : DA-093; DA-0	2) 60670PES LCMS-003 (PES) ; 052423.R32; 052423 75-02		Reviewed Batch Dat	l On :05/30/2 te :05/26/23	23 11:42:35 12:25:36	
Festing for agricultural a Spectrometry in accorda	ance with F.S. Rule 64EF	20-39.		raphy Triple-		
Analyzed by: 150, 585, 1440	Weight: 0.2716g	05/26/2	tion date: 3 17:06:21		Extracted 4056	l by:
Analysis Method :SOP Analytical Batch :DAO Instrument Used :DA- Analyzed Date :05/26/	60672VOL GCMS-001	R	eviewed Or	L (Davie), SO n :05/28/23 2 :05/26/23 12:	21:21:47	
Dilution : 250			23.R44			

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Jorge Segredo

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164





Miami Vibe Disposable Pen 0.3g Miami Vibes Matrix : Derivative Type: Distillate



PASSED

PASSED

Page 4 of 6

4131 SW 47th AVENUE SUITE 1408 DAVIE, FL, 33314, US (954) 368-7664

Certificate of Analysis

FLUENT

82 NE 26th street Miami, FL, 33137, US Telephone: (305) 900-6266 Email: Taylor.Jones@getfluent.com Sample : DA30526008-005 Harvest/Lot ID: 1685 2319 5835 6722 Batch# : 1685 2319 5835 6722 Sampled : 05/25/23 Ordered : 05/25/23

Sample Size Received : 15.3 gram Total Amount : 1410 units Completed : 05/30/23 Expires: 05/30/24 Sample Method : SOP.T.20.010



Residual Solvents

Solvents	LO	DD	Units	Action Level	Pass/Fail	Result
1,1-DICHLOROETHENE	0.8	8	ppm	8	PASS	ND
1,2-DICHLOROETHANE	0.2	2	ppm	2	PASS	ND
2-PROPANOL	50)	ppm	500	PASS	ND
ACETONE	75		ppm	750	PASS	ND
ACETONITRILE	6		ppm	60	PASS	ND
BENZENE	0.1	1	ppm	1	PASS	ND
BUTANES (N-BUTANE)	50	00	ppm	5000	PASS	ND
CHLOROFORM	0.2	2	ppm	2	PASS	ND
DICHLOROMETHANE	12	.5	ppm	125	PASS	ND
ETHANOL	50	00	ppm	5000	PASS	ND
ETHYL ACETATE	40		ppm	400	PASS	ND
ETHYL ETHER	50		ppm	500	PASS	ND
THYLENE OXIDE	0.5	5	ppm	5	PASS	ND
IEPTANE	50	00	ppm	5000	PASS	ND
METHANOL	25		ppm	250	PASS	ND
N-HEXANE	25		ppm	250	PASS	ND
PENTANES (N-PENTANE)	75	; /	ppm	750	PASS	ND
PROPANE	50	00	ppm	5000	PASS	ND
TOLUENE	15		ppm	150	PASS	ND
TOTAL XYLENES	15	5	ppm	150	PASS	ND
TRICHLOROETHYLENE	2.5	5	ppm	25	PASS	ND
Analyzed by: 850, 585, 1440	Weight: 0.0272g		Extraction date: 05/26/23 18:02:4	5	17 17 17	Extracted by: 850
Analysis Method : SOP.T.40.041.FL Analytical Batch : DA060722SOL nstrument Used : DA-GCMS-002 Analyzed Date : 05/28/23 07:42:55				ed On : 05/28/23 21:49:33 ate : 05/26/23 16:18:16		
Dilution : 1 Reagent : 030420.09 Consumables : R2017.167; G201.167 Pipette : DA-309 25uL Syringe 35028				DVV	X	$X X \wedge$

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Jorge Segredo Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164





Miami Vibe Disposable Pen 0.3g Miami Vibes Matrix : Derivative Type: Distillate



PASSED

4131 SW 47th AVENUE SUITE 1408 DAVIE, FL, 33314, US (954) 368-7664

Certificate of Analysis

FLUENT

82 NE 26th street Miami, FL, 33137, US Telephone: (305) 900-6266 Email: Taylor.Jones@getfluent.com Sample : DA30526008-005 Harvest/Lot ID: 1685 2319 5835 6722 Batch# : 1685 2319 5835 Sample 6722 Total Ar

Sampled : 05/25/23 Ordered : 05/25/23 Sample Size Received : 15.3 gram Total Amount : 1410 units Completed : 05/30/23 Expires: 05/30/24 Sample Method : SOP.T.20.010

Page	5	of	6
------	---	----	---

			_	\leq										44	
Ę	Micro	bial				PAS	SED	ۍ¢	Му	cotox	ins			PAS	SED
Analyte			OD	Units	Result	Pass /	Action	Analyte		×-	LOD	Units	Result		Action
ECOLI SHIGE					Not Present	Fail PASS	Level	AFLATOXIN E	2		0.002	ppm	ND	Fail PASS	Level 0.02
	A SPECIFIC GEN				Not Present	PASS		AFLATOXIN E			0.002	ppm	ND	PASS	0.02
ASPERGILLU					Not Present	PASS		OCHRATOXIN			0.002	ppm	ND	PASS	0.02
	JS FUMIGATUS				Not Present	PASS		AFLATOXIN C			0.002	ppm	ND	PASS	0.02
	JS TERREUS				Not Present	PASS		AFLATOXIN C			0.002	ppm	ND	PASS	0.02
ASPERGILLU					Not Present	PASS		Analyzed by:		Weight:	Extraction d			Extracted	har
TOTAL YEAS	T AND MOLD		10	CFU/g	<10	PASS	100000	3379, 585, 144	0	0.2716g	05/26/23 17			4056	i by:
Analyzed by: 3336, 3390, 58	85, 1440	Weight: 1.1g		raction dat 26/23 15:3		Extracted 3621,333		SOP.T.30.102.F	L (Davie)	30.101.FL (Gair , SOP.T.40.102.I		.40.101.FI	_ (Gainesv	rille),	
	od : SOP.T.40.056 ch : DA060683MI		0.058.	FL, SOP.T.4		ved On : 05	5/28/23	Analytical Batc Instrument Use Analyzed Date	d:N/A	671MYC)5/30/23 1 /26/23 12:		
lsotemp Heat DA-049,Fisher BIOSYSTEMS 1	ed : PathogenDx Block DA-020,fisl Scientific Isotem THERMOCYCLER I : 05/26/23 16:09	herbrand Is np Heat Blo DA-254	otemp	Heat Block	Batch 13:06	Date : 05/2	26/23	Dilution : 250 Reagent : 0522 040521.11 Consumables : Pipette : DA-09	6697075-		2423.R03; 052	423.R31; ()42623.R4	15; 05242:	3.R01;
	523.08; 052323.I : 7562002089	R22; 09212	2.03; (92122.09				Mycotoxins testi accordance with		Liquid Chromato 54ER20-39.	graphy with Tripl	e-Quadrupo	ele Mass Sp	ectrometry	in
Analyzed by: 3336, 3390, 58	85, 1440	Weight: 1.1g		raction dat 26/23 15:3		Extracted 3621,333		[Hg]	He	avy Me	etals			PAS	SEC
	od : SOP.T.40.208		lle), SC			0/22 21 50	.02	Metal			LOD	Units	Result	Pass /	Action
	ch : DA060717TY ed : Incubator (2!		097		wed On : 05/2 Date : 05/26/									Fail	Level
	: 05/26/23 15:57								AMINAN	LOAD METAL		ppm	ND	PASS	1.1
Dilution: 10								ARSENIC			0.02	ppm	ND	PASS	0.2
Reagent : 031								CADMIUM			0.02	ppm	ND	PASS	0.2
	: 007109; 009110	D						MERCURY			0.02	ppm	ND	PASS	0.2 0.5
Pipette : N/A	mold testing is per	formed utiliz	ina MPN	and traditio	nal culture base	d techniques	in	LEAD	+	Wainht	0.02	ppm	ND		
	h F.S. Rule 64ER20-		ing Min			u technique.	2 111	Analyzed by: 1022, 585, 144	0	Weight: 0.2931g	Extraction da 05/26/23 14:			xtracted b 022,3619	y:
								Analysis Metho Analytical Batc Instrument Use Analyzed Date	h:DA060 d:DA-ICI	PMS-003	Review		/27/23 13 6/23 10:0		
								Dilution : 50 Reagent : 0509 052523.R15; 0 Consumables : Pipette : DA-06	50923.01 179436; 2	210508058	1923.R19; 051	923.R16; ()51923.R1	.7; 05192:	3.R18;
								Heavy Metals ar with F.S. Rule 64		erformed using Inc	luctively Coupled	Plasma Ma	ass Spectro	metry in ac	cordance

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Jorge Segredo

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164





Miami Vibe Disposable Pen 0.3g Miami Vibes Matrix : Derivative Type: Distillate



PASSED

4131 SW 47th AVENUE SUITE 1408 DAVIE, FL, 33314, US (954) 368-7664

Certificate of Analysis

Ordered : 05/25/23

FLUENT

Pipette : N/A

Analyte

Water Activity

Analyzed by: 2926, 585, 1440

Dilution : N/A Reagent : 100522.09 Consumables : PS-14 Pipette : N/A

Analysis Method : SOP.T.40.019

Analytical Batch : DA060695WAT Instrument Used : DA-028 Rotronic Hygropalm

Analyzed Date: 05/26/23 17:44:09

82 NE 26th street Miami, FL, 33137, US Telephone: (305) 900-6266 Email: Tavlor.lones@detfluent.com Sample : DA30526008-005 Harvest/Lot ID: 1685 2319 5835 6722 Batch# : 1685 2319 5835 6722 Sample Sampled : 05/25/23 Complex

PASSED

Action Level

0.85

Extracted by: 2926

9 5835 6722 Sample Size Received : 15.3 gram Total Amount : 1410 units Completed : 05/30/23 Expires: 05/30/24 Sample Method : 50P.T.20.010



Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.

Units

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.

Extraction date: 05/26/23 17:46:07

Result

0.471

P/F

PASS

Reviewed On: 05/26/23 19:15:05

Batch Date : 05/26/23 13:43:13

Water Activity

Weight: 0.443g LOD

0.01 aw

Page 6 of 6

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Jorge Segredo

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

