



Certificate of Analysis

COMPLIANCE FOR RETAIL

Sample: DA30527002-005

Harvest/Lot ID: HYB-EMO-050223-A108

Batch#: 4606 1365 2817 1161

Cultivation Facility: Tampa Cultivation

Processing Facility : Tampa Processing

Source Facility : Tampa Cultivation

Seed to Sale# 9591 2364 4823 3538

Batch Date: 04/26/23

Sample Size Received: 91 gram

Total Amount: 6936 units

Retail Product Size: 3.5 gram

Ordered: 05/27/23

Sampled: 05/27/23

Completed: 05/31/23

Sampling Method: SOP.T.20.010

May 31, 2023 | FLUENT

82 NE 26th street
Miami, FL, 33137, US



PASSED

Pages 1 of 5

PRODUCT IMAGE



SAFETY RESULTS



Pesticides
PASSED



Heavy Metals
PASSED



Microbials
PASSED



Mycotoxins
PASSED



Residuals Solvents
NOT TESTED



Filtration
PASSED



Water Activity
PASSED



Moisture
PASSED



Terpenes
TESTED

MISC.



Cannabinoid

PASSED



Total THC

23.687%

Dry Weight



Total CBD

0.06%

Dry Weight



Total Cannabinoids

27.961%

Dry Weight

	D9-THC	THCA	CBD	CBDA	D8-THC	CBG	CBGA	CBN	THCV	CBDV	CBC	TOTAL CBD (DRY)	TOTAL THC (DRY)	TOTAL CANNABINOIDS (DRY)
%	0.441	23.547	ND	0.062	0.018	0.069	0.707	<0.01	0.017	ND	0.036	0.06	23.687	27.961
mg/unit	15.435	824.145	ND	2.17	0.63	2.415	24.745	<0.35	0.595	ND	1.26	2.1	829.045	978.635
LOD	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001
%														

Total THC
21.091%
738.185 mg /Container

Total CBD
0.054%
1.89 mg /Container

As Received

Analyzed by:
1665, 3112, 585, 4044

Weight:
0.2015g

Extraction date:
05/30/23 08:46:10

Extracted by:
1665,3335

Analysis Method : SOP.T.40.031, SOP.T.30.031

Analytical Batch : DA060749POT

Instrument Used : DA-LC-002 (Flower)

Analyzed Date : 05/30/23 09:19:25

Reviewed On : 05/31/23 11:26:25

Batch Date : 05/29/23 07:34:40

Dilution : 400

Reagent : 052323.R04; 070121.27; 052323.R01

Consumables : 280670723; CE0123; 61633-125C6-125E; R1KB14270

Pipette : DA-079; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Jorge Segredo

Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164



Signature
05/31/23



Certificate of Analysis

PASSED

FLUENT

82 NE 26th street
Miami, FL, 33137, US
Telephone: (305) 900-6266
Email: Taylor.Jones@getfluent.com

Sample : DA30527002-005

Harvest/Lot ID: HYB-EMO-050223-A108

Batch# : 4606 1365 2817
1161

Sampled : 05/27/23
Ordered : 05/27/23

Sample Size Received : 91 gram

Total Amount : 6936 units

Completed : 05/31/23 Expires: 05/31/24

Sample Method : SOP.T.20.010

Page 2 of 5

Terpenes

TESTED

Terpenes	LOD (%)	mg/unit	%	Result (%)	Terpenes	LOD (%)	mg/unit	%	Result (%)
TOTAL TERPENES	0.007	36.575	1.045		FARNESENE		0.21	0.006	
TOTAL TERPINEOL	0.007	0.875	0.025		ALPHA-HUMULENE	0.007	1.995	0.057	
ALPHA-BISABOLOL	0.007	1.855	0.053		VALENCENE	0.007	ND	ND	
ALPHA-PINENE	0.007	0.875	0.025		CIS-NEROLIDOL	0.007	ND	ND	
CAMPHENE	0.007	<0.7	<0.02		TRANS-NEROLIDOL	0.007	ND	ND	
SABINENE	0.007	ND	ND		CARYOPHYLLENE OXIDE	0.007	<0.7	<0.02	
BETA-PINENE	0.007	1.155	0.033		GUAIOL	0.007	ND	ND	
BETA-MYRCENE	0.007	7.7	0.22		CEDROL	0.007	ND	ND	
ALPHA-PHELLANDRENE	0.007	ND	ND		<div>Analyzed by: 2076, 585, 4044Weight: 1.0078gExtraction date: 05/28/23 10:41:31Extracted by: 1879,2076</div>				
3-CARENE	0.007	ND	ND		<div>Analysis Method : SOP.T.30.061A.FL, SOP.T.40.061A.FLReviewed On : 05/31/23 11:26:27</div>				
ALPHA-TERPINENE	0.007	ND	ND		<div>Analytical Batch : DA060739TERBatch Date : 05/28/23 08:44:35</div>				
LIMONENE	0.007	7.98	0.228		<div>Instrument Used : DA-GCMS-005</div>				
EUCALYPTOL	0.007	ND	ND		<div>Analyzed Date : 05/30/23 11:09:52</div>				
OCIMENE	0.007	ND	ND		<div>Dilution : 10</div>				
GAMMA-TERPINENE	0.007	ND	ND		<div>Reagent : N/A</div>				
SABINENE HYDRATE	0.007	ND	ND		<div>Consumables : N/A</div>				
TERPINOLENE	0.007	ND	ND		<div>Pipette : N/A</div>				
FENCHONE	0.007	ND	ND		<div>Terpenoid testing is performed utilizing Gas Chromatography Mass Spectrometry. For all Flower samples, the Total Terpenes % is dry-weight corrected.</div>				
LINALOOL	0.007	2.625	0.075						
FENCHYL ALCOHOL	0.007	1.365	0.039						
ISOPULEGOL	0.007	ND	ND						
CAMPHOR	0.007	<0.7	<0.02						
ISOBORNEOL	0.007	ND	ND						
BORNEOL	0.013	<1.4	<0.04						
HEXAHYDROTHYMOL	0.007	ND	ND						
NEROL	0.007	ND	ND						
PULEGONE	0.007	ND	ND						
GERANIOL	0.007	ND	ND						
GERANYL ACETATE	0.007	ND	ND						
ALPHA-CEDRENE	0.007	ND	ND						
BETA-CARYOPHYLLENE	0.007	5.95	0.17						
Total (%)			1.045						



Certificate of Analysis

PASSED

FLUENT

 82 NE 26th street
 Miami, FL, 33137, US
 Telephone: (305) 900-6266
 Email: Taylor.Jones@getfluent.com

Sample : DA30527002-005

Harvest/Lot ID: HYB-EMO-050223-A108

 Batch# : 4606 1365 2817
 1161

Sampled : 05/27/23

Ordered : 05/27/23

Sample Size Received : 91 gram

Total Amount : 6936 units

Completed : 05/31/23 Expires: 05/31/24

Sample Method : SOP.T.20.010

Page 3 of 5



Pesticides

PASSED

Pesticide	LOD	Units	Action Level	Pass/Fail	Result	Pesticide	LOD	Units	Action Level	Pass/Fail	Result
TOTAL CONTAMINANT LOAD (PESTICIDES)	0.01	ppm	5	PASS	ND	OXAMYL	0.01	ppm	0.5	PASS	ND
TOTAL DIMETHOMORPH	0.01	ppm	0.2	PASS	ND	PACLOBUTRAZOL	0.01	ppm	0.1	PASS	ND
TOTAL PERMETHRIN	0.01	ppm	0.1	PASS	ND	PHOSMET	0.01	ppm	0.1	PASS	ND
TOTAL PYRETHRINS	0.01	ppm	0.5	PASS	ND	PIPERONYL BUTOXIDE	0.01	ppm	3	PASS	ND
TOTAL SPINETORAM	0.01	ppm	0.2	PASS	ND	PRALLETHRIN	0.01	ppm	0.1	PASS	ND
TOTAL SPINOSAD	0.01	ppm	0.1	PASS	ND	PROPICONAZOLE	0.01	ppm	0.1	PASS	ND
ABAMECTIN B1A	0.01	ppm	0.1	PASS	ND	PROPOXUR	0.01	ppm	0.1	PASS	ND
ACEPHATE	0.01	ppm	0.1	PASS	ND	PYRIDABEN	0.01	ppm	0.2	PASS	ND
ACEQUINOCYL	0.01	ppm	0.1	PASS	ND	SPIROMESIFEN	0.01	ppm	0.1	PASS	ND
ACETAMIPRID	0.01	ppm	0.1	PASS	ND	SPIROTETRAMAT	0.01	ppm	0.1	PASS	ND
ALDICARB	0.01	ppm	0.1	PASS	ND	SPIROXAMINE	0.01	ppm	0.1	PASS	ND
AZOXYSTROBIN	0.01	ppm	0.1	PASS	ND	TEBUCONAZOLE	0.01	ppm	0.1	PASS	ND
BIFENAZATE	0.01	ppm	0.1	PASS	ND	THIACLOPRID	0.01	ppm	0.1	PASS	ND
BIFENTHRIN	0.01	ppm	0.1	PASS	ND	THIAMETHOXAM	0.01	ppm	0.5	PASS	ND
BOSCALID	0.01	ppm	0.1	PASS	ND	TRIFLOXYSTROBIN	0.01	ppm	0.1	PASS	ND
CARBARYL	0.01	ppm	0.5	PASS	ND	PENTACHLORONITROBENZENE (PCNB) *	0.01	PPM	0.15	PASS	ND
CARBOFURAN	0.01	ppm	0.1	PASS	ND	PARATHION-METHYL *	0.01	PPM	0.1	PASS	ND
CHLORANTRANILIPROLE	0.01	ppm	1	PASS	ND	CAPTAN *	0.07	PPM	0.7	PASS	ND
CHLORMEQUAT CHLORIDE	0.01	ppm	1	PASS	ND	CHLORDANE *	0.01	PPM	0.1	PASS	ND
CHLORPYRIFOS	0.01	ppm	0.1	PASS	ND	CHLORFENAPYR *	0.01	PPM	0.1	PASS	ND
CLOFENTHIZINE	0.01	ppm	0.2	PASS	ND	CYFLUTHRIN *	0.05	PPM	0.5	PASS	ND
COUMAPHOS	0.01	ppm	0.1	PASS	ND	CYPERMETHRIN *	0.05	PPM	0.5	PASS	ND
DAMINOZIDE	0.01	ppm	0.1	PASS	ND						
DIAZINON	0.01	ppm	0.1	PASS	ND	Analyzed by:	Weight:	Extraction date:	Extracted by:		
DICHLORVOS	0.01	ppm	0.1	PASS	ND	3379, 585, 4044	0.2248g	05/30/23 10:50:02	4056,450,585		
DIMETHOATE	0.01	ppm	0.1	PASS	ND	Analysis Method :					
ETHOPROPHOS	0.01	ppm	0.1	PASS	ND	SOP.T.30.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.101.FL (Gainesville),					
ETOFENPROX	0.01	ppm	0.1	PASS	ND	SOP.T.40.102.FL (Davie)					
ETOXAZOLE	0.01	ppm	0.1	PASS	ND	Instrument Batch : DA060759PES				Reviewed On : 05/31/23 11:12:39	
FENHEXAMID	0.01	ppm	0.1	PASS	ND	Instrument Used : DA-LCMS-003 (PES)				Batch Date : 05/30/23 08:55:23	
FENOXYCARB	0.01	ppm	0.1	PASS	ND	Analyzed Date : 05/30/23 12:47:44					
FENPYROXIMATE	0.01	ppm	0.1	PASS	ND	Dilution : 250					
FIPRONIL	0.01	ppm	0.1	PASS	ND	Reagent : 052223.R02; 052423.R32; 052423.R03; 052423.R31; 042623.R45; 052423.R01; 040521.11					
FLONICAMID	0.01	ppm	0.1	PASS	ND	Consumables : 6697075-02					
FLUDIOXONIL	0.01	ppm	0.1	PASS	ND	Pipette : DA-093; DA-094; DA-219					
HEXYTHIAZOX	0.01	ppm	0.1	PASS	ND	Testing for agricultural agents is performed utilizing Liquid Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
IMAZALIL	0.01	ppm	0.1	PASS	ND	Analyzed by:	Weight:	Extraction date:	Extracted by:		
IMIDACLOPRID	0.01	ppm	0.4	PASS	ND	450, 585, 4044	0.2248g	05/30/23 10:50:02	4056,450,585		
KRESOXIM-METHYL	0.01	ppm	0.1	PASS	ND	Analysis Method :					
MALATHION	0.01	ppm	0.2	PASS	ND	SOP.T.30.151.FL (Gainesville), SOP.T.30.151A.FL (Davie), SOP.T.40.151.FL					
METALAXYL	0.01	ppm	0.1	PASS	ND	Analytical Batch : DA060761VOL				Reviewed On : 05/31/23 11:04:54	
METHIOCARB	0.01	ppm	0.1	PASS	ND	Instrument Used : DA-GCMS-006				Batch Date : 05/30/23 08:58:18	
METHOMYL	0.01	ppm	0.1	PASS	ND	Analyzed Date : 05/30/23 11:51:12					
MEVINPHOS	0.01	ppm	0.1	PASS	ND	Dilution : 250					
MYCLOBUTANIL	0.01	ppm	0.1	PASS	ND	Reagent : 052423.R03; 040521.11; 051823.R43; 051823.R44					
NALED	0.01	ppm	0.25	PASS	ND	Consumables : 6697075-02; 14725401					
						Pipette : DA-080; DA-146; DA-218					
						Testing for agricultural agents is performed utilizing Gas Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					





Certificate of Analysis

PASSED
FLUENT

 82 NE 26th street
 Miami, FL, 33137, US
 Telephone: (305) 900-6266
 Email: Taylor.Jones@getfluent.com

Sample : DA30527002-005

Harvest/Lot ID: HYB-EMO-050223-A108

 Batch# : 4606 1365 2817
 1161

Sampled : 05/27/23

Ordered : 05/27/23


Sample Size Received : 91 gram


Total Amount : 6936 units


Completed : 05/31/23 Expires: 05/31/24

Sample Method : SOP.T.20.010

Page 4 of 5

	Microbial	PASSED			
Analyte	LOD	Units	Result	Pass / Fail	Action Level
ASPERGILLUS TERREUS			Not Present	PASS	
ASPERGILLUS NIGER			Not Present	PASS	
ASPERGILLUS FUMIGATUS			Not Present	PASS	
ASPERGILLUS FLAVUS			Not Present	PASS	
SALMONELLA SPECIFIC GENE			Not Present	PASS	
ECOLI SHIGELLA			Not Present	PASS	
TOTAL YEAST AND MOLD	10	CFU/g	110	PASS	100000
Analyzed by: 3390, 3621, 585, 4044	Weight: 1.0434g	Extraction date: 05/28/23 11:05:04	Extracted by: 3390,3621		
Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL			Reviewed On : 05/31/23 11:11:43		
Analytical Batch : DA060740MIC			Batch Date : 05/28/23 09:59:20		
Instrument Used : PathogenDx Scanner DA-111,Applied Biosystems Thermocycler DA-010,fisherbrand Isotemp Heat Block DA-020,fisherbrand Isotemp Heat Block DA-049,Fisher Scientific Isotemp Heat Block DA-021					
Analyzed Date : 05/29/23 07:09:49					
Dilution : N/A					
Reagent : 031523.03; 092122.03; 092122.09					
Consumables : 7555001074					
Pipette : N/A					
Analyzed by: 3390, 3621, 585, 4044	Weight: 1.0434g	Extraction date: N/A	Extracted by: 3390		
Analysis Method : SOP.T.40.208 (Gainesville), SOP.T.40.209.FL			Reviewed On : 05/30/23 11:45:20		
Analytical Batch : DA060741TYM			Batch Date : 05/28/23 10:01:09		
Instrument Used : Incubator (25-27C) DA-096					
Analyzed Date : 05/29/23 07:10:26					
Dilution : 10					
Reagent : 031523.03; 052323.R21; 092122.03; 050923.R23					
Consumables : 7555001074					
Pipette : N/A					
Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.					

	Mycotoxins	PASSED			
Analyte	LOD	Units	Result	Pass / Fail	Action Level
AFLATOXIN B2	0.002	ppm	ND	PASS	0.02
AFLATOXIN B1	0.002	ppm	ND	PASS	0.02
OCHRATOXIN A	0.002	ppm	ND	PASS	0.02
AFLATOXIN G1	0.002	ppm	ND	PASS	0.02
AFLATOXIN G2	0.002	ppm	ND	PASS	0.02
Analyzed by: 3379, 585, 4044	Weight: 0.2248g	Extraction date: 05/30/23 10:50:02	Extracted by: 4056,450,585		
Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.40.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.102.FL (Davie)					
Analytical Batch : DA060762MYC			Reviewed On : 05/31/23 11:13:21		
Instrument Used : N/A			Batch Date : 05/30/23 08:58:23		
Analyzed Date : 05/30/23 12:47:48					
Dilution : 250					
Reagent : 052423.R32; 052423.R03; 052423.R31; 042623.R45; 052423.R01; 040521.11; 053023.R01					
Consumables : 6697075-02					
Pipette : DA-093; DA-094; DA-219					
Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					

	Heavy Metals	PASSED			
Metal	LOD	Units	Result	Pass / Fail	Action Level
TOTAL CONTAMINANT LOAD METALS	0.08	ppm	ND	PASS	1.1
ARSENIC	0.02	ppm	ND	PASS	0.2
CADMIUM	0.02	ppm	ND	PASS	0.2
MERCURY	0.02	ppm	ND	PASS	0.2
LEAD	0.02	ppm	ND	PASS	0.5
Analyzed by: 1022, 585, 4044	Weight: 0.2653g	Extraction date: 05/30/23 08:18:12	Extracted by: 4056,3807		
Analysis Method : SOP.T.30.082.FL, SOP.T.40.082.FL					
Analytical Batch : DA060756HEA			Reviewed On : 05/31/23 11:13:37		
Instrument Used : DA-ICPMS-003			Batch Date : 05/30/23 08:01:51		
Analyzed Date : 05/30/23 12:04:06					
Dilution : 50					
Reagent : 050923.R24; 052623.R37; 051923.R16; 052623.R35; 052623.R36; 052523.R15; 050923.01; 051823.R28; 041522.06					
Consumables : 179436; 15021042; 210508058					
Pipette : DA-061; DA-191; DA-216					
Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					



Certificate of Analysis

PASSED
FLUENT

 82 NE 26th street
 Miami, FL, 33137, US
 Telephone: (305) 900-6266
 Email: Taylor.Jones@getfluent.com

 Sample : DA30527002-005
 Harvest/Lot ID: HYB-EMO-050223-A108
 Batch# : 4606 1365 2817
 Sample Size Received : 91 gram
 Total Amount : 6936 units
 Completed : 05/31/23 Expires: 05/31/24
 Sample Method : SOP.T.20.010
 Sampled : 05/27/23
 Ordered : 05/27/23

Page 5 of 5


Filth/Foreign Material
PASSED

Moisture
PASSED

Analyte	LOD	Units	Result	P/F	Action Level	Analyte	LOD	Units	Result	P/F	Action Level
Filth and Foreign Material	0.1	%	ND	PASS	1	Moisture Content	1	%	10.96	PASS	15
Analyzed by: 1879, 4044 Weight: NA Extraction date: N/A Analyzed Date : 05/30/23 16:48:17 Analysis Method : SOP.T.40.090 Analytical Batch : DA060782FIL Instrument Used : Filth/Foreign Material Microscope Dilution : N/A Reagent : N/A Consumables : N/A Pipette : N/A						Analyzed by: 2926, 585, 4044 Weight: 0.502g Extraction date: 05/28/23 11:58:52 Analyzed Date : N/A Analysis Method : SOP.T.40.021 Analytical Batch : DA060700MOI Instrument Used : DA-003 Moisture Analyzer Dilution : N/A Reagent : N/A Consumables : N/A Pipette : N/A					

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.

Moisture Content analysis utilizing loss-on-drying technology in accordance with F.S. Rule 64ER20-39.


Water Activity
PASSED

Analyte	LOD	Units	Result	P/F	Action Level
Water Activity	0.01	aw	0.519	PASS	0.65
Analyzed by: 2926, 585, 4044 Weight: 1.396g Extraction date: 05/28/23 11:57:58 Analyzed Date : 05/26/23 17:18:07 Analysis Method : SOP.T.40.019 Analytical Batch : DA060724WAT Instrument Used : DA-028 Rotronic HygroPalm Dilution : N/A Reagent : 100522.09 Consumables : PS-14 Pipette : N/A					

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.