



Certificate of Analysis

COMPLIANCE FOR RETAIL



Sample: DA30601005-004
Harvest/Lot ID: HYB-DB-052223-C0088
Batch#: 8324 0294 7163 1516
Cultivation Facility: Zolfo Springs Cultivation
Processing Facility: Zolfo Springs Processing
Source Facility: Zolfo Springs Cultivation
Seed to Sale# 3407 7387 4923 8519
Batch Date: 04/24/23
Sample Size Received: 42 gram
Total Amount: 3024 units
Retail Product Size: 3.5 gram
Ordered: 05/31/23
Sampled: 05/31/23
Completed: 06/03/23
Sampling Method: SOP.T.20.010

Jun 03, 2023 | FLUENT
 82 NE 26th street
 Miami, FL, 33137, US




PASSED

Pages 1 of 5

PRODUCT IMAGE	SAFETY RESULTS								MISC.
									
	Pesticides PASSED	Heavy Metals PASSED	Microbials PASSED	Mycotoxins PASSED	Residuals Solvents NOT TESTED	Filtration PASSED	Water Activity PASSED	Moisture PASSED	Terpenes TESTED

	Cannabinoid	PASSED
--	--------------------	---------------



Analyzed by: 3112, 585, 4044	Weight: 0.2039g	Extraction date: 06/01/23 11:14:30	Extracted by: 3605,3112
--	---------------------------	--	-----------------------------------

Analysis Method : SOP.T.40.031, SOP.T.30.031
Analytical Batch : DA060857POT
Instrument Used : DA-LC-002 (Flower)
Analyzed Date : 06/01/23 11:49:39
Dilution : 400
Reagent : 053123.R37; 032123.11; 053123.R34
Consumables : 250346; CE123; 61633-125C6-125E; R1KB45277
Pipette : DA-079; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Jorge Segredo
 Lab Director

State License # CMTL-0002
 ISO 17025 Accreditation # ISO/IEC
 17025:2017 Accreditation PJLA-
 Testing 97164



Signature
 06/03/23



Certificate of Analysis

PASSED

FLUENT

82 NE 26th street
Miami, FL, 33137, US
Telephone: (305) 900-6266
Email: Taylor.Jones@getfluent.com

Sample : DA30601005-004
Harvest/Lot ID: HYB-DB-052223-C0088

Batch# : 8324 0294 7163 Sample Size Received : 42 gram
1516 Total Amount : 3024 units
Sampled : 05/31/23 Completed : 06/03/23 Expires: 06/03/24
Ordered : 05/31/23 Sample Method : SOP.T.20.010

Page 2 of 5

Terpenes

TESTED

Terpenes	LOD (%)	mg/unit	%	Result (%)	Terpenes	LOD (%)	mg/unit	%	Result (%)
TOTAL TERPENES	0.007	98.63	2.818		FARNESENE		0.245	0.007	
TOTAL TERPINEOL	0.007	2.73	0.078		ALPHA-HUMULENE	0.007	4.83	0.138	
ALPHA-BISABOLOL	0.007	2.87	0.082		VALENCENE	0.007	ND	ND	
ALPHA-PINENE	0.007	3.71	0.106		CIS-NEROLIDOL	0.007	ND	ND	
CAMPHENE	0.007	1.26	0.036		TRANS-NEROLIDOL	0.007	<0.7	<0.02	
SABINENE	0.007	ND	ND		CARYOPHYLLENE OXIDE	0.007	<0.7	<0.02	
BETA-PINENE	0.007	5.285	0.151		GUAIOL	0.007	ND	ND	
BETA-MYRCENE	0.007	10.605	0.303		CEDROL	0.007	ND	ND	
ALPHA-PHELLANDRENE	0.007	<0.7	<0.02		<div>Analysis Method : SOP.T.30.061A.FL, SOP.T.40.061A.FL</div> <div>Analysis Batch : DA0608597ER</div> <div>Instrument Used : DA-GCMS-004</div> <div>Analyzed Date : N/A</div> <div>Dilution : 10</div> <div>Reagent : 121622.25</div> <div>Consumables : 210414634; MKCN9995; CE0123; R1KB14270</div> <div>Pipette : N/A</div> <div>Terpenoid testing is performed utilizing Gas Chromatography Mass Spectrometry. For all Flower samples, the Total Terpenes % is dry-weight corrected.</div>				
3-CARENE	0.007	ND	ND		<div>Reviewed On : 06/03/23 14:17:30</div> <div>Batch Date : 06/01/23 09:45:22</div>				
ALPHA-TERPINENE	0.007	ND	ND						
LIMONENE	0.007	35.21	1.006						
EUCALYPTOL	0.007	ND	ND						
OCIMENE	0.007	<0.7	<0.02						
GAMMA-TERPINENE	0.007	ND	ND						
SABINENE HYDRATE	0.007	ND	ND						
TERPINOLENE	0.007	<0.7	<0.02						
FENCHONE	0.007	<1.4	<0.04						
LINALOOL	0.007	1.715	0.049						
FENCHYL ALCOHOL	0.007	4.235	0.121						
ISOPULEGOL	0.007	<0.7	<0.02						
CAMPHOR	0.007	ND	ND						
ISOBORNEOL	0.007	<0.7	<0.02						
BORNEOL	0.013	<1.4	<0.04						
HEXAHYDROTHYMOL	0.007	ND	ND						
NEROL	0.007	ND	ND						
PULEGONE	0.007	ND	ND						
GERANIOL	0.007	ND	ND						
GERANYL ACETATE	0.007	ND	ND						
ALPHA-CEDRENE	0.007	ND	ND						
BETA-CARYOPHYLLENE	0.007	13.335	0.381						
Total (%)				2.818					



Certificate of Analysis

PASSED

FLUENT

 82 NE 26th street
 Miami, FL, 33137, US
 Telephone: (305) 900-6266
 Email: Taylor.Jones@getfluent.com

Sample : DA30601005-004

Harvest/Lot ID: HYB-DB-052223-C0088

 Batch# : 8324 0294 7163
 1516

Sampled : 05/31/23

Ordered : 05/31/23


Sample Size Received : 42 gram

Total Amount : 3024 units

Completed : 06/03/23 Expires: 06/03/24

Sample Method : SOP.T.20.010

Page 3 of 5

<div><div></div><div>Pesticides</div></div>						PASSED					
Pesticide	LOD	Units	Action Level	Pass/Fail	Result	Pesticide	LOD	Units	Action Level	Pass/Fail	Result
TOTAL CONTAMINANT LOAD (PESTICIDES)	0.01	ppm	5	PASS	ND	OXAMYL	0.01	ppm	0.5	PASS	ND
TOTAL DIMETHOMORPH	0.01	ppm	0.2	PASS	ND	PACLOBUTRAZOL	0.01	ppm	0.1	PASS	ND
TOTAL PERMETHRIN	0.01	ppm	0.1	PASS	ND	PHOSMET	0.01	ppm	0.1	PASS	ND
TOTAL PYRETHRINS	0.01	ppm	0.5	PASS	ND	PIPERONYL BUTOXIDE	0.01	ppm	3	PASS	ND
TOTAL SPINETORAM	0.01	ppm	0.2	PASS	ND	PRALLETHRIN	0.01	ppm	0.1	PASS	ND
TOTAL SPINOSAD	0.01	ppm	0.1	PASS	ND	PROPICONAZOLE	0.01	ppm	0.1	PASS	ND
ABAMECTIN B1A	0.01	ppm	0.1	PASS	ND	PROPOXUR	0.01	ppm	0.1	PASS	ND
ACEPHATE	0.01	ppm	0.1	PASS	ND	PYRIDABEN	0.01	ppm	0.2	PASS	ND
ACEQUINOCYL	0.01	ppm	0.1	PASS	ND	SPIROMESIFEN	0.01	ppm	0.1	PASS	ND
ACETAMIPRID	0.01	ppm	0.1	PASS	ND	SPIROTETRAMAT	0.01	ppm	0.1	PASS	ND
ALDICARB	0.01	ppm	0.1	PASS	ND	SPIROXAMINE	0.01	ppm	0.1	PASS	ND
AZOXYSTROBIN	0.01	ppm	0.1	PASS	ND	TEBUCONAZOLE	0.01	ppm	0.1	PASS	ND
BIFENAZATE	0.01	ppm	0.1	PASS	ND	THIACLOPRID	0.01	ppm	0.1	PASS	ND
BIFENTHRIN	0.01	ppm	0.1	PASS	ND	THIAMETHOXAM	0.01	ppm	0.5	PASS	ND
BOSCALID	0.01	ppm	0.1	PASS	ND	TRIFLOXYSTROBIN	0.01	ppm	0.1	PASS	ND
CARBARYL	0.01	ppm	0.5	PASS	ND	PENTACHLORONITROBENZENE (PCNB) *	0.01	PPM	0.15	PASS	ND
CARBOFURAN	0.01	ppm	0.1	PASS	ND	PARATHION-METHYL *	0.01	PPM	0.1	PASS	ND
CHLORANTRANILIPROLE	0.01	ppm	1	PASS	ND	CAPTAN *	0.07	PPM	0.7	PASS	ND
CHLORMEQUAT CHLORIDE	0.01	ppm	1	PASS	ND	CHLORDANE *	0.01	PPM	0.1	PASS	ND
CHLORPYRIFOS	0.01	ppm	0.1	PASS	ND	CHLORFENAPYR *	0.01	PPM	0.1	PASS	ND
CLOFENTEZINE	0.01	ppm	0.2	PASS	ND	CYFLUTHRIN *	0.05	PPM	0.5	PASS	ND
COUMAPHOS	0.01	ppm	0.1	PASS	ND	CYPERMETHRIN *	0.05	PPM	0.5	PASS	ND
DAMINOZIDE	0.01	ppm	0.1	PASS	ND	<div>Analyzed by: 3379, 585, 4044</div> <div>Weight: 1.1219g</div> <div>Extraction date: 06/01/23 14:41:48</div> <div>Extracted by: 450,585</div> <div>Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.101.FL (Gainesville), SOP.T.40.102.FL (Davie)</div> <div>Analytical Batch : DA060867PES</div> <div>Instrument Used : DA-LCMS-003 (PES)</div> <div>Analyzed Date : 06/01/23 14:48:54</div> <div>Dilution : 250</div> <div>Reagent : 053023.R01; 053123.R47; 053023.R02; 052423.R31; 042623.R45; 053123.R04; 040521.11</div> <div>Consumables : 6697075-02</div> <div>Pipette : DA-093; DA-094; DA-219</div> <div>Testing for agricultural agents is performed utilizing Liquid Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.</div>					
DIAZINON	0.01	ppm	0.1	PASS	ND						
DICHLORVOS	0.01	ppm	0.1	PASS	ND						
DIMETHOATE	0.01	ppm	0.1	PASS	ND						
ETHOPROPHOS	0.01	ppm	0.1	PASS	ND						
ETOFENPROX	0.01	ppm	0.1	PASS	ND	<div>Analyzed by: 450, 585, 4044</div> <div>Weight: 1.1219g</div> <div>Extraction date: 06/01/23 14:41:48</div> <div>Extracted by: 450,585</div> <div>Analysis Method : SOP.T.30.151.FL (Gainesville), SOP.T.30.151A.FL (Davie), SOP.T.40.151.FL</div> <div>Analytical Batch : DA060871VOL</div> <div>Instrument Used : DA-GCMS-006</div> <div>Analyzed Date : 06/01/23 14:55:01</div> <div>Dilution : 250</div> <div>Reagent : 053023.R02; 040521.11; 051823.R43; 051823.R44</div> <div>Consumables : 6697075-02; 14725401</div> <div>Pipette : DA-080; DA-146; DA-218</div> <div>Testing for agricultural agents is performed utilizing Gas Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.</div>					
ETOXAZOLE	0.01	ppm	0.1	PASS	ND						
FENHEXAMID	0.01	ppm	0.1	PASS	ND						
FENOXYCARB	0.01	ppm	0.1	PASS	ND						
FENPYROXIMATE	0.01	ppm	0.1	PASS	ND						
FIPRONIL	0.01	ppm	0.1	PASS	ND						
FLONICAMID	0.01	ppm	0.1	PASS	ND						
FLUDIOXONIL	0.01	ppm	0.1	PASS	ND						
HEXYTHIAZOX	0.01	ppm	0.1	PASS	ND						
IMAZALIL	0.01	ppm	0.1	PASS	ND						
IMIDACLOPRID	0.01	ppm	0.4	PASS	ND						
KRESOXIM-METHYL	0.01	ppm	0.1	PASS	ND						
MALATHION	0.01	ppm	0.2	PASS	ND						
METALAXYL	0.01	ppm	0.1	PASS	ND						
METHIOCARB	0.01	ppm	0.1	PASS	ND						
METHOMYL	0.01	ppm	0.1	PASS	ND						
MEVINPHOS	0.01	ppm	0.1	PASS	ND						
MYCLOBUTANIL	0.01	ppm	0.1	PASS	ND						
NALED	0.01	ppm	0.25	PASS	ND						



Certificate of Analysis




PASSED
FLUENT

 82 NE 26th street
 Miami, FL, 33137, US
 Telephone: (305) 900-6266
 Email: Taylor.Jones@getfluent.com

 Sample : DA30601005-004
 Harvest/Lot ID: HYB-DB-052223-C0088

 Batch# : 8324 0294 7163
 Sample Size Received : 42 gram
 Total Amount : 3024 units
 Completed : 06/03/23 Expires: 06/03/24
 Sample Method : SOP.T.20.010
 1516
 Sampled : 05/31/23
 Ordered : 05/31/23

Page 4 of 5

 Microbial PASSED						 Mycotoxins PASSED					
Analyte	LOD	Units	Result	Pass / Fail	Action Level	Analyte	LOD	Units	Result	Pass / Fail	Action Level
ECOLI SHIGELLA			Not Present	PASS		AFLATOXIN B2	0.002	ppm	ND	PASS	0.02
SALMONELLA SPECIFIC GENE			Not Present	PASS		AFLATOXIN B1	0.002	ppm	ND	PASS	0.02
ASPERGILLUS FLAVUS			Not Present	PASS		OCHRATOXIN A	0.002	ppm	ND	PASS	0.02
ASPERGILLUS FUMIGATUS			Not Present	PASS		AFLATOXIN G1	0.002	ppm	ND	PASS	0.02
ASPERGILLUS TERREUS			Not Present	PASS		AFLATOXIN G2	0.002	ppm	ND	PASS	0.02
ASPERGILLUS NIGER			Not Present	PASS							
TOTAL YEAST AND MOLD	10	CFU/g	3000	PASS	100000						
Analyzed by: 3621, 3390, 585, 4044 Weight: 0.9764g Extraction date: 06/01/23 10:24:48 Extracted by: 3621 Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL Analytical Batch : DA060843MIC Instrument Used : PathogenDx Scanner DA-111, Applied Biosystems Thermocycler DA-013, fisherbrand Isotemp Heat Block DA-020, fisherbrand Isotemp Heat Block DA-049, Fisher Scientific Isotemp Heat Block DA-021 Analyzed Date : 06/01/23 12:13:46 Dilution : N/A Reagent : 031523.11; 052323.R22; 092122.03; 092122.09 Consumables : 7562002065 Pipette : N/A						Analyzed by: 3379, 585, 4044 Weight: 1.1219g Extraction date: 06/01/23 14:41:48 Extracted by: 450,585 Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.40.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.102.FL (Davie) Analytical Batch : DA060870MYC Instrument Used : N/A Analyzed Date : 06/01/23 14:49:13 Dilution : 250 Reagent : 053023.R01; 053123.R47; 053023.R02; 052423.R31; 042623.R45; 053123.R04; 040521.11 Consumables : 6697075-02 Pipette : DA-093; DA-094; DA-219 Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
Reviewed On : 06/03/23 00:33:51 Batch Date : 06/01/23 08:04:48						Reviewed On : 06/03/23 00:27:44 Batch Date : 06/01/23 10:35:51					
Analyzed by: 3621, 585, 4044 Weight: 0.9764g Extraction date: 06/01/23 10:24:48 Extracted by: 3621 Analysis Method : SOP.T.40.208 (Gainesville), SOP.T.40.209.FL Analytical Batch : DA060875TYM Instrument Used : Incubator (25-27C) DA-097 Analyzed Date : 06/01/23 12:14:08 Dilution : 10 Reagent : 031523.11; 050923.R23 Consumables : N/A Pipette : N/A Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.						 Heavy Metals PASSED					
Metal	LOD	Units	Result	Pass / Fail	Action Level						
TOTAL CONTAMINANT LOAD METALS	0.08	ppm	ND	PASS	1.1						
ARSENIC	0.02	ppm	ND	PASS	0.2						
CADMIUM	0.02	ppm	ND	PASS	0.2						
MERCURY	0.02	ppm	ND	PASS	0.2						
LEAD	0.02	ppm	ND	PASS	0.5						
Analyzed by: 1022, 585, 4044 Weight: 0.2559g Extraction date: 06/01/23 10:04:05 Extracted by: 3807 Analysis Method : SOP.T.30.082.FL, SOP.T.40.082.FL Analytical Batch : DA060845HEA Instrument Used : DA-ICPMS-003 Analyzed Date : 06/01/23 12:21:25 Dilution : 50 Reagent : 050923.R24; 042623.R82; 052623.R37; 053123.R03; 052623.R35; 052623.R36; 052523.R15; 050923.01; 051823.R28 Consumables : 179436; 210508058 Pipette : DA-061; DA-191; DA-216 Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.											



Certificate of Analysis

PASSED
FLUENT

 82 NE 26th street
 Miami, FL, 33137, US
 Telephone: (305) 900-6266
 Email: Taylor.Jones@getfluent.com

 Sample : DA30601005-004
 Harvest/Lot ID: HYB-DB-052223-C0088

 Batch# : 8324 0294 7163
 Sample Size Received : 42 gram
 Total Amount : 3024 units
 Completed : 06/03/23 Expires: 06/03/24
 Sample Method : SOP.T.20.010
 Sampled : 05/31/23
 Ordered : 05/31/23

Page 5 of 5


Filth/Foreign Material
PASSED

Moisture
PASSED

Analyte	LOD	Units	Result	P/F	Action Level	Analyte	LOD	Units	Result	P/F	Action Level
Filth and Foreign Material	0.1	%	ND	PASS	1	Moisture Content	1	%	12.79	PASS	15
Analyzed by: 1879, 4044 Weight: NA Extraction date: N/A Analyzed Date: 06/01/23 12:21:50 Analysis Method : SOP.T.40.090 Analytical Batch : DA060888FIL Instrument Used : Filth/Foreign Material Microscope Dilution : N/A Reagent : N/A Consumables : N/A Pipette : N/A						Analyzed by: 2926, 585, 4044 Weight: 0.487g Extraction date: 06/01/23 14:03:17 Analyzed Date: 06/01/23 13:55:51 Analysis Method : SOP.T.40.021 Analytical Batch : DA060881MOI Instrument Used : DA-003 Moisture Analyzer Dilution : N/A Reagent : 101920.06; 020123.02 Consumables : PS-14 Pipette : DA-066					
Reviewed On : 06/01/23 12:32:52 Batch Date : 06/01/23 12:03:50						Reviewed On : 06/01/23 15:53:01 Batch Date : 06/01/23 11:05:07					

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.

Moisture Content analysis utilizing loss-on-drying technology in accordance with F.S. Rule 64ER20-39.


Water Activity
PASSED

Analyte	LOD	Units	Result	P/F	Action Level
Water Activity	0.01	aw	0.557	PASS	0.65
Analyzed by: 2926, 585, 4044 Weight: 0.557g Extraction date: 06/01/23 13:46:26 Analyzed Date: 06/01/23 13:39:17 Analysis Method : SOP.T.40.019 Analytical Batch : DA060880WAT Instrument Used : DA-028 Rotronic HygroPalm Dilution : N/A Reagent : 100522.09 Consumables : PS-14 Pipette : N/A					
Reviewed On : 06/01/23 15:53:00 Batch Date : 06/01/23 11:01:09					

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.