



Certificate of Analysis

COMPLIANCE FOR RETAIL

Sample: DA30601004-008
Harvest/Lot ID: ID-PEC-05092023-A109
Batch#: 2620 8836 1496 4198
Cultivation Facility: Tampa Cultivation
Processing Facility : Tampa Processing
Source Facility : Tampa Cultivation
Seed to Sale# 8076 0003 5457 1501
Batch Date: 05/04/23
Sample Size Received: 77 gram
Total Amount: 5930 units
Retail Product Size: 3.5 gram
Ordered: 05/31/23
Sampled: 05/31/23
Completed: 06/03/23
Sampling Method: SOP.T.20.010

Jun 03, 2023 | FLUENT

82 NE 26th street
Miami, FL, 33137, US



PASSED

Pages 1 of 5

PRODUCT IMAGE



SAFETY RESULTS



Pesticides
PASSED



Heavy Metals
PASSED



Microbials
PASSED



Mycotoxins
PASSED



Residuals Solvents
NOT TESTED



Filtration
PASSED



Water Activity
PASSED



Moisture
PASSED



Terpenes
TESTED

MISC.



Cannabinoid

PASSED



Total THC

25.811%

Dry Weight



Total CBD

0.064%

Dry Weight



Total Cannabinoids

30.396%

Dry Weight

	D9-THC	THCA	CBD	CBDA	D8-THC	CBG	CBGA	CBN	THCV	CBDV	CBC	TOTAL CBD (DRY)	TOTAL THC (DRY)	TOTAL CANNABINOIDS (DRY)
%	0.308	26.003	0.015	0.05	ND	0.066	0.72	<0.01	0.034	ND	0.021	0.064	25.811	30.396
mg/unit	10.78	910.105	0.525	1.75	ND	2.31	25.2	<0.35	1.19	ND	0.735	2.24	903.385	1063.86
LOD	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001
%	%	%	%	%	%	%	%	%	%	%	%	%	%	%

Total THC
23.112%
808.92 mg /Container

Total CBD
0.058%
2.03 mg /Container

As Received

Analyzed by:
3112, 585, 4044

Weight:
0.1974g

Extraction date:
06/01/23 11:14:30

Extracted by:
3605.3112

Analysis Method : SOP.T.40.031, SOP.T.30.031

Analytical Batch : DA060857POT

Instrument Used : DA-LC-002 (Flower)

Analyzed Date : 06/01/23 11:49:39

Reviewed On : 06/02/23 10:19:26

Batch Date : 06/01/23 09:31:11

Dilution : 400

Reagent : 053123.R37; 032123.11; 053123.R34

Consumables : 250346; CE123; 61633-125C6-125E; R1KB45277

Pipette : DA-079; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Jorge Segredo

Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164



Signature
06/03/23



Certificate of Analysis

PASSED

FLUENT

82 NE 26th street
Miami, FL, 33137, US
Telephone: (305) 900-6266
Email: Taylor.Jones@getfluent.com

Sample : DA30601004-008

Harvest/Lot ID: ID-PEC-05092023-A109

Batch# : 2620 8836 1496
4198

Sampled : 05/31/23
Ordered : 05/31/23

Sample Size Received : 77 gram

Total Amount : 5930 units

Completed : 06/03/23 Expires: 06/03/24

Sample Method : SOP.T.20.010

Page 2 of 5



Terpenes

TESTED

Terpenes	LOD (%)	mg/unit	%	Result (%)	Terpenes	LOD (%)	mg/unit	%	Result (%)
TOTAL TERPENES	0.007	77.35	2.21		FARNESENE	0.007	4.795	0.137	
TOTAL TERPINEOL	0.007	<0.7	<0.02		ALPHA-HUMULENE	0.007	7.84	0.224	
ALPHA-BISABOLOL	0.007	2.415	0.069		VALENCENE	0.007	ND	ND	
ALPHA-PINENE	0.007	1.015	0.029		CIS-NEROLIDOL	0.007	ND	ND	
CAMPHENE	0.007	<0.7	<0.02		TRANS-NEROLIDOL	0.007	1.4	0.04	
SABINENE	0.007	ND	ND		CARYOPHYLLENE OXIDE	0.007	<0.7	<0.02	
BETA-PINENE	0.007	1.47	0.042		GUAIOL	0.007	4.2	0.12	
BETA-MYRCENE	0.007	4.27	0.122		CEDROL	0.007	ND	ND	
ALPHA-PHELLANDRENE	0.007	ND	ND		Analyzed by: 2076, 585, 4044 Weight: 0.8542g Extraction date: 06/01/23 11:55:38 Extracted by: 2076 Analysis Method: SOP.T.30.061A.FL, SOP.T.40.061A.FL Analytical Batch: DA060859TER Reviewed On: 06/03/23 14:16:45 Instrument Used: DA-GCMS-004 Batch Date: 06/01/23 09:45:22 Analyzed Date: N/A Dilution: 10 Reagent: 121622.25 Consumables: 210414634; MKCN9995; CE0123; R1KB14270 Pipette: N/A Terpenoid testing is performed utilizing Gas Chromatography Mass Spectrometry. For all Flower samples, the Total Terpenes % is dry-weight corrected.				
3-CARENE	0.007	ND	ND						
ALPHA-TERPINENE	0.007	ND	ND						
LIMONENE	0.007	9.695	0.277						
EUCALYPTOL	0.007	ND	ND						
OCIMENE	0.007	<0.7	<0.02						
GAMMA-TERPINENE	0.007	ND	ND						
SABINENE HYDRATE	0.007	ND	ND						
TERPINOLENE	0.007	ND	ND						
FENCHONE	0.007	ND	ND						
LINALOOL	0.007	2.52	0.072						
FENCHYL ALCOHOL	0.007	1.225	0.035						
ISOPULEGOL	0.007	ND	ND						
CAMPHOR	0.007	<2.1	<0.06						
ISOBORNEOL	0.007	<0.7	<0.02						
BORNEOL	0.013	<1.4	<0.04						
HEXAHYDROTHYMOL	0.007	ND	ND						
NEROL	0.007	ND	ND						
PULEGONE	0.007	ND	ND						
GERANIOL	0.007	<0.7	<0.02						
GERANYL ACETATE	0.007	ND	ND						
ALPHA-CEDRENE	0.007	ND	ND						
BETA-CARYOPHYLLENE	0.007	28.42	0.812						
Total (%)				2.21					



Certificate of Analysis

PASSED

FLUENT

 82 NE 26th street
 Miami, FL, 33137, US
 Telephone: (305) 900-6266
 Email: Taylor.Jones@getfluent.com

Sample : DA30601004-008

Harvest/Lot ID: ID-PEC-05092023-A109

 Batch# : 2620 8836 1496
 4198

Sampled : 05/31/23

Ordered : 05/31/23


Sample Size Received : 77 gram

Total Amount : 5930 units

Completed : 06/03/23 Expires: 06/03/24

Sample Method : SOP.T.20.010

Page 3 of 5



Pesticides

PASSED

Pesticide	LOD	Units	Action Level	Pass/Fail	Result	Pesticide	LOD	Units	Action Level	Pass/Fail	Result
TOTAL CONTAMINANT LOAD (PESTICIDES)	0.01	ppm	5	PASS	ND	OXAMYL	0.01	ppm	0.5	PASS	ND
TOTAL DIMETHOMORPH	0.01	ppm	0.2	PASS	ND	PACLOBUTRAZOL	0.01	ppm	0.1	PASS	ND
TOTAL PERMETHRIN	0.01	ppm	0.1	PASS	ND	PHOSMET	0.01	ppm	0.1	PASS	ND
TOTAL PYRETHRINS	0.01	ppm	0.5	PASS	ND	PIPERONYL BUTOXIDE	0.01	ppm	3	PASS	ND
TOTAL SPINETORAM	0.01	ppm	0.2	PASS	ND	PRALLETHRIN	0.01	ppm	0.1	PASS	ND
TOTAL SPINOSAD	0.01	ppm	0.1	PASS	ND	PROPICONAZOLE	0.01	ppm	0.1	PASS	ND
ABAMECTIN B1A	0.01	ppm	0.1	PASS	ND	PROPOXUR	0.01	ppm	0.1	PASS	ND
ACEPHATE	0.01	ppm	0.1	PASS	ND	PYRIDABEN	0.01	ppm	0.2	PASS	ND
ACEQUINOCYL	0.01	ppm	0.1	PASS	ND	SPIROMESIFEN	0.01	ppm	0.1	PASS	ND
ACETAMIPRID	0.01	ppm	0.1	PASS	ND	SPIROTETRAMAT	0.01	ppm	0.1	PASS	ND
ALDICARB	0.01	ppm	0.1	PASS	ND	SPIROXAMINE	0.01	ppm	0.1	PASS	ND
AZOXYSTROBIN	0.01	ppm	0.1	PASS	ND	TEBUCONAZOLE	0.01	ppm	0.1	PASS	ND
BIFENAZATE	0.01	ppm	0.1	PASS	ND	THIACLOPRID	0.01	ppm	0.1	PASS	ND
BIFENTHRIN	0.01	ppm	0.1	PASS	ND	THIAMETHOXAM	0.01	ppm	0.5	PASS	ND
BOSCALID	0.01	ppm	0.1	PASS	ND	TRIFLOXYSTROBIN	0.01	ppm	0.1	PASS	ND
CARBARYL	0.01	ppm	0.5	PASS	ND	PENTACHLORONITROBENZENE (PCNB) *	0.01	PPM	0.15	PASS	ND
CARBOFURAN	0.01	ppm	0.1	PASS	ND	PARATHION-METHYL *	0.01	PPM	0.1	PASS	ND
CHLORANTRANILIPROLE	0.01	ppm	1	PASS	ND	CAPTAN *	0.07	PPM	0.7	PASS	ND
CHLORMEQUAT CHLORIDE	0.01	ppm	1	PASS	ND	CHLORDANE *	0.01	PPM	0.1	PASS	ND
CHLORPYRIFOS	0.01	ppm	0.1	PASS	ND	CHLORFENAPYR *	0.01	PPM	0.1	PASS	ND
CLOFENTEZINE	0.01	ppm	0.2	PASS	ND	CYFLUTHRIN *	0.05	PPM	0.5	PASS	ND
COUMAPHOS	0.01	ppm	0.1	PASS	ND	CYPERMETHRIN *	0.05	PPM	0.5	PASS	ND
DAMINOZIDE	0.01	ppm	0.1	PASS	ND	Analyzed by: 3379, 585, 4044	Weight: 0.9916g	Extraction date: 06/01/23 14:41:47	Extracted by: 450,585		
DIAZINON	0.01	ppm	0.1	PASS	ND						
DICHLORVOS	0.01	ppm	0.1	PASS	ND						
DIMETHOATE	0.01	ppm	0.1	PASS	ND	Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.101.FL (Gainesville), SOP.T.40.102.FL (Davie)					
ETHOPROPHOS	0.01	ppm	0.1	PASS	ND	Analytical Batch : DA060867PES					
ETOFENPROX	0.01	ppm	0.1	PASS	ND	Instrument Used : DA-LCMS-003 (PES)					
ETOXAZOLE	0.01	ppm	0.1	PASS	ND	Analyzed Date : 06/01/23 14:48:54					
FENHEXAMID	0.01	ppm	0.1	PASS	ND	Dilution : 250					
FENOXYCARB	0.01	ppm	0.1	PASS	ND	Reagent : 053023.R01; 053123.R47; 053023.R02; 052423.R31; 042623.R45; 053123.R04; 040521.11					
FENPYROXIMATE	0.01	ppm	0.1	PASS	ND	Consumables : 6697075-02					
FIPRONIL	0.01	ppm	0.1	PASS	ND	Pipette : DA-093; DA-094; DA-219					
FLONICAMID	0.01	ppm	0.1	PASS	ND	Testing for agricultural agents is performed utilizing Liquid Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
FLUDIOXONIL	0.01	ppm	0.1	PASS	ND	Analyzed by: 450, 585, 4044	Weight: 0.9916g	Extraction date: 06/01/23 14:41:47	Extracted by: 450,585		
HEXYTHIAZOX	0.01	ppm	0.1	PASS	ND						
IMAZALIL	0.01	ppm	0.1	PASS	ND						
IMIDACLOPRID	0.01	ppm	0.4	PASS	ND	Analysis Method : SOP.T.30.151.FL (Gainesville), SOP.T.30.151A.FL (Davie), SOP.T.40.151.FL					
KRESOXIM-METHYL	0.01	ppm	0.1	PASS	ND	Analytical Batch : DA060871VOL					
MALATHION	0.01	ppm	0.2	PASS	ND	Instrument Used : DA-GCMS-006					
METALAXYL	0.01	ppm	0.1	PASS	ND	Analyzed Date : 06/01/23 14:55:01					
METHIOCARB	0.01	ppm	0.1	PASS	ND	Dilution : 250					
METHOMYL	0.01	ppm	0.1	PASS	ND	Reagent : 053023.R02; 040521.11; 051823.R43; 051823.R44					
MEVINPHOS	0.01	ppm	0.1	PASS	ND	Consumables : 6697075-02; 14725401					
MYCLOBUTANIL	0.01	ppm	0.1	PASS	ND	Pipette : DA-080; DA-146; DA-218					
NALED	0.01	ppm	0.25	PASS	ND	Testing for agricultural agents is performed utilizing Gas Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					



Certificate of Analysis

PASSED
FLUENT

 82 NE 26th street
 Miami, FL, 33137, US
 Telephone: (305) 900-6266
 Email: Taylor.Jones@getfluent.com

Sample : DA30601004-008

Harvest/Lot ID: ID-PEC-05092023-A109

 Batch# : 2620 8836 1496
 4198

 Sampled : 05/31/23
 Ordered : 05/31/23


Sample Size Received : 77 gram


Total Amount : 5930 units


Completed : 06/03/23 Expires: 06/03/24

Sample Method : SOP.T.20.010

Page 4 of 5

<div></div> <div>Microbial</div>						<div>PASSED</div>																	
Analyte	LOD	Units	Result	Pass / Fail	Action Level	Analyte	LOD	Units	Result	Pass / Fail	Action Level												
ECOLI SHIGELLA			Not Present	PASS		AFLATOXIN B2	0.002	ppm	ND	PASS	0.02												
SALMONELLA SPECIFIC GENE			Not Present	PASS		AFLATOXIN B1	0.002	ppm	ND	PASS	0.02												
ASPERGILLUS FLAVUS			Not Present	PASS		OCHRATOXIN A	0.002	ppm	ND	PASS	0.02												
ASPERGILLUS FUMIGATUS			Not Present	PASS		AFLATOXIN G1	0.002	ppm	ND	PASS	0.02												
ASPERGILLUS TERREUS			Not Present	PASS		AFLATOXIN G2	0.002	ppm	ND	PASS	0.02												
ASPERGILLUS NIGER			Not Present	PASS																			
TOTAL YEAST AND MOLD	10	CFU/g	<10	PASS	100000	Analyzed by: 3379, 585, 4044	Weight: 0.9916g	Extraction date: 06/01/23 14:41:47	Extracted by: 450,585														
Analyzed by: 3621, 3390, 585, 4044						Weight: 1.0927g						Extraction date: 06/01/23 10:24:47						Extracted by: 3621					
Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL						Analytical Batch : DA060843MIC						Reviewed On : 06/03/23 00:33:48						Batch Date : 06/01/23 08:04:48					
Instrument Used : PathogenDx Scanner DA-111,Applied Biosystems Thermocycler DA-013,fisherbrand Isotemp Heat Block DA-020,fisherbrand Isotemp Heat Block DA-049,Fisher Scientific Isotemp Heat Block DA-021						Analyzed Date : 06/01/23 12:13:46																	
Dilution : N/A						Reagent : 031523.11; 052323.R22; 092122.03; 092122.09						Consumables : 7562002065						Pipette : N/A					
Analyzed by: 3621, 585, 4044						Weight: 1.0927g						Extraction date: 06/01/23 10:24:47						Extracted by: 3621					
Analysis Method : SOP.T.40.208 (Gainesville), SOP.T.40.209.FL						Analytical Batch : DA060875TYM						Reviewed On : 06/03/23 15:27:47						Batch Date : 06/01/23 10:39:20					
Instrument Used : Incubator (25-27C) DA-097						Analyzed Date : 06/01/23 12:14:08																	
Dilution : 10						Reagent : 031523.11; 050923.R23						Consumables : N/A						Pipette : N/A					
Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.																							

<div></div> <div>Mycotoxins</div>						<div>PASSED</div>																	
Analyte	LOD	Units	Result	Pass / Fail	Action Level	Analyte	LOD	Units	Result	Pass / Fail	Action Level												
AFLATOXIN B2	0.002	ppm	ND	PASS	0.02	AFLATOXIN B1	0.002	ppm	ND	PASS	0.02												
OCHRATOXIN A	0.002	ppm	ND	PASS	0.02	AFLATOXIN G1	0.002	ppm	ND	PASS	0.02												
AFLATOXIN G2	0.002	ppm	ND	PASS	0.02																		
Analyzed by: 3379, 585, 4044						Weight: 0.9916g						Extraction date: 06/01/23 14:41:47						Extracted by: 450,585					
Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.40.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.102.FL (Davie)						Analytical Batch : DA060870MYC						Reviewed On : 06/03/23 00:27:43						Batch Date : 06/01/23 10:35:51					
Instrument Used : N/A						Analyzed Date : 06/01/23 14:49:13																	
Dilution : 250						Reagent : 053023.R01; 053123.R47; 053023.R02; 052423.R31; 042623.R45; 053123.R04; 040521.11						Consumables : 6697075-02						Pipette : DA-093; DA-094; DA-219					
Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.																							

<div></div> <div>Heavy Metals</div>						<div>PASSED</div>																	
Metal	LOD	Units	Result	Pass / Fail	Action Level	Metal	LOD	Units	Result	Pass / Fail	Action Level												
TOTAL CONTAMINANT LOAD METALS	0.08	ppm	ND	PASS	1.1	ARSENIC	0.02	ppm	<0.1	PASS	0.2												
CADMIUM	0.02	ppm	ND	PASS	0.2	MERCURY	0.02	ppm	ND	PASS	0.2												
LEAD	0.02	ppm	ND	PASS	0.5																		
Analyzed by: 1022, 585, 4044						Weight: 0.2986g						Extraction date: 06/01/23 10:04:53						Extracted by: 3807					
Analysis Method : SOP.T.30.082.FL, SOP.T.40.082.FL						Analytical Batch : DA060845HEA						Reviewed On : 06/02/23 10:30:09						Batch Date : 06/01/23 08:37:36					
Instrument Used : DA-ICPMS-003						Analyzed Date : 06/01/23 12:21:25																	
Dilution : 50						Reagent : 050923.R24; 042623.R82; 052623.R37; 053123.R03; 052623.R35; 052623.R36; 052523.R15; 050923.01; 051823.R28						Consumables : 179436; 210508058						Pipette : DA-061; DA-191; DA-216					
Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.																							



Certificate of Analysis

PASSED
FLUENT

 82 NE 26th street
 Miami, FL, 33137, US
 Telephone: (305) 900-6266
 Email: Taylor.Jones@getfluent.com

Sample : DA30601004-008

Harvest/Lot ID: ID-PEC-05092023-A109

 Batch# : 2620 8836 1496
 4198

Sample Size Received : 77 gram

Total Amount : 5930 units

Completed : 06/03/23 Expires: 06/03/24

Sampled : 05/31/23

Ordered : 05/31/23

Sample Method : SOP.T.20.010

Page 5 of 5


**Filth/Foreign
Material**
PASSED

Moisture
PASSED

Analyte	LOD	Units	Result	P/F	Action Level	Analyte	LOD	Units	Result	P/F	Action Level
Filth and Foreign Material	0.1	%	ND	PASS	1	Moisture Content	1	%	10.46	PASS	15
Analyzed by: 1879, 4044 Weight: NA Extraction date: N/A Analyzed Date : 06/01/23 12:21:50 Analysis Method : SOP.T.40.090 Analytical Batch : DA060888FIL Instrument Used : Filth/Foreign Material Microscope Dilution : N/A Reagent : N/A Consumables : N/A Pipette : N/A						Analyzed by: 2926, 585, 4044 Weight: 0.497g Extraction date: 06/01/23 14:03:16 Analyzed Date : 06/01/23 13:55:51 Analysis Method : SOP.T.40.021 Analytical Batch : DA060881MOI Instrument Used : DA-003 Moisture Analyzer Dilution : N/A Reagent : 101920.06; 020123.02 Consumables : PS-14 Pipette : DA-066					
Reviewed On : 06/01/23 12:32:56 Batch Date : 06/01/23 12:03:50						Reviewed On : 06/01/23 15:52:56 Batch Date : 06/01/23 11:05:07					

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.

Moisture Content analysis utilizing loss-on-drying technology in accordance with F.S. Rule 64ER20-39.


Water Activity
PASSED

Analyte	LOD	Units	Result	P/F	Action Level
Water Activity	0.01	aw	0.563	PASS	0.65
Analyzed by: 2926, 585, 4044 Weight: 0.563g Extraction date: 06/01/23 13:46:26 Analyzed Date : 06/01/23 13:39:17 Analysis Method : SOP.T.40.019 Analytical Batch : DA060880WAT Instrument Used : DA-028 Rotronic HygroPalm Dilution : N/A Reagent : 100522.09 Consumables : PS-14 Pipette : N/A					
Reviewed On : 06/01/23 15:52:57 Batch Date : 06/01/23 11:01:09					

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.