



# Certificate of Analysis

COMPLIANCE FOR RETAIL

**Sample: DA30602002-011**
**Harvest/Lot ID: 1059 6719 8608 2138**
**Batch#: 1059 6719 8608 2138**
**Cultivation Facility: Tampa Cultivation**
**Processing Facility : Tampa Processing**
**Source Facility : Tampa Cultivation**
**Seed to Sale# 4695 9513 2171 3082**
**Batch Date: 03/17/23**
**Sample Size Received: 15.3 gram**
**Total Amount: 1446 units**
**Retail Product Size: 0.3 gram**
**Ordered: 06/01/23**
**Sampled: 06/01/23**
**Completed: 06/05/23**
**Sampling Method: SOP.T.20.010**

**PASSED**


Jun 05, 2023 | FLUENT

 82 NE 26th street  
 Miami, FL, 33137, US


Pages 1 of 6

**PRODUCT IMAGE**

**SAFETY RESULTS**

 Pesticides  
**PASSED**

 Heavy Metals  
**PASSED**

 Microbials  
**PASSED**

 Mycotoxins  
**PASSED**

 Residuals Solvents  
**PASSED**

 Filtration  
**PASSED**

 Water Activity  
**PASSED**

 Moisture  
 NOT TESTED

 Terpenes  
**TESTED**
**MISC.**

**Cannabinoid**

**PASSED**


**Total THC**
**86.766%**

Total THC/Container : 260.298 mg


**Total CBD**
**0.424%**

Total CBD/Container : 1.272 mg


**Total Cannabinoids**
**92.314%**

Total Cannabinoids/Container : 276.942 mg

	D9-THC	THCA	CBD	CBDA	D8-THC	CBG	CBGA	CBN	THCV	CBDV	CBC
%	86.766	ND	0.424	ND	0.3	2.611	ND	0.684	0.404	ND	1.125
mg/unit	260.298	ND	1.272	ND	0.9	7.833	ND	2.052	1.212	ND	3.375
LOD	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001
	%	%	%	%	%	%	%	%	%	%	%

 Analyzed by:  
 1665, 585, 4044

 Weight:  
 0.103g

 Extraction date:  
 06/02/23 12:43:17

 Extracted by:  
 1665

Analysis Method : SOP.T.40.031, SOP.T.30.031

Analytical Batch : DA060933POT

Instrument Used : DA-LC-007

Analyzed Date : 06/02/23 12:52:05

Reviewed On : 06/03/23 00:44:13

Batch Date : 06/02/23 10:04:02

Dilution : 400

Reagent : 053123.R36; 032123.11; 053123.R33

Consumables : 280670723; CE0123; 61633-125C6-125E; R1KB14270

Pipette : DA-079; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

**Jorge Segredo**

Lab Director

 State License # CMTL-0002  
 ISO 17025 Accreditation # ISO/IEC  
 17025:2017 Accreditation PJLA-  
 Testing 97164



 Signature  
 06/05/23



# Certificate of Analysis

**PASSED**


FLUENT

 82 NE 26th street  
 Miami, FL, 33137, US  
 Telephone: (305) 900-6266  
 Email: Taylor.Jones@getfluent.com

 Sample : DA30602002-011  
 Harvest/Lot ID: 1059 6719 8608 2138

 Batch# : 1059 6719 8608  
 Sample Size Received : 15.3 gram  
 Total Amount : 1446 units  
 Completed : 06/05/23 Expires: 06/05/24  
 Ordered : 06/01/23  
 Sample Method : SOP.T.20.010

Page 2 of 6



Terpenes

TESTED

Terpenes	LOD (%)	mg/unit	%	Result (%)	Terpenes	LOD (%)	mg/unit	%	Result (%)
TOTAL TERPENES	0.007	8.706	2.902		FARNESENE	0.001	0.108	0.036	
TOTAL TERPINEOL	0.007	0.117	0.039		ALPHA-HUMULENE	0.007	0.21	0.07	
ALPHA-BISABOLOL	0.007	<0.06	<0.02		VALENCENE	0.007	<0.06	<0.02	
ALPHA-PINENE	0.007	0.414	0.138		CIS-NEROLIDOL	0.007	ND	ND	
CAMPHENE	0.007	0.093	0.031		TRANS-NEROLIDOL	0.007	<0.06	<0.02	
SABINENE	0.007	ND	ND		CARYOPHYLLENE OXIDE	0.007	0.186	0.062	
BETA-PINENE	0.007	0.552	0.184		GUAIOL	0.007	ND	ND	
BETA-MYRCENE	0.007	0.309	0.103		CEDROL	0.007	ND	ND	
ALPHA-PHELLANDRENE	0.007	ND	ND		Analyzed by: 2076, 585, 4044Weight: 0.854gExtraction date: 06/05/23 10:06:52Extracted by: 2076				
3-CARENE	0.007	ND	ND		Analysis Method : SOP.T.30.061A.FL, SOP.T.40.061A.FLAnalytical Batch : DA060932TERInstrument Used : DA-GCMS-008Reviewed On : 06/05/23 10:39:22Batch Date : 06/02/23 09:41:40				
ALPHA-TERPINENE	0.007	ND	ND		Analyzed Date : N/A				
LIMONENE	0.007	4.143	1.381		Dilution : 10				
EUCALYPTOL	0.007	0.063	0.021		Reagent : 121622.25				
OCIMENE	0.007	0.231	0.077		Consumables : 210414634; MKCN9995; CE0123; R1KB14270				
GAMMA-TERPINENE	0.007	ND	ND		Pipette : N/A				
SABINENE HYDRATE	0.007	ND	ND		Terpenoid testing is performed utilizing Gas Chromatography Mass Spectrometry. For all Flower samples, the Total Terpenes % is dry-weight corrected.				
TERPINOLENE	0.007	ND	ND						
FENCHONE	0.007	ND	ND						
LINALOOL	0.007	0.936	0.312						
FENCHYL ALCOHOL	0.007	0.462	0.154						
ISOPULEGOL	0.007	ND	ND						
CAMPHOR	0.007	ND	ND						
ISOBORNEOL	0.007	ND	ND						
BORNEOL	0.013	ND	ND						
HEXAHYDROTHYMOL	0.007	ND	ND						
NEROL	0.007	ND	ND						
PULEGONE	0.007	ND	ND						
GERANIOL	0.007	ND	ND						
GERANYL ACETATE	0.007	ND	ND						
ALPHA-CEDRENE	0.007	ND	ND						
BETA-CARYOPHYLLENE	0.007	0.882	0.294						
Total (%)				2.902					



# Certificate of Analysis

**PASSED**

FLUENT

 82 NE 26th street  
 Miami, FL, 33137, US  
 Telephone: (305) 900-6266  
 Email: Taylor.Jones@getfluent.com

Sample : DA30602002-011

Harvest/Lot ID: 1059 6719 8608 2138

 Batch# : 1059 6719 8608  
 2138

Sampled : 06/01/23

Ordered : 06/01/23


Sample Size Received : 15.3 gram

Total Amount : 1446 units

Completed : 06/05/23 Expires: 06/05/24

Sample Method : SOP.T.20.010

Page 3 of 6

<div><div></div><div>Pesticides</div></div>						PASSED					
Pesticide	LOD	Units	Action Level	Pass/Fail	Result	Pesticide	LOD	Units	Action Level	Pass/Fail	Result
TOTAL CONTAMINANT LOAD (PESTICIDES)	0.01	ppm	5	PASS	ND	OXAMYL	0.01	ppm	0.5	PASS	ND
TOTAL DIMETHOMORPH	0.01	ppm	0.2	PASS	ND	PACLOBUTRAZOL	0.01	ppm	0.1	PASS	ND
TOTAL PERMETHRIN	0.01	ppm	0.1	PASS	ND	PHOSMET	0.01	ppm	0.1	PASS	ND
TOTAL PYRETHRINS	0.01	ppm	0.5	PASS	ND	PIPERONYL BUTOXIDE	0.01	ppm	3	PASS	ND
TOTAL SPINETORAM	0.01	ppm	0.2	PASS	ND	PRALLETHRIN	0.01	ppm	0.1	PASS	ND
TOTAL SPINOSAD	0.01	ppm	0.1	PASS	ND	PROPICONAZOLE	0.01	ppm	0.1	PASS	ND
ABAMECTIN B1A	0.01	ppm	0.1	PASS	ND	PROPOXUR	0.01	ppm	0.1	PASS	ND
ACEPHATE	0.01	ppm	0.1	PASS	ND	PYRIDABEN	0.01	ppm	0.2	PASS	ND
ACEQUINOCYL	0.01	ppm	0.1	PASS	ND	SPIROMESIFEN	0.01	ppm	0.1	PASS	ND
ACETAMIPRID	0.01	ppm	0.1	PASS	ND	SPIROTETRAMAT	0.01	ppm	0.1	PASS	ND
ALDICARB	0.01	ppm	0.1	PASS	ND	SPIROXAMINE	0.01	ppm	0.1	PASS	ND
AZOXYSTROBIN	0.01	ppm	0.1	PASS	ND	TEBUCONAZOLE	0.01	ppm	0.1	PASS	ND
BIFENAZATE	0.01	ppm	0.1	PASS	ND	THIACLOPRID	0.01	ppm	0.1	PASS	ND
BIFENTHRIN	0.01	ppm	0.1	PASS	ND	THIAMETHOXAM	0.01	ppm	0.5	PASS	ND
BOSCALID	0.01	ppm	0.1	PASS	ND	TRIFLOXYSTROBIN	0.01	ppm	0.1	PASS	ND
CARBARYL	0.01	ppm	0.5	PASS	ND	PENTACHLORONITROBENZENE (PCNB) *	0.01	PPM	0.15	PASS	ND
CARBOFURAN	0.01	ppm	0.1	PASS	ND	PARATHION-METHYL *	0.01	PPM	0.1	PASS	ND
CHLORANTRANILIPROLE	0.01	ppm	1	PASS	ND	CAPTAN *	0.07	PPM	0.7	PASS	ND
CHLORMEQUAT CHLORIDE	0.01	ppm	1	PASS	ND	CHLORDANE *	0.01	PPM	0.1	PASS	ND
CHLORPYRIFOS	0.01	ppm	0.1	PASS	ND	CHLORFENAPYR *	0.01	PPM	0.1	PASS	ND
CLOFENTEZINE	0.01	ppm	0.2	PASS	ND	CYFLUTHRIN *	0.05	PPM	0.5	PASS	ND
COUMAPHOS	0.01	ppm	0.1	PASS	ND	CYPERMETHRIN *	0.05	PPM	0.5	PASS	ND
DAMINOZIDE	0.01	ppm	0.1	PASS	ND	Analyzed by:	Weight:	Extraction date:	Extracted by:		
DIAZINON	0.01	ppm	0.1	PASS	ND	3379, 585, 4044	0.2093g	06/02/23 15:10:42	3379,585		
DICHLORVOS	0.01	ppm	0.1	PASS	ND	Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.101.FL (Gainesville),					
DIMETHOATE	0.01	ppm	0.1	PASS	ND	SOP.T.40.102.FL (Davie)					
ETHOPROPHOS	0.01	ppm	0.1	PASS	ND	Analytical Batch : DA060947PES			Reviewed On : 06/05/23 10:46:30		
ETOFENPROX	0.01	ppm	0.1	PASS	ND	Instrument Used : DA-LCMS-003 (PES)			Batch Date : 06/02/23 10:32:17		
ETOXAZOLE	0.01	ppm	0.1	PASS	ND	Analyzed Date : 06/02/23 15:10:53					
FENHEXAMID	0.01	ppm	0.1	PASS	ND	Dilution : 250					
FENOXYCARB	0.01	ppm	0.1	PASS	ND	Reagent : 053023.R01; 053123.R47; 053023.R02; 060223.R18; 042623.R45; 053123.R04; 040521.11					
FENPYROXIMATE	0.01	ppm	0.1	PASS	ND	Consumables : 6697075-02					
FIPRONIL	0.01	ppm	0.1	PASS	ND	Pipette : DA-093; DA-094; DA-219					
FLONICAMID	0.01	ppm	0.1	PASS	ND	Testing for agricultural agents is performed utilizing Liquid Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
FLUDIOXONIL	0.01	ppm	0.1	PASS	ND	Analyzed by:	Weight:	Extraction date:	Extracted by:		
HEXYTHIAZOX	0.01	ppm	0.1	PASS	ND	450, 585, 4044	0.2093g	06/02/23 15:10:42	3379,585		
IMAZALIL	0.01	ppm	0.1	PASS	ND	Analysis Method : SOP.T.30.151.FL (Gainesville), SOP.T.30.151A.FL (Davie), SOP.T.40.151.FL					
IMIDACLOPRID	0.01	ppm	0.4	PASS	ND	Analytical Batch : DA060949VOL			Reviewed On : 06/05/23 10:48:09		
KRESOXIM-METHYL	0.01	ppm	0.1	PASS	ND	Instrument Used : DA-GCMS-001			Batch Date : 06/02/23 10:34:01		
MALATHION	0.01	ppm	0.2	PASS	ND	Analyzed Date : 06/03/23 14:38:23					
METALAXYL	0.01	ppm	0.1	PASS	ND	Dilution : 250					
METHIOCARB	0.01	ppm	0.1	PASS	ND	Reagent : 053023.R02; 040521.11; 051823.R43; 051823.R44					
METHOMYL	0.01	ppm	0.1	PASS	ND	Consumables : 6697075-02; 14725401					
MEVINPHOS	0.01	ppm	0.1	PASS	ND	Pipette : DA-080; DA-146; DA-218					
MYCLOBUTANIL	0.01	ppm	0.1	PASS	ND	Testing for agricultural agents is performed utilizing Gas Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
NALED	0.01	ppm	0.25	PASS	ND						



# Certificate of Analysis

**PASSED**
**FLUENT**

 82 NE 26th street  
 Miami, FL, 33137, US  
 Telephone: (305) 900-6266  
 Email: Taylor.Jones@getfluent.com

Sample : DA30602002-011

Harvest/Lot ID: 1059 6719 8608 2138

Batch# : 1059 6719 8608 2138

Sampled : 06/01/23

Ordered : 06/01/23

Sample Size Received : 15.3 gram

Total Amount : 1446 units

Completed : 06/05/23 Expires: 06/05/24

Sample Method : SOP.T.20.010

Page 4 of 6



## Residual Solvents

**PASSED**

Solvents	LOD	Units	Action Level	Pass/Fail	Result
1,1-DICHLOROETHENE	0.8	ppm	8	PASS	ND
1,2-DICHLOROETHANE	0.2	ppm	2	PASS	ND
2-PROPANOL	50	ppm	500	PASS	<250
ACETONE	75	ppm	750	PASS	ND
ACETONITRILE	6	ppm	60	PASS	ND
BENZENE	0.1	ppm	1	PASS	ND
BUTANES (N-BUTANE)	500	ppm	5000	PASS	ND
CHLOROFORM	0.2	ppm	2	PASS	ND
DICHLOROMETHANE	12.5	ppm	125	PASS	ND
ETHANOL	500	ppm	5000	PASS	ND
ETHYL ACETATE	40	ppm	400	PASS	ND
ETHYL ETHER	50	ppm	500	PASS	ND
ETHYLENE OXIDE	0.5	ppm	5	PASS	ND
HEPTANE	500	ppm	5000	PASS	ND
METHANOL	25	ppm	250	PASS	ND
N-HEXANE	25	ppm	250	PASS	ND
PENTANES (N-PENTANE)	75	ppm	750	PASS	ND
PROPANE	500	ppm	5000	PASS	ND
TOLUENE	15	ppm	150	PASS	ND
TOTAL XYLENES	15	ppm	150	PASS	ND
TRICHLOROETHYLENE	2.5	ppm	25	PASS	ND

 Analyzed by:  
 850, 585, 4044

 Weight:  
 0.0235g

 Extraction date:  
 06/02/23 15:33:11

 Extracted by:  
 850

 Analysis Method : SOP.T.40.041.FL  
 Analytical Batch : DA060962SOL  
 Instrument Used : DA-GCMS-003  
 Analyzed Date : 06/05/23 12:24:17

 Reviewed On : 06/05/23 13:11:53  
 Batch Date : 06/02/23 13:34:35

 Dilution : 1  
 Reagent : 030420.09  
 Consumables : R2017.167; G201.167  
 Pipette : DA-309 25 uL Syringe 35028

Residual solvents analysis is performed utilizing Gas Chromatography Mass Spectrometry in accordance with with F.S. Rule 64ER20-39.



# Certificate of Analysis

**PASSED**




FLUENT

82 NE 26th street  
Miami, FL, 33137, US  
Telephone: (305) 900-6266  
Email: Taylor.Jones@getfluent.com

Sample : DA30602002-011  
Harvest/Lot ID: 1059 6719 8608 2138

Batch# : 1059 6719 8608 Sample Size Received : 15.3 gram  
2138 Total Amount : 1446 units  
Sampled : 06/01/23 Completed : 06/05/23 Expires: 06/05/24  
Ordered : 06/01/23 Sample Method : SOP.T.20.010

Page 5 of 6

 <b>Microbial</b> <b>PASSED</b>						 <b>Mycotoxins</b> <b>PASSED</b>					
Analyte	LOD	Units	Result	Pass / Fail	Action Level	Analyte	LOD	Units	Result	Pass / Fail	Action Level
ASPERGILLUS TERREUS			Not Present	PASS		AFLATOXIN B2	0.002	ppm	ND	PASS	0.02
ASPERGILLUS NIGER			Not Present	PASS		AFLATOXIN B1	0.002	ppm	ND	PASS	0.02
ASPERGILLUS FUMIGATUS			Not Present	PASS		OCHRATOXIN A	0.002	ppm	ND	PASS	0.02
ASPERGILLUS FLAVUS			Not Present	PASS		AFLATOXIN G1	0.002	ppm	ND	PASS	0.02
SALMONELLA SPECIFIC GENE			Not Present	PASS		AFLATOXIN G2	0.002	ppm	ND	PASS	0.02
ECOLI SHIGELLA			Not Present	PASS							
TOTAL YEAST AND MOLD	10	CFU/g	<10	PASS	100000	Analyzed by:		Weight:		Extraction date:	
						3621, 585, 4044	0.2093g	06/02/23 15:10:42	3379,585		
Analyzed by: 3621, 585, 4044 Weight: 0.806g Extraction date: 06/02/23 11:47:01 Extracted by: 3621,3390 Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL Analytical Batch : DA060904MIC Reviewed On : 06/05/23 10:29:37 Batch Date : 06/02/23 08:17:53 Instrument Used : PathogenDx Scanner DA-111,Applied Biosystems Thermocycler DA-013,fisherbrand Isotemp Heat Block DA-020,fisherbrand Isotemp Heat Block DA-049,Fisher Scientific Isotemp Heat Block DA-021 Analyzed Date : 06/02/23 13:08:59						Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.40.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.102.FL (Davie) Analytical Batch : DA060948MYC Reviewed On : 06/05/23 10:49:23 Batch Date : 06/02/23 10:33:59 Instrument Used : N/A Analyzed Date : 06/02/23 15:11:29 Dilution : 250 Reagent : 053023.R01; 053123.R47; 053023.R02; 060223.R18; 042623.R45; 053123.R04; 040521.11 Consumables : 6697075-02 Pipette : DA-093; DA-094; DA-219					
Dilution : N/A Reagent : 032123.02; 052323.R22; 092122.03; 092122.09 Consumables : 7562002065 Pipette : N/A						Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
 <b>Heavy Metals</b> <b>PASSED</b>											
Metal	LOD	Units	Result	Pass / Fail	Action Level						
TOTAL CONTAMINANT LOAD METALS	0.08	ppm	ND	PASS	1.1						
ARSENIC	0.02	ppm	ND	PASS	0.2						
CADMIUM	0.02	ppm	ND	PASS	0.2						
MERCURY	0.02	ppm	ND	PASS	0.2						
LEAD	0.02	ppm	ND	PASS	0.5						
Analyzed by:		Weight:		Extraction date:		Extracted by:					
1022, 585, 4044	0.2706g	06/02/23 11:56:27	3619,1022								
Analysis Method : SOP.T.30.082.FL, SOP.T.40.082.FL Analytical Batch : DA060930HEA Reviewed On : 06/03/23 16:29:18 Batch Date : 06/02/23 09:34:59 Instrument Used : DA-ICPMS-003 Analyzed Date : 06/02/23 14:37:07 Dilution : 50 Reagent : 050923.R24; 042623.R82; 052623.R37; 053123.R03; 052623.R35; 052623.R36; 052523.R15; 050923.01; 051823.R28 Consumables : 179436; 210508058 Pipette : DA-061; DA-191; DA-216						Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					

Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.



# Certificate of Analysis

**PASSED**
**FLUENT**

 82 NE 26th street  
 Miami, FL, 33137, US  
 Telephone: (305) 900-6266  
 Email: Taylor.Jones@getfluent.com

Sample : DA30602002-011

Harvest/Lot ID: 1059 6719 8608 2138

Batch# : 1059 6719 8608 2138

Sampled : 06/01/23

Ordered : 06/01/23

Sample Size Received : 15.3 gram

Total Amount : 1446 units

Completed : 06/05/23 Expires: 06/05/24

Sample Method : SOP.T.20.010

Page 6 of 6


**Filth/Foreign Material**
**PASSED**

Analyte	LOD	Units	Result	P/F	Action Level
Filth and Foreign Material	0.1	%	ND	PASS	1

Analyzed by: 1879, 4044	Weight: NA	Extraction date: N/A	Extracted by: N/A
----------------------------	---------------	-------------------------	----------------------

Analysis Method : SOP.T.40.090

Analytical Batch : DA060961FIL

Instrument Used : Filth/Foreign Material Microscope

Analyzed Date : 06/02/23 15:26:23

Reviewed On : 06/02/23 15:46:06

Batch Date : 06/02/23 13:15:07

Dilution : N/A

Reagent : N/A

Consumables : N/A

Pipette : N/A

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.


**Water Activity**
**PASSED**

Analyte	LOD	Units	Result	P/F	Action Level
Water Activity	0.01	aw	0.509	PASS	0.85

Analyzed by: 2926, 585, 4044	Weight: 0.33g	Extraction date: 06/02/23 15:31:30	Extracted by: 2926
---------------------------------	------------------	---------------------------------------	-----------------------

Analysis Method : SOP.T.40.019

Analytical Batch : DA060956WAT

Instrument Used : DA-028 Rotronic Hygropalm

Analyzed Date : 06/02/23 15:30:05

Reviewed On : 06/02/23 15:35:02

Batch Date : 06/02/23 12:13:13

Dilution : N/A

Reagent : 050923.03

Consumables : PS-14

Pipette : N/A

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.