



Certificate of Analysis

COMPLIANCE FOR RETAIL
Sample: DA30603006-005
Harvest/Lot ID: 4795 4907 9439 8104
Batch#: 4795 4907 9439 8104
Cultivation Facility: Tampa Cultivation
Processing Facility : Tampa Processing
Source Facility : Tampa Cultivation
Seed to Sale# 7847 4852 6701 5333
Batch Date: 03/17/23
Sample Size Received: 16 gram
Total Amount: 1430 units
Retail Product Size: 1 gram
Ordered: 06/03/23
Sampled: 06/03/23
Completed: 06/06/23
Sampling Method: SOP.T.20.010
PASSED


Jun 06, 2023 | FLUENT

 82 NE 26th street
 Miami, FL, 33137, US


Pages 1 of 6

PRODUCT IMAGE

SAFETY RESULTS

**Pesticides
PASSED**

**Heavy Metals
PASSED**

**Microbials
PASSED**

**Mycotoxins
PASSED**

**Residuals Solvents
PASSED**

**Filtration
PASSED**

**Water Activity
PASSED**

**Moisture
NOT TESTED**

**Terpenes
TESTED**
MISC.

Cannabinoid
PASSED

Total THC
83.998%
Total THC/Container : 839.98 mg

Total CBD
0.332%
Total CBD/Container : 3.32 mg

Total Cannabinoids
89.269%
Total Cannabinoids/Container : 892.69 mg

	D9-THC	THCA	CBD	CBDA	D8-THC	CBG	CBGA	CBN	THCV	CBDV	CBC
%	83.998	ND	0.332	ND	0.283	1.794	ND	0.783	0.452	ND	1.627
mg/unit	839.98	ND	3.32	ND	2.83	17.94	ND	7.83	4.52	ND	16.27
LOD	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001
	%	%	%	%	%	%	%	%	%	%	%

 Analyzed by:
 3112, 1665, 585, 1440

 Weight:
 0.1018g

 Extraction date:
 06/06/23 10:08:09

 Extracted by:
 3335, 3112, 1665

Analysis Method : SOP.T.40.031, SOP.T.30.031

Analytical Batch : DA060997POT

Instrument Used : DA-LC-007

Analyzed Date : 06/05/23 10:54:37

Reviewed On : 06/06/23 11:30:55

Batch Date : 06/04/23 18:07:32

Dilution : 400

Reagent : 060523.R04; 032123.11; 060523.R03

Consumables : 250350; CE123; 61633-125C6-125E; R1KB45277

Pipette : DA-079; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Jorge Segredo

Lab Director

 State License # CMTL-0002
 ISO 17025 Accreditation # ISO/IEC
 17025:2017 Accreditation PJLA-
 Testing 97164



 Signature
 06/06/23



Certificate of Analysis

PASSED

FLUENT

 82 NE 26th street
 Miami, FL, 33137, US
 Telephone: (305) 900-6266
 Email: Taylor.Jones@getfluent.com

Sample : DA30603006-005

Harvest/Lot ID: 4795 4907 9439 8104

 Batch# : 4795 4907 9439
 8104

Sample Size Received : 16 gram


Total Amount : 1430 units

Completed : 06/06/23 Expires: 06/06/24

Ordered : 06/03/23

Sample Method : SOP.T.20.010

Page 2 of 6



Terpenes

TESTED

Terpenes	LOD (%)	mg/unit	%	Result (%)	Terpenes	LOD (%)	mg/unit	%	Result (%)
TOTAL TERPENES	0.007	19.13	1.913		FARNESENE		0.24	0.024	
TOTAL TERPINEOL	0.007	0.44	0.044		ALPHA-HUMULENE	0.007	1.21	0.121	
ALPHA-BISABOLOL	0.007	0.46	0.046		VALENCENE	0.007	ND	ND	
ALPHA-PINENE	0.007	1.09	0.109		CIS-NEROLIDOL	0.007	ND	ND	
CAMPHENE	0.007	<0.2	<0.02		TRANS-NEROLIDOL	0.007	<0.2	<0.02	
SABINENE	0.007	ND	ND		CARYOPHYLLENE OXIDE	0.007	0.41	0.041	
BETA-PINENE	0.007	0.87	0.087		GUAIOL	0.007	ND	ND	
BETA-MYRCENE	0.007	1.29	0.129		CEDROL	0.007	ND	ND	
ALPHA-PHELLANDRENE	0.007	ND	ND		<div>Analyzed by: 1879, 2076, 585, 1440</div> <div>Weight: 0.9992g</div> <div>Extraction date: 06/04/23 13:38:24</div> <div>Extracted by: 1879, 2076</div> <div>Analysis Method : SOP.T.30.061A.FL, SOP.T.40.061A.FL</div> <div>Analytical Batch : DA060993TER</div> <div>Instrument Used : DA-GCMS-004</div> <div>Analyzed Date : 06/04/23 12:29:40</div> <div>Dilution : 10</div> <div>Reagent : 121622.25</div> <div>Consumables : 210414634; MKCN9995; CE0123; R1KB14270</div> <div>Pipette : N/A</div> <div>Terpenoid testing is performed utilizing Gas Chromatography Mass Spectrometry. For all Flower samples, the Total Terpenes % is dry-weight corrected.</div>				
3-CARENE	0.007	ND	ND						
ALPHA-TERPINENE	0.007	ND	ND						
LIMONENE	0.007	4.68	0.468						
EUCALYPTOL	0.007	ND	ND		<div>Reviewed On : 06/06/23 15:55:37</div> <div>Batch Date : 06/04/23 12:28:52</div>				
OCIMENE	0.007	0.2	0.02						
GAMMA-TERPINENE	0.007	ND	ND						
SABINENE HYDRATE	0.007	ND	ND						
TERPINOLENE	0.007	ND	ND						
FENCHONE	0.007	<0.4	<0.04						
LINALOOL	0.007	2.45	0.245						
FENCHYL ALCOHOL	0.007	1.05	0.105						
ISOPULEGOL	0.007	<0.2	<0.02						
CAMPHOR	0.007	ND	ND						
ISOBORNEOL	0.007	ND	ND						
BORNEOL	0.013	<0.4	<0.04						
HEXAHYDROTHYMOL	0.007	ND	ND						
NEROL	0.007	ND	ND						
PULEGONE	0.007	ND	ND						
GERANIOL	0.007	<0.2	<0.02						
GERANYL ACETATE	0.007	ND	ND						
ALPHA-CEDRENE	0.007	ND	ND						
BETA-CARYOPHYLLENE	0.007	4.74	0.474						
Total (%)				1.913					



Certificate of Analysis

PASSED

FLUENT

 82 NE 26th street
 Miami, FL, 33137, US
 Telephone: (305) 900-6266
 Email: Taylor.Jones@getfluent.com

Sample : DA30603006-005

Harvest/Lot ID: 4795 4907 9439 8104

 Batch# : 4795 4907 9439
 8104

Sampled : 06/03/23

Ordered : 06/03/23


Sample Size Received : 16 gram

Total Amount : 1430 units

Completed : 06/06/23 Expires: 06/06/24

Sample Method : SOP.T.20.010

Page 3 of 6



Pesticides

PASSED

Pesticide	LOD	Units	Action Level	Pass/Fail	Result	Pesticide	LOD	Units	Action Level	Pass/Fail	Result
TOTAL CONTAMINANT LOAD (PESTICIDES)	0.01	ppm	5	PASS	ND	OXAMYL	0.01	ppm	0.5	PASS	ND
TOTAL DIMETHOMORPH	0.01	ppm	0.2	PASS	ND	PACLOBUTRAZOL	0.01	ppm	0.1	PASS	ND
TOTAL PERMETHRIN	0.01	ppm	0.1	PASS	ND	PHOSMET	0.01	ppm	0.1	PASS	ND
TOTAL PYRETHRINS	0.01	ppm	0.5	PASS	ND	PIPERONYL BUTOXIDE	0.01	ppm	3	PASS	ND
TOTAL SPINETORAM	0.01	ppm	0.2	PASS	ND	PRALLETHRIN	0.01	ppm	0.1	PASS	ND
TOTAL SPINOSAD	0.01	ppm	0.1	PASS	ND	PROPICONAZOLE	0.01	ppm	0.1	PASS	ND
ABAMECTIN B1A	0.01	ppm	0.1	PASS	ND	PROPOXUR	0.01	ppm	0.1	PASS	ND
ACEPHATE	0.01	ppm	0.1	PASS	ND	PYRIDABEN	0.01	ppm	0.2	PASS	ND
ACEQUINOCYL	0.01	ppm	0.1	PASS	ND	SPIROMESIFEN	0.01	ppm	0.1	PASS	ND
ACETAMIPRID	0.01	ppm	0.1	PASS	ND	SPIROTETRAMAT	0.01	ppm	0.1	PASS	ND
ALDICARB	0.01	ppm	0.1	PASS	ND	SPIROXAMINE	0.01	ppm	0.1	PASS	ND
AZOXYSTROBIN	0.01	ppm	0.1	PASS	ND	TEBUCONAZOLE	0.01	ppm	0.1	PASS	ND
BIFENAZATE	0.01	ppm	0.1	PASS	ND	THIACLOPRID	0.01	ppm	0.1	PASS	ND
BIFENTHRIN	0.01	ppm	0.1	PASS	ND	THIAMETHOXAM	0.01	ppm	0.5	PASS	ND
BOSCALID	0.01	ppm	0.1	PASS	ND	TRIFLOXYSTROBIN	0.01	ppm	0.1	PASS	ND
CARBARYL	0.01	ppm	0.5	PASS	ND	PENTACHLORONITROBENZENE (PCNB) *	0.01	PPM	0.15	PASS	ND
CARBOFURAN	0.01	ppm	0.1	PASS	ND	PARATHION-METHYL *	0.01	PPM	0.1	PASS	ND
CHLORANTRANILIPROLE	0.01	ppm	1	PASS	ND	CAPTAN *	0.07	PPM	0.7	PASS	ND
CHLORMEQUAT CHLORIDE	0.01	ppm	1	PASS	ND	CHLORDANE *	0.01	PPM	0.1	PASS	ND
CHLORPYRIFOS	0.01	ppm	0.1	PASS	ND	CHLORFENAPYR *	0.01	PPM	0.1	PASS	ND
CLOFENTEZINE	0.01	ppm	0.2	PASS	ND	CYFLUTHRIN *	0.05	PPM	0.5	PASS	ND
COUMAPHOS	0.01	ppm	0.1	PASS	ND	CYPERMETHRIN *	0.05	PPM	0.5	PASS	ND
DAMINOZIDE	0.01	ppm	0.1	PASS	ND	<div> <div>Analyzed by:</div> <div>3379, 585, 1440</div> </div> <div> <div>Weight:</div> <div>0.2543g</div> </div> <div> <div>Extraction date:</div> <div>06/04/23 14:32:27</div> </div> <div> <div>Extracted by:</div> <div>4056</div> </div> <div> <div>Analysis Method :</div> <div>SOP.T.30.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.101.FL (Gainesville), SOP.T.40.102.FL (Davie)</div> </div> <div> <div>Analytical Batch :</div> <div>DA060989PES</div> </div> <div> <div>Instrument Used :</div> <div>DA-LCMS-003 (PES)</div> </div> <div> <div>Analyzed Date :</div> <div>06/05/23 13:39:18</div> </div> <div> <div>Dilution :</div> <div>250</div> </div> <div> <div>Reagent :</div> <div>053023.R01; 053123.R47; 053023.R02; 060223.R18; 042623.R45; 053123.R04; 040521.11</div> </div> <div> <div>Consumables :</div> <div>6697075-02</div> </div> <div> <div>Pipette :</div> <div>DA-093; DA-094; DA-219</div> </div> <div> <div>Testing for agricultural agents is performed utilizing Liquid Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.</div> </div>					
DIAZINON	0.01	ppm	0.1	PASS	ND		<div> <div>Analyzed by:</div> <div>450, 585, 1440</div> </div> <div> <div>Weight:</div> <div>0.2543g</div> </div> <div> <div>Extraction date:</div> <div>06/04/23 14:32:27</div> </div> <div> <div>Extracted by:</div> <div>4056</div> </div> <div> <div>Analysis Method :</div> <div>SOP.T.30.151.FL (Gainesville), SOP.T.30.151A.FL (Davie), SOP.T.40.151.FL</div> </div> <div> <div>Analytical Batch :</div> <div>DA060990VOL</div> </div> <div> <div>Instrument Used :</div> <div>DA-GCMS-001</div> </div> <div> <div>Analyzed Date :</div> <div>06/06/23 10:05:22</div> </div> <div> <div>Dilution :</div> <div>250</div> </div> <div> <div>Reagent :</div> <div>053023.R02; 040521.11; 051823.R43; 051823.R44</div> </div> <div> <div>Consumables :</div> <div>6697075-02; 14725401</div> </div> <div> <div>Pipette :</div> <div>DA-080; DA-146; DA-218</div> </div> <div> <div>Testing for agricultural agents is performed utilizing Gas Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.</div> </div>				
DICHLORVOS	0.01	ppm	0.1	PASS	ND						
DIMETHOATE	0.01	ppm	0.1	PASS	ND						
ETHOPROPHOS	0.01	ppm	0.1	PASS	ND						
ETOFENPROX	0.01	ppm	0.1	PASS	ND						
ETOXAZOLE	0.01	ppm	0.1	PASS	ND						
FENHEXAMID	0.01	ppm	0.1	PASS	ND						
FENOXYCARB	0.01	ppm	0.1	PASS	ND						
FENPYROXIMATE	0.01	ppm	0.1	PASS	ND						
FIPRONIL	0.01	ppm	0.1	PASS	ND						
FLONICAMID	0.01	ppm	0.1	PASS	ND						
FLUDIOXONIL	0.01	ppm	0.1	PASS	ND						
HEXYTHIAZOX	0.01	ppm	0.1	PASS	ND						
IMAZALIL	0.01	ppm	0.1	PASS	ND						
IMIDACLOPRID	0.01	ppm	0.4	PASS	ND						
KRESOXIM-METHYL	0.01	ppm	0.1	PASS	ND						
MALATHION	0.01	ppm	0.2	PASS	ND						
METALAXYL	0.01	ppm	0.1	PASS	ND						
METHIOCARB	0.01	ppm	0.1	PASS	ND						
METHOMYL	0.01	ppm	0.1	PASS	ND						
MEVINPHOS	0.01	ppm	0.1	PASS	ND						
MYCLOBUTANIL	0.01	ppm	0.1	PASS	ND						
NALED	0.01	ppm	0.25	PASS	ND						



Certificate of Analysis

PASSED
FLUENT

 82 NE 26th street
 Miami, FL, 33137, US
 Telephone: (305) 900-6266
 Email: Taylor.Jones@getfluent.com

Sample : DA30603006-005

Harvest/Lot ID: 4795 4907 9439 8104

Batch# : 4795 4907 9439 8104

Sampled : 06/03/23

Ordered : 06/03/23

Sample Size Received : 16 gram

Total Amount : 1430 units

Completed : 06/06/23 Expires: 06/06/24

Sample Method : SOP.T.20.010

Page 4 of 6



Residual Solvents

PASSED

Solvents	LOD	Units	Action Level	Pass/Fail	Result
1,1-DICHLOROETHENE	0.8	ppm	8	PASS	ND
1,2-DICHLOROETHANE	0.2	ppm	2	PASS	ND
2-PROPANOL	50	ppm	500	PASS	ND
ACETONE	75	ppm	750	PASS	ND
ACETONITRILE	6	ppm	60	PASS	ND
BENZENE	0.1	ppm	1	PASS	ND
BUTANES (N-BUTANE)	500	ppm	5000	PASS	ND
CHLOROFORM	0.2	ppm	2	PASS	ND
DICHLOROMETHANE	12.5	ppm	125	PASS	ND
ETHANOL	500	ppm	5000	PASS	ND
ETHYL ACETATE	40	ppm	400	PASS	ND
ETHYL ETHER	50	ppm	500	PASS	ND
ETHYLENE OXIDE	0.5	ppm	5	PASS	ND
HEPTANE	500	ppm	5000	PASS	ND
METHANOL	25	ppm	250	PASS	ND
N-HEXANE	25	ppm	250	PASS	ND
PENTANES (N-PENTANE)	75	ppm	750	PASS	ND
PROPANE	500	ppm	5000	PASS	ND
TOLUENE	15	ppm	150	PASS	ND
TOTAL XYLENES	15	ppm	150	PASS	ND
TRICHLOROETHYLENE	2.5	ppm	25	PASS	ND

 Analyzed by:
 850, 585, 1440

 Weight:
 0.0217g

 Extraction date:
 06/06/23 10:38:34

 Extracted by:
 850

 Analysis Method : SOP.T.40.041.FL
 Analytical Batch : DA061015SOL
 Instrument Used : DA-GCMS-002
 Analyzed Date : 06/06/23 10:41:55

 Reviewed On : 06/06/23 11:28:23
 Batch Date : 06/05/23 17:26:07

 Dilution : 1
 Reagent : 030420.09
 Consumables : R2017.167; G201.167
 Pipette : DA-309 25 uL Syringe 35028

Residual solvents analysis is performed utilizing Gas Chromatography Mass Spectrometry in accordance with with F.S. Rule 64ER20-39.



Certificate of Analysis

PASSED
FLUENT

 82 NE 26th street
 Miami, FL, 33137, US
 Telephone: (305) 900-6266
 Email: Taylor.Jones@getfluent.com

Sample : DA30603006-005

Harvest/Lot ID: 4795 4907 9439 8104

Batch# : 4795 4907 9439 8104

Sampled : 06/03/23

Ordered : 06/03/23



Sample Size Received : 16 gram

Total Amount : 1430 units

Completed : 06/06/23 Expires: 06/06/24

Sample Method : SOP.T.20.010

Page 5 of 6

 Microbial PASSED						 Mycotoxins PASSED					
Analyte	LOD	Units	Result	Pass / Fail	Action Level	Analyte	LOD	Units	Result	Pass / Fail	Action Level
ECOLI SHIGELLA			Not Present	PASS		AFLATOXIN B2	0.002	ppm	ND	PASS	0.02
SALMONELLA SPECIFIC GENE			Not Present	PASS		AFLATOXIN B1	0.002	ppm	ND	PASS	0.02
ASPERGILLUS FLAVUS			Not Present	PASS		OCHRATOXIN A	0.002	ppm	ND	PASS	0.02
ASPERGILLUS FUMIGATUS			Not Present	PASS		AFLATOXIN G1	0.002	ppm	ND	PASS	0.02
ASPERGILLUS TERREUS			Not Present	PASS		AFLATOXIN G2	0.002	ppm	ND	PASS	0.02
ASPERGILLUS NIGER			Not Present	PASS							
TOTAL YEAST AND MOLD	10	CFU/g	<10	PASS	100000						
Analyzed by: 3390, 585, 1440 Weight: 0.858g Extraction date: N/A Extracted by: 3390 Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL Analytical Batch : DA060979MIC Instrument Used : PathogenDx Scanner DA-111, Applied Biosystems Thermocycler DA-171, fisherbrand Isotemp Heat Block DA-020, fisherbrand Isotemp Heat Block DA-049, Fisher Scientific Isotemp Heat Block DA-021 Analyzed Date : 06/05/23 10:26:41 Dilution : N/A Reagent : 031523.12; 092122.03; 052323.R22; 092122.09 Consumables : 7562002068 Pipette : N/A						Analyzed by: 3379, 585, 1440 Weight: 0.2543g Extraction date: 06/04/23 14:32:27 Extracted by: 4056 Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.40.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.102.FL (Davie) Analytical Batch : DA060991MYC Instrument Used : N/A Analyzed Date : 06/05/23 13:39:26 Dilution : 250 Reagent : 053023.R01; 053123.R47; 053023.R02; 060223.R18; 042623.R45; 053123.R04; 040521.11 Consumables : 6697075-02 Pipette : DA-093; DA-094; DA-219 Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
Reviewed On : 06/06/23 18:08:40 Batch Date : 06/04/23 09:32:27						Reviewed On : 06/06/23 15:42:20 Batch Date : 06/04/23 11:00:18					
Heavy Metals PASSED											
Metal	LOD	Units	Result	Pass / Fail	Action Level						
TOTAL CONTAMINANT LOAD METALS	0.08	ppm	ND	PASS	1.1						
ARSENIC	0.02	ppm	ND	PASS	0.2						
CADMIUM	0.02	ppm	ND	PASS	0.2						
MERCURY	0.02	ppm	ND	PASS	0.2						
LEAD	0.02	ppm	ND	PASS	0.5						
Analyzed by: 1022, 585, 1440 Weight: 0.2104g Extraction date: 06/05/23 07:46:59 Extracted by: 3619 Analysis Method : SOP.T.30.082.FL, SOP.T.40.082.FL Analytical Batch : DA060973HEA Instrument Used : DA-ICPMS-003 Analyzed Date : 06/05/23 11:28:25 Dilution : 50 Reagent : N/A Consumables : N/A Pipette : N/A Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.											



Certificate of Analysis

PASSED
FLUENT

 82 NE 26th street
 Miami, FL, 33137, US
 Telephone: (305) 900-6266
 Email: Taylor.Jones@getfluent.com

Sample : DA30603006-005

Harvest/Lot ID: 4795 4907 9439 8104

Batch# : 4795 4907 9439 8104

Sampled : 06/03/23

Ordered : 06/03/23

Sample Size Received : 16 gram

Total Amount : 1430 units

Completed : 06/06/23 Expires: 06/06/24

Sample Method : SOP.T.20.010

Page 6 of 6


Filth/Foreign Material
PASSED

Analyte	LOD	Units	Result	P/F	Action Level
Filth and Foreign Material	0.1	%	ND	PASS	1

Analyzed by: 1879, 1440	Weight: NA	Extraction date: N/A	Extracted by: N/A
----------------------------	---------------	-------------------------	----------------------

Analysis Method : SOP.T.40.090

Analytical Batch : DA060982FIL

Instrument Used : Filth/Foreign Material Microscope

Analyzed Date : 06/04/23 23:26:10

Reviewed On : 06/04/23 23:40:29

Batch Date : 06/04/23 09:58:14

Dilution : N/A

Reagent : N/A

Consumables : N/A

Pipette : N/A

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.


Water Activity
PASSED

Analyte	LOD	Units	Result	P/F	Action Level
Water Activity	0.01	aw	0.568	PASS	0.85

Analyzed by: 2926, 585, 1440	Weight: 0.405g	Extraction date: 06/05/23 08:31:10	Extracted by: 2926
---------------------------------	-------------------	---------------------------------------	-----------------------

Analysis Method : SOP.T.40.019

Analytical Batch : DA060975WAT

Instrument Used : DA-028 Rotronic Hygropalm

Analyzed Date : 06/03/23 13:53:01

Reviewed On : 06/05/23 11:22:37

Batch Date : 06/03/23 11:02:17

Dilution : N/A

Reagent : 050923.03

Consumables : PS-14

Pipette : N/A

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.