



Certificate of Analysis

COMPLIANCE FOR RETAIL
Sample: DA30603006-007
Harvest/Lot ID: 3738 4648 2255 0485
Batch#: 3738 4648 2255 0485
Cultivation Facility: Tampa Cultivation
Processing Facility : Tampa Processing
Source Facility : Tampa Cultivation
Seed to Sale# 4261 5081 8176 4726
Batch Date: 03/17/23
Sample Size Received: 16 gram
Total Amount: 1466 units
Retail Product Size: 1 gram
Ordered: 06/03/23
Sampled: 06/03/23
Completed: 06/06/23
Sampling Method: SOP.T.20.010
PASSED

Jun 06, 2023 | FLUENT

 82 NE 26th street
 Miami, FL, 33137, US


Pages 1 of 6

PRODUCT IMAGE

SAFETY RESULTS

**Pesticides
PASSED**

**Heavy Metals
PASSED**

**Microbials
PASSED**

**Mycotoxins
PASSED**

**Residuals Solvents
PASSED**

**Filtration
PASSED**

**Water Activity
PASSED**

**Moisture
NOT TESTED**

**Terpenes
TESTED**
MISC.

Cannabinoid
PASSED

Total THC
85.337%
Total THC/Container : 853.37 mg

Total CBD
0.255%
Total CBD/Container : 2.55 mg

Total Cannabinoids
90.843%
Total Cannabinoids/Container : 908.43 mg

| | D9-THC | THCA | CBD | CBDA | D8-THC | CBG | CBGA | CBN | THCV | CBDV | CBC |
|---------|--------|-------|-------|-------|--------|-------|-------|-------|-------|-------|-------|
| % | 85.337 | ND | 0.255 | ND | 0.291 | 2.011 | ND | 0.691 | 0.603 | ND | 1.655 |
| mg/unit | 853.37 | ND | 2.55 | ND | 2.91 | 20.11 | ND | 6.91 | 6.03 | ND | 16.55 |
| LOD | 0.001 | 0.001 | 0.001 | 0.001 | 0.001 | 0.001 | 0.001 | 0.001 | 0.001 | 0.001 | 0.001 |
| | % | % | % | % | % | % | % | % | % | % | % |

 Analyzed by:
 3112, 1665, 585, 1440

 Weight:
 0.1079g

 Extraction date:
 06/05/23 10:27:36

 Extracted by:
 3335, 3112

Analysis Method : SOP.T.40.031, SOP.T.30.031

Analytical Batch : DA060997POT

Instrument Used : DA-LC-007

Analyzed Date : 06/05/23 10:54:37

Reviewed On : 06/06/23 11:32:41

Batch Date : 06/04/23 18:07:32

Dilution : 400

Reagent : 060523.R04; 032123.11; 060523.R03

Consumables : 250350; CE123; 61633-125C6-125E; R1KB45277

Pipette : DA-079; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Jorge Segredo

Lab Director

 State License # CMTL-0002
 ISO 17025 Accreditation # ISO/IEC
 17025:2017 Accreditation PJLA-
 Testing 97164



 Signature
 06/06/23



Certificate of Analysis

PASSED

FLUENT

 82 NE 26th street
 Miami, FL, 33137, US
 Telephone: (305) 900-6266
 Email: Taylor.Jones@getfluent.com

 Sample : DA30603006-007
 Harvest/Lot ID: 3738 4648 2255 0485

 Batch# : 3738 4648 2255 0485
 Sample Size Received : 16 gram
 Total Amount : 1466 units
 Completed : 06/06/23 Expires: 06/06/24
 Sample Method : SOP.T.20.010

Page 2 of 6



Certificate of Analysis

PASSED

FLUENT

 82 NE 26th street
 Miami, FL, 33137, US
 Telephone: (305) 900-6266
 Email: Taylor.Jones@getfluent.com

Sample : DA30603006-007

Harvest/Lot ID: 3738 4648 2255 0485

Batch# : 3738 4648 2255 0485

Sampled : 06/03/23

Ordered : 06/03/23


Sample Size Received : 16 gram

Total Amount : 1466 units

Completed : 06/06/23 Expires: 06/06/24

Sample Method : SOP.T.20.010

Page 3 of 6



Pesticides

PASSED

| Pesticide | LOD | Units | Action Level | Pass/Fail | Result | Pesticide | LOD | Units | Action Level | Pass/Fail | Result |
|-------------------------------------|------|-------|--------------|-----------|--------|--|---------|-------------------|---------------------------------|-----------|--------|
| TOTAL CONTAMINANT LOAD (PESTICIDES) | 0.01 | ppm | 5 | PASS | ND | OXAMYL | 0.01 | ppm | 0.5 | PASS | ND |
| TOTAL DIMETHOMORPH | 0.01 | ppm | 0.2 | PASS | ND | PACLOBUTRAZOL | 0.01 | ppm | 0.1 | PASS | ND |
| TOTAL PERMETHRIN | 0.01 | ppm | 0.1 | PASS | ND | PHOSMET | 0.01 | ppm | 0.1 | PASS | ND |
| TOTAL PYRETHRINS | 0.01 | ppm | 0.5 | PASS | ND | PIPERONYL BUTOXIDE | 0.01 | ppm | 3 | PASS | ND |
| TOTAL SPINETORAM | 0.01 | ppm | 0.2 | PASS | ND | PRALLETHRIN | 0.01 | ppm | 0.1 | PASS | ND |
| TOTAL SPINOSAD | 0.01 | ppm | 0.1 | PASS | ND | PROPICONAZOLE | 0.01 | ppm | 0.1 | PASS | ND |
| ABAMECTIN B1A | 0.01 | ppm | 0.1 | PASS | ND | PROPOXUR | 0.01 | ppm | 0.1 | PASS | ND |
| ACEPHATE | 0.01 | ppm | 0.1 | PASS | ND | PYRIDABEN | 0.01 | ppm | 0.2 | PASS | ND |
| ACEQUINOCYL | 0.01 | ppm | 0.1 | PASS | ND | SPIROMESIFEN | 0.01 | ppm | 0.1 | PASS | ND |
| ACETAMIPRID | 0.01 | ppm | 0.1 | PASS | ND | SPIROTETRAMAT | 0.01 | ppm | 0.1 | PASS | ND |
| ALDICARB | 0.01 | ppm | 0.1 | PASS | ND | SPIROXAMINE | 0.01 | ppm | 0.1 | PASS | ND |
| AZOXYSTROBIN | 0.01 | ppm | 0.1 | PASS | ND | TEBUCONAZOLE | 0.01 | ppm | 0.1 | PASS | ND |
| BIFENAZATE | 0.01 | ppm | 0.1 | PASS | ND | THIACLOPRID | 0.01 | ppm | 0.1 | PASS | ND |
| BIFENTHRIN | 0.01 | ppm | 0.1 | PASS | ND | THIAMETHOXAM | 0.01 | ppm | 0.5 | PASS | ND |
| BOSCALID | 0.01 | ppm | 0.1 | PASS | ND | TRIFLOXYSTROBIN | 0.01 | ppm | 0.1 | PASS | ND |
| CARBARYL | 0.01 | ppm | 0.5 | PASS | ND | PENTACHLORONITROBENZENE (PCNB) * | 0.01 | PPM | 0.15 | PASS | ND |
| CARBOFURAN | 0.01 | ppm | 0.1 | PASS | ND | PARATHION-METHYL * | 0.01 | PPM | 0.1 | PASS | ND |
| CHLORANTRANILIPROLE | 0.01 | ppm | 1 | PASS | ND | CAPTAN * | 0.07 | PPM | 0.7 | PASS | ND |
| CHLORMEQUAT CHLORIDE | 0.01 | ppm | 1 | PASS | ND | CHLORDANE * | 0.01 | PPM | 0.1 | PASS | ND |
| CHLORPYRIFOS | 0.01 | ppm | 0.1 | PASS | ND | CHLORFENAPYR * | 0.01 | PPM | 0.1 | PASS | ND |
| CLOFENTEZINE | 0.01 | ppm | 0.2 | PASS | ND | CYFLUTHRIN * | 0.05 | PPM | 0.5 | PASS | ND |
| COUMAPHOS | 0.01 | ppm | 0.1 | PASS | ND | CYPERMETHRIN * | 0.05 | PPM | 0.5 | PASS | ND |
| DAMINOZIDE | 0.01 | ppm | 0.1 | PASS | ND | | | | | | |
| DIAZINON | 0.01 | ppm | 0.1 | PASS | ND | Analyzed by: | Weight: | Extraction date: | Extracted by: | | |
| DICHLORVOS | 0.01 | ppm | 0.1 | PASS | ND | 3379, 585, 1440 | 0.2329g | 06/04/23 14:32:28 | 4056 | | |
| DIMETHOATE | 0.01 | ppm | 0.1 | PASS | ND | Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.101.FL (Gainesville), SOP.T.40.102.FL (Davie) | | | | | |
| ETHOPROPHOS | 0.01 | ppm | 0.1 | PASS | ND | Analytical Batch : DA060989PES | | | Reviewed On : 06/06/23 15:43:56 | | |
| ETOFENPROX | 0.01 | ppm | 0.1 | PASS | ND | Instrument Used : DA-LCMS-003 (PES) | | | Batch Date : 06/04/23 10:57:59 | | |
| ETOXAZOLE | 0.01 | ppm | 0.1 | PASS | ND | Analyzed Date : 06/05/23 13:39:18 | | | | | |
| FENHEXAMID | 0.01 | ppm | 0.1 | PASS | ND | Dilution : 250 | | | | | |
| FENOXYCARB | 0.01 | ppm | 0.1 | PASS | ND | Reagent : 053023.R01; 053123.R47; 053023.R02; 060223.R18; 042623.R45; 053123.R04; 040521.11 | | | | | |
| FENPYROXIMATE | 0.01 | ppm | 0.1 | PASS | ND | Consumables : 6697075-02 | | | | | |
| FIPRONIL | 0.01 | ppm | 0.1 | PASS | ND | Pipette : DA-093; DA-094; DA-219 | | | | | |
| FLONICAMID | 0.01 | ppm | 0.1 | PASS | ND | Testing for agricultural agents is performed utilizing Liquid Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39. | | | | | |
| FLUDIOXONIL | 0.01 | ppm | 0.1 | PASS | ND | Analyzed by: | Weight: | Extraction date: | Extracted by: | | |
| HEXYTHIAZOX | 0.01 | ppm | 0.1 | PASS | ND | 450, 585, 1440 | 0.2329g | 06/04/23 14:32:28 | 4056 | | |
| IMAZALIL | 0.01 | ppm | 0.1 | PASS | ND | Analysis Method : SOP.T.30.151.FL (Gainesville), SOP.T.30.151A.FL (Davie), SOP.T.40.151.FL | | | | | |
| IMIDACLOPRID | 0.01 | ppm | 0.4 | PASS | ND | Analytical Batch : DA060990VOL | | | Reviewed On : 06/06/23 11:08:05 | | |
| KRESOXIM-METHYL | 0.01 | ppm | 0.1 | PASS | ND | Instrument Used : DA-GCMS-001 | | | Batch Date : 06/04/23 11:00:14 | | |
| MALATHION | 0.01 | ppm | 0.2 | PASS | ND | Analyzed Date : 06/06/23 10:05:22 | | | | | |
| METALAXYL | 0.01 | ppm | 0.1 | PASS | ND | Dilution : 250 | | | | | |
| METHIOCARB | 0.01 | ppm | 0.1 | PASS | ND | Reagent : 053023.R02; 040521.11; 051823.R43; 051823.R44 | | | | | |
| METHOMYL | 0.01 | ppm | 0.1 | PASS | ND | Consumables : 6697075-02; 14725401 | | | | | |
| MEVINPHOS | 0.01 | ppm | 0.1 | PASS | ND | Pipette : DA-080; DA-146; DA-218 | | | | | |
| MYCLOBUTANIL | 0.01 | ppm | 0.1 | PASS | ND | Testing for agricultural agents is performed utilizing Gas Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39. | | | | | |
| NALED | 0.01 | ppm | 0.25 | PASS | ND | | | | | | |



Certificate of Analysis

PASSED
FLUENT

 82 NE 26th street
 Miami, FL, 33137, US
 Telephone: (305) 900-6266
 Email: Taylor.Jones@getfluent.com

Sample : DA30603006-007

Harvest/Lot ID: 3738 4648 2255 0485

Batch# : 3738 4648 2255 0485

Sampled : 06/03/23

Ordered : 06/03/23

Sample Size Received : 16 gram

Total Amount : 1466 units

Completed : 06/06/23 Expires: 06/06/24

Sample Method : SOP.T.20.010

Page 4 of 6



Residual Solvents

PASSED

| Solvents | LOD | Units | Action Level | Pass/Fail | Result |
|----------------------|------|-------|--------------|-----------|--------|
| 1,1-DICHLOROETHENE | 0.8 | ppm | 8 | PASS | ND |
| 1,2-DICHLOROETHANE | 0.2 | ppm | 2 | PASS | ND |
| 2-PROPANOL | 50 | ppm | 500 | PASS | ND |
| ACETONE | 75 | ppm | 750 | PASS | ND |
| ACETONITRILE | 6 | ppm | 60 | PASS | ND |
| BENZENE | 0.1 | ppm | 1 | PASS | ND |
| BUTANES (N-BUTANE) | 500 | ppm | 5000 | PASS | ND |
| CHLOROFORM | 0.2 | ppm | 2 | PASS | ND |
| DICHLOROMETHANE | 12.5 | ppm | 125 | PASS | ND |
| ETHANOL | 500 | ppm | 5000 | PASS | ND |
| ETHYL ACETATE | 40 | ppm | 400 | PASS | ND |
| ETHYL ETHER | 50 | ppm | 500 | PASS | ND |
| ETHYLENE OXIDE | 0.5 | ppm | 5 | PASS | ND |
| HEPTANE | 500 | ppm | 5000 | PASS | ND |
| METHANOL | 25 | ppm | 250 | PASS | ND |
| N-HEXANE | 25 | ppm | 250 | PASS | ND |
| PENTANES (N-PENTANE) | 75 | ppm | 750 | PASS | ND |
| PROPANE | 500 | ppm | 5000 | PASS | ND |
| TOLUENE | 15 | ppm | 150 | PASS | ND |
| TOTAL XYLENES | 15 | ppm | 150 | PASS | ND |
| TRICHLOROETHYLENE | 2.5 | ppm | 25 | PASS | ND |

 Analyzed by:
 850, 585, 1440

 Weight:
 0.0207g

 Extraction date:
 06/06/23 10:38:35

 Extracted by:
 850

 Analysis Method : SOP.T.40.041.FL
 Analytical Batch : DA061015SOL
 Instrument Used : DA-GCMS-002
 Analyzed Date : 06/06/23 10:41:55

 Reviewed On : 06/06/23 11:28:30
 Batch Date : 06/05/23 17:26:07

 Dilution : 1
 Reagent : 030420.09
 Consumables : R2017.167; G201.167
 Pipette : DA-309 25 uL Syringe 35028

Residual solvents analysis is performed utilizing Gas Chromatography Mass Spectrometry in accordance with with F.S. Rule 64ER20-39.



Certificate of Analysis

PASSED
FLUENT

 82 NE 26th street
 Miami, FL, 33137, US
 Telephone: (305) 900-6266
 Email: Taylor.Jones@getfluent.com

Sample : DA30603006-007

Harvest/Lot ID: 3738 4648 2255 0485

Batch# : 3738 4648 2255 0485

Sampled : 06/03/23

Ordered : 06/03/23

Sample Size Received : 16 gram

Total Amount : 1466 units

Completed : 06/06/23 Expires: 06/06/24

Sample Method : SOP.T.20.010

Page 5 of 6

| | | |
|---|-------------------|---------------|
|  | Microbial | PASSED |
|  | Mycotoxins | PASSED |

| Analyte | LOD | Units | Result | Pass / Fail | Action Level |
|---------------------------------|-----|-------|-------------|-------------|--------------|
| ECOLI SHIGELLA | | | Not Present | PASS | |
| SALMONELLA SPECIFIC GENE | | | Not Present | PASS | |
| ASPERGILLUS FLAVUS | | | Not Present | PASS | |
| ASPERGILLUS FUMIGATUS | | | Not Present | PASS | |
| ASPERGILLUS TERREUS | | | Not Present | PASS | |
| ASPERGILLUS NIGER | | | Not Present | PASS | |
| TOTAL YEAST AND MOLD | 10 | CFU/g | <10 | PASS | 100000 |

Analyzed by: 3390, 585, 1440 Weight: 0.967g Extraction date: N/A Extracted by: 3390

 Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL
 Analytical Batch : DA060979MIC Reviewed On : 06/06/23 18:08:44

 Instrument Used : PathogenDx Scanner DA-111, Applied Biosystems Thermocycler DA-171, fisherbrand Isotemp Heat Block DA-020, fisherbrand Isotemp Heat Block DA-049, Fisher Scientific Isotemp Heat Block DA-021
 Analyzed Date : 06/05/23 10:26:41 Batch Date : 06/04/23 09:32:27

 Dilution : N/A
 Reagent : 031523.12; 092122.03; 052323.R22; 092122.09
 Consumables : 7562002068
 Pipette : N/A

Analyzed by: 3390, 3621, 585, 1440 Weight: 0.967g Extraction date: N/A Extracted by: 3390

 Analysis Method : SOP.T.40.208 (Gainesville), SOP.T.40.209.FL
 Analytical Batch : DA060980TYM Reviewed On : 06/06/23 11:32:43
 Instrument Used : Incubator (25-27C) DA-097 Batch Date : 06/04/23 09:33:26
 Analyzed Date : 06/05/23 13:59:47

 Dilution : 10
 Reagent : 031523.12; 052323.R21; 092122.03
 Consumables : 7562002068
 Pipette : N/A

Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.

| Analyte | LOD | Units | Result | Pass / Fail | Action Level |
|---------------------|-------|-------|--------|-------------|--------------|
| AFLATOXIN B2 | 0.002 | ppm | ND | PASS | 0.02 |
| AFLATOXIN B1 | 0.002 | ppm | ND | PASS | 0.02 |
| OCHRATOXIN A | 0.002 | ppm | ND | PASS | 0.02 |
| AFLATOXIN G1 | 0.002 | ppm | ND | PASS | 0.02 |
| AFLATOXIN G2 | 0.002 | ppm | ND | PASS | 0.02 |

Analyzed by: 3379, 585, 1440 Weight: 0.2329g Extraction date: 06/04/23 14:32:28 Extracted by: 4056

Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.40.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.102.FL (Davie)

Analytical Batch : DA060991MYC

Instrument Used : N/A

Analyzed Date : 06/05/23 13:39:26

Dilution : 250

Reagent : 053023.R01; 053123.R47; 053023.R02; 060223.R18; 042623.R45; 053123.R04; 040521.11

Consumables : 6697075-02

Pipette : DA-093; DA-094; DA-219

Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.



Heavy Metals

PASSED

| Metal | LOD | Units | Result | Pass / Fail | Action Level |
|--------------------------------------|------|-------|--------|-------------|--------------|
| TOTAL CONTAMINANT LOAD METALS | 0.08 | ppm | ND | PASS | 1.1 |
| ARSENIC | 0.02 | ppm | ND | PASS | 0.2 |
| CADMIUM | 0.02 | ppm | ND | PASS | 0.2 |
| MERCURY | 0.02 | ppm | ND | PASS | 0.2 |
| LEAD | 0.02 | ppm | ND | PASS | 0.5 |

Analyzed by: 1022, 585, 1440 Weight: 0.2232g Extraction date: 06/05/23 07:49:56 Extracted by: 3619

Analysis Method : SOP.T.30.082.FL, SOP.T.40.082.FL

Analytical Batch : DA060973HEA

Instrument Used : DA-ICPMS-003

Analyzed Date : 06/05/23 11:28:25

Dilution : 50

Reagent : N/A

Consumables : N/A

Pipette : N/A

Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.



Certificate of Analysis

PASSED
FLUENT

 82 NE 26th street
 Miami, FL, 33137, US
 Telephone: (305) 900-6266
 Email: Taylor.Jones@getfluent.com

Sample : DA30603006-007

Harvest/Lot ID: 3738 4648 2255 0485

Batch# : 3738 4648 2255 0485

Sampled : 06/03/23

Ordered : 06/03/23

Sample Size Received : 16 gram

Total Amount : 1466 units

Completed : 06/06/23 Expires: 06/06/24

Sample Method : SOP.T.20.010

Page 6 of 6


Filth/Foreign Material
PASSED

| Analyte | LOD | Units | Result | P/F | Action Level |
|----------------------------|-----|-------|--------|------|--------------|
| Filth and Foreign Material | 0.1 | % | ND | PASS | 1 |

| | | | |
|----------------------------|---------------|-------------------------|----------------------|
| Analyzed by: 1879, 1440 | Weight: NA | Extraction date: N/A | Extracted by: N/A |
|----------------------------|---------------|-------------------------|----------------------|

Analysis Method : SOP.T.40.090

Analytical Batch : DA060982FIL

Instrument Used : Filth/Foreign Material Microscope

Analyzed Date : 06/04/23 23:26:10

Reviewed On : 06/04/23 23:40:27

Batch Date : 06/04/23 09:58:14

Dilution : N/A

Reagent : N/A

Consumables : N/A

Pipette : N/A

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.


Water Activity
PASSED

| Analyte | LOD | Units | Result | P/F | Action Level |
|----------------|------|-------|--------|------|--------------|
| Water Activity | 0.01 | aw | 0.544 | PASS | 0.85 |

| | | | |
|---------------------------------|-------------------|---------------------------------------|-----------------------|
| Analyzed by: 2926, 585, 1440 | Weight: 0.354g | Extraction date: 06/05/23 08:31:10 | Extracted by: 2926 |
|---------------------------------|-------------------|---------------------------------------|-----------------------|

Analysis Method : SOP.T.40.019

Analytical Batch : DA060975WAT

Instrument Used : DA-028 Rotronic Hygropalm

Analyzed Date : 06/03/23 13:53:01

Reviewed On : 06/05/23 11:22:39

Batch Date : 06/03/23 11:02:17

Dilution : N/A

Reagent : 050923.03

Consumables : PS-14

Pipette : N/A

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.