



Certificate of Analysis

COMPLIANCE FOR RETAIL

Sample: DA30603006-008

Harvest/Lot ID: 1219 7704 7991 9658

Batch#: 1219 7704 7991 9658

Cultivation Facility: Tampa Cultivation

Processing Facility : Tampa Processing

Source Facility : Tampa Cultivation

Seed to Sale# 3067 2695 2103 1035

Batch Date: 04/03/23

Sample Size Received: 900 gram

Total Amount: 4516 units

Retail Product Size: 60.1283 gram

Ordered: 06/03/23

Sampled: 06/03/23

Completed: 06/06/23

Sampling Method: SOP.T.20.010

PASSED

Jun 06, 2023 | FLUENT

82 NE 26th street
 Miami, FL, 33137, US



Pages 1 of 5

PRODUCT IMAGE



SAFETY RESULTS



Pesticides
PASSED



Heavy Metals
PASSED



Microbials
PASSED



Mycotoxins
PASSED



Residuals Solvents
PASSED



Filtration
PASSED



Water Activity
PASSED



Moisture
NOT TESTED



Terpenes
NOT TESTED

MISC.



Cannabinoid

PASSED



Total THC

0.143%

Total THC/Container : 85.983 mg



Total CBD

ND

Total CBD/Container : 0 mg



Total Cannabinoids

0.151%

Total Cannabinoids/Container : 90.794 mg

| | D9-THC | THCA | CBD | CBDA | D8-THC | CBG | CBGA | CBN | THCV | CBDV | CBC |
|---------|--------|-------|-------|-------|--------|-------|-------|-------|-------|-------|-------|
| % | 0.143 | ND | ND | ND | ND | 0.004 | ND | 0.002 | ND | ND | 0.002 |
| mg/unit | 85.983 | ND | ND | ND | ND | 2.405 | ND | 1.202 | ND | ND | 1.202 |
| LOD | 0.001 | 0.001 | 0.001 | 0.001 | 0.001 | 0.001 | 0.001 | 0.001 | 0.001 | 0.001 | 0.001 |
| % | % | % | % | % | % | % | % | % | % | % | % |

Analized by:
3112, 1665, 585, 1440

Weight:
2.9773g

Extraction date:
06/05/23 11:04:22

Extracted by:
3112

Analysis Method : SOP.T.40.031, SOP.T.30.031

Analytical Batch : DA060999POT

Instrument Used : DA-LC-007

Analyzed Date : 06/05/23 11:06:54

Reviewed On : 06/06/23 11:37:09

Batch Date : 06/04/23 18:08:47

Dilution : 40

Reagent : 050923.01; 060523.R04; 052323.15; 032123.11; 060523.R03

Consumables : 250346; 280670723; CE0123; 61633-125C6-125E; R1KB14270

Pipette : DA-079; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Jorge Segredo

Lab Director

State License # CMTL-0002
 ISO 17025 Accreditation # ISO/IEC
 17025:2017 Accreditation PJLA-
 Testing 97164

Signature
 06/06/23



Certificate of Analysis

PASSED

FLUENT

 82 NE 26th street
 Miami, FL, 33137, US
 Telephone: (305) 900-6266
 Email: Taylor.Jones@getfluent.com

Sample : DA30603006-008

Harvest/Lot ID: 1219 7704 7991 9658

 Batch# : 1219 7704 7991
 9658

Sampled : 06/03/23

Ordered : 06/03/23

Sample Size Received : 900 gram

Total Amount : 4516 units

Completed : 06/06/23 Expires: 06/06/24

Sample Method : SOP.T.20.010

Page 2 of 5



Pesticides

PASSED

| Pesticide | LOD | Units | Action Level | Pass/Fail | Result | Pesticide | LOD | Units | Action Level | Pass/Fail | Result |
|-------------------------------------|------|-------|--------------|-----------|--------|--|---------|-------------------|---------------------------------|-----------|--------|
| TOTAL CONTAMINANT LOAD (PESTICIDES) | 0.01 | ppm | 30 | PASS | ND | OXAMYL | 0.01 | ppm | 0.5 | PASS | ND |
| TOTAL DIMETHOMORPH | 0.01 | ppm | 3 | PASS | ND | PACLOBUTRAZOL | 0.01 | ppm | 0.1 | PASS | ND |
| TOTAL PERMETHRIN | 0.01 | ppm | 1 | PASS | ND | PHOSMET | 0.01 | ppm | 0.2 | PASS | ND |
| TOTAL PYRETHRINS | 0.01 | ppm | 1 | PASS | ND | PIPERONYL BUTOXIDE | 0.01 | ppm | 3 | PASS | ND |
| TOTAL SPINETORAM | 0.01 | ppm | 3 | PASS | ND | PRALLETHRIN | 0.01 | ppm | 0.4 | PASS | ND |
| TOTAL SPINOSAD | 0.01 | ppm | 3 | PASS | ND | PROPICONAZOLE | 0.01 | ppm | 1 | PASS | ND |
| ABAMECTIN B1A | 0.01 | ppm | 0.3 | PASS | ND | PROPOXUR | 0.01 | ppm | 0.1 | PASS | ND |
| ACEPHATE | 0.01 | ppm | 3 | PASS | ND | PYRIDABEN | 0.01 | ppm | 3 | PASS | ND |
| ACEQUINOCYL | 0.01 | ppm | 2 | PASS | ND | SPIROMESIFEN | 0.01 | ppm | 3 | PASS | ND |
| ACETAMIPRID | 0.01 | ppm | 3 | PASS | ND | SPIROTETRAMAT | 0.01 | ppm | 3 | PASS | ND |
| ALDICARB | 0.01 | ppm | 0.1 | PASS | ND | SPIROXAMINE | 0.01 | ppm | 0.1 | PASS | ND |
| AZOXYSTROBIN | 0.01 | ppm | 3 | PASS | ND | TEBUCONAZOLE | 0.01 | ppm | 1 | PASS | ND |
| BIFENAZATE | 0.01 | ppm | 3 | PASS | ND | THIACLOPRID | 0.01 | ppm | 0.1 | PASS | ND |
| BIFENTHRIN | 0.01 | ppm | 0.5 | PASS | ND | THIAMETHOXAM | 0.01 | ppm | 1 | PASS | ND |
| BOSCALID | 0.01 | ppm | 3 | PASS | ND | TRIFLOXYSTROBIN | 0.01 | ppm | 3 | PASS | ND |
| CARBARYL | 0.01 | ppm | 0.5 | PASS | ND | PENTACHLORONITROBENZENE (PCNB) * | 0.01 | PPM | 0.2 | PASS | ND |
| CARBOFURAN | 0.01 | ppm | 0.1 | PASS | ND | PARATHION-METHYL * | 0.01 | PPM | 0.1 | PASS | ND |
| CHLORANTRANILIPROLE | 0.01 | ppm | 3 | PASS | ND | CAPTAN * | 0.07 | PPM | 3 | PASS | ND |
| CHLORMEQUAT CHLORIDE | 0.01 | ppm | 3 | PASS | ND | CHLORDANE * | 0.01 | PPM | 0.1 | PASS | ND |
| CHLORPYRIFOS | 0.01 | ppm | 0.1 | PASS | ND | CHLORFENAPYR * | 0.01 | PPM | 0.1 | PASS | ND |
| CLOFENTEZINE | 0.01 | ppm | 0.5 | PASS | ND | CYFLUTHRIN * | 0.05 | PPM | 1 | PASS | ND |
| COUMAPHOS | 0.01 | ppm | 0.1 | PASS | ND | CYPERMETHRIN * | 0.05 | PPM | 1 | PASS | ND |
| DAMINOZIDE | 0.01 | ppm | 0.1 | PASS | ND | | | | | | |
| DIAZINON | 0.01 | ppm | 3 | PASS | ND | Analyzed by: | Weight: | Extraction date: | Extracted by: | | |
| DICHLORVOS | 0.01 | ppm | 0.1 | PASS | ND | 3379, 585, 1440 | 1.0798g | 06/04/23 14:32:28 | 4056 | | |
| DIMETHOATE | 0.01 | ppm | 0.1 | PASS | ND | Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.101.FL (Gainesville), | | | | | |
| ETHOPROPHOS | 0.01 | ppm | 0.1 | PASS | ND | SOP.T.40.102.FL (Davie) | | | | | |
| ETOFENPROX | 0.01 | ppm | 0.1 | PASS | ND | Instrumental Batch : DA060989PES | | | Reviewed On : 06/06/23 15:44:02 | | |
| ETOXAZOLE | 0.01 | ppm | 1.5 | PASS | ND | Instrument Used : DA-LCMS-003 (PES) | | | Batch Date : 06/04/23 10:57:59 | | |
| FENHEXAMID | 0.01 | ppm | 3 | PASS | ND | Analyzed Date : 06/05/23 13:39:18 | | | | | |
| FENOXYCARB | 0.01 | ppm | 0.1 | PASS | ND | Dilution : 250 | | | | | |
| FENPYROXIMATE | 0.01 | ppm | 2 | PASS | ND | Reagent : 053023.R01; 053123.R47; 053023.R02; 060223.R18; 042623.R45; 053123.R04; 040521.11 | | | | | |
| FIPRONIL | 0.01 | ppm | 0.1 | PASS | ND | Consumables : 6697075-02 | | | | | |
| FLONICAMID | 0.01 | ppm | 2 | PASS | ND | Pipette : DA-093; DA-094; DA-219 | | | | | |
| FLUDIOXONIL | 0.01 | ppm | 3 | PASS | ND | Testing for agricultural agents is performed utilizing Liquid Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39. | | | | | |
| HEXYTHIAZOX | 0.01 | ppm | 2 | PASS | ND | Analyzed by: | Weight: | Extraction date: | Extracted by: | | |
| IMAZALIL | 0.01 | ppm | 0.1 | PASS | ND | 450, 585, 1440 | 1.0798g | 06/04/23 14:32:28 | 4056 | | |
| IMIDACLOPRID | 0.01 | ppm | 1 | PASS | ND | Analysis Method : SOP.T.30.151.FL (Gainesville), SOP.T.30.151A.FL (Davie), SOP.T.40.151.FL | | | | | |
| KRESOXIM-METHYL | 0.01 | ppm | 1 | PASS | ND | Analytical Batch : DA060990VOL | | | Reviewed On : 06/06/23 11:08:06 | | |
| MALATHION | 0.01 | ppm | 2 | PASS | ND | Instrument Used : DA-GCMS-001 | | | Batch Date : 06/04/23 11:00:14 | | |
| METALAXYL | 0.01 | ppm | 3 | PASS | ND | Analyzed Date : 06/06/23 10:05:22 | | | | | |
| METHIOCARB | 0.01 | ppm | 0.1 | PASS | ND | Dilution : 250 | | | | | |
| METHOMYL | 0.01 | ppm | 0.1 | PASS | ND | Reagent : 053023.R02; 040521.11; 051823.R43; 051823.R44 | | | | | |
| MEVINPHOS | 0.01 | ppm | 0.1 | PASS | ND | Consumables : 6697075-02; 14725401 | | | | | |
| MYCLOBUTANIL | 0.01 | ppm | 3 | PASS | ND | Pipette : DA-080; DA-146; DA-218 | | | | | |
| NALED | 0.01 | ppm | 0.5 | PASS | ND | Testing for agricultural agents is performed utilizing Gas Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39. | | | | | |



Certificate of Analysis

PASSED
FLUENT

 82 NE 26th street
 Miami, FL, 33137, US
 Telephone: (305) 900-6266
 Email: Taylor.Jones@getfluent.com

Sample : DA30603006-008

Harvest/Lot ID: 1219 7704 7991 9658

 Batch# : 1219 7704 7991
 9658

Sampled : 06/03/23

Ordered : 06/03/23

Sample Size Received : 900 gram

Total Amount : 4516 units

Completed : 06/06/23 Expires: 06/06/24

Sample Method : SOP.T.20.010

Page 3 of 5



Residual Solvents

PASSED

| Solvents | LOD | Units | Action Level | Pass/Fail | Result |
|----------------------|------|-------|--------------|-----------|--------|
| 1,1-DICHLOROETHENE | 0.8 | ppm | 8 | PASS | ND |
| 1,2-DICHLOROETHANE | 0.2 | ppm | 2 | PASS | ND |
| 2-PROPANOL | 50 | ppm | 500 | PASS | ND |
| ACETONE | 75 | ppm | 750 | PASS | ND |
| ACETONITRILE | 6 | ppm | 60 | PASS | ND |
| BENZENE | 0.1 | ppm | 1 | PASS | ND |
| BUTANES (N-BUTANE) | 500 | ppm | 5000 | PASS | ND |
| CHLOROFORM | 0.2 | ppm | 2 | PASS | ND |
| DICHLOROMETHANE | 12.5 | ppm | 125 | PASS | ND |
| ETHANOL | 500 | ppm | 5000 | PASS | ND |
| ETHYL ACETATE | 40 | ppm | 400 | PASS | ND |
| ETHYL ETHER | 50 | ppm | 500 | PASS | ND |
| ETHYLENE OXIDE | 0.5 | ppm | 5 | PASS | ND |
| HEPTANE | 500 | ppm | 5000 | PASS | ND |
| METHANOL | 25 | ppm | 250 | PASS | ND |
| N-HEXANE | 25 | ppm | 250 | PASS | ND |
| PENTANES (N-PENTANE) | 75 | ppm | 750 | PASS | ND |
| PROPANE | 500 | ppm | 5000 | PASS | ND |
| TOLUENE | 15 | ppm | 150 | PASS | ND |
| TOTAL XYLENES | 15 | ppm | 150 | PASS | ND |
| TRICHLOROETHYLENE | 2.5 | ppm | 25 | PASS | ND |

 Analyzed by:
 850, 585, 1440

 Weight:
 0.0267g

 Extraction date:
 06/06/23 10:38:35

 Extracted by:
 850

 Analysis Method : SOP.T.40.041.FL
 Analytical Batch : DA061015SOL
 Instrument Used : DA-GCMS-002
 Analyzed Date : 06/06/23 10:41:55

 Reviewed On : 06/06/23 11:28:31
 Batch Date : 06/05/23 17:26:07

 Dilution : 1
 Reagent : 030420.09
 Consumables : R2017.167; G201.167
 Pipette : DA-309 25 uL Syringe 35028

Residual solvents analysis is performed utilizing Gas Chromatography Mass Spectrometry in accordance with with F.S. Rule 64ER20-39.



Certificate of Analysis

PASSED
FLUENT

 82 NE 26th street
 Miami, FL, 33137, US
 Telephone: (305) 900-6266
 Email: Taylor.Jones@getfluent.com

Sample : DA30603006-008

Harvest/Lot ID: 1219 7704 7991 9658

 Batch# : 1219 7704 7991
 9658

Sampled : 06/03/23

Ordered : 06/03/23



Sample Size Received : 900 gram

Total Amount : 4516 units

Completed : 06/06/23 Expires: 06/06/24

Sample Method : SOP.T.20.010

Page 4 of 5

|  Microbial PASSED | | | | | |  Mycotoxins PASSED | | | | | |
|---|------|-------|-------------|-------------|--------------|---|-------|-------|--------|-------------|--------------|
| Analyte | LOD | Units | Result | Pass / Fail | Action Level | Analyte | LOD | Units | Result | Pass / Fail | Action Level |
| ECOLI SHIGELLA | | | Not Present | PASS | | AFLATOXIN B2 | 0.002 | ppm | ND | PASS | 0.02 |
| SALMONELLA SPECIFIC GENE | | | Not Present | PASS | | AFLATOXIN B1 | 0.002 | ppm | ND | PASS | 0.02 |
| ASPERGILLUS FLAVUS | | | Not Present | PASS | | OCHRATOXIN A | 0.002 | ppm | ND | PASS | 0.02 |
| ASPERGILLUS FUMIGATUS | | | Not Present | PASS | | AFLATOXIN G1 | 0.002 | ppm | ND | PASS | 0.02 |
| ASPERGILLUS TERREUS | | | Not Present | PASS | | AFLATOXIN G2 | 0.002 | ppm | ND | PASS | 0.02 |
| ASPERGILLUS NIGER | | | Not Present | PASS | | | | | | | |
| TOTAL YEAST AND MOLD | 10 | CFU/g | <10 | PASS | 100000 | | | | | | |
| Analyzed by: 3390, 585, 1440 Weight: 1.0925g Extraction date: 06/04/23 10:20:08 Extracted by: 3621 Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL Analytical Batch : DA060979MIC Instrument Used : PathogenDx Scanner DA-111, Applied Biosystems Thermocycler DA-171, fisherbrand Isotemp Heat Block DA-020, fisherbrand Isotemp Heat Block DA-049, Fisher Scientific Isotemp Heat Block DA-021 Analyzed Date : 06/05/23 10:26:41 Dilution : N/A Reagent : 031523.12; 092122.03; 052323.R22; 092122.09 Consumables : 7562002068 Pipette : N/A | | | | | | Analyzed by: 3379, 585, 1440 Weight: 1.0798g Extraction date: 06/04/23 14:32:28 Extracted by: 4056 Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.40.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.102.FL (Davie) Analytical Batch : DA060991MYC Instrument Used : N/A Analyzed Date : 06/05/23 13:39:26 Dilution : 250 Reagent : 053023.R01; 053123.R47; 053023.R02; 060223.R18; 042623.R45; 053123.R04; 040521.11 Consumables : 6697075-02 Pipette : DA-093; DA-094; DA-219 Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39. | | | | | |
| Reviewed On : 06/06/23 18:08:45 Batch Date : 06/04/23 09:32:27 | | | | | | Reviewed On : 06/06/23 15:42:22 Batch Date : 06/04/23 11:00:18 | | | | | |
| Heavy Metals PASSED | | | | | | | | | | | |
| Metal | LOD | Units | Result | Pass / Fail | Action Level | | | | | | |
| TOTAL CONTAMINANT LOAD METALS | 0.08 | ppm | ND | PASS | 5 | | | | | | |
| ARSENIC | 0.02 | ppm | ND | PASS | 1.5 | | | | | | |
| CADMIUM | 0.02 | ppm | ND | PASS | 0.5 | | | | | | |
| MERCURY | 0.02 | ppm | ND | PASS | 3 | | | | | | |
| LEAD | 0.02 | ppm | ND | PASS | 0.5 | | | | | | |
| Analyzed by: 1022, 585, 1440 Weight: 0.2739g Extraction date: 06/05/23 08:04:21 Extracted by: 3619,1022 Analysis Method : SOP.T.30.082.FL, SOP.T.40.082.FL Analytical Batch : DA060971HEA Instrument Used : DA-ICPMS-003 Analyzed Date : 06/05/23 13:03:42 Dilution : 50 Reagent : N/A Consumables : N/A Pipette : N/A Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39. | | | | | | | | | | | |



Certificate of Analysis

PASSED
FLUENT

 82 NE 26th street
 Miami, FL, 33137, US
 Telephone: (305) 900-6266
 Email: Taylor.Jones@getfluent.com

Sample : DA30603006-008

Harvest/Lot ID: 1219 7704 7991 9658

 Batch# : 1219 7704 7991
 9658

Sampled : 06/03/23

Ordered : 06/03/23

Sample Size Received : 900 gram

Total Amount : 4516 units

Completed : 06/06/23 Expires: 06/06/24

Sample Method : SOP.T.20.010

Page 5 of 5


Filth/Foreign Material
PASSED
Homogeneity
PASSED

Amount of tests conducted : 28

| Analyte | LOD | Units | Result | P/F | Action Level |
|----------------------------|-----|-------|--------|------|--------------|
| Filth and Foreign Material | 0.1 | % | ND | PASS | 1 |

 Analyzed by: 1879, 1440
 Weight: NA
 Extraction date: N/A
 Extracted by: N/A

Analysis Method : SOP.T.40.090

Analytical Batch : DA060982FIL

Instrument Used : Filth/Foreign Material Microscope

Analyzed Date : 06/04/23 23:26:10

Reviewed On : 06/04/23 23:40:25

Batch Date : 06/04/23 09:58:14

Dilution : N/A

Reagent : N/A

Consumables : N/A

Pipette : N/A

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.


Water Activity
PASSED

| Analyte | LOD | Units | Result | P/F | Action Level |
|----------------|------|-------|--------|------|--------------|
| Water Activity | 0.01 | aw | 0.564 | PASS | 0.85 |

 Analyzed by: 2926, 585, 1440
 Weight: 8.237g
 Extraction date: 06/05/23 08:42:41
 Extracted by: 2926

Analysis Method : SOP.T.40.019

Analytical Batch : DA060974WAT

Instrument Used : DA-028 Rotronic HygroPalm

Analyzed Date : 06/03/23 13:53:03

Reviewed On : 06/05/23 11:22:39

Batch Date : 06/03/23 11:01:00

Dilution : N/A

Reagent : 050923.03

Consumables : PS-14

Pipette : N/A

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.

| Analyte | LOD | Units | Pass/Fail | Result | Action Level |
|-------------------------------|-------|-------|-----------|--------|--------------|
| TOTAL THC - HOMOGENEITY (RSD) | 0.001 | % | PASS | 6.497 | 25 |

 Analyzed by: 3963, 3335, 585, 1440
 Average Weight: 6.042g
 Extraction date : 06/04/23 14:42:54
 Extracted By : 3963

Analysis Method : SOP.T.30.111.FL, SOP.T.40.111.FL

Analytical Batch : DA060992HOM

Instrument Used : DA-LC-005

Analyzed Date : 06/04/23 14:47:56

Reviewed On : 06/06/23 11:32:45

Batch Date : 06/04/23 11:13:06

Dilution : 40

Reagent : 050123.01; 060123.R21; 071222.35; 060123.R22

Consumables : 947.109; 250346; CE0123; 115C4-1151; 61633-125C6-125E; 41073-116C4; R1KB14270

Pipette : DA-079; DA-108; DA-078

Homogeneity testing is performed utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.