



# Certificate of Analysis

## COMPLIANCE FOR RETAIL

Sample: DA30606005-001  
Harvest/Lot ID: HYB-OOGK-052923-C0091  
Batch#: 2503 3039 6730 2692  
Cultivation Facility: Zolfo Springs Cultivation  
Source Facility: Zolfo Springs Cultivation  
Seed to Sale#: 6758 7698 1416 2971  
Batch Date: 04/28/23  
Sample Size Received: 31.5 gram  
Total Amount: 1353 units  
Retail Product Size: 3.5 gram  
Ordered: 06/05/23  
Sampled: 06/05/23  
Completed: 06/08/23  
Sampling Method: SOP.T.20.010











Jun 08, 2023 | FLUENT

82 NE 26th street  
Miami, FL, 33137, US




**PASSED**

Pages 1 of 5

| PRODUCT IMAGE   | SAFETY RESULTS   |  |  |  |  |   |  |  | MISC.  |
|---|--|--|--|--|--|---|--|--|--|
|  | <br>Pesticides<br><b>PASSED</b> | <br>Heavy Metals<br><b>PASSED</b> | <br>Microbials<br><b>PASSED</b> | <br>Mycotoxins<br><b>PASSED</b> | <br>Residuals Solvents<br><b>NOT TESTED</b> | <br>Filtration<br><b>PASSED</b> | <br>Water Activity<br><b>PASSED</b> | <br>Moisture<br><b>PASSED</b> | <br>Terpenes<br><b>TESTED</b> |

|  |                    |               |
|--|--------------------|---------------|
|  | <b>Cannabinoid</b> | <b>PASSED</b> |
|--|--------------------|---------------|



|  |                    |                                       |                       |
|--|--------------------|---------------------------------------|-----------------------|
| Analyzed by:<br>1665, 3112, 585, 1440<br><br>Analysis Method : SOP.T.40.031, SOP.T.30.031<br>Analytical Batch : DA061053POT<br>Instrument Used : DA-LC-002 (Flower)<br>Analyzed Date : 06/06/23 12:15:46 | Weight:<br>0.1985g | Extraction date:<br>06/06/23 12:13:46 | Extracted by:<br>1665 |
| Reviewed On : 06/08/23 10:55:50<br>Batch Date : 06/06/23 11:21:40  |                    |                                       |                       |
| Dilution : 400<br>Reagent : 060523.R06; 070121.27; 060523.R05<br>Consumables : 280670723; CE0123; 61633-125C6-125E; R1KB45277<br>Pipette : DA-079; DA-108; DA-078  |                    |                                       |                       |

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

**Jorge Segredo**  
Lab Director

State License # CMTL-0002  
ISO 17025 Accreditation # ISO/IEC  
17025:2017 Accreditation PJLA-  
Testing 97164



Signature  
06/08/23



# Certificate of Analysis

**PASSED**

**FLUENT**

82 NE 26th street  
Miami, FL, 33137, US  
Telephone: (305) 900-6266  
Email: Taylor.Jones@getfluent.com

Sample : DA30606005-001  
Harvest/Lot ID: HYB-OOGK-052923-C0091  
Batch# : 2503 3039 6730  
Sample Size Received : 31.5 gram  
Total Amount : 1353 units  
Completed : 06/08/23 Expires: 06/08/24  
Ordered : 06/05/23  
Sample Method : SOP.T.20.010

Page 2 of 5

Terpenes

TESTED

| Terpenes           | LOD (%) | mg/unit | %     | Result (%) | Terpenes   | LOD (%) | mg/unit | %     | Result (%) |
|--------------------|---------|---------|-------|------------|--|---------|---------|-------|------------|
| TOTAL TERPENES     | 0.007   | 112.63  | 3.218 |            | FARNESENE  | 0.001   | 1.4     | 0.04  |            |
| TOTAL TERPINEOL    | 0.007   | 2.38    | 0.068 |            | ALPHA-HUMULENE   | 0.007   | 3.64    | 0.104 |            |
| ALPHA-BISABOLOL    | 0.007   | 1.505   | 0.043 |            | VALENCENE  | 0.007   | ND      | ND    |            |
| ALPHA-PINENE       | 0.007   | 2.555   | 0.073 |            | CIS-NEROLIDOL  | 0.007   | <0.7    | <0.02 |            |
| CAMPHENE           | 0.007   | 0.735   | 0.021 |            | TRANS-NEROLIDOL  | 0.007   | ND      | ND    |            |
| SABINENE           | 0.007   | ND      | ND    |            | CARYOPHYLLENE OXIDE  | 0.007   | <0.7    | <0.02 |            |
| BETA-PINENE        | 0.007   | 3.85    | 0.11  |            | GUAIOL   | 0.007   | ND      | ND    |            |
| BETA-MYRCENE       | 0.007   | 31.22   | 0.892 |            | CEDROL   | 0.007   | ND      | ND    |            |
| ALPHA-PHELLANDRENE | 0.007   | ND      | ND    |            | <div>Analyzed by: 2076, 585, 1440Weight: 1.0406gExtraction date: 06/06/23 12:51:19Extracted by: 2076</div> <div>Analysis Method : SOP.T.30.061A.FL, SOP.T.40.061A.FLAnalytical Batch : DA061029TERInstrument Used : DA-GCMS-008Analyzed Date : 06/06/23 17:44:30Reviewed On : 06/08/23 16:07:07Batch Date : 06/06/23 09:10:23</div> <div>Dilution : 10Reagent : 121622.25Consumables : 210414634; MKCN9995; CE0123; R1KB14270Pipette : N/A</div> <div>Terpenoid testing is performed utilizing Gas Chromatography Mass Spectrometry. For all Flower samples, the Total Terpenes % is dry-weight corrected.</div> |         |         |       |            |
| 3-CARENE           | 0.007   | ND      | ND    |            |  |         |         |       |            |
| ALPHA-TERPINENE    | 0.007   | ND      | ND    |            |  |         |         |       |            |
| LIMONENE           | 0.007   | 26.775  | 0.765 |            |  |         |         |       |            |
| EUCALYPTOL         | 0.007   | ND      | ND    |            |  |         |         |       |            |
| OCIMENE            | 0.007   | ND      | ND    |            |  |         |         |       |            |
| GAMMA-TERPINENE    | 0.007   | ND      | ND    |            |  |         |         |       |            |
| SABINENE HYDRATE   | 0.007   | ND      | ND    |            |  |         |         |       |            |
| TERPINOLENE        | 0.007   | ND      | ND    |            |  |         |         |       |            |
| FENCHONE           | 0.007   | <1.4    | <0.04 |            |  |         |         |       |            |
| LINALOOL           | 0.007   | 7.49    | 0.214 |            |  |         |         |       |            |
| FENCHYL ALCOHOL    | 0.007   | 2.59    | 0.074 |            |  |         |         |       |            |
| ISOPULEGOL         | 0.007   | <0.7    | <0.02 |            |  |         |         |       |            |
| CAMPHOR            | 0.007   | ND      | ND    |            |  |         |         |       |            |
| ISOBORNEOL         | 0.007   | ND      | ND    |            |  |         |         |       |            |
| BORNEOL            | 0.013   | <1.4    | <0.04 |            |  |         |         |       |            |
| HEXAHYDROTHYMOL    | 0.007   | ND      | ND    |            |  |         |         |       |            |
| NEROL              | 0.007   | ND      | ND    |            |  |         |         |       |            |
| PULEGONE           | 0.007   | ND      | ND    |            |  |         |         |       |            |
| GERANIOL           | 0.007   | ND      | ND    |            |  |         |         |       |            |
| GERANYL ACETATE    | 0.007   | ND      | ND    |            |  |         |         |       |            |
| ALPHA-CEDRENE      | 0.007   | ND      | ND    |            |  |         |         |       |            |
| BETA-CARYOPHYLLENE | 0.007   | 12.32   | 0.352 |            |  |         |         |       |            |
| Total (%)          |         |         |       | 3.218      |  |         |         |       |            |



# Certificate of Analysis

**PASSED**

FLUENT

 82 NE 26th street  
 Miami, FL, 33137, US  
 Telephone: (305) 900-6266  
 Email: Taylor.Jones@getfluent.com

Sample : DA30606005-001

Harvest/Lot ID: HYB-OOGK-052923-C0091

 Batch# : 2503 3039 6730  
 2692

 Sampled : 06/05/23  
 Ordered : 06/05/23

Sample Size Received : 31.5 gram

Total Amount : 1353 units

Completed : 06/08/23 Expires: 06/08/24

Sample Method : SOP.T.20.010

Page 3 of 5



## Pesticides

**PASSED**

| Pesticide                           | LOD  | Units | Action Level | Pass/Fail | Result | Pesticide  | LOD     | Units             | Action Level  | Pass/Fail                       | Result |
|-------------------------------------|------|-------|--------------|-----------|--------|--|---------|-------------------|---------------|---------------------------------|--------|
| TOTAL CONTAMINANT LOAD (PESTICIDES) | 0.01 | ppm   | 5            | PASS      | ND     | OXAMYL   | 0.01    | ppm               | 0.5           | PASS                            | ND     |
| TOTAL DIMETHOMORPH                  | 0.01 | ppm   | 0.2          | PASS      | ND     | PACLOBUTRAZOL  | 0.01    | ppm               | 0.1           | PASS                            | ND     |
| TOTAL PERMETHRIN                    | 0.01 | ppm   | 0.1          | PASS      | ND     | PHOSMET  | 0.01    | ppm               | 0.1           | PASS                            | ND     |
| TOTAL PYRETHRINS                    | 0.01 | ppm   | 0.5          | PASS      | ND     | PIPERONYL BUTOXIDE   | 0.01    | ppm               | 3             | PASS                            | ND     |
| TOTAL SPINETORAM                    | 0.01 | ppm   | 0.2          | PASS      | ND     | PRALLETHRIN  | 0.01    | ppm               | 0.1           | PASS                            | ND     |
| TOTAL SPINOSAD                      | 0.01 | ppm   | 0.1          | PASS      | ND     | PROPICONAZOLE  | 0.01    | ppm               | 0.1           | PASS                            | ND     |
| ABAMECTIN B1A                       | 0.01 | ppm   | 0.1          | PASS      | ND     | PROPOXUR   | 0.01    | ppm               | 0.1           | PASS                            | ND     |
| ACEPHATE                            | 0.01 | ppm   | 0.1          | PASS      | ND     | PYRIDABEN  | 0.01    | ppm               | 0.2           | PASS                            | ND     |
| ACEQUINOCYL                         | 0.01 | ppm   | 0.1          | PASS      | ND     | SPIROMESIFEN   | 0.01    | ppm               | 0.1           | PASS                            | ND     |
| ACETAMIPRID                         | 0.01 | ppm   | 0.1          | PASS      | ND     | SPIROTETRAMAT  | 0.01    | ppm               | 0.1           | PASS                            | ND     |
| ALDICARB                            | 0.01 | ppm   | 0.1          | PASS      | ND     | SPIROXAMINE  | 0.01    | ppm               | 0.1           | PASS                            | ND     |
| AZOXYSTROBIN                        | 0.01 | ppm   | 0.1          | PASS      | ND     | TEBUCONAZOLE   | 0.01    | ppm               | 0.1           | PASS                            | ND     |
| BIFENAZATE                          | 0.01 | ppm   | 0.1          | PASS      | ND     | THIACLOPRID  | 0.01    | ppm               | 0.1           | PASS                            | ND     |
| BIFENTHRIN                          | 0.01 | ppm   | 0.1          | PASS      | ND     | THIAMETHOXAM   | 0.01    | ppm               | 0.5           | PASS                            | ND     |
| BOSCALID                            | 0.01 | ppm   | 0.1          | PASS      | ND     | TRIFLOXYSTROBIN  | 0.01    | ppm               | 0.1           | PASS                            | ND     |
| CARBARYL                            | 0.01 | ppm   | 0.5          | PASS      | ND     | PENTACHLORONITROBENZENE (PCNB) *   | 0.01    | PPM               | 0.15          | PASS                            | ND     |
| CARBOFURAN                          | 0.01 | ppm   | 0.1          | PASS      | ND     | PARATHION-METHYL *   | 0.01    | PPM               | 0.1           | PASS                            | ND     |
| CHLORANTRANILIPROLE                 | 0.01 | ppm   | 1            | PASS      | ND     | CAPTAN *   | 0.07    | PPM               | 0.7           | PASS                            | ND     |
| CHLORMEQUAT CHLORIDE                | 0.01 | ppm   | 1            | PASS      | ND     | CHLORDANE *  | 0.01    | PPM               | 0.1           | PASS                            | ND     |
| CHLORPYRIFOS                        | 0.01 | ppm   | 0.1          | PASS      | ND     | CHLORFENAPYR *   | 0.01    | PPM               | 0.1           | PASS                            | ND     |
| CLOFENTHINE                         | 0.01 | ppm   | 0.2          | PASS      | ND     | CYFLUTHRIN *   | 0.05    | PPM               | 0.5           | PASS                            | ND     |
| COUMAPHOS                           | 0.01 | ppm   | 0.1          | PASS      | ND     | CYPERMETHRIN *   | 0.05    | PPM               | 0.5           | PASS                            | ND     |
| DAMINOZIDE                          | 0.01 | ppm   | 0.1          | PASS      | ND     |  |         |                   |               |                                 |        |
| DIAZINON                            | 0.01 | ppm   | 0.1          | PASS      | ND     | Analyzed by:   | Weight: | Extraction date:  | Extracted by: |                                 |        |
| DICHLORVOS                          | 0.01 | ppm   | 0.1          | PASS      | ND     | 3379, 585, 1440  | 0.8867g | 06/06/23 15:07:45 | 4056          |                                 |        |
| DIMETHOATE                          | 0.01 | ppm   | 0.1          | PASS      | ND     | Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.101.FL (Gainesville),   |         |                   |               |                                 |        |
| ETHOPROPHOS                         | 0.01 | ppm   | 0.1          | PASS      | ND     | SOP.T.40.102.FL (Davie)  |         |                   |               |                                 |        |
| ETOFENPROX                          | 0.01 | ppm   | 0.1          | PASS      | ND     | Analytical Batch : DA061056PES   |         |                   |               | Reviewed On : 06/07/23 11:02:19 |        |
| ETOXAZOLE                           | 0.01 | ppm   | 0.1          | PASS      | ND     | Instrument Used : DA-LCMS-003 (PES)  |         |                   |               | Batch Date : 06/06/23 11:38:19  |        |
| FENHEXAMID                          | 0.01 | ppm   | 0.1          | PASS      | ND     | Analyzed Date : N/A  |         |                   |               |                                 |        |
| FENOXYCARB                          | 0.01 | ppm   | 0.1          | PASS      | ND     | Dilution : 250   |         |                   |               |                                 |        |
| FENPYROXIMATE                       | 0.01 | ppm   | 0.1          | PASS      | ND     | Reagent : 060523.R07; 060623.R01; 060523.R09; 060223.R18; 060523.R26; 053123.R04; 040521.11  |         |                   |               |                                 |        |
| FIPRONIL                            | 0.01 | ppm   | 0.1          | PASS      | ND     | Consumables : 6697075-02   |         |                   |               |                                 |        |
| FLONICAMID                          | 0.01 | ppm   | 0.1          | PASS      | ND     | Pipette : DA-093; DA-094; DA-219   |         |                   |               |                                 |        |
| FLUDIOXONIL                         | 0.01 | ppm   | 0.1          | PASS      | ND     | Testing for agricultural agents is performed utilizing Liquid Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39. |         |                   |               |                                 |        |
| HEXYTHIAZOX                         | 0.01 | ppm   | 0.1          | PASS      | ND     | Analyzed by:   | Weight: | Extraction date:  | Extracted by: |                                 |        |
| IMAZALIL                            | 0.01 | ppm   | 0.1          | PASS      | ND     | 450, 585, 1440   | 0.8867g | 06/06/23 15:07:45 | 4056          |                                 |        |
| IMIDACLOPRID                        | 0.01 | ppm   | 0.4          | PASS      | ND     | Analysis Method : SOP.T.30.151.FL (Gainesville), SOP.T.30.151A.FL (Davie), SOP.T.40.151.FL   |         |                   |               |                                 |        |
| KRESOXIM-METHYL                     | 0.01 | ppm   | 0.1          | PASS      | ND     | Analytical Batch : DA061057VOL   |         |                   |               | Reviewed On : 06/07/23 11:10:55 |        |
| MALATHION                           | 0.01 | ppm   | 0.2          | PASS      | ND     | Instrument Used : DA-GCMS-006  |         |                   |               | Batch Date : 06/06/23 11:39:55  |        |
| METALAXYL                           | 0.01 | ppm   | 0.1          | PASS      | ND     | Analyzed Date : 06/06/23 15:57:29  |         |                   |               |                                 |        |
| METHIOCARB                          | 0.01 | ppm   | 0.1          | PASS      | ND     | Dilution : 250   |         |                   |               |                                 |        |
| METHOMYL                            | 0.01 | ppm   | 0.1          | PASS      | ND     | Reagent : 060523.R09; 040521.11; 051823.R43; 051823.R44  |         |                   |               |                                 |        |
| MEVINPHOS                           | 0.01 | ppm   | 0.1          | PASS      | ND     | Consumables : 6697075-02; 14725401   |         |                   |               |                                 |        |
| MYCLOBUTANIL                        | 0.01 | ppm   | 0.1          | PASS      | ND     | Pipette : DA-080; DA-146; DA-218   |         |                   |               |                                 |        |
| NALED                               | 0.01 | ppm   | 0.25         | PASS      | ND     | Testing for agricultural agents is performed utilizing Gas Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.    |         |                   |               |                                 |        |








# Certificate of Analysis

**PASSED**
**FLUENT**

 82 NE 26th street  
 Miami, FL, 33137, US  
 Telephone: (305) 900-6266  
 Email: Taylor.Jones@getfluent.com

 Sample : DA30606005-001  
 Harvest/Lot ID: HYB-OOGK-052923-C0091  
 Batch# : 2503 3039 6730  
 Sample Size Received : 31.5 gram  
 Total Amount : 1353 units  
 Completed : 06/08/23 Expires: 06/08/24  
 Sample Method : SOP.T.20.010  
 Ordered : 06/05/23

Page 4 of 5

|  <b>Microbial</b> <b>PASSED</b>  |      |       |             |             |              |  <b>Mycotoxins</b> <b>PASSED</b>   |       |       |        |             |              |
|---|------|-------|-------------|-------------|--------------|---|-------|-------|--------|-------------|--------------|
| Analyte   | LOD  | Units | Result      | Pass / Fail | Action Level | Analyte   | LOD   | Units | Result | Pass / Fail | Action Level |
| ASPERGILLUS TERREUS   |      |       | Not Present | PASS        |              | AFLATOXIN B2  | 0.002 | ppm   | ND     | PASS        | 0.02         |
| ASPERGILLUS NIGER   |      |       | Not Present | PASS        |              | AFLATOXIN B1  | 0.002 | ppm   | ND     | PASS        | 0.02         |
| ASPERGILLUS FUMIGATUS   |      |       | Not Present | PASS        |              | OCHRATOXIN A  | 0.002 | ppm   | ND     | PASS        | 0.02         |
| ASPERGILLUS FLAVUS  |      |       | Not Present | PASS        |              | AFLATOXIN G1  | 0.002 | ppm   | ND     | PASS        | 0.02         |
| SALMONELLA SPECIFIC GENE  |      |       | Not Present | PASS        |              | AFLATOXIN G2  | 0.002 | ppm   | ND     | PASS        | 0.02         |
| ECOLI SHIGELLA  |      |       | Not Present | PASS        |              |   |       |       |        |             |              |
| TOTAL YEAST AND MOLD  | 10   | CFU/g | 14000       | PASS        | 100000       |   |       |       |        |             |              |
| Analyzed by: 3390, 3621, 585, 1440<br>Weight: 1.1143g<br>Extraction date: 06/06/23 10:49:04<br>Extracted by: 3621,3390<br>Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL<br>Analytical Batch : DA061026MIC<br>Reviewed On : 06/07/23 15:00:32<br>Batch Date : 06/06/23 08:32:19<br>Instrument Used : PathogenDx Scanner DA-111,Applied Biosystems Thermocycler DA-013,fisherbrand Isotemp Heat Block DA-020,fisherbrand Isotemp Heat Block DA-049,Fisher Scientific Isotemp Heat Block DA-021<br>Analyzed Date : 06/06/23 12:48:01<br>Dilution : N/A<br>Reagent : 031523.10; 092122.03; 092122.09; 052323.R22<br>Consumables : 7562002070<br>Pipette : N/A |      |       |             |             |              | Analyzed by: 3379, 585, 1440<br>Weight: 0.8867g<br>Extraction date: 06/06/23 15:07:45<br>Extracted by: 4056<br>Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.40.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.102.FL (Davie)<br>Analytical Batch : DA061058MYC<br>Instrument Used : N/A<br>Analyzed Date : N/A<br>Dilution : 250<br>Reagent : 060523.R07; 060623.R01; 060523.R09; 060223.R18; 060523.R26; 053123.R04; 040521.11<br>Consumables : 6697075-02<br>Pipette : DA-093; DA-094; DA-219<br>Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39. |       |       |        |             |              |
| Analyzed by: 3390, 585, 1440<br>Weight: 1.1143g<br>Extraction date: 06/06/23 10:49:04<br>Extracted by: 3621,3390<br>Analysis Method : SOP.T.40.208 (Gainesville), SOP.T.40.209.FL<br>Analytical Batch : DA061051TYM<br>Instrument Used : Incubator (25-27C) DA-096<br>Analyzed Date : 06/06/23 12:51:38<br>Dilution : 1000<br>Reagent : 031523.10; 050923.R23<br>Consumables : N/A<br>Pipette : N/A<br>Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.   |      |       |             |             |              |  <b>Heavy Metals</b> <b>PASSED</b>   |       |       |        |             |              |
| Metal   | LOD  | Units | Result      | Pass / Fail | Action Level |   |       |       |        |             |              |
| TOTAL CONTAMINANT LOAD METALS   | 0.08 | ppm   | ND          | PASS        | 1.1          |   |       |       |        |             |              |
| ARSENIC   | 0.02 | ppm   | ND          | PASS        | 0.2          |   |       |       |        |             |              |
| CADMIUM   | 0.02 | ppm   | ND          | PASS        | 0.2          |   |       |       |        |             |              |
| MERCURY   | 0.02 | ppm   | ND          | PASS        | 0.2          |   |       |       |        |             |              |
| LEAD  | 0.02 | ppm   | ND          | PASS        | 0.5          |   |       |       |        |             |              |
| Analyzed by: 1022, 585, 1440<br>Weight: 0.2631g<br>Extraction date: 06/06/23 10:37:48<br>Extracted by: 1022,3807<br>Analysis Method : SOP.T.30.082.FL, SOP.T.40.082.FL<br>Analytical Batch : DA061040HEA<br>Instrument Used : DA-ICPMS-003<br>Analyzed Date : 06/06/23 14:15:45<br>Dilution : 50<br>Reagent : 060223.R34; 053123.R03; 060223.R32; 060223.R33; 052523.R15; 050923.01; 051823.R28<br>Consumables : 179436; 210508058<br>Pipette : DA-061; DA-191; DA-216<br>Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.   |      |       |             |             |              |   |       |       |        |             |              |



# Certificate of Analysis

**PASSED**
**FLUENT**

 82 NE 26th street  
 Miami, FL, 33137, US  
 Telephone: (305) 900-6266  
 Email: Taylor.Jones@getfluent.com

 Sample : DA30606005-001  
 Harvest/Lot ID: HYB-OOGK-052923-C0091  
 Batch# : 2503 3039 6730  
 Sample Size Received : 31.5 gram  
 Total Amount : 1353 units  
 Completed : 06/08/23 Expires: 06/08/24  
 Sample Method : SOP.T.20.010  
 Sampled : 06/05/23  
 Ordered : 06/05/23

Page 5 of 5


**Filth/Foreign Material**
**PASSED**

**Moisture**
**PASSED**

| Analyte   | LOD | Units | Result | P/F  | Action Level | Analyte   | LOD | Units | Result | P/F  | Action Level |
|---|-----|-------|--------|------|--------------|---|-----|-------|--------|------|--------------|
| Filth and Foreign Material  | 0.1 | %     | ND     | PASS | 1            | Moisture Content  | 1   | %     | 14.37  | PASS | 15           |
| Analyzed by: 1879, 1440<br>Weight: NA<br>Extraction date: N/A<br>Analyzed Date: 06/07/23 11:34:26<br>Analysis Method : SOP.T.40.090<br>Analytical Batch : DA061117FIL<br>Instrument Used : Filth/Foreign Material Microscope<br>Dilution : N/A<br>Reagent : N/A<br>Consumables : N/A<br>Pipette : N/A |     |       |        |      |              | Analyzed by: 2926, 585, 1440<br>Weight: 0.488g<br>Extraction date: 06/06/23 15:45:06<br>Analyzed Date: 06/06/23 15:43:30<br>Analysis Method : SOP.T.40.021<br>Analytical Batch : DA061062MOI<br>Instrument Used : DA-003 Moisture Analyzer<br>Dilution : N/A<br>Reagent : 101920.06; 020123.02<br>Consumables : PS-14<br>Pipette : DA-066 |     |       |        |      |              |

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.

Moisture Content analysis utilizing loss-on-drying technology in accordance with F.S. Rule 64ER20-39.


**Water Activity**
**PASSED**

| Analyte   | LOD  | Units | Result | P/F  | Action Level |
|---|------|-------|--------|------|--------------|
| Water Activity  | 0.01 | aw    | 0.551  | PASS | 0.65         |
| Analyzed by: 2926, 585, 1440<br>Weight: 0.63g<br>Extraction date: 06/06/23 15:14:22<br>Analyzed Date: 06/05/23 08:29:41<br>Analysis Method : SOP.T.40.019<br>Analytical Batch : DA061000WAT<br>Instrument Used : DA-028 Rotronic HygroPalm<br>Dilution : N/A<br>Reagent : 050923.03<br>Consumables : PS-14<br>Pipette : N/A |      |       |        |      |              |

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.