



Certificate of Analysis

COMPLIANCE FOR RETAIL

Sample: DA30606006-004
Harvest/Lot ID: ID-PAM-050823-A110
Batch#: 5678 5025 2170 8351
Cultivation Facility: Tampa Cultivation
Processing Facility : Tampa Processing
Source Facility : Tampa Cultivation
Seed to Sale# 9139 7714 8140 0055
Batch Date: 05/05/23
Sample Size Received: 70 gram
Total Amount: 5185 units
Retail Product Size: 3.5 gram
Ordered: 06/05/23
Sampled: 06/05/23
Completed: 06/08/23
Sampling Method: SOP.T.20.010

Jun 08, 2023 | FLUENT

 82 NE 26th street
 Miami, FL, 33137, US

PASSED

Pages 1 of 5

PRODUCT IMAGE

SAFETY RESULTS

**Pesticides
PASSED**

**Heavy Metals
PASSED**

**Microbials
PASSED**

**Mycotoxins
PASSED**

**Residuals Solvents
NOT TESTED**

**Filtration
PASSED**

**Water Activity
PASSED**

**Moisture
PASSED**

**Terpenes
TESTED**
MISC.

Cannabinoid
PASSED

**Total THC
24.73%
Dry Weight**

**Total CBD
0.061%
Dry Weight**

**Total Cannabinoids
29.338%
Dry Weight**

	D9-THC	THCA	CBD	CBDA	D8-THC	CBG	CBGA	CBN	THCV	CBDV	CBC	TOTAL CBD (DRY)	TOTAL THC (DRY)	TOTAL CANNABINOIDS (DRY)
%	0.258	24.868	0.022	0.038	0.025	0.117	0.807	ND	ND	ND	0.044	0.061	24.73	29.338
mg/unit	9.03	870.38	0.77	1.33	0.875	4.095	28.245	ND	ND	ND	1.54	2.135	865.55	1026.83
LOD	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001
%														

**Total THC
22.067%
772.345 mg /Container**
**Total CBD
0.055%
1.925 mg /Container**
As Received

 Analyzed by:
 1665, 3112, 585, 1440

 Weight:
 0.2007g

 Extraction date:
 06/06/23 12:13:49

 Extracted by:
 1665

Analysis Method : SOP.T.40.031, SOP.T.30.031

Analytical Batch : DA061053POT

Instrument Used : DA-LC-002 (Flower)

Analyzed Date : 06/06/23 12:15:46

Reviewed On : 06/07/23 11:14:00

Batch Date : 06/06/23 11:21:40

Dilution : 400

Reagent : 060523.R06; 070121.27; 060523.R05

Consumables : 280670723; CE0123; 61633-125C6-125E; R1KB45277

Pipette : DA-079; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Jorge Segredo

Lab Director

 State License # CMTL-0002
 ISO 17025 Accreditation # ISO/IEC
 17025:2017 Accreditation PJLA-
 Testing 97164



 Signature
 06/08/23



Certificate of Analysis

PASSED

FLUENT

82 NE 26th street
Miami, FL, 33137, US
Telephone: (305) 900-6266
Email: Taylor.Jones@getfluent.com

Sample : DA30606006-004

Harvest/Lot ID: ID-PAM-050823-A110

Batch# : 5678 5025 2170
8351

Sampled : 06/05/23
Ordered : 06/05/23

Sample Size Received : 70 gram

Total Amount : 5185 units

Completed : 06/08/23 Expires: 06/08/24

Sample Method : SOP.T.20.010

Page 2 of 5

Terpenes

TESTED

Terpenes	LOD (%)	mg/unit	%	Result (%)	Terpenes	LOD (%)	mg/unit	%	Result (%)
TOTAL TERPENES	0.007	41.51	1.186		FARNESENE	0.001	<0.315	<0.009	
TOTAL TERPINEOL	0.007	0.875	0.025		ALPHA-HUMULENE	0.007	1.785	0.051	
ALPHA-BISABOLOL	0.007	1.47	0.042		VALENCENE	0.007	ND	ND	
ALPHA-PINENE	0.007	0.84	0.024		CIS-NEROLIDOL	0.007	<0.7	<0.02	
CAMPHENE	0.007	<0.7	<0.02		TRANS-NEROLIDOL	0.007	1.26	0.036	
SABINENE	0.007	ND	ND		CARYOPHYLLENE OXIDE	0.007	<0.7	<0.02	
BETA-PINENE	0.007	1.225	0.035		GUAIOL	0.007	2.17	0.062	
BETA-MYRCENE	0.007	2.415	0.069		CEDROL	0.007	ND	ND	
ALPHA-PHELLANDRENE	0.007	ND	ND		<div>Analyzed by: 2076, 585, 1440Weight: 0.8565gExtraction date: 06/06/23 12:51:19Extracted by: 2076</div> <div>Analysis Method : SOP.T.30.061A.FL, SOP.T.40.061A.FLAnalytical Batch : DA061029TERInstrument Used : DA-GCMS-008Analyzed Date : 06/06/23 17:44:30Reviewed On : 06/08/23 16:07:41Batch Date : 06/06/23 09:10:23</div> <div>Dilution : 10Reagent : 121622.25Consumables : 210414634; MKCN9995; CE0123; R1KB14270Pipette : N/A</div> <div>Terpenoid testing is performed utilizing Gas Chromatography Mass Spectrometry. For all Flower samples, the Total Terpenes % is dry-weight corrected.</div>				
3-CARENE	0.007	ND	ND						
ALPHA-TERPINENE	0.007	ND	ND						
LIMONENE	0.007	10.815	0.309						
EUCALYPTOL	0.007	ND	ND						
OCIMENE	0.007	ND	ND						
GAMMA-TERPINENE	0.007	ND	ND						
SABINENE HYDRATE	0.007	ND	ND						
TERPINOLENE	0.007	ND	ND						
FENCHONE	0.007	ND	ND						
LINALOOL	0.007	6.685	0.191						
FENCHYL ALCOHOL	0.007	0.98	0.028						
ISOPULEGOL	0.007	ND	ND						
CAMPHOR	0.007	ND	ND						
ISOBORNEOL	0.007	ND	ND						
BORNEOL	0.013	ND	ND						
HEXAHYDROTHYMOL	0.007	<0.7	<0.02						
NEROL	0.007	ND	ND						
PULEGONE	0.007	ND	ND						
GERANIOL	0.007	ND	ND						
GERANYL ACETATE	0.007	ND	ND						
ALPHA-CEDRENE	0.007	ND	ND						
BETA-CARYOPHYLLENE	0.007	6.545	0.187						
Total (%)			1.186						



Certificate of Analysis

PASSED

FLUENT

 82 NE 26th street
 Miami, FL, 33137, US
 Telephone: (305) 900-6266
 Email: Taylor.Jones@getfluent.com

Sample : DA30606006-004

Harvest/Lot ID: ID-PAM-050823-A110

 Batch# : 5678 5025 2170
 8351

 Sampled : 06/05/23
 Ordered : 06/05/23

Sample Size Received : 70 gram

Total Amount : 5185 units

Completed : 06/08/23 Expires: 06/08/24

Sample Method : SOP.T.20.010

Page 3 of 5



Pesticides

PASSED

Pesticide	LOD	Units	Action Level	Pass/Fail	Result	Pesticide	LOD	Units	Action Level	Pass/Fail	Result
TOTAL CONTAMINANT LOAD (PESTICIDES)	0.01	ppm	5	PASS	ND	OXAMYL	0.01	ppm	0.5	PASS	ND
TOTAL DIMETHOMORPH	0.01	ppm	0.2	PASS	ND	PACLOBUTRAZOL	0.01	ppm	0.1	PASS	ND
TOTAL PERMETHRIN	0.01	ppm	0.1	PASS	ND	PHOSMET	0.01	ppm	0.1	PASS	ND
TOTAL PYRETHRINS	0.01	ppm	0.5	PASS	ND	PIPERONYL BUTOXIDE	0.01	ppm	3	PASS	ND
TOTAL SPINETORAM	0.01	ppm	0.2	PASS	ND	PRALLETHRIN	0.01	ppm	0.1	PASS	ND
TOTAL SPINOSAD	0.01	ppm	0.1	PASS	ND	PROPICONAZOLE	0.01	ppm	0.1	PASS	ND
ABAMECTIN B1A	0.01	ppm	0.1	PASS	ND	PROPOXUR	0.01	ppm	0.1	PASS	ND
ACEPHATE	0.01	ppm	0.1	PASS	ND	PYRIDABEN	0.01	ppm	0.2	PASS	ND
ACEQUINOCYL	0.01	ppm	0.1	PASS	ND	SPIROMESIFEN	0.01	ppm	0.1	PASS	ND
ACETAMIPRID	0.01	ppm	0.1	PASS	ND	SPIROTETRAMAT	0.01	ppm	0.1	PASS	ND
ALDICARB	0.01	ppm	0.1	PASS	ND	SPIROXAMINE	0.01	ppm	0.1	PASS	ND
AZOXYSTROBIN	0.01	ppm	0.1	PASS	ND	TEBUCONAZOLE	0.01	ppm	0.1	PASS	ND
BIFENAZATE	0.01	ppm	0.1	PASS	ND	THIACLOPRID	0.01	ppm	0.1	PASS	ND
BIFENTHRIN	0.01	ppm	0.1	PASS	ND	THIAMETHOXAM	0.01	ppm	0.5	PASS	ND
BOSCALID	0.01	ppm	0.1	PASS	ND	TRIFLOXYSTROBIN	0.01	ppm	0.1	PASS	ND
CARBARYL	0.01	ppm	0.5	PASS	ND	PENTACHLORONITROBENZENE (PCNB) *	0.01	PPM	0.15	PASS	ND
CARBOFURAN	0.01	ppm	0.1	PASS	ND	PARATHION-METHYL *	0.01	PPM	0.1	PASS	ND
CHLORANTRANILIPROLE	0.01	ppm	1	PASS	ND	CAPTAN *	0.07	PPM	0.7	PASS	ND
CHLORMEQUAT CHLORIDE	0.01	ppm	1	PASS	ND	CHLORDANE *	0.01	PPM	0.1	PASS	ND
CHLORPYRIFOS	0.01	ppm	0.1	PASS	ND	CHLORFENAPYR *	0.01	PPM	0.1	PASS	ND
CLOFENTHIZINE	0.01	ppm	0.2	PASS	ND	CYFLUTHRIN *	0.05	PPM	0.5	PASS	ND
COUMAPHOS	0.01	ppm	0.1	PASS	ND	CYPERMETHRIN *	0.05	PPM	0.5	PASS	ND
DAMINOZIDE	0.01	ppm	0.1	PASS	ND						
DIAZINON	0.01	ppm	0.1	PASS	ND	Analyzed by:	Weight:	Extraction date:	Extracted by:		
DICHLORVOS	0.01	ppm	0.1	PASS	ND	3379, 585, 1440	0.9023g	06/06/23 15:07:45	4056		
DIMETHOATE	0.01	ppm	0.1	PASS	ND	Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.101.FL (Gainesville),					
ETHOPROPHOS	0.01	ppm	0.1	PASS	ND	SOP.T.40.102.FL (Davie)					
ETOFENPROX	0.01	ppm	0.1	PASS	ND	Analytical Batch : DA061056PES				Reviewed On : 06/07/23 11:02:23	
ETOXAZOLE	0.01	ppm	0.1	PASS	ND	Instrument Used : DA-LCMS-003 (PES)				Batch Date : 06/06/23 11:38:19	
FENHEXAMID	0.01	ppm	0.1	PASS	ND	Analyzed Date : N/A					
FENOXYCARB	0.01	ppm	0.1	PASS	ND	Dilution : 250					
FENPYROXIMATE	0.01	ppm	0.1	PASS	ND	Reagent : 060523.R07; 060623.R01; 060523.R09; 060223.R18; 060523.R26; 053123.R04; 040521.11					
FIPRONIL	0.01	ppm	0.1	PASS	ND	Consumables : 6697075-02					
FLONICAMID	0.01	ppm	0.1	PASS	ND	Pipette : DA-093; DA-094; DA-219					
FLUDIOXONIL	0.01	ppm	0.1	PASS	ND	Testing for agricultural agents is performed utilizing Liquid Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
HEXYTHIAZOX	0.01	ppm	0.1	PASS	ND	Analyzed by:	Weight:	Extraction date:	Extracted by:		
IMAZALIL	0.01	ppm	0.1	PASS	ND	450, 585, 1440	0.9023g	06/06/23 15:07:45	4056		
IMIDACLOPRID	0.01	ppm	0.4	PASS	ND	Analysis Method : SOP.T.30.151.FL (Gainesville), SOP.T.30.151A.FL (Davie), SOP.T.40.151.FL					
KRESOXIM-METHYL	0.01	ppm	0.1	PASS	ND	Analytical Batch : DA061057VOL				Reviewed On : 06/07/23 11:10:56	
MALATHION	0.01	ppm	0.2	PASS	ND	Instrument Used : DA-GCMS-006				Batch Date : 06/06/23 11:39:55	
METALAXYL	0.01	ppm	0.1	PASS	ND	Analyzed Date : 06/06/23 15:57:29					
METHIOCARB	0.01	ppm	0.1	PASS	ND	Dilution : 250					
METHOMYL	0.01	ppm	0.1	PASS	ND	Reagent : 060523.R09; 040521.11; 051823.R43; 051823.R44					
MEVINPHOS	0.01	ppm	0.1	PASS	ND	Consumables : 6697075-02; 14725401					
MYCLOBUTANIL	0.01	ppm	0.1	PASS	ND	Pipette : DA-080; DA-146; DA-218					
NALED	0.01	ppm	0.25	PASS	ND	Testing for agricultural agents is performed utilizing Gas Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					



Certificate of Analysis

PASSED
FLUENT

 82 NE 26th street
 Miami, FL, 33137, US
 Telephone: (305) 900-6266
 Email: Taylor.Jones@getfluent.com

Sample : DA30606006-004

Harvest/Lot ID: ID-PAM-050823-A110

 Batch# : 5678 5025 2170
 8351

Sampled : 06/05/23

Ordered : 06/05/23



Sample Size Received : 70 gram

Total Amount : 5185 units

Completed : 06/08/23 Expires: 06/08/24

Sample Method : SOP.T.20.010

Page 4 of 5

	Microbial	PASSED		Mycotoxins	PASSED																																																																																																																																																																																																																		
<table><tr><th>Analyte</th><th>LOD</th><th>Units</th><th>Result</th><th>Pass / Fail</th><th>Action Level</th></tr><tr><td>ASPERGILLUS TERREUS</td><td></td><td></td><td>Not Present</td><td>PASS</td><td></td></tr><tr><td>ASPERGILLUS NIGER</td><td></td><td></td><td>Not Present</td><td>PASS</td><td></td></tr><tr><td>ASPERGILLUS FUMIGATUS</td><td></td><td></td><td>Not Present</td><td>PASS</td><td></td></tr><tr><td>ASPERGILLUS FLAVUS</td><td></td><td></td><td>Not Present</td><td>PASS</td><td></td></tr><tr><td>SALMONELLA SPECIFIC GENE</td><td></td><td></td><td>Not Present</td><td>PASS</td><td></td></tr><tr><td>ECOLI SHIGELLA</td><td></td><td></td><td>Not Present</td><td>PASS</td><td></td></tr><tr><td>TOTAL YEAST AND MOLD</td><td>10</td><td>CFU/g</td><td>360</td><td>PASS</td><td>100000</td></tr><tr><td>Analyzed by:</td><td>Weight:</td><td>Extraction date:</td><td colspan="3">Extracted by:</td></tr><tr><td>3390, 3621, 585, 1440</td><td>1.0186g</td><td>06/06/23 11:49:50</td><td colspan="3">3621</td></tr><tr><td colspan="3">Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL</td><td colspan="3">Reviewed On : 06/07/23 14:08:05</td></tr><tr><td colspan="3">Analytical Batch : DA061047MIC</td><td colspan="3">Batch Date : 06/06/23 10:23:22</td></tr><tr><td colspan="6">Instrument Used : PathogenDx Scanner DA-111,Applied Biosystems Thermocycler DA-171,fisherbrand Isotemp Heat Block DA-020,fisherbrand Isotemp Heat Block DA-049,Fisher Scientific Isotemp Heat Block DA-021</td></tr><tr><td colspan="6">Analyzed Date : 06/06/23 12:48:02</td></tr><tr><td colspan="6">Dilution : N/A</td></tr><tr><td colspan="6">Reagent : 031523.10; 052323.R22; 092122.03; 092122.09</td></tr><tr><td colspan="6">Consumables : 7562002068</td></tr><tr><td colspan="6">Pipette : N/A</td></tr></table>			Analyte	LOD	Units	Result	Pass / Fail	Action Level	ASPERGILLUS TERREUS			Not Present	PASS		ASPERGILLUS NIGER			Not Present	PASS		ASPERGILLUS FUMIGATUS			Not Present	PASS		ASPERGILLUS FLAVUS			Not Present	PASS		SALMONELLA SPECIFIC GENE			Not Present	PASS		ECOLI SHIGELLA			Not Present	PASS		TOTAL YEAST AND MOLD	10	CFU/g	360	PASS	100000	Analyzed by:	Weight:	Extraction date:	Extracted by:			3390, 3621, 585, 1440	1.0186g	06/06/23 11:49:50	3621			Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL			Reviewed On : 06/07/23 14:08:05			Analytical Batch : DA061047MIC			Batch Date : 06/06/23 10:23:22			Instrument Used : PathogenDx Scanner DA-111,Applied Biosystems Thermocycler DA-171,fisherbrand Isotemp Heat Block DA-020,fisherbrand Isotemp Heat Block DA-049,Fisher Scientific Isotemp Heat Block DA-021						Analyzed Date : 06/06/23 12:48:02						Dilution : N/A						Reagent : 031523.10; 052323.R22; 092122.03; 092122.09						Consumables : 7562002068						Pipette : N/A						<table><tr><th>Analyte</th><th>LOD</th><th>Units</th><th>Result</th><th>Pass / Fail</th><th>Action Level</th></tr><tr><td>AFLATOXIN B2</td><td>0.002</td><td>ppm</td><td>ND</td><td>PASS</td><td>0.02</td></tr><tr><td>AFLATOXIN B1</td><td>0.002</td><td>ppm</td><td>ND</td><td>PASS</td><td>0.02</td></tr><tr><td>OCHRATOXIN A</td><td>0.002</td><td>ppm</td><td>ND</td><td>PASS</td><td>0.02</td></tr><tr><td>AFLATOXIN G1</td><td>0.002</td><td>ppm</td><td>ND</td><td>PASS</td><td>0.02</td></tr><tr><td>AFLATOXIN G2</td><td>0.002</td><td>ppm</td><td>ND</td><td>PASS</td><td>0.02</td></tr><tr><td>Analyzed by:</td><td>Weight:</td><td>Extraction date:</td><td colspan="3">Extracted by:</td></tr><tr><td>3379, 585, 1440</td><td>0.9023g</td><td>06/06/23 15:07:45</td><td colspan="3">4056</td></tr><tr><td colspan="6">Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.40.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.102.FL (Davie)</td></tr><tr><td colspan="3">Analytical Batch : DA061058MYC</td><td colspan="3">Reviewed On : 06/07/23 11:00:43</td></tr><tr><td colspan="3">Instrument Used : N/A</td><td colspan="3">Batch Date : 06/06/23 11:39:58</td></tr><tr><td colspan="6">Analyzed Date : N/A</td></tr><tr><td colspan="6">Dilution : 250</td></tr><tr><td colspan="6">Reagent : 060523.R07; 060623.R01; 060523.R09; 060223.R18; 060523.R26; 053123.R04; 040521.11</td></tr><tr><td colspan="6">Consumables : 6697075-02</td></tr><tr><td colspan="6">Pipette : DA-093; DA-094; DA-219</td></tr><tr><td colspan="6">Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.</td></tr></table>			Analyte	LOD	Units	Result	Pass / Fail	Action Level	AFLATOXIN B2	0.002	ppm	ND	PASS	0.02	AFLATOXIN B1	0.002	ppm	ND	PASS	0.02	OCHRATOXIN A	0.002	ppm	ND	PASS	0.02	AFLATOXIN G1	0.002	ppm	ND	PASS	0.02	AFLATOXIN G2	0.002	ppm	ND	PASS	0.02	Analyzed by:	Weight:	Extraction date:	Extracted by:			3379, 585, 1440	0.9023g	06/06/23 15:07:45	4056			Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.40.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.102.FL (Davie)						Analytical Batch : DA061058MYC			Reviewed On : 06/07/23 11:00:43			Instrument Used : N/A			Batch Date : 06/06/23 11:39:58			Analyzed Date : N/A						Dilution : 250						Reagent : 060523.R07; 060623.R01; 060523.R09; 060223.R18; 060523.R26; 053123.R04; 040521.11						Consumables : 6697075-02						Pipette : DA-093; DA-094; DA-219						Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
Analyte	LOD	Units	Result	Pass / Fail	Action Level																																																																																																																																																																																																																		
ASPERGILLUS TERREUS			Not Present	PASS																																																																																																																																																																																																																			
ASPERGILLUS NIGER			Not Present	PASS																																																																																																																																																																																																																			
ASPERGILLUS FUMIGATUS			Not Present	PASS																																																																																																																																																																																																																			
ASPERGILLUS FLAVUS			Not Present	PASS																																																																																																																																																																																																																			
SALMONELLA SPECIFIC GENE			Not Present	PASS																																																																																																																																																																																																																			
ECOLI SHIGELLA			Not Present	PASS																																																																																																																																																																																																																			
TOTAL YEAST AND MOLD	10	CFU/g	360	PASS	100000																																																																																																																																																																																																																		
Analyzed by:	Weight:	Extraction date:	Extracted by:																																																																																																																																																																																																																				
3390, 3621, 585, 1440	1.0186g	06/06/23 11:49:50	3621																																																																																																																																																																																																																				
Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL			Reviewed On : 06/07/23 14:08:05																																																																																																																																																																																																																				
Analytical Batch : DA061047MIC			Batch Date : 06/06/23 10:23:22																																																																																																																																																																																																																				
Instrument Used : PathogenDx Scanner DA-111,Applied Biosystems Thermocycler DA-171,fisherbrand Isotemp Heat Block DA-020,fisherbrand Isotemp Heat Block DA-049,Fisher Scientific Isotemp Heat Block DA-021																																																																																																																																																																																																																							
Analyzed Date : 06/06/23 12:48:02																																																																																																																																																																																																																							
Dilution : N/A																																																																																																																																																																																																																							
Reagent : 031523.10; 052323.R22; 092122.03; 092122.09																																																																																																																																																																																																																							
Consumables : 7562002068																																																																																																																																																																																																																							
Pipette : N/A																																																																																																																																																																																																																							
Analyte	LOD	Units	Result	Pass / Fail	Action Level																																																																																																																																																																																																																		
AFLATOXIN B2	0.002	ppm	ND	PASS	0.02																																																																																																																																																																																																																		
AFLATOXIN B1	0.002	ppm	ND	PASS	0.02																																																																																																																																																																																																																		
OCHRATOXIN A	0.002	ppm	ND	PASS	0.02																																																																																																																																																																																																																		
AFLATOXIN G1	0.002	ppm	ND	PASS	0.02																																																																																																																																																																																																																		
AFLATOXIN G2	0.002	ppm	ND	PASS	0.02																																																																																																																																																																																																																		
Analyzed by:	Weight:	Extraction date:	Extracted by:																																																																																																																																																																																																																				
3379, 585, 1440	0.9023g	06/06/23 15:07:45	4056																																																																																																																																																																																																																				
Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.40.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.102.FL (Davie)																																																																																																																																																																																																																							
Analytical Batch : DA061058MYC			Reviewed On : 06/07/23 11:00:43																																																																																																																																																																																																																				
Instrument Used : N/A			Batch Date : 06/06/23 11:39:58																																																																																																																																																																																																																				
Analyzed Date : N/A																																																																																																																																																																																																																							
Dilution : 250																																																																																																																																																																																																																							
Reagent : 060523.R07; 060623.R01; 060523.R09; 060223.R18; 060523.R26; 053123.R04; 040521.11																																																																																																																																																																																																																							
Consumables : 6697075-02																																																																																																																																																																																																																							
Pipette : DA-093; DA-094; DA-219																																																																																																																																																																																																																							
Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.																																																																																																																																																																																																																							
<div><div><div>Hg</div></div></div>						Heavy Metals					PASSED																																																																																																																																																																																																												
<table><tr><th>Metal</th><th>LOD</th><th>Units</th><th>Result</th><th>Pass / Fail</th><th>Action Level</th></tr><tr><td>TOTAL CONTAMINANT LOAD METALS</td><td>0.08</td><td>ppm</td><td>ND</td><td>PASS</td><td>1.1</td></tr><tr><td>ARSENIC</td><td>0.02</td><td>ppm</td><td><0.1</td><td>PASS</td><td>0.2</td></tr><tr><td>CADMIUM</td><td>0.02</td><td>ppm</td><td>ND</td><td>PASS</td><td>0.2</td></tr><tr><td>MERCURY</td><td>0.02</td><td>ppm</td><td>ND</td><td>PASS</td><td>0.2</td></tr><tr><td>LEAD</td><td>0.02</td><td>ppm</td><td>ND</td><td>PASS</td><td>0.5</td></tr><tr><td>Analyzed by:</td><td>Weight:</td><td>Extraction date:</td><td colspan="3">Extracted by:</td></tr><tr><td>1022, 585, 1440</td><td>0.2412g</td><td>06/06/23 12:15:43</td><td colspan="3">1022,3807</td></tr><tr><td colspan="6">Analysis Method : SOP.T.30.082.FL, SOP.T.40.082.FL</td></tr><tr><td colspan="3">Analytical Batch : DA061040HEA</td><td colspan="3">Reviewed On : 06/07/23 13:09:40</td></tr><tr><td colspan="3">Instrument Used : DA-ICPMS-003</td><td colspan="3">Batch Date : 06/06/23 10:04:49</td></tr><tr><td colspan="6">Analyzed Date : 06/06/23 14:15:45</td></tr><tr><td colspan="6">Dilution : 50</td></tr><tr><td colspan="6">Reagent : 060223.R34; 053123.R03; 060223.R32; 060223.R33; 052523.R15; 050923.01; 051823.R28</td></tr><tr><td colspan="6">Consumables : 179436; 210508058</td></tr><tr><td colspan="6">Pipette : DA-061; DA-191; DA-216</td></tr><tr><td colspan="6">Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.</td></tr></table>			Metal	LOD	Units	Result	Pass / Fail	Action Level	TOTAL CONTAMINANT LOAD METALS	0.08	ppm	ND	PASS	1.1	ARSENIC	0.02	ppm	<0.1	PASS	0.2	CADMIUM	0.02	ppm	ND	PASS	0.2	MERCURY	0.02	ppm	ND	PASS	0.2	LEAD	0.02	ppm	ND	PASS	0.5	Analyzed by:	Weight:	Extraction date:	Extracted by:			1022, 585, 1440	0.2412g	06/06/23 12:15:43	1022,3807			Analysis Method : SOP.T.30.082.FL, SOP.T.40.082.FL						Analytical Batch : DA061040HEA			Reviewed On : 06/07/23 13:09:40			Instrument Used : DA-ICPMS-003			Batch Date : 06/06/23 10:04:49			Analyzed Date : 06/06/23 14:15:45						Dilution : 50						Reagent : 060223.R34; 053123.R03; 060223.R32; 060223.R33; 052523.R15; 050923.01; 051823.R28						Consumables : 179436; 210508058						Pipette : DA-061; DA-191; DA-216						Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.																																																																																																																				
Metal	LOD	Units	Result	Pass / Fail	Action Level																																																																																																																																																																																																																		
TOTAL CONTAMINANT LOAD METALS	0.08	ppm	ND	PASS	1.1																																																																																																																																																																																																																		
ARSENIC	0.02	ppm	<0.1	PASS	0.2																																																																																																																																																																																																																		
CADMIUM	0.02	ppm	ND	PASS	0.2																																																																																																																																																																																																																		
MERCURY	0.02	ppm	ND	PASS	0.2																																																																																																																																																																																																																		
LEAD	0.02	ppm	ND	PASS	0.5																																																																																																																																																																																																																		
Analyzed by:	Weight:	Extraction date:	Extracted by:																																																																																																																																																																																																																				
1022, 585, 1440	0.2412g	06/06/23 12:15:43	1022,3807																																																																																																																																																																																																																				
Analysis Method : SOP.T.30.082.FL, SOP.T.40.082.FL																																																																																																																																																																																																																							
Analytical Batch : DA061040HEA			Reviewed On : 06/07/23 13:09:40																																																																																																																																																																																																																				
Instrument Used : DA-ICPMS-003			Batch Date : 06/06/23 10:04:49																																																																																																																																																																																																																				
Analyzed Date : 06/06/23 14:15:45																																																																																																																																																																																																																							
Dilution : 50																																																																																																																																																																																																																							
Reagent : 060223.R34; 053123.R03; 060223.R32; 060223.R33; 052523.R15; 050923.01; 051823.R28																																																																																																																																																																																																																							
Consumables : 179436; 210508058																																																																																																																																																																																																																							
Pipette : DA-061; DA-191; DA-216																																																																																																																																																																																																																							
Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.																																																																																																																																																																																																																							

<div><div>Hg</div></div>		Heavy Metals		PASSED		
Metal		LOD	Units	Result	Pass / Fail	Action Level
TOTAL CONTAMINANT LOAD METALS		0.08	ppm	ND	PASS	1.1
ARSENIC		0.02	ppm	<0.1	PASS	0.2
CADMIUM		0.02	ppm	ND	PASS	0.2
MERCURY		0.02	ppm	ND	PASS	0.2
LEAD		0.02	ppm	ND	PASS	0.5
Analyzed by: 1022, 585, 1440		Weight: 0.2412g	Extraction date: 06/06/23 12:15:43		Extracted by: 1022,3807	
Analysis Method : SOP.T.30.082.FL, SOP.T.40.082.FL						
Analytical Batch : DA061040HEA			Reviewed On : 06/07/23 13:09:40			
Instrument Used : DA-ICPMS-003			Batch Date : 06/06/23 10:04:49			
Analyzed Date : 06/06/23 14:15:45						
Dilution : 50						
Reagent : 060223.R34; 053123.R03; 060223.R32; 060223.R33; 052523.R15; 050923.01; 051823.R28						
Consumables : 179436; 210508058						
Pipette : DA-061; DA-191; DA-216						
Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.						



Certificate of Analysis

PASSED
FLUENT

 82 NE 26th street
 Miami, FL, 33137, US
 Telephone: (305) 900-6266
 Email: Taylor.Jones@getfluent.com

Sample : DA30606006-004

Harvest/Lot ID: ID-PAM-050823-A110

 Batch# : 5678 5025 2170
 8351

Sampled : 06/05/23

Ordered : 06/05/23

Sample Size Received : 70 gram

Total Amount : 5185 units

Completed : 06/08/23 Expires: 06/08/24

Sample Method : SOP.T.20.010

Page 5 of 5


**Filth/Foreign
Material**
PASSED

Moisture
PASSED

Analyte	LOD	Units	Result	P/F	Action Level	Analyte	LOD	Units	Result	P/F	Action Level
Filth and Foreign Material	0.1	%	ND	PASS	1	Moisture Content	1	%	10.77	PASS	15

Analyzed by: 1879, 1440	Weight: NA	Extraction date: N/A	Extracted by: N/A
----------------------------	---------------	-------------------------	----------------------

 Analysis Method : SOP.T.40.090
 Analytical Batch : DA061117FIL
 Instrument Used : Filth/Foreign Material Microscope
 Analyzed Date : 06/07/23 11:34:26

 Reviewed On : 06/07/23 22:47:27
 Batch Date : 06/07/23 11:13:38

Analyzed by: 2926, 585, 1440	Weight: 0.494g	Extraction date: 06/06/23 15:45:06	Extracted by: 2926
---------------------------------	-------------------	---------------------------------------	-----------------------

 Analysis Method : SOP.T.40.021
 Analytical Batch : DA061062MOI
 Instrument Used : DA-003 Moisture Analyzer
 Analyzed Date : 06/06/23 15:43:30

 Reviewed On : 06/06/23 16:01:06
 Batch Date : 06/06/23 11:50:46

 Dilution : N/A
 Reagent : N/A
 Consumables : N/A
 Pipette : N/A

 Dilution : N/A
 Reagent : 101920.06; 020123.02
 Consumables : PS-14
 Pipette : DA-066

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.

Moisture Content analysis utilizing loss-on-drying technology in accordance with F.S. Rule 64ER20-39.


Water Activity
PASSED

Analyte	LOD	Units	Result	P/F	Action Level
Water Activity	0.01	aw	0.585	PASS	0.65

Analyzed by: 2926, 585, 1440	Weight: 0.93g	Extraction date: 06/06/23 15:14:23	Extracted by: 2926
---------------------------------	------------------	---------------------------------------	-----------------------

 Analysis Method : SOP.T.40.019
 Analytical Batch : DA061000WAT
 Instrument Used : DA-028 Rotronic HygroPalm
 Analyzed Date : 06/05/23 08:29:41

 Reviewed On : 06/06/23 15:19:45
 Batch Date : 06/05/23 07:43:23

 Dilution : N/A
 Reagent : 050923.03
 Consumables : PS-14
 Pipette : N/A

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.