



Certificate of Analysis

COMPLIANCE FOR RETAIL

Sample: DA30606006-006

Harvest/Lot ID: 7923 4986 9951 5625

Batch#: 7923 4986 9951 5625

Cultivation Facility: Tampa Cultivation

Processing Facility : Tampa Processing

Source Facility : Tampa Cultivation

Seed to Sale# 0623 8091 2950 5578

Batch Date: 03/17/23

Sample Size Received: 16 gram

Total Amount: 1397 units

Retail Product Size: 1 gram

Ordered: 06/05/23

Sampled: 06/05/23

Completed: 06/08/23

Sampling Method: SOP.T.20.010

PASSED

Jun 08, 2023 | FLUENT

82 NE 26th street
Miami, FL, 33137, US



Pages 1 of 6


PRODUCT IMAGE



SAFETY RESULTS



Pesticides
PASSED



Heavy Metals
PASSED



Microbials
PASSED



Mycotoxins
PASSED



Residuals Solvents
PASSED



Filtration
PASSED



Water Activity
PASSED



Moisture
NOT TESTED



Terpenes
TESTED

MISC.



Cannabinoid

PASSED



Total THC

86.688%

Total THC/Container : 866.88 mg



Total CBD

0.254%

Total CBD/Container : 2.54 mg



Total Cannabinoids

93.011%

Total Cannabinoids/Container : 930.11 mg

	D9-THC	THCA	CBD	CBDA	D8-THC	CBG	CBGA	CBN	THCV	CBDV	CBC
%	86.688	ND	0.254	ND	0.221	2.626	ND	0.825	0.671	ND	1.726
mg/unit	866.88	ND	2.54	ND	2.21	26.26	ND	8.25	6.71	ND	17.26
LOD	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001
%	%	%	%	%	%	%	%	%	%	%	%

Analyzed by:
1665, 585, 1440

Weight:
0.1018g

Extraction date:
06/06/23 11:47:59

Extracted by:
3335,1665

Analysis Method : SOP.T.40.031, SOP.T.30.031

Analytical Batch : DA061048POT

Instrument Used : DA-LC-007

Analyzed Date : 06/06/23 12:30:51

Reviewed On : 06/07/23 11:14:10

Batch Date : 06/06/23 10:31:39

Dilution : 400

Reagent : 060523.R04; 032123.11; 060523.R03

Consumables : 280670723; CE0123; 61633-125C6-125E; R1KB14270

Pipette : DA-079; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Jorge Segredo

Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164



Signature
06/08/23



Certificate of Analysis

PASSED

FLUENT

82 NE 26th street
Miami, FL, 33137, US
Telephone: (305) 900-6266
Email: Taylor.Jones@getfluent.com

Sample : DA30606006-006
Harvest/Lot ID: 7923 4986 9951 5625

Batch# : 7923 4986 9951
5625

Sampled : 06/05/23
Ordered : 06/05/23

Sample Size Received : 16 gram

Total Amount : 1397 units

Completed : 06/08/23 Expires: 06/08/24

Sample Method : SOP.T.20.010

Page 2 of 6

Terpenes

TESTED

Terpenes	LOD (%)	mg/unit	%	Result (%)	Terpenes	LOD (%)	mg/unit	%	Result (%)
TOTAL TERPENES	0.007	16.08	1.608		FARNESENE		<0.018	<0.0018	
TOTAL TERPINEOL	0.007	ND	ND		ALPHA-HUMULENE	0.007	0.28	0.028	
ALPHA-BISABOLOL	0.007	0.34	0.034		VALENCENE	0.007	<0.2	<0.02	
ALPHA-PINENE	0.007	0.38	0.038		CIS-NEROLIDOL	0.007	ND	ND	
CAMPHENE	0.007	<0.2	<0.02		TRANS-NEROLIDOL	0.007	ND	ND	
SABINENE	0.007	ND	ND		CARYOPHYLLENE OXIDE	0.007	<0.2	<0.02	
BETA-PINENE	0.007	0.43	0.043		GUAIOL	0.007	ND	ND	
BETA-MYRCENE	0.007	2.22	0.222		CEDROL	0.007	ND	ND	
ALPHA-PHELLANDRENE	0.007	0.95	0.095		Analyzed by: 2076, 585, 1440Weight: 1.1019gExtraction date: 06/06/23 12:48:54Extracted by: 2076				
3-CARENE	0.007	0.27	0.027		Analysis Method : SOP.T.30.061A.FL, SOP.T.40.061A.FLReviewed On : 06/08/23 10:21:55				
ALPHA-TERPINENE	0.007	0.21	0.021		Analytical Batch : DA061028TERBatch Date : 06/06/23 09:09:18				
LIMONENE	0.007	0.97	0.097		Instrument Used : DA-GCMS-004				
UCALYPTOL	0.007	ND	ND		Analyzed Date : 06/07/23 16:45:14				
OCIMENE	0.007	1.81	0.181		Dilution : 10				
GAMMA-TERPINENE	0.007	<0.2	<0.02		Reagent : 121622.25				
SABINENE HYDRATE	0.007	ND	ND		Consumables : 210414634; MKCN9995; CE0123; R1KB14270				
TERPINOLENE	0.007	7.03	0.703		Pipette : N/A				
FENCHONE	0.007	ND	ND		Terpenoid testing is performed utilizing Gas Chromatography Mass Spectrometry. For all Flower samples, the Total Terpenes % is dry-weight corrected.				
LINALOOL	0.007	0.21	0.021						
FENCHYL ALCOHOL	0.007	<0.2	<0.02						
ISOPULEGOL	0.007	ND	ND						
CAMPHOR	0.007	<0.6	<0.06						
ISOBORNEOL	0.007	ND	ND						
BORNEOL	0.013	ND	ND						
HEXAHYDROTHYMOL	0.007	<0.2	<0.02						
NEROL	0.007	ND	ND						
PULEGONE	0.007	ND	ND						
GERANIOL	0.007	<0.2	<0.02						
GERANYL ACETATE	0.007	ND	ND						
ALPHA-CEDRENE	0.007	ND	ND						
BETA-CARYOPHYLLENE	0.007	0.98	0.098						
Total (%)			1.608						



Certificate of Analysis

PASSED

FLUENT

 82 NE 26th street
 Miami, FL, 33137, US
 Telephone: (305) 900-6266
 Email: Taylor.Jones@getfluent.com

Sample : DA30606006-006

Harvest/Lot ID: 7923 4986 9951 5625

 Batch# : 7923 4986 9951
 5625

Sampled : 06/05/23

Ordered : 06/05/23


Sample Size Received : 16 gram

Total Amount : 1397 units

Completed : 06/08/23 Expires: 06/08/24

Sample Method : SOP.T.20.010

Page 3 of 6

<div><div></div><div>Pesticides</div></div>						PASSED					
Pesticide	LOD	Units	Action Level	Pass/Fail	Result	Pesticide	LOD	Units	Action Level	Pass/Fail	Result
TOTAL CONTAMINANT LOAD (PESTICIDES)	0.01	ppm	5	PASS	ND	OXAMYL	0.01	ppm	0.5	PASS	ND
TOTAL DIMETHOMORPH	0.01	ppm	0.2	PASS	ND	PACLOBUTRAZOL	0.01	ppm	0.1	PASS	ND
TOTAL PERMETHRIN	0.01	ppm	0.1	PASS	ND	PHOSMET	0.01	ppm	0.1	PASS	ND
TOTAL PYRETHRINS	0.01	ppm	0.5	PASS	ND	PIPERONYL BUTOXIDE	0.01	ppm	3	PASS	ND
TOTAL SPINETORAM	0.01	ppm	0.2	PASS	ND	PRALLETHRIN	0.01	ppm	0.1	PASS	ND
TOTAL SPINOSAD	0.01	ppm	0.1	PASS	ND	PROPICONAZOLE	0.01	ppm	0.1	PASS	ND
ABAMECTIN B1A	0.01	ppm	0.1	PASS	ND	PROPOXUR	0.01	ppm	0.1	PASS	ND
ACEPHATE	0.01	ppm	0.1	PASS	ND	PYRIDABEN	0.01	ppm	0.2	PASS	ND
ACEQUINOCYL	0.01	ppm	0.1	PASS	ND	SPIROMESIFEN	0.01	ppm	0.1	PASS	ND
ACETAMIPRID	0.01	ppm	0.1	PASS	ND	SPIROTETRAMAT	0.01	ppm	0.1	PASS	ND
ALDICARB	0.01	ppm	0.1	PASS	ND	SPIROXAMINE	0.01	ppm	0.1	PASS	ND
AZOXYSTROBIN	0.01	ppm	0.1	PASS	ND	TEBUCONAZOLE	0.01	ppm	0.1	PASS	ND
BIFENAZATE	0.01	ppm	0.1	PASS	ND	THIACLOPRID	0.01	ppm	0.1	PASS	ND
BIFENTHRIN	0.01	ppm	0.1	PASS	ND	THIAMETHOXAM	0.01	ppm	0.5	PASS	ND
BOSCALID	0.01	ppm	0.1	PASS	ND	TRIFLOXYSTROBIN	0.01	ppm	0.1	PASS	ND
CARBARYL	0.01	ppm	0.5	PASS	ND	PENTACHLORONITROBENZENE (PCNB) *	0.01	PPM	0.15	PASS	ND
CARBOFURAN	0.01	ppm	0.1	PASS	ND	PARATHION-METHYL *	0.01	PPM	0.1	PASS	ND
CHLORANTRANILIPROLE	0.01	ppm	1	PASS	ND	CAPTAN *	0.07	PPM	0.7	PASS	ND
CHLORMEQUAT CHLORIDE	0.01	ppm	1	PASS	ND	CHLORDANE *	0.01	PPM	0.1	PASS	ND
CHLORPYRIFOS	0.01	ppm	0.1	PASS	ND	CHLORFENAPYR *	0.01	PPM	0.1	PASS	ND
CLOFENTEZINE	0.01	ppm	0.2	PASS	ND	CYFLUTHRIN *	0.05	PPM	0.5	PASS	ND
COUMAPHOS	0.01	ppm	0.1	PASS	ND	CYPERMETHRIN *	0.05	PPM	0.5	PASS	ND
DAMINOZIDE	0.01	ppm	0.1	PASS	ND	Analyzed by:	Weight:	Extraction date:	Extracted by:		
DIAZINON	0.01	ppm	0.1	PASS	ND	3379, 585, 1440	0.2547g	06/06/23 15:05:31	4056		
DICHLORVOS	0.01	ppm	0.1	PASS	ND	Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.101.FL (Gainesville),					
DIMETHOATE	0.01	ppm	0.1	PASS	ND	SOP.T.40.102.FL (Davie)					
ETHOPROPHOS	0.01	ppm	0.1	PASS	ND	Analytical Batch : DA061059PES				Reviewed On : 06/08/23 10:46:04	
ETOFENPROX	0.01	ppm	0.1	PASS	ND	Instrument Used : DA-LCMS-003 (PES)				Batch Date : 06/06/23 11:41:06	
ETOXAZOLE	0.01	ppm	0.1	PASS	ND	Analyzed Date : N/A					
FENHEXAMID	0.01	ppm	0.1	PASS	ND	Dilution : 250					
FENOXYCARB	0.01	ppm	0.1	PASS	ND	Reagent : 060523.R07; 060623.R01; 060523.R09; 060223.R18; 060523.R26; 053123.R04; 040521.11					
FENPYROXIMATE	0.01	ppm	0.1	PASS	ND	Consumables : 6697075-02					
FIPRONIL	0.01	ppm	0.1	PASS	ND	Pipette : DA-093; DA-094; DA-219					
FLONICAMID	0.01	ppm	0.1	PASS	ND	Testing for agricultural agents is performed utilizing Liquid Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
FLUDIOXONIL	0.01	ppm	0.1	PASS	ND	Analyzed by:	Weight:	Extraction date:	Extracted by:		
HEXYTHIAZOX	0.01	ppm	0.1	PASS	ND	450, 585, 1440	0.2547g	06/06/23 15:05:31	4056		
IMAZALIL	0.01	ppm	0.1	PASS	ND	Analysis Method : SOP.T.30.151.FL (Gainesville), SOP.T.30.151A.FL (Davie), SOP.T.40.151.FL					
IMIDACLOPRID	0.01	ppm	0.4	PASS	ND	Analytical Batch : DA061060VOL				Reviewed On : 06/07/23 10:59:35	
KRESOXIM-METHYL	0.01	ppm	0.1	PASS	ND	Instrument Used : DA-GCMS-001				Batch Date : 06/06/23 11:43:14	
MALATHION	0.01	ppm	0.2	PASS	ND	Analyzed Date : 06/06/23 15:57:23					
METALAXYL	0.01	ppm	0.1	PASS	ND	Dilution : 250					
METHIOCARB	0.01	ppm	0.1	PASS	ND	Reagent : 060523.R09; 040521.11; 051823.R43; 051823.R44					
METHOMYL	0.01	ppm	0.1	PASS	ND	Consumables : 6697075-02; 14725401					
MEVINPHOS	0.01	ppm	0.1	PASS	ND	Pipette : DA-080; DA-146; DA-218					
MYCLOBUTANIL	0.01	ppm	0.1	PASS	ND	Testing for agricultural agents is performed utilizing Gas Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
NALED	0.01	ppm	0.25	PASS	ND						



Certificate of Analysis

PASSED
FLUENT

 82 NE 26th street
 Miami, FL, 33137, US
 Telephone: (305) 900-6266
 Email: Taylor.Jones@getfluent.com

Sample : DA30606006-006

Harvest/Lot ID: 7923 4986 9951 5625

 Batch# : 7923 4986 9951
 5625

Sampled : 06/05/23

Ordered : 06/05/23

Sample Size Received : 16 gram

Total Amount : 1397 units

Completed : 06/08/23 Expires: 06/08/24

Sample Method : SOP.T.20.010

Page 4 of 6



Residual Solvents

PASSED

Solvents	LOD	Units	Action Level	Pass/Fail	Result
1,1-DICHLOROETHENE	0.8	ppm	8	PASS	ND
1,2-DICHLOROETHANE	0.2	ppm	2	PASS	ND
2-PROPANOL	50	ppm	500	PASS	ND
ACETONE	75	ppm	750	PASS	ND
ACETONITRILE	6	ppm	60	PASS	ND
BENZENE	0.1	ppm	1	PASS	ND
BUTANES (N-BUTANE)	500	ppm	5000	PASS	ND
CHLOROFORM	0.2	ppm	2	PASS	ND
DICHLOROMETHANE	12.5	ppm	125	PASS	ND
ETHANOL	500	ppm	5000	PASS	ND
ETHYL ACETATE	40	ppm	400	PASS	ND
ETHYL ETHER	50	ppm	500	PASS	ND
ETHYLENE OXIDE	0.5	ppm	5	PASS	ND
HEPTANE	500	ppm	5000	PASS	ND
METHANOL	25	ppm	250	PASS	ND
N-HEXANE	25	ppm	250	PASS	ND
PENTANES (N-PENTANE)	75	ppm	750	PASS	ND
PROPANE	500	ppm	5000	PASS	ND
TOLUENE	15	ppm	150	PASS	ND
TOTAL XYLENES	15	ppm	150	PASS	ND
TRICHLOROETHYLENE	2.5	ppm	25	PASS	ND

 Analyzed by:
 850, 585, 1440

 Weight:
 0.0203g

 Extraction date:
 06/07/23 17:44:18

 Extracted by:
 850

 Analysis Method : SOP.T.40.041.FL
 Analytical Batch : DA061119SOL
 Instrument Used : DA-GCMS-002
 Analyzed Date : 06/08/23 11:26:12

 Reviewed On : 06/08/23 11:59:31
 Batch Date : 06/07/23 16:23:48

 Dilution : 1
 Reagent : N/A
 Consumables : N/A
 Pipette : N/A

Residual solvents analysis is performed utilizing Gas Chromatography Mass Spectrometry in accordance with with F.S. Rule 64ER20-39.



Certificate of Analysis

PASSED
FLUENT

 82 NE 26th street
 Miami, FL, 33137, US
 Telephone: (305) 900-6266
 Email: Taylor.Jones@getfluent.com

Sample : DA30606006-006

Harvest/Lot ID: 7923 4986 9951 5625

 Batch# : 7923 4986 9951
 5625

 Sampled : 06/05/23
 Ordered : 06/05/23



Sample Size Received : 16 gram


Total Amount : 1397 units

Completed : 06/08/23 Expires: 06/08/24

Sample Method : SOP.T.20.010

Page 5 of 6

	Microbial	PASSED		Mycotoxins	PASSED												
Analyte			LOD			Units			Result			Pass / Fail			Action Level		
ASPERGILLUS TERREUS									Not Present			PASS					
ASPERGILLUS NIGER									Not Present			PASS					
ASPERGILLUS FUMIGATUS									Not Present			PASS					
ASPERGILLUS FLAVUS									Not Present			PASS					
SALMONELLA SPECIFIC GENE									Not Present			PASS					
ECOLI SHIGELLA									Not Present			PASS					
TOTAL YEAST AND MOLD			10			CFU/g			<10			PASS			100000		
Analyzed by: 3390, 3621, 585, 1440			Weight: 1.118g			Extraction date: 06/06/23 11:49:50			Extracted by: 3621								
Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL												Reviewed On : 06/07/23 14:08:08					
Analytical Batch : DA061047MIC												Batch Date : 06/06/23 10:23:22					
Instrument Used : PathogenDx Scanner DA-111,Applied Biosystems Thermocycler DA-171,fisherbrand Isotemp Heat Block DA-020,fisherbrand Isotemp Heat Block DA-049,Fisher Scientific Isotemp Heat Block DA-021																	
Analyzed Date : 06/06/23 12:48:02																	
Dilution : N/A																	
Reagent : 031523.10; 052323.R22; 092122.03; 092122.09																	
Consumables : 7562002068																	
Pipette : N/A																	
Analyzed by: 3390, 585, 1440			Weight: 1.118g			Extraction date: N/A			Extracted by: 3621,3390								
Analysis Method : SOP.T.40.208 (Gainesville), SOP.T.40.209.FL												Reviewed On : 06/08/23 18:20:27					
Analytical Batch : DA061055TYM												Batch Date : 06/06/23 11:30:06					
Instrument Used : Incubator (25-27C) DA-096																	
Analyzed Date : 06/06/23 12:51:34																	
Dilution : 10																	
Reagent : 031523.10; 050923.R23																	
Consumables : N/A																	
Pipette : N/A																	
Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.																	

	Heavy Metals	PASSED															
Metal			LOD			Units			Result			Pass / Fail			Action Level		
TOTAL CONTAMINANT LOAD METALS			0.08			ppm			ND			PASS			1.1		
ARSENIC			0.02			ppm			ND			PASS			0.2		
CADMIUM			0.02			ppm			ND			PASS			0.2		
MERCURY			0.02			ppm			ND			PASS			0.2		
LEAD			0.02			ppm			ND			PASS			0.5		
Analyzed by: 1022, 585, 1440			Weight: 0.285g			Extraction date: 06/06/23 12:41:46			Extracted by: 1022,3807								
Analysis Method : SOP.T.30.082.FL, SOP.T.40.082.FL												Reviewed On : 06/08/23 10:21:40					
Analytical Batch : DA061049HEA												Batch Date : 06/06/23 10:36:57					
Instrument Used : DA-ICPMS-003																	
Analyzed Date : 06/06/23 15:17:16																	
Dilution : 50																	
Reagent : 050923.R24; 042623.R82; 053123.R03; 060223.R32; 060223.R33; 052523.R15; 050923.01; 051823.R28																	
Consumables : 179436; 210508058																	
Pipette : DA-061; DA-191; DA-216																	
Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.																	



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs

Golden Hour Cartridge Concentrate 1g (90%)
Golden Hour
Matrix : Derivative
Type: Distillate



Certificate of Analysis

PASSED

FLUENT

82 NE 26th street
Miami, FL, 33137, US
Telephone: (305) 900-6266
Email: Taylor.Jones@getfluent.com

Sample : DA30606006-006

Harvest/Lot ID: 7923 4986 9951 5625

Batch# : 7923 4986 9951 5625

Sampled : 06/05/23

Ordered : 06/05/23

Sample Size Received : 16 gram

Total Amount : 1397 units

Completed : 06/08/23 Expires: 06/08/24

Sample Method : SOP.T.20.010

Page 6 of 6



Filth/Foreign Material

PASSED

Analyte	LOD	Units	Result	P/F	Action Level
Filth and Foreign Material	0.1	%	ND	PASS	1

Analyzed by:
1879, 1440

Weight:
NA

Extraction date:
N/A

Extracted by:
N/A

Analysis Method : SOP.T.40.090

Analytical Batch : DA061117FIL

Instrument Used : Filth/Foreign Material Microscope

Analyzed Date : 06/07/23 11:34:26

Reviewed On : 06/07/23 22:50:05

Batch Date : 06/07/23 11:13:38

Dilution : N/A

Reagent : N/A

Consumables : N/A

Pipette : N/A

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.



Water Activity

PASSED

Analyte	LOD	Units	Result	P/F	Action Level
Water Activity	0.01	aw	0.508	PASS	0.85

Analyzed by:
2926, 585, 1440

Weight:
0.655g

Extraction date:
06/06/23 15:01:49

Extracted by:
2926

Analysis Method : SOP.T.40.019

Analytical Batch : DA061042WAT

Instrument Used : DA-028 Rotronic Hygropalm

Analyzed Date : 06/06/23 14:59:58

Reviewed On : 06/06/23 15:21:07

Batch Date : 06/06/23 10:13:58

Dilution : N/A

Reagent : 050923.03

Consumables : PS-14

Pipette : N/A

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Jorge Segredo
Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
06/08/23