

Certificate of Analysis

COMPLIANCE FOR RETAIL

Kaycha Labs

Midnight Cruiser Disposable Pen 0.3g

Midnight Cruiser Matrix: Derivative Type: Distillate



Sample: DA30608002-006 Harvest/Lot ID: 8480 8262 4407 9593

Batch#: 8480 8262 4407 9593

Cultivation Facility: Tampa Cultivation Processing Facility: Tampa Processing

Source Facility: Tampa Cultivation Seed to Sale# 1145 7899 3026 9554

Batch Date: 04/20/23

Sample Size Received: 15.3 gram

Total Amount: 1362 units Retail Product Size: 0.3 gram

> Ordered: 06/07/23 Sampled: 06/07/23

Completed: 06/10/23

Sampling Method: SOP.T.20.010

PASSED

Pages 1 of 6

PRODUCT IMAGE

82 NE 26th street Miami, FL, 33137, US

SAFETY RESULTS







Pesticides



Heavy Metals



Microbials



Mycotoxins Residuals Solvents PASSED



Filth



Water Activity

%



Moisture



MISC.

TESTED

PASSED



ma/unit

LOD

Cannabinoid

Jun 10, 2023 | FLUENT

Total THC

ND

0.001



%

Weight: 0.1065g

%

Total CBD 0.231% Total CBD/Container: 0.693 mg



Total Cannabinoids

Total Cannabinoids/Container: 277.788



262.926

0.001

%	
Analyzed by: 3112, 1665, 585, 4044	
CODT 40 031	CODT

Instrument Used: DA-LC-007 Analyzed Date: 06/08/23 11:14:12

Reagent: 060723.R50; 060823.R03; 032123.11 Consumables: 250350; CE0123; 115C4-1151; R1KB14270 **Pipette :** DA-079; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39

%

%

mg



Extraction date: 06/08/23 10:35:57 Extracted by: 3335,3112 Reviewed On: 06/09/23 10:07:41 Batch Date: 06/08/23 09:56:03

%

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors



Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA Testing 97164



%



Kaycha Labs

Midnight Cruiser Disposable Pen 0.3g

Midnight Cruiser Matrix : Derivative Type: Distillate

Page 2 of 6



PASSED

Certificate of Analysis

82 NE 26th street Miami, FL, 33137, US Telephone: (305) 900-6266 Email: Taylor.Jones@getfluent.com Sample : DA30608002-006 Harvest/Lot ID: 8480 8262 4407 9593

Batch#: 8480 8262 4407

Sampled: 06/07/23 Ordered: 06/07/23 Sample Size Received: 15.3 gram Total Amount : 1362 units

Completed: 06/10/23 Expires: 06/10/24

Sample Method: SOP.T.20.010

Terpenes

TESTED

Terpenes	LOD (%)	mg/unit	t % Re	sult (%)		Terpenes		LOD (%)	mg/unit	%	Result (%)	
TOTAL TERPENES	0.007	13.092	4.364			FARNESENE			0.018	0.006		
TOTAL TERPINEOL	0.007	ND	ND			ALPHA-HUMULENE		0.007	0.342	0.114		
ALPHA-BISABOLOL	0.007	0.213	0.071			VALENCENE		0.007	0.6	0.2		
ALPHA-PINENE	0.007	0.993	0.331			CIS-NEROLIDOL		0.007	ND	ND		
AMPHENE	0.007	< 0.06	< 0.02			TRANS-NEROLIDOL		0.007	ND	ND		
ABINENE	0.007	ND	ND			CARYOPHYLLENE OXIDE		0.007	0.171	0.057		
BETA-PINENE	0.007	0.21	0.07			GUAIOL		0.007	ND	ND		
BETA-MYRCENE	0.007	2.727	0.909			CEDROL		0.007	ND	ND		
ALPHA-PHELLANDRENE	0.007	0.354	0.118			Analyzed by:	Weight:		Extraction da			Extracted by:
B-CARENE	0.007	< 0.06	< 0.02			2076, 585, 4044	0.8605g		06/08/23 12:	26:34		2076
ALPHA-TERPINENE	0.007	ND	ND			Analysis Method: SOP.T.30.061A.I	L, SOP.T.40.061A.FI					
IMONENE	0.007	5.337	1.779			Analytical Batch : DA061133TER Instrument Used : DA-GCMS-004					06/10/23 17:10:42 /08/23 09:33:14	
UCALYPTOL	0.007	ND	ND			Analyzed Date : N/A			Batti	Date . 00)	00/23 03.33.14	
CIMENE	0.007	0.36	0.12			Dilution: 10						
AMMA-TERPINENE	0.007	ND	ND			Reagent: 121622.25						
ABINENE HYDRATE	0.007	ND	ND			Consumables: 210414634; MKCN	9995; CE0123; R1KB	14270				
ERPINOLENE	0.007	ND	ND			Pipette : N/A	0 0					
ENCHONE	0.007	ND	ND			Terpenoid testing is performed utilizing	Gas Chromatography	Mass Spect	rometry. For all F	-lower samp	pies, the Total Terpenes %	is ary-weight corrected.
INALOOL	0.007	0.432	0.144									
	0.007 0.007	< 0.06	<0.02									
ENCHYL ALCOHOL												
ENCHYL ALCOHOL SOPULEGOL	0.007	< 0.06	<0.02									
ENCHYL ALCOHOL SOPULEGOL AMPHOR	0.007 0.007	<0.06 ND	<0.02 ND		_							
ENCHYL ALCOHOL SOPULEGOL AMPHOR SOBORNEOL	0.007 0.007 0.007	<0.06 ND <0.18	<0.02 ND <0.06									
ENCHYL ALCOHOL SOPULEGOL AMPHOR SOBORNEOL ORNEOL	0.007 0.007 0.007 0.007	<0.06 ND <0.18 ND	<0.02 ND <0.06 ND									
ENCHYL ALCOHOL SOPULEGOL AMPHOR SOBORNEOL ORNEOL EXAHYDROTHYMOL	0.007 0.007 0.007 0.007 0.013	<0.06 ND <0.18 ND ND	<0.02 ND <0.06 ND									
ENCHYL ALCOHOL SOPULEGOL AMPHOR SOBORNEOL ORNEOL ERSAHYDROTHYMOL EROL	0.007 0.007 0.007 0.007 0.013 0.007	<0.06 ND <0.18 ND ND ND	<0.02 ND <0.06 ND ND ND									
ENCHYL ALCOHOL SOPULEGOL AMPHOR SOBORNEOL ORNEOL EEXAHYDROTHYMOL EEROL ULEGONE	0.007 0.007 0.007 0.007 0.013 0.007	<0.06 ND <0.18 ND ND ND ND	<0.02 ND <0.06 ND ND ND ND <0.02									
ENCHYL ALCOHOL SOPULEGOL AMPHOR SOBORNEOL IORNEOL IEXAHYDROTHYMOL IEROL ULUGGONE ERANIOL	0.007 0.007 0.007 0.007 0.013 0.007 0.007	<0.06 ND <0.18 ND ND ND <0.06 ND	<0.02 ND <0.06 ND ND ND ND <0.02 ND									
INALOOL FENCHYL ALCOHOL SOPULEGOL CAMPHOR SOBORNEOL IORNEOL HEXAHYDROTHYMOL HEROL ULEGONE SERANIOL SERANYL ACETATE LUPHA-CEDRENE	0.007 0.007 0.007 0.007 0.013 0.007 0.007 0.007	<0.06 ND <0.18 ND ND ND <0.06 ND	<0.02 ND <0.06 ND ND ND <0.02 ND ND									

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Jorge Segredo

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164





Kaycha Labs

Midnight Cruiser Disposable Pen 0.3g

Midnight Cruiser Matrix : Derivative Type: Distillate



PASSED

Certificate of Analysis

82 NE 26th street Miami, FL, 33137, US Telephone: (305) 900-6266 Email: Taylor.lones@getfluent.com Sample : DA30608002-006 Harvest/Lot ID: 8480 8262 4407 9593

Batch#: 8480 8262 4407

Sampled: 06/07/23 Ordered: 06/07/23 Sample Size Received: 15.3 gram Total Amount : 1362 units Completed: 06/10/23 Expires: 06/10/24 Sample Method: SOP.T.20.010

Page 3 of 6



Pesticides

D	Λ	C	C	c	h
	H		9		И

Pesticide	LOD	Units	Action Level	Pass/Fail		Pesticide	LOD	Units	Action Level	Pass/Fail	Resu
OTAL CONTAMINANT LOAD (PESTICIDES)	0.01	ppm	5	PASS	ND	OXAMYL	0.01	ppm	0.5	PASS	ND
OTAL DIMETHOMORPH	0.01	ppm	0.2	PASS	ND	PACLOBUTRAZOL	0.01	ppm	0.1	PASS	ND
OTAL PERMETHRIN	0.01	ppm	0.1	PASS	ND	PHOSMET	0.01	ppm	0.1	PASS	ND
OTAL PYRETHRINS	0.01	ppm	0.5	PASS	ND	PIPERONYL BUTOXIDE	0.01	ppm	3	PASS	ND
OTAL SPINETORAM	0.01	ppm	0.2	PASS	ND	PRALLETHRIN	0.01	ppm	0.1	PASS	ND
OTAL SPINOSAD	0.01	ppm	0.1	PASS	ND				0.1	PASS	ND
BAMECTIN B1A	0.01	ppm	0.1	PASS	ND	PROPICONAZOLE	0.01	ppm			
СЕРНАТЕ	0.01	ppm	0.1	PASS	ND	PROPOXUR	0.01	ppm	0.1	PASS	ND
CEQUINOCYL	0.01	ppm	0.1	PASS	ND	PYRIDABEN	0.01	ppm	0.2	PASS	ND
CETAMIPRID	0.01	ppm	0.1	PASS	ND	SPIROMESIFEN	0.01	ppm	0.1	PASS	ND
LDICARB	0.01	ppm	0.1	PASS	ND	SPIROTETRAMAT	0.01	ppm	0.1	PASS	ND
ZOXYSTROBIN	0.01	ppm	0.1	PASS	ND	SPIROXAMINE	0.01	ppm	0.1	PASS	ND
FENAZATE	0.01	ppm	0.1	PASS	ND	TEBUCONAZOLE	0.01	ppm	0.1	PASS	ND
FENTHRIN	0.01	ppm	0.1	PASS	ND	THIACLOPRID	0.01	ppm	0.1	PASS	ND
OSCALID	0.01	ppm	0.1	PASS	ND	THIAMETHOXAM	0.01	ppm	0.5	PASS	ND
ARBARYL	0.01	ppm	0.5	PASS	ND	TRIFLOXYSTROBIN	0.01	ppm	0.1	PASS	ND
ARBOFURAN	0.01	ppm	0.1	PASS	ND		0.01	PPM	0.15	PASS	ND
HLORANTRANILIPROLE	0.01	ppm	1	PASS	ND	PENTACHLORONITROBENZENE (PCNB) *					
HLORMEQUAT CHLORIDE	0.01	ppm	1	PASS	ND	PARATHION-METHYL *	0.01	PPM	0.1	PASS	ND
HLORPYRIFOS	0.01	ppm	0.1	PASS	ND	CAPTAN *	0.07	PPM	0.7	PASS	ND
OFENTEZINE	0.01	ppm	0.2	PASS	ND	CHLORDANE *	0.01	PPM	0.1	PASS	ND
DUMAPHOS	0.01	ppm	0.1	PASS	ND	CHLORFENAPYR *	0.01	PPM	0.1	PASS	ND
AMINOZIDE	0.01	ppm	0.1	PASS	ND	CYFLUTHRIN *	0.05	PPM	0.5	PASS	ND
AZINON	0.01	ppm	0.1	PASS	ND	CYPERMETHRIN *	0.05	PPM	0.5	PASS	ND
CHLORVOS	0.01	ppm	0.1	PASS	ND	Analyzed by: Weight:	Evtrac	tion date:		Extracted	hv:
METHOATE	0.01	ppm	0.1	PASS	ND	3379, 585, 4044 0.2585g		23 14:39:39		450,585	Dy.
THOPROPHOS	0.01	ppm	0.1	PASS	ND	Analysis Method : SOP.T.30.101.FL (Gaine	sville), SOP.1	Г.30.102.FL	(Davie), SOP	.T.40.101.FL (Gaines
TOFENPROX	0.01	ppm	0.1	PASS	ND	SOP.T.40.102.FL (Davie)					
TOXAZOLE	0.01	ppm	0.1	PASS	ND	Analytical Batch : DA061139PES			On:06/09/2		
ENHEXAMID	0.01	ppm	0.1	PASS	ND	Instrument Used : DA-LCMS-003 (PES)		Batch Dat	:e: 06/08/23	09:35:54	
ENOXYCARB	0.01	ppm	0.1	PASS	ND	Analyzed Date: 06/08/23 14:07:51 Dilution: 250					
ENPYROXIMATE	0.01	ppm	0.1	PASS	ND	Reagent: 060523.R07; 060623.R01; 0605	23 R09· 060	223 R18: 06	0523 R26: 0	60723 R17: 04	10521 1
PRONIL	0.01	ppm	0.1	PASS	ND	Consumables: 6697075-02	25.1105, 000	223.1(10, 00	,0323.1120, 0	00725.1(17, 0-	10321
LONICAMID	0.01	ppm	0.1	PASS	ND	Pipette: DA-093; DA-094; DA-219					
LUDIOXONIL	0.01	ppm	0.1	PASS	ND	Testing for agricultural agents is performed u		d Chromatog	raphy Triple-	Quadrupole Ma	SS
EXYTHIAZOX	0.01	ppm	0.1	PASS	ND	Spectrometry in accordance with F.S. Rule 64	ER20-39.				
MAZALIL	0.01	ppm	0.1	PASS	ND	Analyzed by: Weight:		ion date:		Extracted	by:
MIDACLOPRID	0.01	ppm	0.4	PASS	ND	450, 585, 4044 0.2585g		3 14:39:39	(D) CC	450,585	
RESOXIM-METHYL	0.01	ppm	0.1	PASS	ND	Analysis Method : SOP.T.30.151.FL (Gaine Analytical Batch : DA061141VOL			L (Davie), SO 1: 06/09/23 1		
ALATHION	0.01	ppm	0.2	PASS	ND	Instrument Used : DA-GCMS-001			06/08/23 09:		
ETALAXYL	0.01	ppm	0.1	PASS	ND	Analyzed Date : 06/08/23 14:42:29	\	accii bacc i	00,00,25 05.	33.01	
ETHIOCARB	0.01	ppm	0.1	PASS	ND	Dilution: 250					
ETHOMYL	0.01	ppm	0.1	PASS	ND	Reagent: 060523.R09; 040521.11; 05182	3.R43; 0518	23.R44			
EVINPHOS	0.01	ppm	0.1	PASS	ND	Consumables: 6697075-02; 14725401					
YCLOBUTANIL	0.01	ppm	0.1	PASS	ND	Pipette : DA-080; DA-146; DA-218					
ALED	0.01	ppm	0.25	PASS	ND	Testing for agricultural agents is performed usin accordance with F.S. Rule 64ER20-39.	itilizing Gas C	Chromatogra	phy Triple-Qu	adrupole Mass	Spectro

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Jorge Segredo

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164





Kaycha Labs

Midnight Cruiser Disposable Pen 0.3g

Midnight Cruiser Matrix : Derivative Type: Distillate



Certificate of Analysis

PASSED

FLUENT

82 NE 26th street Miami, FL, 33137, US Telephone: (305) 900-6266 Email: Taylor.lones@getfluent.com Sample : DA30608002-006 Harvest/Lot ID: 8480 8262 4407 9593

Batch#: 8480 8262 4407

9593 Sampled: 06/07/23 Ordered: 06/07/23 Sample Size Received: 15.3 gram
Total Amount: 1362 units
Completed: 06/10/23 Expires: 06/10/24
Sample Method: SOP.T.20.010

Page 4 of 6



Residual Solvents

PASSED

Solvents	LOD	Units	Action Level	Pass/Fail	Result
1,1-DICHLOROETHENE	0.8	ppm	8	PASS	ND
1,2-DICHLOROETHANE	0.2	ppm	2	PASS	ND
2-PROPANOL	50	ppm	500	PASS	ND
ACETONE	75	ppm	750	PASS	ND
ACETONITRILE	6	ppm	60	PASS	ND
BENZENE	0.1	ppm	1	PASS	ND
BUTANES (N-BUTANE)	500	ppm	5000	PASS	ND
CHLOROFORM	0.2	ppm	2	PASS	ND
DICHLOROMETHANE	12.5	ppm	125	PASS	ND
ETHANOL	500	ppm	5000	PASS	ND
ETHYL ACETATE	40	ppm	400	PASS	ND
ETHYL ETHER	50	ppm	500	PASS	ND
ETHYLENE OXIDE	0.5	ppm	5	PASS	ND
HEPTANE	500	ppm	5000	PASS	ND
METHANOL	25	ppm	250	PASS	ND
N-HEXANE	25	ppm	250	PASS	ND
PENTANES (N-PENTANE)	75	ppm	750	PASS	ND
PROPANE	500	ppm	5000	PASS	ND
TOLUENE	15	ppm	150	PASS	ND
TOTAL XYLENES	15	ppm	150	PASS	ND
TRICHLOROETHYLENE	2.5	ppm	25	PASS	ND
Analyzed by: 850, 585, 4044	Weight: 0.0294g	Extraction date: 06/09/23 13:14:		//	Extracted by: 850

Analysis Method: SOP.T.40.041.FL Analytical Batch: DA061164SOL Instrument Used: DA-GCMS-003

Instrument Used: DA-GCMS-003 Analyzed Date: 06/09/23 13:22:14

Dilution: 1
Reagent: 030420.09
Consumables: R2017

Consumables : R2017.167; G201.167 Pipette : DA-309 25 uL Syringe 35028 **Reviewed On:** 06/09/23 15:00:44 **Batch Date:** 06/08/23 11:22:42

Residual solvents analysis is performed utilizing Gas Chromatography Mass Spectrometry in accordance with with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Jorge Segredo

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164





Kaycha Labs

Midnight Cruiser Disposable Pen 0.3g

Midnight Cruiser Matrix : Derivative Type: Distillate



Certificate of Analysis

PASSED

82 NE 26th street Miami, FL, 33137, US Telephone: (305) 900-6266 Email: Taylor.lones@getfluent.com Sample : DA30608002-006 Harvest/Lot ID: 8480 8262 4407 9593

Batch#: 8480 8262 4407

Sampled: 06/07/23 Ordered: 06/07/23

Sample Size Received: 15.3 gram Total Amount: 1362 units

Completed: 06/10/23 Expires: 06/10/24 Sample Method: SOP.T.20.010

Page 5 of 6



Microbial



PASSED

Analyte	LOD	Units	Result	Pass / Fail	Action Level	1
ECOLI SHIGELLA			Not Present	PASS		1
SALMONELLA SPECIFIC GENE			Not Present	PASS		1
ASPERGILLUS FLAVUS			Not Present	PASS		(
ASPERGILLUS FUMIGATUS			Not Present	PASS PASS PASS		J
ASPERGILLUS TERREUS			Not Present			1
ASPERGILLUS NIGER			Not Present			A
TOTAL YEAST AND MOLD	10	CFU/g	<10	PASS	100000	3
Analyzed by: Weigh	t: Extra	action date:		Extracted	by:	A

3390, 585, 4044 1.19g 06/08/23 10:49:02

Analysis Method: SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL Analytical Batch: DA061125MIC

Reviewed On: 06/09/23

11:02:46 Batch Date: 06/08/23

Instrument Used: PathogenDx Scanner DA-111.Applied Biosystems Thermocycler DA-010,fisherbrand Isotemp Heat Block DA-020, fisherbrand Isotemp Heat Block DA-049, Fisher Scientific

Isotemp Heat Block DA-021 Analyzed Date: 06/08/23 10:51:57

Reagent: 031523.10; 052323.R22; 020823.16; 092122.09

Consumables: 7562002041 Pipette: N/A

J.	MyCotoxilis								
Analyte		LOD	Units	Result	Pass /				
AFLATOXIN B	2	0.002	ppm	ND	PASS				
AFLATOXIN B	1	0.002	ppm	ND	PASS				

Analyte		LOD	Units	Kesuit	Fail	Level	
AFLATOXIN B2		0.002	ppm	ND	PASS	0.02	
AFLATOXIN B1 OCHRATOXIN A AFLATOXIN G1 AFLATOXIN G2		0.002	ppm	ND	PASS	0.02	
	0.002	ppm	ND	PASS	0.02		
		0.002	ppm	ND	PASS	0.02	
		0.002	ppm	ND	PASS	0.02	
Analyzed by: 3379, 585, 4044			Extraction date: 06/08/23 14:39:39			by:	

Analysis Method: SOP.T.30.101.FL (Gainesville), SOP.T.40.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.102.FL (Davie)

Analytical Batch: DA061140MYC Instrument Used : N/A

Analyzed Date: 06/08/23 14:08:07

Dilution: 250

Reagent: 060523.R07; 060623.R01; 060523.R09; 060223.R18; 060523.R26; 060723.R17;

040521.11 Consumables: 6697075-02

Pipette: DA-093; DA-094; DA-219

Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.



Metal

Heavy Metals

PASSED

Action

Level

1.1

0.2

0.2

0.2

Pass /

Fail

PASS

PASS

PASS

PASS

Result

ND

ND

ND

Analyzed by: 3390, 3621, 585, 4044	Weight: 1.19g	Extraction date: N/A	Extracted by: 3621,3390			
Analysis Method : SOP.T.40.20	08 (Gainesville), S	SOP.T.40.209.FL				
Analytical Batch: DA061132T	YM	Reviewed On: 06/10/23 17:10:44				
Instrument Used : Incubator (2	25-27C) DA-096	Batch Date: 06/08/23 09:10:32				
Analyzed Date: 06/08/23 17:4	16:30					

Dilution: 10 Reagent: 031523.10; 060723.R45 Consumables : N/A Pipette : N/A

Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.

Extracted by:

TOTAL CONTAMINANT LOAD METALS

ARSENIC CADMIUM MERCURY LEAD Analyzed by: Weight:

0.02 ppm **Extraction date:** 06/08/23 09:53:25

LOD

0.08

0.02

0.02

0.02

ND 0.5 Extracted by:

Analysis Method: SOP.T.30.082.FL, SOP.T.40.082.FL

0.2265q

Analytical Batch: DA061128HEA Instrument Used : DA-ICPMS-003 Analyzed Date: 06/08/23 15:07:00 Reviewed On: 06/09/23 10:41:19 Batch Date: 06/08/23 08:54:17

Units

ppm

ppm

ppm

mag

Reviewed On: 06/09/23 11:16:47

Batch Date: 06/08/23 09:37:59

1022, 585, 4044

Reagent: 050923.R24; 042623.R82; 060223.R34; 053123.R03; 060223.R32; 060223.R33; 041522.06; 052523.R15; 050923.01; 051823.R28

Consumables: 179436; 15021042; 210508058

Pipette: DA-061; DA-191; DA-216

Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.



Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA Testing 97164





Kaycha Labs

Midnight Cruiser Disposable Pen 0.3g

Midnight Cruiser Matrix : Derivative Type: Distillate



PASSED

Page 6 of 6

Certificate of Analysis

82 NE 26th street Miami, FL, 33137, US Telephone: (305) 900-6266 Email: Taylor.lones@getfluent.com Sample : DA30608002-006 Harvest/Lot ID: 8480 8262 4407 9593

Batch#: 8480 8262 4407

Sampled: 06/07/23 Ordered: 06/07/23

Sample Size Received: 15.3 gram Total Amount: 1362 units Completed: 06/10/23 Expires: 06/10/24 Sample Method: SOP.T.20.010



PASSED

Analyte LOD Units Result **Action Level** Filth and Foreign Material ND PASS 0.1 % Analyzed by: 585, 4044 Extracted by: NA N/A N/A

Analysis Method: SOP.T.40.090

Analytical Batch: DA061248FIL
Instrument Used: Filth/Foreign Material Microscope

 $\textbf{Analyzed Date}: \ \mathbb{N}/\mathbb{A}$

Reviewed On: 06/10/23 17:04:22 Batch Date: 06/10/23 17:00:04

Reviewed On: 06/08/23 19:03:32

Batch Date: 06/07/23 08:51:55

Dilution: N/AReagent: N/A Pipette: N/A

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.



Water Activity

PASSED

Analyte		LOD	Units	Result	P/F	Action Leve
Water Activity		0.01	aw	0.502	PASS	0.85
Analyzed by: 2926, 585, 4044	Weight:	Extraction date: 06/08/23 13://3:30				tracted by:

Analysis Method: SOP.T.40.019 Analytical Batch: DA061091WAT

Instrument Used : DA-028 Rotronic Hygropalm

Analyzed Date: 06/07/23 10:59:54

Dilution: N/A Reagent: 050923.03 Consumables : PS-14

Pipette: N/A

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Jorge Segredo

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

