



Certificate of Analysis

COMPLIANCE FOR RETAIL

Sample: DA30609002-009
Harvest/Lot ID: 7245 8521 8927 0224
Batch#: 7245 8521 8927 0224
Cultivation Facility: Tampa Cultivation
Processing Facility : Tampa Processing
Source Facility : Tampa Cultivation
Seed to Sale# 9459 2842 0672 4581
Batch Date: 05/11/23
Sample Size Received: 560 gram
Total Amount: 3640 units
Retail Product Size: 41.8743 gram
Ordered: 06/08/23
Sampled: 06/08/23
Completed: 06/12/23
Sampling Method: SOP.T.20.010

Jun 12, 2023 | FLUENT

82 NE 26th street
Miami, FL, 33137, US



PASSED

Pages 1 of 5

PRODUCT IMAGE



SAFETY RESULTS



Pesticides
PASSED



Heavy Metals
PASSED



Microbials
PASSED



Mycotoxins
PASSED



Residuals Solvents
PASSED



Filtration
PASSED



Water Activity
PASSED



Moisture
NOT TESTED



Terpenes
NOT TESTED

MISC.



Cannabinoid

PASSED



Total THC
0.242%

Total THC/Container : 101.336 mg



Total CBD
ND

Total CBD/Container : 0 mg



Total Cannabinoids
0.257%

Total Cannabinoids/Container : 107.617 mg

	D9-THC	THCA	CBD	CBDA	D8-THC	CBG	CBGA	CBN	THCV	CBDV	CBC
%	0.242	ND	ND	ND	ND	0.009	ND	0.004	ND	ND	0.002
mg/unit	101.335	ND	ND	ND	ND	3.768	ND	1.674	ND	ND	0.837
LOD	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001
%		%	%	%	%	%	%	%	%	%	%

Analized by:
3112, 1665, 585, 4044

Weight:
3.0908g

Extraction date:
06/09/23 10:42:24

Extracted by:
3335,3112

Analysis Method : SOP.T.40.031, SOP.T.30.031
Analytical Batch : DA061178POT
Instrument Used : DA-LC-007
Analized Date : 06/09/23 12:53:06

Reviewed On : 06/11/23 13:54:17
Batch Date : 06/09/23 08:49:23

Dilution : 40
Reagent : 050123.01; 060723.R50; 052323.15; 032123.11; 060823.R03
Consumables : 250346; 280670723; CE0123; 115C4-1151; R1KB14270
Pipette : DA-079; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Jorge Segredo
Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164



Signature
06/12/23



Certificate of Analysis

PASSED

FLUENT

 82 NE 26th street
 Miami, FL, 33137, US
 Telephone: (305) 900-6266
 Email: Taylor.Jones@getfluent.com

Sample : DA30609002-009

Harvest/Lot ID: 7245 8521 8927 0224

 Batch# : 7245 8521 8927
 0224

Sampled : 06/08/23

Ordered : 06/08/23


Sample Size Received : 560 gram

Total Amount : 3640 units

Completed : 06/12/23 Expires: 06/12/24

Sample Method : SOP.T.20.010

Page 2 of 5

<div><div></div><div>Pesticides</div></div>						PASSED					
Pesticide	LOD	Units	Action Level	Pass/Fail	Result	Pesticide	LOD	Units	Action Level	Pass/Fail	Result
TOTAL CONTAMINANT LOAD (PESTICIDES)	0.01	ppm	30	PASS	ND	OXAMYL	0.01	ppm	0.5	PASS	ND
TOTAL DIMETHOMORPH	0.01	ppm	3	PASS	ND	PACLOBUTRAZOL	0.01	ppm	0.1	PASS	ND
TOTAL PERMETHRIN	0.01	ppm	1	PASS	ND	PHOSMET	0.01	ppm	0.2	PASS	ND
TOTAL PYRETHRINS	0.01	ppm	1	PASS	ND	PIPERONYL BUTOXIDE	0.01	ppm	3	PASS	ND
TOTAL SPINETORAM	0.01	ppm	3	PASS	ND	PRALLETHRIN	0.01	ppm	0.4	PASS	ND
TOTAL SPINOSAD	0.01	ppm	3	PASS	ND	PROPICONAZOLE	0.01	ppm	1	PASS	ND
ABAMECTIN B1A	0.01	ppm	0.3	PASS	ND	PROPOXUR	0.01	ppm	0.1	PASS	ND
ACEPHATE	0.01	ppm	3	PASS	ND	PYRIDABEN	0.01	ppm	3	PASS	ND
ACEQUINOCYL	0.01	ppm	2	PASS	ND	SPIROMESIFEN	0.01	ppm	3	PASS	ND
ACETAMIPRID	0.01	ppm	3	PASS	ND	SPIROTETRAMAT	0.01	ppm	3	PASS	ND
ALDICARB	0.01	ppm	0.1	PASS	ND	SPIROXAMINE	0.01	ppm	0.1	PASS	ND
AZOXYSTROBIN	0.01	ppm	3	PASS	ND	TEBUCONAZOLE	0.01	ppm	1	PASS	ND
BIFENAZATE	0.01	ppm	3	PASS	ND	THIACLOPRID	0.01	ppm	0.1	PASS	ND
BIFENTHRIN	0.01	ppm	0.5	PASS	ND	THIAMETHOXAM	0.01	ppm	1	PASS	ND
BOSCALID	0.01	ppm	3	PASS	ND	TRIFLOXYSTROBIN	0.01	ppm	3	PASS	ND
CARBARYL	0.01	ppm	0.5	PASS	ND	PENTACHLORONITROBENZENE (PCNB) *	0.01	PPM	0.2	PASS	ND
CARBOFURAN	0.01	ppm	0.1	PASS	ND	PARATHION-METHYL *	0.01	PPM	0.1	PASS	ND
CHLORANTRANILIPROLE	0.01	ppm	3	PASS	ND	CAPTAN *	0.07	PPM	3	PASS	ND
CHLORMEQUAT CHLORIDE	0.01	ppm	3	PASS	ND	CHLORDANE *	0.01	PPM	0.1	PASS	ND
CHLORPYRIFOS	0.01	ppm	0.1	PASS	ND	CHLORFENAPYR *	0.01	PPM	0.1	PASS	ND
CLOFENTEZINE	0.01	ppm	0.5	PASS	ND	CYFLUTHRIN *	0.05	PPM	1	PASS	ND
COUMAPHOS	0.01	ppm	0.1	PASS	ND	CYPERMETHRIN *	0.05	PPM	1	PASS	ND
DAMINOZIDE	0.01	ppm	0.1	PASS	ND						
DIAZINON	0.01	ppm	3	PASS	ND	Analyzed by:	Weight:	Extraction date:	Extracted by:		
DICHLORVOS	0.01	ppm	0.1	PASS	ND	3379, 585, 4044	0.9012g	06/09/23 14:54:11	3379		
DIMETHOATE	0.01	ppm	0.1	PASS	ND	Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.101.FL (Gainesville),					
ETHOPROPHOS	0.01	ppm	0.1	PASS	ND	SOP.T.40.102.FL (Davie)					
ETOFENPROX	0.01	ppm	0.1	PASS	ND	Analytical Batch : DA061188PES			Reviewed On : 06/12/23 11:30:38		
ETOXAZOLE	0.01	ppm	1.5	PASS	ND	Instrument Used : DA-LCMS-003 (PES)			Batch Date : 06/09/23 09:17:47		
FENHEXAMID	0.01	ppm	3	PASS	ND	Analyzed Date : 06/09/23 14:46:14					
FENOXYCARB	0.01	ppm	0.1	PASS	ND	Dilution : 250					
FENPYROXIMATE	0.01	ppm	2	PASS	ND	Reagent : 060523.R07; 060623.R01; 060523.R09; 060223.R18; 060523.R26; 060723.R17; 040521.11					
FIPRONIL	0.01	ppm	0.1	PASS	ND	Consumables : 6697075-02					
FLONICAMID	0.01	ppm	2	PASS	ND	Pipette : DA-093; DA-094; DA-219					
FLUDIOXONIL	0.01	ppm	3	PASS	ND	Testing for agricultural agents is performed utilizing Liquid Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
HEXYTHIAZOX	0.01	ppm	2	PASS	ND	Analyzed by:	Weight:	Extraction date:	Extracted by:		
IMAZALIL	0.01	ppm	0.1	PASS	ND	450, 585, 4044	0.9012g	06/09/23 14:54:11	3379		
IMIDACLOPRID	0.01	ppm	1	PASS	ND	Analysis Method : SOP.T.30.151.FL (Gainesville), SOP.T.30.151A.FL (Davie), SOP.T.40.151.FL					
KRESOXIM-METHYL	0.01	ppm	1	PASS	ND	Analytical Batch : DA061190VOL			Reviewed On : 06/12/23 10:58:46		
MALATHION	0.01	ppm	2	PASS	ND	Instrument Used : DA-GCMS-001			Batch Date : 06/09/23 09:19:04		
METALAXYL	0.01	ppm	3	PASS	ND	Analyzed Date : 06/09/23 15:03:17					
METHIOCARB	0.01	ppm	0.1	PASS	ND	Dilution : 250					
METHOMYL	0.01	ppm	0.1	PASS	ND	Reagent : 060523.R09; 040521.11; 051823.R43; 051823.R44					
MEVINPHOS	0.01	ppm	0.1	PASS	ND	Consumables : 6697075-02; 14725401					
MYCLOBUTANIL	0.01	ppm	3	PASS	ND	Pipette : DA-080; DA-146; DA-218					
NALED	0.01	ppm	0.5	PASS	ND	Testing for agricultural agents is performed utilizing Gas Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					





Certificate of Analysis

PASSED
FLUENT

 82 NE 26th street
 Miami, FL, 33137, US
 Telephone: (305) 900-6266
 Email: Taylor.Jones@getfluent.com

Sample : DA30609002-009

Harvest/Lot ID: 7245 8521 8927 0224

 Batch# : 7245 8521 8927
 0224

Sampled : 06/08/23

Ordered : 06/08/23

Sample Size Received : 560 gram

Total Amount : 3640 units

Completed : 06/12/23 Expires: 06/12/24

Sample Method : SOP.T.20.010

Page 3 of 5



Residual Solvents

PASSED

Solvents	LOD	Units	Action Level	Pass/Fail	Result
1,1-DICHLOROETHENE	0.8	ppm	8	PASS	ND
1,2-DICHLOROETHANE	0.2	ppm	2	PASS	ND
2-PROPANOL	50	ppm	500	PASS	ND
ACETONE	75	ppm	750	PASS	ND
ACETONITRILE	6	ppm	60	PASS	ND
BENZENE	0.1	ppm	1	PASS	ND
BUTANES (N-BUTANE)	500	ppm	5000	PASS	ND
CHLOROFORM	0.2	ppm	2	PASS	ND
DICHLOROMETHANE	12.5	ppm	125	PASS	ND
ETHANOL	500	ppm	5000	PASS	ND
ETHYL ACETATE	40	ppm	400	PASS	ND
ETHYL ETHER	50	ppm	500	PASS	ND
ETHYLENE OXIDE	0.5	ppm	5	PASS	ND
HEPTANE	500	ppm	5000	PASS	ND
METHANOL	25	ppm	250	PASS	ND
N-HEXANE	25	ppm	250	PASS	ND
PENTANES (N-PENTANE)	75	ppm	750	PASS	ND
PROPANE	500	ppm	5000	PASS	ND
TOLUENE	15	ppm	150	PASS	ND
TOTAL XYLENES	15	ppm	150	PASS	ND
TRICHLOROETHYLENE	2.5	ppm	25	PASS	ND

 Analyzed by:
 850, 585, 4044

 Weight:
 0.0296g

 Extraction date:
 06/12/23 11:26:35

 Extracted by:
 850

 Analysis Method : SOP.T.40.041.FL
 Analytical Batch : DA061229SOL
 Instrument Used : DA-GCMS-003
 Analyzed Date : 06/12/23 12:45:34

 Reviewed On : 06/12/23 15:16:49
 Batch Date : 06/09/23 14:35:18

 Dilution : 1
 Reagent : N/A
 Consumables : N/A
 Pipette : N/A

Residual solvents analysis is performed utilizing Gas Chromatography Mass Spectrometry in accordance with with F.S. Rule 64ER20-39.



Certificate of Analysis

PASSED
FLUENT

 82 NE 26th street
 Miami, FL, 33137, US
 Telephone: (305) 900-6266
 Email: Taylor.Jones@getfluent.com

Sample : DA30609002-009

Harvest/Lot ID: 7245 8521 8927 0224

 Batch# : 7245 8521 8927
 0224

Sampled : 06/08/23

Ordered : 06/08/23


Sample Size Received : 560 gram


Total Amount : 3640 units


Completed : 06/12/23 Expires: 06/12/24

Sample Method : SOP.T.20.010

Page 4 of 5

	Microbial					PASSED					
Analyte	LOD	Units	Result	Pass / Fail	Action Level	Analyte	LOD	Units	Result	Pass / Fail	Action Level
ASPERGILLUS TERREUS			Not Present	PASS		AFLATOXIN B2	0.002	ppm	ND	PASS	0.02
ASPERGILLUS NIGER			Not Present	PASS		AFLATOXIN B1	0.002	ppm	ND	PASS	0.02
ASPERGILLUS FUMIGATUS			Not Present	PASS		OCHRATOXIN A	0.002	ppm	ND	PASS	0.02
ASPERGILLUS FLAVUS			Not Present	PASS		AFLATOXIN G1	0.002	ppm	ND	PASS	0.02
SALMONELLA SPECIFIC GENE			Not Present	PASS		AFLATOXIN G2	0.002	ppm	ND	PASS	0.02
ECOLI SHIGELLA			Not Present	PASS							
TOTAL YEAST AND MOLD	10	CFU/g	<10	PASS	100000	Analyzed by: 3379, 585, 4044	Weight: 0.9012g	Extraction date: 06/09/23 14:54:11	Extracted by: 3379		
Analyzed by: 3390, 3621, 3702, 585, 4044	Weight: 0.9599g	Extraction date: 06/09/23 11:32:07	Extracted by: 3390								
Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL			Reviewed On : 06/11/23 13:40:06 Batch Date : 06/09/23 07:58:34								
Analytical Batch : DA061173MIC											
Instrument Used : PathogenDx Scanner DA-111, Applied Biosystems Thermocycler DA-010, fisherbrand Isotemp Heat Block DA-020, fisherbrand Isotemp Heat Block DA-049, Fisher Scientific Isotemp Heat Block DA-021											
Analyzed Date : 06/09/23 12:35:03											
Dilution : N/A											
Reagent : 032123.04; 052323.R22; 020823.16; 092122.09; 032123.05											
Consumables : 7562002041											
Pipette : N/A											
Analyzed by: 3390, 3702, 585, 4044	Weight: 0.9599g	Extraction date: N/A	Extracted by: 3390								
Analysis Method : SOP.T.40.208 (Gainesville), SOP.T.40.209.FL				Reviewed On : 06/12/23 09:50:22 Batch Date : 06/09/23 09:50:16							
Analytical Batch : DA061199TYM											
Instrument Used : Incubator (25-27C) DA-097											
Analyzed Date : 06/09/23 12:35:22											
Dilution : 10											
Reagent : 032123.04; 060723.R45											
Consumables : N/A											
Pipette : N/A											
Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.											

	Mycotoxins					PASSED					
Analyte	LOD	Units	Result	Pass / Fail	Action Level	Analyte	LOD	Units	Result	Pass / Fail	Action Level
AFLATOXIN B2	0.002	ppm	ND	PASS	0.02	AFLATOXIN B1	0.002	ppm	ND	PASS	0.02
OCHRATOXIN A	0.002	ppm	ND	PASS	0.02	AFLATOXIN G1	0.002	ppm	ND	PASS	0.02
AFLATOXIN G1	0.002	ppm	ND	PASS	0.02	AFLATOXIN G2	0.002	ppm	ND	PASS	0.02
AFLATOXIN G2	0.002	ppm	ND	PASS	0.02						
Analyzed by: 3379, 585, 4044	Weight: 0.9012g	Extraction date: 06/09/23 14:54:11	Extracted by: 3379								
Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.40.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.102.FL (Davie)											
Analytical Batch : DA061189MYC			Reviewed On : 06/12/23 10:11:07 Batch Date : 06/09/23 09:19:01								
Instrument Used : N/A											
Analyzed Date : 06/09/23 14:46:30											
Dilution : 250											
Reagent : 060523.R07; 060623.R01; 060523.R09; 060223.R18; 060523.R26; 060723.R17; 040521.11											
Consumables : 6697075-02											
Pipette : DA-093; DA-094; DA-219											
Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.											

	Heavy Metals					PASSED					
Metal	LOD	Units	Result	Pass / Fail	Action Level	Metal	LOD	Units	Result	Pass / Fail	Action Level
TOTAL CONTAMINANT LOAD METALS	0.08	ppm	<0.4	PASS	5	ARSENIC	0.02	ppm	ND	PASS	1.5
ARSENIC	0.02	ppm	ND	PASS	1.5	CADMIUM	0.02	ppm	0.166	PASS	0.5
CADMIUM	0.02	ppm	0.166	PASS	0.5	MERCURY	0.02	ppm	ND	PASS	3
MERCURY	0.02	ppm	ND	PASS	3	LEAD	0.02	ppm	ND	PASS	0.5
LEAD	0.02	ppm	ND	PASS	0.5						
Analyzed by: 1022, 585, 4044	Weight: 0.2755g	Extraction date: 06/09/23 10:22:38	Extracted by: 3807,1022								
Analysis Method : SOP.T.30.082.FL, SOP.T.40.082.FL											
Analytical Batch : DA061182HEA			Reviewed On : 06/11/23 13:46:23 Batch Date : 06/09/23 09:03:33								
Instrument Used : DA-ICPMS-003											
Analyzed Date : N/A											
Dilution : 50											
Reagent : N/A											
Consumables : N/A											
Pipette : N/A											
Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.											



Certificate of Analysis

PASSED
FLUENT

 82 NE 26th street
 Miami, FL, 33137, US
 Telephone: (305) 900-6266
 Email: Taylor.Jones@getfluent.com

Sample : DA30609002-009

Harvest/Lot ID: 7245 8521 8927 0224

 Batch# : 7245 8521 8927
 0224

Sample Size Received : 560 gram

Total Amount : 3640 units

Completed : 06/12/23 Expires: 06/12/24

Ordered : 06/08/23

Sample Method : SOP.T.20.010

Completed : 06/12/23 Expires: 06/12/24

Sample Method : SOP.T.20.010

Page 5 of 5


Filth/Foreign Material
PASSED
Homogeneity
PASSED

Amount of tests conducted : 26

Analyte	LOD	Units	Result	P/F	Action Level
Filth and Foreign Material	0.1	%	ND	PASS	1

 Analyzed by: 1879, 4044
 Weight: NA
 Extraction date: N/A
 Extracted by: N/A

Analysis Method : SOP.T.40.090

Analytical Batch : DA061265FIL

Instrument Used : Filth/Foreign Material Microscope

Analyzed Date : 06/11/23 22:14:51

Reviewed On : 06/11/23 22:30:31

Batch Date : 06/11/23 22:12:27

Dilution : N/A

Reagent : N/A

Consumables : N/A

Pipette : N/A

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.


Water Activity
PASSED

Analyte	LOD	Units	Result	P/F	Action Level
Water Activity	0.01	aw	0.488	PASS	0.85

 Analyzed by: 4056, 585, 4044
 Weight: 6.987g
 Extraction date: 06/12/23 11:26:33
 Extracted by: 4056

Analysis Method : SOP.T.40.019

Analytical Batch : DA061089WAT

Instrument Used : DA-028 Rotronic HygroPalm

Analyzed Date : 06/07/23 11:00:03

Reviewed On : 06/12/23 11:29:46

Batch Date : 06/07/23 08:47:10

Dilution : N/A

Reagent : 050923.03

Consumables : PS-14

Pipette : N/A

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.

Analyte	LOD	Units	Pass/Fail	Result	Action Level
TOTAL THC - HOMOGENEITY (RSD)	0.001	%	PASS	1.752	25

 Analyzed by: 3963, 3605, 585, 4044
 Average Weight: 4.045g
 Extraction date: 06/09/23 09:16:12
 Extracted By: 3963

Analysis Method : SOP.T.30.111.FL, SOP.T.40.111.FL

Analytical Batch : DA061174HOM

Instrument Used : DA-LC-001 (Homo)

Analyzed Date : 06/09/23 09:20:19

Reviewed On : 06/11/23 13:50:57

Batch Date : 06/09/23 08:07:36

Dilution : 40

Reagent : 050123.01; 060723.R11; 071222.35; 060723.R12

Consumables : 947.109; 250350; CE0123; 115C4-1151; 41073-116C4; R1KB14270

Pipette : DA-079; DA-108; DA-078

Homogeneity testing is performed utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.