

Certificate of Analysis

COMPLIANCE FOR RETAIL

Kaycha Labs

Blue Destroyer Cartridge 1g (90%) Blue Destroyer

Matrix: Derivative Type: Distillate

Sample: DA30609002-007 Harvest/Lot ID: 4275 8234 4595 4296

Batch#: 4275 8234 4595 4296

Cultivation Facility: Tampa Cultivation Processing Facility: Tampa Processing

Source Facility: Tampa Cultivation Seed to Sale# 8726 8050 1272 2425

> Batch Date: 03/17/23 Sample Size Received: 16 gram

> > Total Amount: 1918 units Retail Product Size: 1 gram

> > > Ordered: 06/08/23 Sampled: 06/08/23

Completed: 06/12/23

Sampling Method: SOP.T.20.010

PASSED

Pages 1 of 6

Miami, FL, 33137, US PRODUCT IMAGE

82 NE 26th street

SAFETY RESULTS







Pesticides PASSED



Heavy Metals



Microbials



Mycotoxins



Residuals Solvents PASSED



Filth

CRN

0.594

5.94

0.001



Water Activity

THCV

0.709

7.09

0.001

%



Moisture



MISC.

TESTED

PASSED

CRC

0.908

0.001

%

9.08



Cannabinoid

Jun 12, 2023 | FLUENT

Total THC

90.079% Total THC/Container: 900.79 mg

ND

%

0.001



CBDA

ND

ND

%

Weight: 0.1003g

0.001

D8-THC

0.285

2.85

0.001

%

Total CBD 0.227%

Total CBD/Container: 2.27 mg

CRG

1 765

17.65

0.001

%

Extraction date: 06/09/23 10:44:37



Total Cannabinoids 94.567%

Total Cannabinoids/Container: 945.67 mg

CRDV

ND

ND

%

Extracted by: 3335,3605

0.001



900.79

0.001

| Analyzed by: 3605, 1665, 585, 4044 | |
|---------------------------------------|--|
| Analysis Method : SOP.T.40.031, | |
| Analytical Batch: DA061175POT | |
| Instrument Used : DA-LC-007 | |

Analyzed Date: 06/09/23 11:34:15

ma/unit

LOD

Reagent: 060723.R15; 032123.11; 060823.R03 Consumables: 15021042; CE0123; R1KB14270 Pipette: DA-055; DA-063; DA-067

CBD

0.227

2.27

0.001

rum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39

%

Reviewed On: 06/11/23 13:50:51 Batch Date: 06/09/23 08:11:40

CRGA

ND

ND

0.001

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors

Jorge Segredo

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA Testing 97164





Kaycha Labs

Blue Destroyer Cartridge 1g (90%)

Blue Destroyer Matrix : Derivative Type: Distillate



Certificate of Analysis

82 NE 26th street Miami, FL, 33137, US Telephone: (305) 900-6266 Email: Taylor.Jones@getfluent.com Sample : DA30609002-007 Harvest/Lot ID: 4275 8234 4595 4296

Batch#: 4275 8234 4595

Sampled: 06/08/23 Ordered: 06/08/23

Sample Size Received: 16 gram Total Amount : 1918 units

Completed: 06/12/23 Expires: 06/12/24 Sample Method: SOP.T.20.010

PASSED

Page 2 of 6



Terpenes

TESTED

| Terpenes | LOD (%) | mg/uni | it % | Result (%) | Terpenes | | LOD (%) | mg/unit | % | Result (%) | |
|-------------------|------------|--------|--------|------------|---|--------------------|------------|---------------------|------------|--------------------------------------|-------------------------|
| TOTAL TERPENES | 0.007 | 32.08 | 3.208 | | FARNESENE | | | 0.23 | 0.023 | | |
| OTAL TERPINEOL | 0.007 | 0.24 | 0.024 | | ALPHA-HUMULENE | | 0.007 | 0.56 | 0.056 | | |
| LPHA-BISABOLOL | 0.007 | 0.21 | 0.021 | | VALENCENE | | 0.007 | ND | ND | | |
| LPHA-PINENE | 0.007 | 2.39 | 0.239 | | CIS-NEROLIDOL | | 0.007 | ND | ND | | |
| AMPHENE | 0.007 | < 0.2 | < 0.02 | | TRANS-NEROLIDOL | | 0.007 | ND | ND | | |
| ABINENE | 0.007 | 1.21 | 0.121 | | CARYOPHYLLENE OXIDE | | 0.007 | < 0.2 | < 0.02 | | |
| ETA-PINENE | 0.007 | 1.11 | 0.111 | | GUAIOL | | 0.007 | ND | ND | | |
| ETA-MYRCENE | 0.007 | 16.16 | 1.616 | | CEDROL | | 0.007 | ND | ND | | |
| LPHA-PHELLANDRENE | 0.007 | < 0.2 | < 0.02 | | Analyzed by: | Weight: | | Extraction dat | te: | | Extracted by: |
| -CARENE | 0.007 | ND | ND | | 2076, 585, 4044 | 0.927g | | 06/09/23 15:5 | 58:00 | | 2076 |
| LPHA-TERPINENE | 0.007 | ND | ND | | Analysis Method: SOP.T.30.061A.FL, S | SOP.T.40.061A.FL | | | | | |
| MONENE | 0.007 | 2.32 | 0.232 | | Analytical Batch : DA061198TER Instrument Used : DA-GCMS-004 | | | | | 06/12/23 12:12:44 /09/23 09:47:49 | |
| JCALYPTOL | 0.007 | ND | ND | | Analyzed Date : 06/12/23 09:16:52 | | | Batch | Date: Uo/ | 109/23 09:47:49 | |
| CIMENE | 0.007 | 3.73 | 0.373 | | Dilution: 10 | | | | | | |
| AMMA-TERPINENE | 0.007 | ND | ND | | Reagent : 121622.25 | | | | | | |
| ABINENE HYDRATE | 0.007 | ND | ND | | Consumables: 210414634; MKCN999 | 5; CE0123; R1KB | 14270 | | | | |
| ERPINOLENE | 0.007 | < 0.2 | < 0.02 | | Pipette : N/A | | | | | | |
| ENCHONE | 0.007 | < 0.4 | < 0.04 | | Terpenoid testing is performed utilizing Gar | s Chromatography I | Mass Spec | trometry. For all F | lower samp | ples, the Total Terpenes % i | s dry-weight corrected. |
| NALOOL | 0.007 | 0.99 | 0.099 | | | | | | | | |
| NCHYL ALCOHOL | 0.007 | 0.39 | 0.039 | | | | | | | | |
| DPULEGOL | 0.007 | ND | ND | | | | | | | | |
| MPHOR | 0.007 | ND | ND | | | | | | | | |
| OBORNEOL | 0.007 | ND | ND | | | | | | | | |
| DRNEOL | 0.013 | < 0.4 | < 0.04 | | | | | | | | |
| EXAHYDROTHYMOL | 0.007 | ND | ND | | | | | | | | |
| EROL | 0.007 | ND | ND | | | | | | | | |
| JLEGONE | 0.007 | ND | ND | | | | | | | | |
| RANIOL | 0.007 | ND | ND | | | | | | | | |
| ERANYL ACETATE | 0.007 | ND | ND | | | | | | | | |
| LPHA-CEDRENE | 0.007 | ND | ND | | | | | | | | |
| ETA-CARYOPHYLLENE | 0.007 | 2.54 | 0.254 | | | | | | | | |
| ntal (%) | | | 3.208 | 1 1 | | | | | | | |

Total (%)

Jorge Segredo

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Lab Director



Signature 06/12/23

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.



Kaycha Labs

Blue Destroyer Cartridge 1g (90%)

Blue Destroyer Matrix : Derivative Type: Distillate



PASSED

Certificate of Analysis

82 NE 26th street Miami, FL, 33137, US Telephone: (305) 900-6266 Email: Taylor.lones@getfluent.com Sample : DA30609002-007 Harvest/Lot ID: 4275 8234 4595 4296

Batch#: 4275 8234 4595

Sampled: 06/08/23 Ordered: 06/08/23

Sample Size Received: 16 gram Total Amount : 1918 units Completed: 06/12/23 Expires: 06/12/24

Sample Method: SOP.T.20.010

Page 3 of 6



Pesticides

PASSED

| Pesticide | LOD | Units | Action Level | Pass/Fail | | Pesticide | | LOD | Units | Action Level | Pass/Fail | Resu |
|-------------------------------------|------|-------|-----------------|--------------|----------|--|------------------------|---|------------------------|--------------------|----------------|--------|
| TOTAL CONTAMINANT LOAD (PESTICIDES) | 0.01 | ppm | 5 | PASS | ND | OXAMYL | | 0.01 | ppm | 0.5 | PASS | ND |
| OTAL DIMETHOMORPH | 0.01 | ppm | 0.2 | PASS | ND | PACLOBUTRAZOL | PACLOBUTRAZOL | | ppm | 0.1 | PASS | ND |
| OTAL PERMETHRIN | 0.01 | ppm | 0.1 | PASS | ND | PHOSMET | | 0.01 | ppm | 0.1 | PASS | ND |
| OTAL PYRETHRINS | 0.01 | ppm | 0.5 | PASS | ND | PIPERONYL BUTOXIDE | | 0.01 | ppm | 3 | PASS | ND |
| OTAL SPINETORAM | 0.01 | ppm | 0.2 | PASS | ND | PRALLETHRIN | | 0.01 | ppm | 0.1 | PASS | ND |
| OTAL SPINOSAD | 0.01 | ppm | 0.1 | PASS | ND | PROPICONAZOLE | | 0.01 | ppm | 0.1 | PASS | ND |
| BAMECTIN B1A | 0.01 | ppm | 0.1 | PASS | ND | | | 0.01 | ppm | 0.1 | PASS | ND |
| СЕРНАТЕ | 0.01 | ppm | 0.1 | PASS | ND | PROPOXUR | | | | 0.1 | | |
| CEQUINOCYL | 0.01 | ppm | 0.1 | PASS | ND | PYRIDABEN | | 0.01 | ppm | | PASS | ND |
| CETAMIPRID | 0.01 | ppm | 0.1 | PASS | ND | SPIROMESIFEN | | 0.01 | ppm | 0.1 | PASS | ND |
| LDICARB | 0.01 | ppm | 0.1 | PASS | ND | SPIROTETRAMAT | | 0.01 | ppm | 0.1 | PASS | ND |
| ZOXYSTROBIN | 0.01 | ppm | 0.1 | PASS | ND | SPIROXAMINE | | 0.01 | ppm | 0.1 | PASS | ND |
| FENAZATE | 0.01 | ppm | 0.1 | PASS | ND | TEBUCONAZOLE | | 0.01 | ppm | 0.1 | PASS | ND |
| FENTHRIN | 0.01 | ppm | 0.1 | PASS | ND | THIACLOPRID | | 0.01 | ppm | 0.1 | PASS | ND |
| OSCALID | 0.01 | ppm | 0.1 | PASS | ND | THIAMETHOXAM | | 0.01 | ppm | 0.5 | PASS | ND |
| ARBARYL | 0.01 | ppm | 0.5 | PASS | ND | TRIFLOXYSTROBIN | | 0.01 | ppm | 0.1 | PASS | ND |
| ARBOFURAN | 0.01 | ppm | 0.1 | PASS | ND | PENTACHLORONITROBE | NZENE (DCND) * | 0.01 | PPM | 0.15 | PASS | ND |
| HLORANTRANILIPROLE | 0.01 | ppm | 1 | PASS | ND | | NZENE (PCNB) " | 0.01 | PPM | 0.13 | PASS | ND |
| HLORMEQUAT CHLORIDE | 0.01 | ppm | 1 | PASS | ND | PARATHION-METHYL * | | | | | PASS | |
| HLORPYRIFOS | 0.01 | ppm | 0.1 | PASS | ND | CAPTAN * | | 0.07 | PPM | 0.7 | | ND |
| LOFENTEZINE | 0.01 | ppm | 0.2 | PASS | ND | CHLORDANE * | | 0.01 | PPM | 0.1 | PASS | ND |
| DUMAPHOS | 0.01 | ppm | 0.1 | PASS | ND | CHLORFENAPYR * | | 0.01 | PPM | 0.1 | PASS | ND |
| AMINOZIDE | 0.01 | ppm | 0.1 | PASS | ND | CYFLUTHRIN * | | 0.05 | PPM | 0.5 | PASS | ND |
| AZINON | 0.01 | ppm | 0.1 | PASS | ND | CYPERMETHRIN * | | 0.05 | PPM | 0.5 | PASS | ND |
| CHLORVOS | 0.01 | ppm | 0.1 | PASS | ND | Analyzed by: | Weight: | Extract | ion date: | | Extracted | hv: |
| METHOATE | 0.01 | ppm | 0.1 | PASS | ND | 3379, 585, 4044 | 0.2638g | | 3 14:52:45 | | 3379,585 | ., |
| THOPROPHOS | 0.01 | ppm | 0.1 | PASS | ND | Analysis Method: SOP.T | .30.101.FL (Gaines) | rille), SOP.T | .30.102.FL | (Davie), SOP | .T.40.101.FL (| Gaines |
| TOFENPROX | 0.01 | ppm | 0.1 | PASS | ND | SOP.T.40.102.FL (Davie) | | | | | | |
| TOXAZOLE | 0.01 | ppm | 0.1 | PASS | ND | Analytical Batch : DA061 | | Reviewed On:06/12/23 11:06:50 Batch Date:06/09/23 09:10:46 | | | | |
| ENHEXAMID | 0.01 | ppm | 0.1 | PASS | ND | Instrument Used : DA-LC Analyzed Date : 06/09/23 | | | Batch Dat | e :06/09/23 | 09:10:46 | |
| ENOXYCARB | 0.01 | ppm | 0.1 | PASS | ND | Dilution: 250 | 14.40.13 | | | | | |
| ENPYROXIMATE | 0.01 | ppm | 0.1 | PASS | ND | Reagent: 060523.R07; 0 | 60623.R01: 06052 | 3.R09: 060: | 223.R18: 06 | 0523.R26: 0 | 60723.R17: 04 | 10521. |
| PRONIL | 0.01 | ppm | 0.1 | PASS | ND | Consumables: 6697075 | -02 | /11, 100. | / | | | |
| LONICAMID | 0.01 | ppm | 0.1 | PASS | ND | Pipette : DA-093; DA-094 | | | | | | |
| LUDIOXONIL | 0.01 | ppm | 0.1 | PASS | ND | Testing for agricultural age | | | Chromatog | raphy Triple- | Quadrupole Ma | SS |
| EXYTHIAZOX | 0.01 | ppm | 0.1 | PASS | ND | Spectrometry in accordance | | | \ / | | \/\ | |
| MAZALIL | 0.01 | ppm | 0.1 | PASS PASS | ND ND | Analyzed by: 450, 585, 4044 | Weight: 0.2638g | | on date: 3 14:52:45 | | 3379,585 | by: |
| MIDACLOPRID | 0.01 | ppm | | PASS | ND ND | Analysis Method : SOP.T | | | | I (Davie) SO | | |
| RESOXIM-METHYL | 0.01 | ppm | 0.1 | PASS | ND ND | Analytical Batch : DA061 | | | | 1:06/12/23 1 | | |
| ALATHION | 0.01 | ppm | | PASS | ND ND | Instrument Used : DA-GO | | | | 06/09/23 09: | | |
| ETALAXYL | 0.01 | ppm | 0.1 | PASS | | Analyzed Date: 06/09/23 | 3 15:03:06 | | | | | |
| ETHIOCARB | 0.01 | ppm | 0.1 | PASS | ND | Dilution: 250 | | | | | | |
| ETHOMYL | 0.01 | ppm | 0.1 | | ND | Reagent: 060523.R09; 0 | | R43; 05182 | 23.R44 | | | |
| EVINPHOS | 0.01 | ppm | 0.1 | PASS | ND | Consumables: 6697075 | | | | | | |
| YCLOBUTANIL | 0.01 | ppm | 0.1 | PASS | ND | Pipette : DA-080; DA-146 | | tining on o | the second second | ala a Talada O | a almost a Ma | Carri |
| ALED | 0.01 | ppm | 0.25 | PASS | ND | Testing for agricultural age in accordance with F.S. Ru | | lizing Gas C | nromatogra | pny Tripie-Qu | adrupole Mass | Spectr |

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Jorge Segredo

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164





Kaycha Labs

Blue Destroyer Cartridge 1g (90%)

Blue Destroyer Matrix : Derivative Type: Distillate



PASSED

Certificate of Analysis

82 NE 26th street Miami, FL, 33137, US Telephone: (305) 900-6266 Email: Taylor.lones@getfluent.com Sample : DA30609002-007 Harvest/Lot ID: 4275 8234 4595 4296

Batch#: 4275 8234 4595

Sampled: 06/08/23 Ordered: 06/08/23

Sample Size Received: 16 gram Total Amount: 1918 units Completed: 06/12/23 Expires: 06/12/24 Sample Method: SOP.T.20.010

Page 4 of 6

Residual Solvents

PASSED

| Solvents | LOD | Units | Action Level | Pass/Fail | Result |
|--------------------------------|------------------------|----------------------------------|--------------|-----------|----------------------|
| 1,1-DICHLOROETHENE | 0.8 | ppm | 8 | PASS | ND |
| 1,2-DICHLOROETHANE | 0.2 | ppm | 2 | PASS | ND |
| 2-PROPANOL | 50 | ppm | 500 | PASS | ND |
| ACETONE | 75 | ppm | 750 | PASS | ND |
| ACETONITRILE | 6 | ppm | 60 | PASS | ND |
| BENZENE | 0.1 | ppm | 1 | PASS | ND |
| BUTANES (N-BUTANE) | 500 | ppm | 5000 | PASS | ND |
| CHLOROFORM | 0.2 | ppm | 2 | PASS | ND |
| DICHLOROMETHANE | 12.5 | ppm | 125 | PASS | ND |
| ETHANOL | 500 | ppm | 5000 | PASS | ND |
| ETHYL ACETATE | 40 | ppm | 400 | PASS | ND |
| ETHYL ETHER | 50 | ppm | 500 | PASS | ND |
| ETHYLENE OXIDE | 0.5 | ppm | 5 | PASS | ND |
| HEPTANE | 500 | ppm | 5000 | PASS | ND |
| METHANOL | 25 | ppm | 250 | PASS | ND |
| N-HEXANE | 25 | ppm | 250 | PASS | ND |
| PENTANES (N-PENTANE) | 75 | ppm | 750 | PASS | ND |
| PROPANE | 500 | ppm | 5000 | PASS | ND |
| TOLUENE | 15 | ppm | 150 | PASS | ND |
| TOTAL XYLENES | 15 | ppm | 150 | PASS | ND |
| TRICHLOROETHYLENE | 2.5 | ppm | 25 | PASS | ND |
| Analyzed by: 850, 585, 4044 | Weight: 0.0235g | Extraction date: 06/12/23 13:22: | | // // \ | Extracted by: 850 |

Analysis Method: SOP.T.40.041.FL Analytical Batch: DA061228SOL Instrument Used: DA-GCMS-002

Analyzed Date: 06/12/23 13:26:15 Dilution: 1

Reagent: 030420.09 Consumables: R2017.167; G201.167 Pipette: DA-309 25 uL Syringe 35028 Reviewed On: 06/12/23 16:19:29 Batch Date: 06/09/23 14:23:06

Residual solvents analysis is performed utilizing Gas Chromatography Mass Spectrometry in accordance with with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Jorge Segredo

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164





Kaycha Labs

Blue Destroyer Cartridge 1g (90%)

Blue Destrover Matrix : Derivative Type: Distillate



Certificate of Analysis

PASSED

82 NE 26th street Miami, FL, 33137, US Telephone: (305) 900-6266 Email: Taylor.lones@getfluent.com Sample : DA30609002-007 Harvest/Lot ID: 4275 8234 4595 4296

Batch#: 4275 8234 4595

Sampled: 06/08/23 Ordered: 06/08/23

Sample Size Received: 16 gram Total Amount : 1918 units Completed: 06/12/23 Expires: 06/12/24 Sample Method: SOP.T.20.010

Page 5 of 6

LOD



Microbial

PASSED



Mycotoxins

PASSED

Action

Level

0.02

0.02

0.02

0.02

Pass /

Fail

PASS

PASS

PASS

PASS

PASS Extracted by:

Result

Reviewed On: 06/12/23 10:50:52

Batch Date: 06/09/23 09:16:43

| Analyte | LOD | Units | Result | Pass / Fail | Action Level | Analyte |
|--|-------------------|-------|------------------------|-----------------|-----------------|-------------------------|
| ASPERGILLUS TERREUS | | | Not Present | PASS | | AFLATO |
| ASPERGILLUS NIGER | | | Not Present | PASS | | AFLATO |
| ASPERGILLUS FUMIGATUS | | | Not Present | PASS | | OCHRAT |
| ASPERGILLUS FLAVUS | | | Not Present | PASS | | AFLATO) |
| SALMONELLA SPECIFIC GENE | | | Not Present | PASS | | AFLATO |
| ECOLI SHIGELLA | | | Not Present | PASS | | Analyzed I |
| TOTAL YEAST AND MOLD | 10 | CFU/g | <10 | PASS | 100000 | 3379, 585, |
| Analyzed by: 3390, 3621, 3702, 585, 4044 | Weight: 1.184g | | on date: 3 11:32:06 | Extract 3390 | ted by: | Analysis M SOP.T.30. |

3390, 3621, 3702, 585, 4044 Analysis Method: SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL

Analytical Batch: DA061173MIC

Reviewed On: 06/11/23 Batch Date: 06/09/23

Instrument Used: PathogenDx Scanner DA-111.Applied Biosystems Thermocycler DA-010, fisherbrand Isotemp Heat Block 07:58:34

DA-020, fisherbrand Isotemp Heat Block DA-049, Fisher Scientific Isotemp Heat Block DA-021

Analyzed Date: 06/09/23 12:35:03

Reagent: 032123.04; 052323.R22; 020823.16; 092122.09; 032123.05

Consumables: 7562002041 Pipette: N/A

Consumables : N/A

| Analyzed by: 3379, 585, 4044 | Weight: 0.2638g | Extraction date: 06/09/23 14:52:45 | | | | |
|---------------------------------|------------------------|------------------------------------|-----|----|--|--|
| AFLATOXIN G2 | | 0.002 | ppm | ND | | |
| AFLATOXIN G1 | | 0.002 | ppm | ND | | |
| OCHRATOXIN A | | 0.002 | ppm | ND | | |
| AFLATOXIN B1 | | 0.002 | ppm | ND | | |
| AFLATOXIN B2 | | 0.002 | ppm | ND | | |
| | | | | | | |

Analysis Method: SOP.T.30.101.FL (Gainesville), SOP.T.40.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.102.FL (Davie)

Analytical Batch: DA061186MYC Instrument Used : N/A

Analyzed Date: 06/09/23 14:46:31

Dilution: 250 Reagent: 060523.R07; 060623.R01; 060523.R09; 060223.R18; 060523.R26; 060723.R17;

040521.11

Consumables: 6697075-02 Pipette: DA-093; DA-094; DA-219

Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

Hg

Heavy Metals

PASSED

| Analyzed by: 3390, 3702, 585, 4044 | Weight: 1.184g | Extraction date: N/A | Extracted by: 3390 |
|---------------------------------------|--------------------|-------------------------|--------------------|
| Analysis Method : SOP.T.40.20 | 8 (Gainesville), S | OP.T.40.209.FL | |
| Analytical Batch: DA061199T | YM | Reviewed On: 0 | 6/12/23 09:50:20 |
| Instrument Used : Incubator (2 | 25-27C) DA-097 | Batch Date: 06/ | 09/23 09:50:16 |
| Analyzed Date: 06/09/23 12:3 | 5:22 | | |
| Dilution: 10 | | | |
| Reagent: 032123 04: 060723 | R45 | | |

Pipette: N/A Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.

| Metal | LOD | Units | Result | Pass / Fail | Action Level |
|-------------------------------|------------|-------|--------|----------------|-----------------|
| TOTAL CONTAMINANT LOAD METALS | 0.08 | ppm | ND | PASS | 1.1 |
| ARSENIC | 0.02 | ppm | ND | PASS | 0.2 |
| CADMIUM | 0.02 | ppm | ND | PASS | 0.2 |
| MERCURY | 0.02 | ppm | ND | PASS | 0.2 |
| LEAD | 0.02 | ppm | ND | PASS | 0.5 |
| Analyzed by: Weight: Ext | raction da | te: | F | tracted b | v: |

06/09/23 10:00:30

Batch Date: 06/09/23 09:05:18

Analysis Method: SOP.T.30.082.FL, SOP.T.40.082.FL Reviewed On: 06/11/23 13:45:35

0.2712g

Analytical Batch: DA061183HEA Instrument Used : DA-ICPMS-003 Analyzed Date: 06/09/23 14:44:06

Dilution: 50 Reagent: N/A Consumables: N/A

Pipette: N/A

1022, 585, 4044

Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Jorge Segredo

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164





Kaycha Labs

Blue Destroyer Cartridge 1g (90%)

Blue Destrover Matrix : Derivative Type: Distillate



PASSED

Page 6 of 6

Certificate of Analysis

82 NE 26th street Miami, FL, 33137, US Telephone: (305) 900-6266 Email: Taylor.lones@getfluent.com Sample : DA30609002-007 Harvest/Lot ID: 4275 8234 4595 4296

Batch#: 4275 8234 4595

Sampled: 06/08/23 Ordered: 06/08/23

Sample Size Received: 16 gram Total Amount : 1918 units Completed: 06/12/23 Expires: 06/12/24 Sample Method: SOP.T.20.010



PASSED

Analyte LOD Units Result **Action Level** Filth and Foreign Material ND PASS 0.1 % Analyzed by: 1879, 4044 Weight: NA N/A N/A

Analysis Method: SOP.T.40.090

Analytical Batch : DA061265FIL
Instrument Used : Filth/Foreign Material Microscope

Analyzed Date: 06/11/23 22:14:51

Reviewed On: 06/11/23 22:30:29 Batch Date: 06/11/23 22:12:27

Reviewed On: 06/10/23 17:51:23

Batch Date: 06/09/23 11:01:19

Dilution: N/AReagent: N/A Pipette: N/A

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.



Water Activity

PASSED

| Analyte Water Activity | | LOD 0.01 | Units aw | Result 0.489 | P/F PASS | Action Leve 0.85 |
|---------------------------------|-------------------|-----------------|--------------------|-----------------|-------------|---------------------|
| Analyzed by: 3807, 585, 4044 | Weight: 0.303a | | traction d | | | tracted by: |

Analysis Method: SOP.T.40.019 Analytical Batch: DA061209WAT

Instrument Used : DA-028 Rotronic Hygropalm Analyzed Date : N/A

Dilution: N/A Reagent: 050923.03 Consumables : PS-14 Pipette: N/A

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Jorge Segredo

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

