

Certificate of Analysis

COMPLIANCE FOR RETAIL

Kaycha Labs

FTH-Supreme Diesel #2 WF 3.5g (1/8oz)

FTH-Supreme Diesel #2 Matrix: Flower Type: Flower-Cured



Sample: DA30613005-001 Harvest/Lot ID: HYB-SD#2-060523-C0092

Batch#: 3366 4414 9796 4240

Cultivation Facility: Zolfo Springs Cultivation

Processing Facility: Zolfo Springs Processing

Source Facility: Zolfo Springs Cultivation

Seed to Sale# 8653 6382 8017 6458

Batch Date: 05/03/23

Sample Size Received: 42 gram

Total Amount: 2860 units Retail Product Size: 3.5 gram

Ordered: 06/12/23

Sampled: 06/12/23 Completed: 06/15/23

Sampling Method: SOP.T.20.010

PASSED

Pages 1 of 5

PRODUCT IMAGE

82 NE 26th street Miami, FL, 33137, US

SAFETY RESULTS





PASSED



PASSED



PASSED



PASSED



Residuals Solvents



PASSED



PASSED



PASSED



MISC.

TESTED

PASSED



mg/unit

LOD

Cannabinoid

Jun 15, 2023 | FLUENT



Total THC



Total CBD 0.046%




Total Cannabinoids 29.811%

Dry Weight















0.027 0.945 0.001

Weight: 0.1965g

0.097 0.65 3.395 22.75 0.001 0.001

< 0.01 < 0.01 <0.35 < 0.35 0.001 0.001

06/13/23 11:33:10

0.021 0.735 0.001

Reviewed On: 06/14/23 13:07:47

0.036 1.26 0.001

TOTAL CBD 0.041 1.435 0.001

TOTAL THC (DRY) 22.126 774.41 0.001

TOTAL CAN NABINOIDS (DRY) 26.031 911.085 0.001

Extracted by: 1665

22.126% 774.41 mg /Container Total CBD 0.041% 1.435 mg /Container

Total Cannabinoids
26.031%
911.085 mg /Container

As Received

Analyzed by: 1665, 3112, 585, 3379 Analysis Method: SOP.T.40.031, SOP.T.30.031 Analytical Batch: DA061294POT

Instrument Used: DA-LC-002 (Flower) Analyzed Date: 06/13/23 11:36:07

Dilution: 400 eagent: 070121.27; 060723.R51; 060123.R17 Consumables: 280670723; CE0123; R1KB14270 Pipette: DA-079; DA-108; DA-078

m cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors

Jorge Segredo

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA Testing 97164





Kaycha Labs

FTH-Supreme Diesel #2 WF 3.5g (1/8oz) FTH-Supreme Diesel #2

> Matrix : Flower Type: Flower-Cured



PASSED

Certificate of Analysis

82 NE 26th street Miami, FL, 33137, US Telephone: (305) 900-6266 Email: Taylor.Jones@getfluent.com Sample : DA30613005-001 Harvest/Lot ID: HYB-SD#2-060523-C0092

Batch#: 3366 4414 9796

Sampled: 06/12/23 Ordered: 06/12/23

Sample Size Received: 42 gram Total Amount : 2860 units Completed: 06/15/23 Expires: 06/15/24 Sample Method: SOP.T.20.010

Page 2 of 5



Terpenes

_	0	_		
	3		е.	L

Terpenes	LOD (%)	mg/un	it %	Result (%)	Terpenes			LOD (%)	mg/unit	%	Result (%)		
TOTAL TERPENES	0.007	68.215	1.949		FARNESENE			0.001	ND	ND			
TOTAL TERPINEOL	0.007	2.835	0.081		ALPHA-HUMULENE			0.007	1.715	0.049			
ALPHA-BISABOLOL	0.007	1.855	0.053		VALENCENE			0.007	ND	ND			
ALPHA-PINENE	0.007	4.235	0.121		CIS-NEROLIDOL			0.007	ND	ND			
CAMPHENE	0.007	0.735	0.021		TRANS-NEROLIDOL			0.007	< 0.7	< 0.02			
SABINENE	0.007	ND	ND		CARYOPHYLLENE OX	CIDE		0.007	< 0.7	< 0.02			
BETA-PINENE	0.007	3.71	0.106		GUAIOL			0.007	2.625	0.075			
BETA-MYRCENE	0.007	2.135	0.061		CEDROL			0.007	ND	ND			
ALPHA-PHELLANDRENE	0.007	ND	ND		Analyzed by:		Weight:		Extraction da			Extracted by:	
3-CARENE	0.007	ND	ND		2076, 585, 3379		0.9591g		06/14/23 09	36:41		2076	
ALPHA-TERPINENE	0.007	ND	ND		Analysis Method : SOP		SOP.T.40.061A.	FL					
LIMONENE	0.007	17.29	0.494		Analytical Batch : DA0 Instrument Used : DA-						6/15/23 17:13:10 13/23 09:51:08		
EUCALYPTOL	0.007	ND	ND		Analyzed Date : 06/15/				batth	Date: 00)	13/23 09.31.00		
OCIMENE	0.007	6.58	0.188		Dilution: 10								
GAMMA-TERPINENE	0.007	ND	ND		Reagent: 121622.27								
SABINENE HYDRATE	0.007	ND	ND		Consumables: 210414	634; MKCN9995	5; CE0123; R1K	B14270					
TERPINOLENE	0.007	ND	ND		Pipette : N/A								
FENCHONE	0.007	<1.4	< 0.04		Terpenoid testing is perfo	rmed utilizing Gas	s Chromatograph	y Mass Spec	trometry. For all I	Flower samp	oles, the Total Terpenes 9	6 is dry-weight correcte	łd.
LINALOOL	0.007	5.81	0.166										
FENCHYL ALCOHOL	0.007	3.36	0.096		/ / /								
ISOPULEGOL	0.007	< 0.7	< 0.02										
CAMPHOR	0.007	ND	ND										
ISOBORNEOL	0.007	ND	ND										
BORNEOL	0.013	<1.4	< 0.04										
HEXAHYDROTHYMOL	0.007	ND	ND										
NEROL	0.007	ND	ND										
PULEGONE	0.007	ND	ND										
GERANIOL	0.007	ND	ND										
GERANYL ACETATE	0.007	ND	ND										
ALPHA-CEDRENE	0.007	ND	ND										
BETA-CARYOPHYLLENE	0.007	6.685	0.191										
Total (%)			1.949								-		

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Jorge Segredo

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164





Kaycha Labs

FTH-Supreme Diesel #2 WF 3.5g (1/8oz) FTH-Supreme Diesel #2

Matrix : Flower Type: Flower-Cured



PASSED

Certificate of Analysis

82 NE 26th street Miami, FL, 33137, US Telephone: (305) 900-6266 Email: Taylor.lones@getfluent.com Sample : DA30613005-001 Harvest/Lot ID: HYB-SD#2-060523-C0092

Batch#: 3366 4414 9796

Sampled: 06/12/23

Ordered: 06/12/23

Sample Size Received: 42 gram Total Amount : 2860 units Completed: 06/15/23 Expires: 06/15/24 Sample Method: SOP.T.20.010

Page 3 of 5



Pesticides

P	A	S	S	E	D

Pesticide	LOD	Units	Action Level	Pass/Fail		Pesticide		LOD	Units	Action Level	Pass/Fail	Resu
OTAL CONTAMINANT LOAD (PESTICIDES)	0.01	ppm	5	PASS	ND	OXAMYL		0.01	ppm	0.5	PASS	ND
OTAL DIMETHOMORPH	0.01	ppm	0.2	PASS	ND	PACLOBUTRAZOL		0.01	ppm	0.1	PASS	ND
OTAL PERMETHRIN	0.01	ppm	0.1	PASS	ND	PHOSMET		0.01	ppm	0.1	PASS	ND
OTAL PYRETHRINS	0.01	ppm	0.5	PASS	ND	PIPERONYL BUTOXIDE		0.01	ppm	3	PASS	ND
OTAL SPINETORAM	0.01	ppm	0.2	PASS	ND	PRALLETHRIN		0.01	ppm	0.1	PASS	ND
OTAL SPINOSAD	0.01	ppm	0.1	PASS	ND					0.1	PASS	ND
BAMECTIN B1A	0.01	ppm	0.1	PASS	ND	PROPICONAZOLE		0.01	ppm			
СЕРНАТЕ	0.01	ppm	0.1	PASS	ND	PROPOXUR		0.01	ppm	0.1	PASS	ND
CEQUINOCYL	0.01	ppm	0.1	PASS	ND	PYRIDABEN		0.01	ppm	0.2	PASS	ND
CETAMIPRID	0.01	ppm	0.1	PASS	ND	SPIROMESIFEN		0.01	ppm	0.1	PASS	ND
LDICARB	0.01	ppm	0.1	PASS	ND	SPIROTETRAMAT		0.01	ppm	0.1	PASS	ND
ZOXYSTROBIN	0.01	ppm	0.1	PASS	ND	SPIROXAMINE		0.01	ppm	0.1	PASS	ND
FENAZATE	0.01	ppm	0.1	PASS	ND	TEBUCONAZOLE		0.01	ppm	0.1	PASS	ND
FENTHRIN	0.01	ppm	0.1	PASS	ND	THIACLOPRID		0.01	ppm	0.1	PASS	ND
OSCALID	0.01	ppm	0.1	PASS	ND	THIAMETHOXAM		0.01	ppm	0.5	PASS	ND
ARBARYL	0.01	ppm	0.5	PASS	ND	TRIFLOXYSTROBIN		0.01	ppm	0.1	PASS	ND
ARBOFURAN	0.01	ppm	0.1	PASS	ND		SENTENE (DOND) *	0.01	PPM	0.15	PASS	ND
HLORANTRANILIPROLE	0.01	ppm	1	PASS	ND	PENTACHLORONITROE						
HLORMEQUAT CHLORIDE	0.01	ppm	1	PASS	ND	PARATHION-METHYL *		0.01	PPM	0.1	PASS	ND
HLORPYRIFOS	0.01	ppm	0.1	PASS	ND	CAPTAN *		0.07	PPM	0.7	PASS	ND
LOFENTEZINE	0.01	ppm	0.2	PASS	ND	CHLORDANE *		0.01	PPM	0.1	PASS	ND
DUMAPHOS	0.01	ppm	0.1	PASS	ND	CHLORFENAPYR *		0.01	PPM	0.1	PASS	ND
AMINOZIDE	0.01	ppm	0.1	PASS	ND	CYFLUTHRIN *		0.05	PPM	0.5	PASS	ND
AZINON	0.01	ppm	0.1	PASS	ND	CYPERMETHRIN *		0.05	PPM	0.5	PASS	ND
CHLORVOS	0.01	ppm	0.1	PASS	ND	Analyzed by:	Weight:	Extraction	n date:		Extracted	hv
METHOATE	0.01	ppm	0.1	PASS	ND	3379, 585	1.1018a	06/13/23			4056	by.
HOPROPHOS	0.01	ppm	0.1	PASS	ND	Analysis Method : SOP	T.30.101.FL (Gaines	ville), SOP.T	.30.102.FL	(Davie), SOP	.T.40.101.FL (Gaines
TOFENPROX	0.01	ppm	0.1	PASS	ND	SOP.T.40.102.FL (Davie						
TOXAZOLE	0.01	ppm	0.1	PASS	ND	Analytical Batch : DA0				On:06/15/2		
ENHEXAMID	0.01	ppm	0.1	PASS	ND	Instrument Used : DA-I			Batch Dat	te:06/13/23	11:19:22	
NOXYCARB	0.01	ppm	0.1	PASS	ND	Analyzed Date: 06/13/ Dilution: 250	23 10:22:03					
ENPYROXIMATE	0.01	ppm	0.1	PASS	ND	Reagent: 061223.R02;	061223 R03- 06122	3 R01 · 0613	223 R04· 06	50523 R26: 0	60723 R17: 04	10521 1
PRONIL	0.01	ppm	0.1	PASS	ND	Consumables: 669707		5.1101, 001	223.1104, 01	30323.1120, 0	00725.1(17, 0-	70321.1
LONICAMID	0.01	ppm	0.1	PASS	ND	Pipette: DA-093; DA-0						
LUDIOXONIL	0.01	ppm	0.1	PASS	ND	Testing for agricultural a			Chromatog	raphy Triple-0	Quadrupole Ma	SS
EXYTHIAZOX	0.01	ppm	0.1	PASS	ND	Spectrometry in accorda		ER20-39.				
MAZALIL	0.01	ppm	0.1	PASS	ND	Analyzed by:	Weight:		ion date:		Extracted	by:
MIDACLOPRID	0.01	ppm	0.4	PASS	ND	450, 585, 3379	1.1018g		3 15:31:13		4056	
RESOXIM-METHYL	0.01	ppm	0.1	PASS	ND	Analysis Method : SOP. Analytical Batch : DA00						
ALATHION	0.01	ppm	0.2	PASS	ND	Instrument Used : DA-				n:06/14/23 1 :06/13/23 11:		
ETALAXYL	0.01	ppm	0.1	PASS	ND	Analyzed Date : 06/14/		\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \	accii bucc i	55,15,25 11.		
ETHIOCARB	0.01	ppm	0.1	PASS	ND	Dilution: 250	1					
ETHOMYL	0.01	ppm	0.1	PASS	ND	Reagent: 061223.R01;	040521.11; 061223	.R25; 06122	23.R24			
EVINPHOS	0.01	ppm	0.1	PASS	ND	Consumables: 669707						
YCLOBUTANIL	0.01	ppm	0.1	PASS	ND	Pipette: DA-080; DA-1						
ALED	0.01	ppm	0.25	PASS	ND	Testing for agricultural a in accordance with F.S. F		ilizing Gas C	hromatogra	phy Triple-Qu	adrupole Mass	Spectro

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Jorge Segredo

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164





Kaycha Labs

FTH-Supreme Diesel #2 WF 3.5g (1/8oz) FTH-Supreme Diesel #2

Matrix : Flower Type: Flower-Cured



PASSED

Certificate of Analysis

82 NE 26th street Miami, FL, 33137, US Telephone: (305) 900-6266 Email: Taylor.lones@getfluent.com Sample : DA30613005-001 Harvest/Lot ID: HYB-SD#2-060523-C0092

Batch#: 3366 4414 9796

Ordered: 06/12/23

Sampled: 06/12/23

Sample Size Received: 42 gram Total Amount : 2860 units Completed: 06/15/23 Expires: 06/15/24 Sample Method: SOP.T.20.010

Page 4 of 5



Microbial

PASSED



Mycotoxins

PASSED

Result Pass / Action

Analyte		LOD	Units	Result	Pass / Fail	Action Level	Analyte
ECOLI SHIG	ELLA			Not Present	PASS		AFLATO
SALMONELL	A SPECIFIC GENE			Not Present	PASS		AFLATO
ASPERGILLU	JS FLAVUS			Not Present	PASS		OCHRAT
ASPERGILLU	JS FUMIGATUS			Not Present	PASS		AFLATO
ASPERGILLU	JS TERREUS			Not Present	PASS		AFLATO
ASPERGILLU	JS NIGER			Not Present	PASS		Analyzed
TOTAL YEAS	ST AND MOLD	10	CFU/g	32000	PASS	100000	3379, 585
						. //	

Analyzed by: Weight: **Extraction date:** Extracted by: 3390, 585, 3379 1.0767g 06/13/23 12:32:40

Analysis Method: SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL Analytical Batch: DA061301MIC Reviewed On: 06/14/23

5:14:24

Extracted by:

Instrument Used: PathogenDx Scanner DA-111.Applied Batch Date: 06/13/23 Biosystems Thermocycler DA-010,fisherbrand Isotemp Heat Block DA-020, fisherbrand Isotemp Heat Block DA-049, Fisher Scientific

Isotemp Heat Block DA-021 **Analyzed Date:** 06/13/23 15:13:56

Reagent: 032123.03; 052323.R22; 020823.16; 092122.09

Consumables: 7562002013

Pipette: N/A

,,,,,					Fail	Lev
AFLATOXIN B2		0.002	ppm	ND	PASS	0.02
AFLATOXIN B1		0.002	ppm	ND	PASS	0.02
OCHRATOXIN A		0.002	ppm	ND	PASS	0.02
AFLATOXIN G1		0.002	ppm	ND	PASS	0.02
AFLATOXIN G2		0.002	ppm	ND	PASS	0.02
Analyzed by: 3379, 585	Weight: 1.1018g		Extraction date: 06/13/23 15:31:13			

LOD

Analysis Method: SOP.T.30.101.FL (Gainesville), SOP.T.40.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.102.FL (Davie) Reviewed On: 06/14/23 21:11:35

Analytical Batch: DA061308MYC Instrument Used : N/A

Analyzed Date: 06/13/23 16:22:32

Dilution: 250 Reagent: 061223.R02; 061223.R03; 061223.R01; 061223.R04; 060523.R26; 060723.R17;

040521.11

Consumables: 6697075-02 Pipette: DA-093; DA-094; DA-219

Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.



Heavy Metals

PASSED

Analyzed by: 3390, 3702, 585, 3379	Weight: 1.0767g	Extraction date: N/A	Extracted by: 3621,3390			
Analysis Method : SOP.T.40.2	208 (Gainesville), S	OP.T.40.209.FL				
Analytical Batch: DA061317	TYM	Reviewed On: 06/15/23 17:18:55				
Instrument Used : Incubator	(25-27C) DA-097	Batch Date: 06/13/23 12:31:09				
Analyzed Date : 06/13/23 14:	:17:16					

Dilution: 10 Reagent: 032123.03; 060723.R45 Consumables : N/A Pipette : N/A

Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.

Metal		LOD	Units	Result	Pass / Fail	Action Level
TOTAL CONTAMINA	0.08	ppm	ND	PASS	1.1	
ARSENIC		0.02	ppm	ND	PASS	0.2
CADMIUM		0.02	ppm	ND	PASS	0.2
MERCURY		0.02	ppm	ND	PASS	0.2
LEAD		0.02	ppm	ND	PASS	0.5
Analyzed by: 1022, 585, 3379		action date: 3/23 10:57			ted by: 3807,102	2

Analysis Method: SOP.T.30.082.FL, SOP.T.40.082.FL

Analytical Batch: DA061290HEA Instrument Used : DA-ICPMS-003 Analyzed Date: 06/13/23 14:53:00 Reviewed On: 06/14/23 11:44:15 Batch Date: 06/13/23 09:43:27

Batch Date: 06/13/23 11:20:57

Dilution: 50

Reagent: 050923.R24; 042623.R82; 060923.R13; 060823.R04; 060923.R11; 060923.R12; 052523.R15; 051823.R28

Consumables: 179436; 15021042; 210508058

Pipette: DA-061; DA-191; DA-215

Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.



Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA Testing 97164





Kaycha Labs

FTH-Supreme Diesel #2 WF 3.5g (1/8oz)

FTH-Supreme Diesel #2 Matrix : Flower Type: Flower-Cured





Certificate of Analysis

PASSED

82 NE 26th street Miami, FL, 33137, US Telephone: (305) 900-6266 Email: Taylor.lones@getfluent.com Sample : DA30613005-001 Harvest/Lot ID: HYB-SD#2-060523-C0092

Batch#: 3366 4414 9796

Sampled: 06/12/23 Ordered: 06/12/23

Sample Size Received: 42 gram Total Amount : 2860 units Completed: 06/15/23 Expires: 06/15/24

Sample Method: SOP.T.20.010

Page 5 of 5



Filth/Foreign **Material**

PASSED



Moisture

0.499g

PASSED

Analyte Filth and Foreign Material

Analyzed Date : 06/14/23 21:01:32

LOD Units 0.1 %

Result PASS ND

Action Level Extracted by:

Analyte **Moisture Content** Analyzed by: 4056, 585, 3379

LOD Units % Extraction date

Result 12.68

06/14/23 11:04:05

P/F **Action Level** PASS 15 Extracted by:

Reviewed On: 06/14/23 11:55:45

Batch Date: 06/13/23 10:18:21

4056

1879, 3379

Dilution: N/A

Reagent: N/A

NA Analysis Method: SOP.T.40.090 Analytical Batch : DA061370FIL
Instrument Used : Filth/Foreign Material Microscope

Weight:

N/A

N/A Reviewed On: 06/14/23 21:10:45 Batch Date: 06/14/23 11:54:31

Analysis Method: SOP.T.40.021 Analytical Batch: DA061296MOI

Instrument Used : DA-003 Moisture Analyzer Analyzed Date: N/A

Dilution: N/A Reagent: 101920.06; 020123.02

Pipette: DA-066

Pipette: N/A Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.

Moisture Content analysis utilizing loss-on-drying technology in accordance with F.S. Rule 64ER20-39



Water Activity

PASSED

Analyte LOD Units P/F **Action Level** Result PASS Water Activity 0.01 aw 0.557 0.65 Extracted by: 4056 Extraction date: 06/14/23 15:23:17 Analyzed by: 4056, 585, 3379

Analysis Method: SOP.T.40.019 Analytical Batch: DA061281WAT

Instrument Used : DA-028 Rotronic Hygropalm

Analyzed Date: 06/13/23 08:32:14

Reviewed On: 06/14/23 16:56:34 Batch Date: 06/13/23 07:52:55

Dilution: N/A Reagent: 050923.03 Consumables : PS-14 Pipette: N/A

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Jorge Segredo

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA Testing 97164

