



Certificate of Analysis

COMPLIANCE FOR RETAIL
Sample: DA30613004-007
Harvest/Lot ID: 0920 8131 6648 8087
Batch#: 0920 8131 6648 8087
Cultivation Facility: Tampa Cultivation
Processing Facility : Tampa Processing
Source Facility : Tampa Cultivation
Seed to Sale# 9693 3351 0467 1614
Batch Date: 04/20/23
Sample Size Received: 16 gram
Total Amount: 1430 units
Retail Product Size: 1 gram
Ordered: 06/12/23
Sampled: 06/12/23
Completed: 06/15/23
Sampling Method: SOP.T.20.010
PASSED


Jun 15, 2023 | FLUENT

82 NE 26th street
Miami, FL, 33137, US


Pages 1 of 6

PRODUCT IMAGE

SAFETY RESULTS

**Pesticides
PASSED**

**Heavy Metals
PASSED**

**Microbials
PASSED**

**Mycotoxins
PASSED**

**Residuals Solvents
PASSED**

**Filtration
PASSED**

**Water Activity
PASSED**

**Moisture
NOT TESTED**

**Terpenes
TESTED**
MISC.

Cannabinoid
PASSED

Total THC
88.551%
Total THC/Container : 885.51 mg

Total CBD
0.263%
Total CBD/Container : 2.63 mg

Total Cannabinoids
93.248%
Total Cannabinoids/Container : 932.48 mg

	D9-THC	THCA	CBD	CBDA	D8-THC	CBG	CBGA	CBN	THCV	CBDV	CBC
%	88.551	ND	0.263	ND	0.245	1.856	ND	0.741	0.505	ND	1.087
mg/unit	885.51	ND	2.63	ND	2.45	18.56	ND	7.41	5.05	ND	10.87
LOD	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001
	%	%	%	%	%	%	%	%	%	%	%

Analyzed by:
3112, 1665, 585, 3379

Weight:
0.1009g

Extraction date:
06/13/23 12:15:49

Extracted by:
3379, 3112

Analysis Method : SOP.T.40.031, SOP.T.30.031

Analytical Batch : DA061298POT

Instrument Used : DA-LC-007

Analyzed Date : 06/13/23 12:29:26

Reviewed On : 06/14/23 13:07:28

Batch Date : 06/13/23 10:24:25

Dilution : 400

Reagent : 060723.R50; 032123.11; 060823.R03

Consumables : 250346; 280670723; CE0123; 115C4-1151; R1KB14270

Pipette : DA-079; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Jorge Segredo

Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164



Signature
06/15/23



Certificate of Analysis

PASSED

FLUENT

 82 NE 26th street
 Miami, FL, 33137, US
 Telephone: (305) 900-6266
 Email: Taylor.Jones@getfluent.com

Sample : DA30613004-007

Harvest/Lot ID: 0920 8131 6648 8087

 Batch# : 0920 8131 6648
 8087

Sampled : 06/12/23

Ordered : 06/12/23


Sample Size Received : 16 gram

Total Amount : 1430 units

Completed : 06/15/23 Expires: 06/15/24

Sample Method : SOP.T.20.010

Page 2 of 6



Terpenes

TESTED

Terpenes	LOD (%)	mg/unit	%	Result (%)	Terpenes	LOD (%)	mg/unit	%	Result (%)
TOTAL TERPENES	0.007	29.14	2.914		FARNESENE		0.37	0.037	
TOTAL TERPENEOL	0.007	<0.2	<0.02		ALPHA-HUMULENE	0.007	0.69	0.069	
ALPHA-BISABOLOL	0.007	0.23	0.023		VALENCENE	0.007	ND	ND	
ALPHA-PINENE	0.007	1.1	0.11		CIS-NEROLIDOL	0.007	ND	ND	
CAMPHENE	0.007	<0.2	<0.02		TRANS-NEROLIDOL	0.007	ND	ND	
SABINENE	0.007	ND	ND		CARYOPHYLLENE OXIDE	0.007	0.23	0.023	
BETA-PINENE	0.007	0.48	0.048		GUAIOL	0.007	ND	ND	
BETA-MYRCENE	0.007	15.45	1.545		CEDROL	0.007	ND	ND	
ALPHA-PHELLANDRENE	0.007	ND	ND		<div>Analyzed by: 2076, 585, 3379Weight: 0.9293gExtraction date: 06/13/23 14:42:19Extracted by: 2076</div> <div>Analysis Method : SOP.T.30.061A.FL, SOP.T.40.061A.FL</div> <div>Analytical Batch : DA061291TER</div> <div>Instrument Used : DA-GCMS-004</div> <div>Analyzed Date : 06/14/23 09:35:11</div> <div>Reviewed On : 06/15/23 17:54:10</div> <div>Batch Date : 06/13/23 09:50:14</div>				
3-CARENE	0.007	ND	ND						
ALPHA-TERPINENE	0.007	ND	ND						
LIMONENE	0.007	2	0.2						
EUCALYPTOL	0.007	<0.2	<0.02		<div>Dilution : 10</div> <div>Reagent : 121622.27</div> <div>Consumables : 210414634; MKCN9995; CE0123; R1KB14270</div> <div>Pipette : N/A</div> <div>Terpenoid testing is performed utilizing Gas Chromatography Mass Spectrometry. For all Flower samples, the Total Terpenes % is dry-weight corrected.</div>				
OCIMENE	0.007	3.3	0.33						
GAMMA-TERPINENE	0.007	ND	ND						
SABINENE HYDRATE	0.007	ND	ND						
TERPINOLENE	0.007	ND	ND						
FENCHONE	0.007	ND	ND						
LINALOOL	0.007	1.82	0.182						
FENCHYL ALCOHOL	0.007	0.25	0.025						
ISOPULEGOL	0.007	ND	ND						
CAMPHOR	0.007	<0.6	<0.06						
ISOBORNEOL	0.007	ND	ND						
BORNEOL	0.013	<0.4	<0.04						
HEXAHYDROTHYMOL	0.007	ND	ND						
NEROL	0.007	ND	ND						
PULEGONE	0.007	ND	ND						
GERANIOL	0.007	<0.2	<0.02						
GERANYL ACETATE	0.007	ND	ND						
ALPHA-CEDRENE	0.007	ND	ND						
BETA-CARYOPHYLLENE	0.007	3.22	0.322						
Total (%)				2.914					



Certificate of Analysis

PASSED

FLUENT

 82 NE 26th street
 Miami, FL, 33137, US
 Telephone: (305) 900-6266
 Email: Taylor.Jones@getfluent.com

Sample : DA30613004-007

Harvest/Lot ID: 0920 8131 6648 8087

Batch# : 0920 8131 6648 8087

Sampled : 06/12/23

Ordered : 06/12/23

Sample Size Received : 16 gram

Total Amount : 1430 units

Completed : 06/15/23 Expires: 06/15/24

Sample Method : SOP.T.20.010

Page 3 of 6



Pesticides

PASSED

Pesticide	LOD	Units	Action Level	Pass/Fail	Result	Pesticide	LOD	Units	Action Level	Pass/Fail	Result
TOTAL CONTAMINANT LOAD (PESTICIDES)	0.01	ppm	5	PASS	ND	OXAMYL	0.01	ppm	0.5	PASS	ND
TOTAL DIMETHOMORPH	0.01	ppm	0.2	PASS	ND	PACLOBUTRAZOL	0.01	ppm	0.1	PASS	ND
TOTAL PERMETHRIN	0.01	ppm	0.1	PASS	ND	PHOSMET	0.01	ppm	0.1	PASS	ND
TOTAL PYRETHRINS	0.01	ppm	0.5	PASS	ND	PIPERONYL BUTOXIDE	0.01	ppm	3	PASS	ND
TOTAL SPINETORAM	0.01	ppm	0.2	PASS	ND	PRALLETHRIN	0.01	ppm	0.1	PASS	ND
TOTAL SPINOSAD	0.01	ppm	0.1	PASS	ND	PROPICONAZOLE	0.01	ppm	0.1	PASS	ND
ABAMECTIN B1A	0.01	ppm	0.1	PASS	ND	PROPOXUR	0.01	ppm	0.1	PASS	ND
ACEPHATE	0.01	ppm	0.1	PASS	ND	PYRIDABEN	0.01	ppm	0.2	PASS	ND
ACEQUINOCYL	0.01	ppm	0.1	PASS	ND	SPIROMESIFEN	0.01	ppm	0.1	PASS	ND
ACETAMIPRID	0.01	ppm	0.1	PASS	ND	SPIROTETRAMAT	0.01	ppm	0.1	PASS	ND
ALDICARB	0.01	ppm	0.1	PASS	ND	SPIROXAMINE	0.01	ppm	0.1	PASS	ND
AZOXYSTROBIN	0.01	ppm	0.1	PASS	ND	TEBUCONAZOLE	0.01	ppm	0.1	PASS	ND
BIFENAZATE	0.01	ppm	0.1	PASS	ND	THIACLOPRID	0.01	ppm	0.1	PASS	ND
BIFENTHRIN	0.01	ppm	0.1	PASS	ND	THIAMETHOXAM	0.01	ppm	0.5	PASS	ND
BOSCALID	0.01	ppm	0.1	PASS	ND	TRIFLOXYSTROBIN	0.01	ppm	0.1	PASS	ND
CARBARYL	0.01	ppm	0.5	PASS	ND	PENTACHLORONITROBENZENE (PCNB) *	0.01	PPM	0.15	PASS	ND
CARBOFURAN	0.01	ppm	0.1	PASS	ND	PARATHION-METHYL *	0.01	PPM	0.1	PASS	ND
CHLORANTRANILIPROLE	0.01	ppm	1	PASS	ND	CAPTAN *	0.07	PPM	0.7	PASS	ND
CHLORMEQUAT CHLORIDE	0.01	ppm	1	PASS	ND	CHLORDANE *	0.01	PPM	0.1	PASS	ND
CHLORPYRIFOS	0.01	ppm	0.1	PASS	ND	CHLORFENAPYR *	0.01	PPM	0.1	PASS	ND
CLOFENTHIZINE	0.01	ppm	0.2	PASS	ND	CYFLUTHRIN *	0.05	PPM	0.5	PASS	ND
COUMAPHOS	0.01	ppm	0.1	PASS	ND	CYPERMETHRIN *	0.05	PPM	0.5	PASS	ND
DAMINOZIDE	0.01	ppm	0.1	PASS	ND						
DIAZINON	0.01	ppm	0.1	PASS	ND	Analyzed by: 3379, 585	Weight: 0.2035g	Extraction date: 06/13/23 15:33:58	Extracted by: 4056		
DICHLORVOS	0.01	ppm	0.1	PASS	ND	Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.101.FL (Gainesville), SOP.T.40.102.FL (Davie)				Reviewed On : 06/14/23 19:02:03	
DIMETHOATE	0.01	ppm	0.1	PASS	ND	Analytical Batch : DA061304PES				Batch Date : 06/13/23 11:16:23	
ETHOPROPHOS	0.01	ppm	0.1	PASS	ND	Instrument Used : DA-LCMS-003 (PES)					
ETOFENPROX	0.01	ppm	0.1	PASS	ND	Analyzed Date : 06/13/23 16:22:04					
ETOXAZOLE	0.01	ppm	0.1	PASS	ND	Dilution : 250					
FENHEXAMID	0.01	ppm	0.1	PASS	ND	Reagent : 061223.R02; 061223.R03; 061223.R01; 061223.R04; 060523.R26; 060723.R17; 040521.11					
FENOXYCARB	0.01	ppm	0.1	PASS	ND	Consumables : 6697075-02					
FENPYROXIMATE	0.01	ppm	0.1	PASS	ND	Pipette : DA-093; DA-094; DA-219					
FIPRONIL	0.01	ppm	0.1	PASS	ND	Testing for agricultural agents is performed utilizing Liquid Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
FLONICAMID	0.01	ppm	0.1	PASS	ND	Analyzed by: 450, 585, 3379	Weight: 0.2035g	Extraction date: 06/13/23 15:33:58	Extracted by: 4056		
FLUDIOXONIL	0.01	ppm	0.1	PASS	ND	Analysis Method : SOP.T.30.151.FL (Gainesville), SOP.T.30.151A.FL (Davie), SOP.T.40.151.FL				Reviewed On : 06/14/23 11:23:30	
HEXYTHIAZOX	0.01	ppm	0.1	PASS	ND	Analytical Batch : DA061306VOL				Batch Date : 06/13/23 11:18:41	
IMAZALIL	0.01	ppm	0.1	PASS	ND	Instrument Used : DA-GCMS-001					
IMIDACLOPRID	0.01	ppm	0.4	PASS	ND	Analyzed Date : N/A					
KRESOXIM-METHYL	0.01	ppm	0.1	PASS	ND	Dilution : 250					
MALATHION	0.01	ppm	0.2	PASS	ND	Reagent : 061223.R01; 040521.11; 061223.R25; 061223.R24					
METALAXYL	0.01	ppm	0.1	PASS	ND	Consumables : 6697075-02; 14725401					
METHIOCARB	0.01	ppm	0.1	PASS	ND	Pipette : DA-080; DA-146; DA-218					
METHOMYL	0.01	ppm	0.1	PASS	ND	Testing for agricultural agents is performed utilizing Gas Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
MEVINPHOS	0.01	ppm	0.1	PASS	ND						
MYCLOBUTANIL	0.01	ppm	0.1	PASS	ND						
NALED	0.01	ppm	0.25	PASS	ND						



Certificate of Analysis

PASSED
FLUENT

 82 NE 26th street
 Miami, FL, 33137, US
 Telephone: (305) 900-6266
 Email: Taylor.Jones@getfluent.com

Sample : DA30613004-007

Harvest/Lot ID: 0920 8131 6648 8087

 Batch# : 0920 8131 6648
 8087

Sampled : 06/12/23

Ordered : 06/12/23

Sample Size Received : 16 gram

Total Amount : 1430 units

Completed : 06/15/23 Expires: 06/15/24

Sample Method : SOP.T.20.010

Page 4 of 6



Residual Solvents

PASSED

Solvents	LOD	Units	Action Level	Pass/Fail	Result
1,1-DICHLOROETHENE	0.8	ppm	8	PASS	ND
1,2-DICHLOROETHANE	0.2	ppm	2	PASS	ND
2-PROPANOL	50	ppm	500	PASS	ND
ACETONE	75	ppm	750	PASS	ND
ACETONITRILE	6	ppm	60	PASS	ND
BENZENE	0.1	ppm	1	PASS	ND
BUTANES (N-BUTANE)	500	ppm	5000	PASS	ND
CHLOROFORM	0.2	ppm	2	PASS	ND
DICHLOROMETHANE	12.5	ppm	125	PASS	ND
ETHANOL	500	ppm	5000	PASS	ND
ETHYL ACETATE	40	ppm	400	PASS	ND
ETHYL ETHER	50	ppm	500	PASS	ND
ETHYLENE OXIDE	0.5	ppm	5	PASS	ND
HEPTANE	500	ppm	5000	PASS	ND
METHANOL	25	ppm	250	PASS	ND
N-HEXANE	25	ppm	250	PASS	ND
PENTANES (N-PENTANE)	75	ppm	750	PASS	ND
PROPANE	500	ppm	5000	PASS	ND
TOLUENE	15	ppm	150	PASS	ND
TOTAL XYLENES	15	ppm	150	PASS	ND
TRICHLOROETHYLENE	2.5	ppm	25	PASS	ND

 Analyzed by:
 850, 585, 3379

 Weight:
 0.025g

 Extraction date:
 06/15/23 11:13:06

 Extracted by:
 850

 Analysis Method : SOP.T.40.041.FL
 Analytical Batch : DA061329SOL
 Instrument Used : DA-GCMS-002
 Analyzed Date : 06/15/23 11:30:42

 Reviewed On : 06/15/23 12:20:29
 Batch Date : 06/13/23 18:04:19

 Dilution : 1
 Reagent : 030420.09
 Consumables : R2017.120; KF140
 Pipette : DA-309 25 uL Syringe 35028

Residual solvents analysis is performed utilizing Gas Chromatography Mass Spectrometry in accordance with with F.S. Rule 64ER20-39.



Certificate of Analysis

PASSED

FLUENT

 82 NE 26th street
 Miami, FL, 33137, US
 Telephone: (305) 900-6266
 Email: Taylor.Jones@getfluent.com

Sample : DA30613004-007

Harvest/Lot ID: 0920 8131 6648 8087

Batch# : 0920 8131 6648 8087

Sampled : 06/12/23

Ordered : 06/12/23

Sample Size Received : 16 gram

Total Amount : 1430 units

Completed : 06/15/23 Expires: 06/15/24

Sample Method : SOP.T.20.010

Page 5 of 6

	Microbial	PASSED
	Mycotoxins	PASSED

Analyte	LOD	Units	Result	Pass / Fail	Action Level
ECOLI SHIGELLA			Not Present	PASS	
SALMONELLA SPECIFIC GENE			Not Present	PASS	
ASPERGILLUS FLAVUS			Not Present	PASS	
ASPERGILLUS FUMIGATUS			Not Present	PASS	
ASPERGILLUS TERREUS			Not Present	PASS	
ASPERGILLUS NIGER			Not Present	PASS	
TOTAL YEAST AND MOLD	10	CFU/g	<10	PASS	100000

Analyzed by: 3390, 585, 3621, 3379 Weight: 0.839g Extraction date: 06/13/23 11:41:55 Extracted by: 3621

Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL Analytical Batch : DA061286MIC Reviewed On : 06/15/23 09:34:57 Batch Date : 06/13/23 09:08:38

 Instrument Used : PathogenDx Scanner DA-111, fisherbrand Isotemp Heat Block DA-020, fisherbrand Isotemp Heat Block DA-049, Fisher Scientific Isotemp Heat Block DA-021, APPLIED BIOSYSTEMS THERMOCYCLER DA-254
 Analyzed Date : 06/13/23 15:13:55

 Dilution : N/A
 Reagent : 032123.03; 052323.R22; 020823.16; 092122.09
 Consumables : 7562002033
 Pipette : N/A

Analyzed by: 3390, 3702, 585, 3379 Weight: 0.839g Extraction date: N/A Extracted by: 3621

 Analysis Method : SOP.T.40.208 (Gainesville), SOP.T.40.209.FL Analytical Batch : DA061313TYM Reviewed On : 06/15/23 16:37:55 Batch Date : 06/13/23 11:29:55
 Instrument Used : Incubator (25-27C) DA-097
 Analyzed Date : 06/13/23 14:17:22

 Dilution : 10
 Reagent : 032123.03; 060723.R45
 Consumables : 010205
 Pipette : N/A

Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.

Analyte	LOD	Units	Result	Pass / Fail	Action Level
AFLATOXIN B2	0.002	ppm	ND	PASS	0.02
AFLATOXIN B1	0.002	ppm	ND	PASS	0.02
OCHRATOXIN A	0.002	ppm	ND	PASS	0.02
AFLATOXIN G1	0.002	ppm	ND	PASS	0.02
AFLATOXIN G2	0.002	ppm	ND	PASS	0.02

Analyzed by: 3379, 585 Weight: 0.2035g Extraction date: 06/13/23 15:33:58 Extracted by: 4056

Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.40.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.102.FL (Davie)

Analytical Batch : DA061305MYC

Instrument Used : N/A

Analyzed Date : 06/13/23 16:22:33

Dilution : 250

Reagent : 061223.R02; 061223.R03; 061223.R01; 061223.R04; 060523.R26; 060723.R17; 040521.11

Consumables : 6697075-02

Pipette : DA-093; DA-094; DA-219

Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.



Heavy Metals

PASSED

Metal	LOD	Units	Result	Pass / Fail	Action Level
TOTAL CONTAMINANT LOAD METALS	0.08	ppm	ND	PASS	1.1
ARSENIC	0.02	ppm	ND	PASS	0.2
CADMIUM	0.02	ppm	ND	PASS	0.2
MERCURY	0.02	ppm	ND	PASS	0.2
LEAD	0.02	ppm	ND	PASS	0.5

Analyzed by: 1022, 585, 3379 Weight: 0.2615g Extraction date: 06/13/23 11:08:04 Extracted by: 1022, 3807

Analysis Method : SOP.T.30.082.FL, SOP.T.40.082.FL

Analytical Batch : DA061289HEA

Instrument Used : DA-ICPMS-003

Analyzed Date : 06/13/23 16:16:59

Dilution : 50

Reagent : 050923.R24; 042623.R82; 060923.R13; 060823.R04; 060923.R11; 060923.R12; 052523.R15; 051823.R28

Consumables : 179436; 15021042; 210508058

Pipette : DA-061; DA-191; DA-215

Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.



Certificate of Analysis

PASSED
FLUENT

 82 NE 26th street
 Miami, FL, 33137, US
 Telephone: (305) 900-6266
 Email: Taylor.Jones@getfluent.com

Sample : DA30613004-007

Harvest/Lot ID: 0920 8131 6648 8087

Batch# : 0920 8131 6648 8087

Sampled : 06/12/23

Ordered : 06/12/23

Sample Size Received : 16 gram

Total Amount : 1430 units

Completed : 06/15/23 Expires: 06/15/24

Sample Method : SOP.T.20.010

Page 6 of 6


Filth/Foreign Material
PASSED

Analyte	LOD	Units	Result	P/F	Action Level
Filth and Foreign Material	0.1	%	ND	PASS	1

 Analyzed by:
1879, 3379

 Weight:
NA

 Extraction date:
N/A

 Extracted by:
N/A

Analysis Method : SOP.T.40.090

Analytical Batch : DA061370FIL

Instrument Used : Filth/Foreign Material Microscope

Analyzed Date : 06/14/23 21:01:32

Reviewed On : 06/14/23 21:10:41

Batch Date : 06/14/23 11:54:31

Dilution : N/A

Reagent : N/A

Consumables : N/A

Pipette : N/A

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.


Water Activity
PASSED

Analyte	LOD	Units	Result	P/F	Action Level
Water Activity	0.01	aw	0.567	PASS	0.85

 Analyzed by:
4056, 585, 3379

 Weight:
0.403g

 Extraction date:
06/14/23 15:29:35

 Extracted by:
4056

Analysis Method : SOP.T.40.019

Analytical Batch : DA061252WAT

Instrument Used : DA-028 Rotronic HygroPalm

Analyzed Date : N/A

Reviewed On : 06/14/23 16:56:32

Batch Date : 06/11/23 10:04:23

Dilution : N/A

Reagent : 050923.03

Consumables : PS-14

Pipette : N/A

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.