

Kaycha Labs

Sour Diesel Drops 30g

Sour Diesel

Matrix: Derivative



Type: Products for oral administration (pills, capsules, tinctures, and similar usable products)

Certificate of Analysis

COMPLIANCE FOR RETAIL

Sample: DA30615003-007 Harvest/Lot ID: 8635 0266 0574 4062

Batch#: 8635 0266 0574 4062

Cultivation Facility: Tampa Cultivation Processing Facility: Tampa Processing

> **Source Facility: Tampa Cultivation** Seed to Sale# 1524 0320 9239 2980

> > Batch Date: 04/06/23

Sample Size Received: 30 gram

Total Amount: 1003 units Retail Product Size: 30 gram

> **Ordered:** 06/14/23 Sampled: 06/14/23

Completed: 06/17/23

Sampling Method: SOP.T.20.010

PASSED

Jun 17, 2023 | FLUENT 82 NE 26th street

Miami, FL, 33137, US



Pages 1 of 6

PRODUCT IMAGE

SAFETY RESULTS



Pesticides



Heavy Metals PASSED



Microbials Mycotoxins



Residuals Solvents PASSED



Filth PASSED



Water Activity

THCV

0.01



Moisture



MISC.

TESTED

PASSED



Cannabinoid

Total THC

1.964% Total THC/Container: 589.2 mg



CBDA

ND

Total CBD 0.004%

Total CBD/Container: 1.2 mg

0.043

CBGA

Reviewed On: 06/15/23 22:23:26 Batch Date: 06/15/23 08:51:42

0.007



CBN

0.008

Total Cannabinoids

CBDV

ND

Total Cannabinoids/Container: 622.2 mg

СВС

0.026 7.8 0.001 %



Analyzed by: 1665, 585, 404	4		Weight: 3.04380			tion date: /23 11:19:23				Extracted by: 1665
	%	%	%	%	%	%	%	%	%	%
LOD	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001
mg/unit	572.4	19.2	1.2	ND	1.2	12.9	2.1	2.4	3	ND

0.004

Analysis Method: SOP.T.40.031, SOP.T.30.031

Analytical Batch: DA061396POT Instrument Used: DA-LC-007 Analyzed Date: 06/15/23 11:22:48

Dilution: 400

Reagent: 061523.R03; 071222.01; 061523.R05 Consumables: 947.109; 15021042; 250346; CE0123; 115C4-1151; R1KB14270 Pipette: DA-079; DA-108; DA-078

CBD

0.004

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors



Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA Testing 97164





Kaycha Labs

Sour Diesel Drops 30g

Sour Diesel Matrix : Derivative



Type: Products for oral administration (pills, capsules, tinctures, and similar usable products)

Certificate of Analysis

PASSED

82 NE 26th street Miami, FL, 33137, US Telephone: (305) 900-6266 Email: Taylor.Jones@getfluent.com Sample : DA30615003-007 Harvest/Lot ID: 8635 0266 0574 4062

Batch#: 8635 0266 0574

Sampled: 06/14/23

Ordered: 06/14/23

Sample Size Received: 30 gram Total Amount : 1003 units Completed: 06/17/23 Expires: 06/17/24

Sample Method: SOP.T.20.010

Page 2 of 6



Terpenes

T		C	T	Ē.	
	Е	9	Ш	F	Ь

Terpenes	LOD (%)	mg/un	nit % Result (%)	Terpenes		LOD (%)	mg/unit	%	Result (%)	
TOTAL TERPENES	0.007	15.3	0.051	FARNESENE		0.001	3.6	0.012		
TOTAL TERPINEOL	0.007	ND	ND	ALPHA-HUMULENE		0.007	<6	< 0.02		
ALPHA-BISABOLOL	0.007	<6	< 0.02	VALENCENE		0.007	ND	ND		
ALPHA-PINENE	0.007	ND	ND	CIS-NEROLIDOL		0.007	<6	< 0.02		
CAMPHENE	0.007	ND	ND	TRANS-NEROLIDOL		0.007	ND	ND		
SABINENE	0.007	ND	ND	CARYOPHYLLENE OXIDE		0.007	ND	ND		
BETA-PINENE	0.007	ND	ND	GUAIOL		0.007	ND	ND		
BETA-MYRCENE	0.007	<6	< 0.02	CEDROL		0.007	ND	ND		
ALPHA-PHELLANDRENE	0.007	ND	ND	Analyzed by:	Weight:		Extraction da	ate:		Extracted by:
3-CARENE	0.007	ND	ND	2076, 585, 4044	1.0032g		06/15/23 16:			2076
ALPHA-TERPINENE	0.007	ND	ND	Analysis Method : SOP.T.30.0	61A.FL, SOP.T.40.061A.F	L				
IMONENE	0.007	ND	ND	Analytical Batch : DA061403T					06/17/23 21:14:07 /15/23 10:01:02	
EUCALYPTOL	0.007	ND	ND	Instrument Used: DA-GCMS-0 Analyzed Date: 06/16/23 09:3			Batch	Date : 06/	/15/23 10:01:02	
CIMENE	0.007	ND	ND	Dilution: 10						
AMMA-TERPINENE	0.007	ND	ND	Reagent: 121622.27						
ABINENE HYDRATE	0.007	ND	ND	Consumables : 210414634; M	IKCN9995; CE0123; R1KE	314270				
	0.007 0.007	ND ND	ND ND	Pipette : N/A						
ERPINOLENE							trometry. For all F	Flower samp	ples, the Total Terpenes S	% is dry-weight correcte
ERPINOLENE ENCHONE	0.007	ND	ND	Pipette : N/A			trometry. For all F	Flower samp	ples, the Total Terpenes 9	% is dry-weight correcte
ERPINOLENE ENCHONE INALOOL	0.007 0.007	ND ND	ND ND	Pipette : N/A			trometry. For all f	Flower samp	ples, the Total Terpenes ^c	% is dry-weight correcte
ERPINOLENE ENCHONE INALOOL ENCHYL ALCOHOL	0.007 0.007 0.007	ND ND <6	ND ND <0.02	Pipette : N/A			trometry. For all f	Flower samp	ples, the Total Terpenes ⁹	% is dry-weight correcte
ERPINOLENE ENCHONE INALOOL ENCHYL ALCOHOL SOPULEGOL	0.007 0.007 0.007 0.007	ND ND <6 ND	ND ND <0.02 ND	Pipette : N/A			trometry. For all F	Flower samp	ples, the Total Terpenes S	% is dry-weight correcte
ERPINOLENE ENCHONE IINALOOL ESHOCHLY ALCOHOL SOPULEGOL EMPHOR	0.007 0.007 0.007 0.007 0.007	ND ND <6 ND ND	ND ND <0.02 ND ND	Pipette : N/A			trometry. For all R	Flower samp	ples, the Total Terpenes ^c	% is dry-weight correcte
ERPINOLENE ENCHONE INALOOL ENCHYL ALCOHOL SOPULEGOL AMPHOR SOBORNEOL	0.007 0.007 0.007 0.007 0.007 0.007	ND ND <6 ND ND	ND ND <0.02 ND ND ND	Pipette : N/A			trometry. For all f	Flower samp	ples, the Total Terpenes [©]	% is dry-weight correcte
ERPINOLENE ENCHONE INALOOL ENCHYL ALCOHOL SOPULEGOL AMPHOR SOBORNEOL IORNEOL	0.007 0.007 0.007 0.007 0.007 0.007 0.007	ND ND <6 ND ND ND	ND ND VO OPPORT ND	Pipette : N/A			trometry. For all f	Flower samp	ples, the Total Terpenes ^c	% is dry-weight correcte
FERPINOLENE FINCHONE INALODL FENCHYL ALCOHOL SOSOHULEGOL AMPHOR SOBORNEOL JORNEOL JORNEOL JORNEOL JORNEOL JEXANYDROTHYMOL	0.007 0.007 0.007 0.007 0.007 0.007 0.007 0.007	ND ND <6 ND ND ND ND ND	ND ND <0.02 ND	Pipette : N/A			trometry. For all f	Flower samp	ples, the Total Terpenes (% is dry-weight corrects:
ERPINOLENE ENCHONE INALODI ENCHYL ALCOHOL SOPULEGOL AMPHOR SOBORNEOL ORNEOL EEKAHYDROTHYMOL	0.007 0.007 0.007 0.007 0.007 0.007 0.007 0.007	ND ND <6 ND	ND ND VO.02 ND	Pipette : N/A			trometry. For all f	Flower samp	pies, the Total Terpenes (% is dry-weight correcte
ERPINOLENE ENCHONE INALODI ENCHYL ALCOHOL SOPULEGOL AMPHOR SOBORNEOL OONEOL EXAHYDROTHYMOL LEECOL ULEGONE	0.007 0.007 0.007 0.007 0.007 0.007 0.007 0.013 0.007	ND ND <6 ND	ND ND VO OPPORT ND	Pipette : N/A			trometry. For all å	Flower samp	ples, the Total Terpenes (% is dry-weight correcte
FERPINOLENE FENCHONE IJNALOOL FENCHYL ALCOHOL SOPULEGOL ZAMPHOR SOBORNEOL BORNEOL JERNAHVDROTHYMOL HEROL PULEGONE JERNAHOL	0.007 0.007 0.007 0.007 0.007 0.007 0.007 0.013 0.007 0.007	ND ND <6 ND	ND ND V0.02 ND	Pipette : N/A			trometry. For all f	Flower samp	ples, the Total Terpenes :	% is dry-weight correcte
SABINENE HYDRATE TERPINOLENE TERNCHONE LINALOOL LINALOOL SOPPULEGOL CAMPHOR SOBORNEOL BORNEOL BORNEOL HEXAHYDROTHYMOL NEROL PULLEGONE GERANIOL GERANIOL GERANIOL GERANIOL GERANIOL GERANYL ACETATE ALPHA-CEDRENE	0.007 0.007 0.007 0.007 0.007 0.007 0.013 0.007 0.007	ND N	ND ND VO.02 ND	Pipette : N/A			trometry. For all f	Flower samp	ples, the Total Terpenes [©]	i's is dry-weight correcte

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Jorge Segredo

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164





Kaycha Labs

Sour Diesel Drops 30g Sour Diesel

Matrix : Derivative

4131 SW 47th AVENUE SUITE 1408 **DAVIE, FL, 33314, US** (954) 368-7664

Type: Products for oral administration (pills, capsules, tinctures, and similar usable products)

PASSED

82 NE 26th street Miami, FL, 33137, US Telephone: (305) 900-6266 Email: Taylor.lones@getfluent.com Sample : DA30615003-007 Harvest/Lot ID: 8635 0266 0574 4062

Batch#: 8635 0266 0574

Sampled: 06/14/23 Ordered: 06/14/23

Certificate of Analysis

Sample Size Received: 30 gram Total Amount : 1003 units

Completed: 06/17/23 Expires: 06/17/24

Sample Method: SOP.T.20.010

Page 3 of 6



Pesticides

P	A	S	S	Ē	D

Pesticide	LOD	Units	Action Level	Pass/Fail		Pesticide	LOD	Units	Action Level	Pass/Fail	Resul
OTAL CONTAMINANT LOAD (PESTICIDES)	0.01	ppm	30	PASS	ND	OXAMYL	0.01	ppm	0.5	PASS	ND
OTAL DIMETHOMORPH	0.01	ppm	3	PASS	ND	PACLOBUTRAZOL	0.01	ppm	0.1	PASS	ND
OTAL PERMETHRIN	0.01	ppm	1	PASS	ND	PHOSMET	0.01	ppm	0.2	PASS	ND
OTAL PYRETHRINS	0.01	ppm	1	PASS	ND	PIPERONYL BUTOXIDE	0.01	mag	3	PASS	ND
OTAL SPINETORAM	0.01	ppm	3	PASS	ND	PRALLETHRIN	0.01	ppm	0.4	PASS	ND
OTAL SPINOSAD	0.01	ppm	3	PASS	ND				1	PASS	ND
BAMECTIN B1A	0.01	ppm	0.3	PASS	ND	PROPICONAZOLE	0.01	ppm			
СЕРНАТЕ	0.01	ppm	3	PASS	ND	PROPOXUR	0.01	ppm	0.1	PASS	ND
CEQUINOCYL	0.01	ppm	2	PASS	ND	PYRIDABEN	0.01	ppm	3	PASS	ND
CETAMIPRID	0.01	ppm	3	PASS	ND	SPIROMESIFEN	0.01	ppm	3	PASS	ND
LDICARB	0.01	ppm	0.1	PASS	ND	SPIROTETRAMAT	0.01	ppm	3	PASS	ND
ZOXYSTROBIN	0.01	ppm	3	PASS	ND	SPIROXAMINE	0.01	ppm	0.1	PASS	ND
FENAZATE	0.01	ppm	3	PASS	ND	TEBUCONAZOLE	0.01	ppm	1	PASS	ND
FENTHRIN	0.01	ppm	0.5	PASS	ND	THIACLOPRID	0.01	ppm	0.1	PASS	ND
OSCALID	0.01	ppm	3	PASS	ND	THIAMETHOXAM	0.01	ppm	1	PASS	ND
ARBARYL	0.01	ppm	0.5	PASS	ND	TRIFLOXYSTROBIN	0.01	ppm	3	PASS	ND
ARBOFURAN	0.01	ppm	0.1	PASS	ND		0.01	PPM	0.2	PASS	ND
HLORANTRANILIPROLE	0.01	ppm	3	PASS	ND	PENTACHLORONITROBENZENE (PCNB) *					
HLORMEQUAT CHLORIDE	0.01	ppm	3	PASS	ND	PARATHION-METHYL *	0.01	PPM	0.1	PASS	ND
HLORPYRIFOS	0.01	ppm	0.1	PASS	ND	CAPTAN *	0.07	PPM	3	PASS	ND
LOFENTEZINE	0.01	ppm	0.5	PASS	ND	CHLORDANE *	0.01	PPM	0.1	PASS	ND
DUMAPHOS	0.01	ppm	0.1	PASS	ND	CHLORFENAPYR *	0.01	PPM	0.1	PASS	ND
AMINOZIDE	0.01	ppm	0.1	PASS	ND	CYFLUTHRIN *	0.05	PPM	1	PASS	ND
AZINON	0.01	ppm	3	PASS	ND	CYPERMETHRIN *	0.05	PPM	1	PASS	ND
CHLORVOS	0.01	ppm	0.1	PASS	ND	Analyzed by: Weight:	Evt	raction da	to:	Extracte	d hv
METHOATE	0.01	ppm	0.1	PASS	ND	3379, 795, 585, 4044 0.2696q		15/23 12:4		450,585	u by.
THOPROPHOS	0.01	ppm	0.1	PASS	ND	Analysis Method : SOP.T.30.101.FL (Gainesvill				.T.40.101.FL (Gaines
TOFENPROX	0.01	ppm	0.1	PASS	ND	SOP.T.40.102.FL (Davie)					
TOXAZOLE	0.01	ppm	1.5	PASS	ND	Analytical Batch : DA061406PES			On:06/16/2		
ENHEXAMID	0.01	ppm	3	PASS	ND	Instrument Used : DA-LCMS-003 (PES)		Batch Dat	te:06/15/23	11:10:02	
ENOXYCARB	0.01	ppm	0.1	PASS	ND	Analyzed Date: 06/15/23 13:40:00 Dilution: 250					
ENPYROXIMATE	0.01	ppm	2	PASS	ND	Reagent: 061223.R02; 061223.R03; 061423.	323-0613	223 R04· 06	50523 R26: 0	61423 RN8: 04	10521 1
IPRONIL	0.01	ppm	0.1	PASS	ND	Consumables : 6697075-02	(25, 0012	223.1104, 01	30323.1120, 0	01425.1100, 0-	70321.1
LONICAMID	0.01	ppm	2	PASS	ND	Pipette: DA-093; DA-094; DA-219					
LUDIOXONIL	0.01	ppm	3	PASS	ND	Testing for agricultural agents is performed utiliz		Chromatog	raphy Triple-0	Quadrupole Ma	SS
EXYTHIAZOX	0.01	ppm	2	PASS	ND	Spectrometry in accordance with F.S. Rule 64ER2	20-39.				
MAZALIL	0.01	ppm	0.1	PASS	ND	Analyzed by: Weight:		on date:		Extracted	by:
MIDACLOPRID	0.01	ppm	1	PASS	ND	450, 585, 4044 0.2696g		3 12:49:23	L (D) CC	450,585	
RESOXIM-METHYL	0.01	ppm	1	PASS	ND	Analysis Method: SOP.T.30.151.FL (Gainesvill Analytical Batch: DA061408VOL					
ALATHION	0.01	ppm	2	PASS	ND	Instrument Used : DA-GCMS-001			n:06/16/23 1 :06/15/23 11:		
ETALAXYL	0.01	ppm	3	PASS	ND	Analyzed Date : 06/15/23 15:59:27	D.	accii bucc i	55,15,25 11.	12.50	
ETHIOCARB	0.01	ppm	0.1	PASS	ND	Dilution: 250					
ETHOMYL	0.01	ppm	0.1	PASS	ND	Reagent: 061423.R23; 040521.11; 061223.R2	25; 06122	23.R24			
EVINPHOS	0.01	ppm	0.1	PASS	ND	Consumables : 6697075-02; 14725401					
YCLOBUTANIL	0.01	ppm	3	PASS	ND	Pipette : DA-080; DA-146; DA-218					
ALED	0.01	ppm	0.5	PASS	ND	Testing for agricultural agents is performed utiliz in accordance with F.S. Rule 64ER20-39.	ing Gas C	hromatogra	phy Triple-Qu	adrupole Mass	Spectre

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Jorge Segredo

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164





Kaycha Labs

Sour Diesel Drops 30g Sour Diesel

Matrix : Derivative

usable products)

Type: Products for oral administration (pills, capsules, tinctures, and similar





PASSED

82 NE 26th street Miami, FL, 33137, US Telephone: (305) 900-6266 Email: Taylor.lones@getfluent.com Sample : DA30615003-007 Harvest/Lot ID: 8635 0266 0574 4062

Batch#: 8635 0266 0574

Sampled: 06/14/23 Ordered: 06/14/23

Sample Size Received: 30 gram Total Amount : 1003 units Completed: 06/17/23 Expires: 06/17/24

Reviewed On: 06/16/23 16:26:32

Batch Date: 06/15/23 13:38:10

Sample Method: SOP.T.20.010

Page 4 of 6



Residual Solvents

PASSED

Solvents	LOD	Units	Action Level	Pass/Fail	Result
1,1-DICHLOROETHENE	0.8	ppm	8	PASS	ND
1,2-DICHLOROETHANE	0.2	ppm	2	PASS	ND
2-PROPANOL	50	ppm	500	PASS	ND
ACETONE	75	ppm	750	PASS	ND
ACETONITRILE	6	ppm	60	PASS	ND
BENZENE	0.1	ppm	1	PASS	ND
BUTANES (N-BUTANE)	500	ppm	5000	PASS	ND
CHLOROFORM	0.2	ppm	2	PASS	ND
DICHLOROMETHANE	12.5	ppm	125	PASS	ND
ETHANOL	500	ppm		TESTED	ND
ETHYL ACETATE	40	ppm	400	PASS	ND
ETHYL ETHER	50	ppm	500	PASS	ND
ETHYLENE OXIDE	0.5	ppm	5	PASS	ND
HEPTANE	500	ppm	5000	PASS	ND
METHANOL	25	ppm	250	PASS	ND
N-HEXANE	25	ppm	250	PASS	ND
PENTANES (N-PENTANE)	75	ppm	750	PASS	ND
PROPANE	500	ppm	5000	PASS	ND
TOLUENE	15	ppm	150	PASS	ND
TOTAL XYLENES	15	ppm	150	PASS	ND
TRICHLOROETHYLENE	2.5	ppm	25	PASS	ND
Analyzed by: 850, 585, 4044	Weight: 0.0227g	Extraction date: 06/16/23 14:03:		//	Extracted by: 850

Analysis Method : SOP.T.40.041.FL Analytical Batch : DA061412SOL Instrument Used: DA-GCMS-003 Analyzed Date: 06/16/23 14:11:17

Dilution: 1 Reagent: 030420.09

Consumables: R2017.167; G201.167 Pipette: DA-309 25 uL Syringe 35028

Residual solvents analysis is performed utilizing Gas Chromatography Mass Spectrometry in accordance with with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Jorge Segredo

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164





Kaycha Labs

Sour Diesel Drops 30g Sour Diesel

Matrix : Derivative

Type: Products for oral administration (pills, capsules, tinctures, and similar usable products)



Certificate of Analysis

PASSED

82 NE 26th street Miami, FL, 33137, US Telephone: (305) 900-6266 Email: Taylor.lones@getfluent.com Sample : DA30615003-007 Harvest/Lot ID: 8635 0266 0574 4062

Batch#: 8635 0266 0574

Sampled: 06/14/23 Ordered: 06/14/23 Sample Size Received: 30 gram Total Amount: 1003 units

Completed: 06/17/23 Expires: 06/17/24

Sample Method: SOP.T.20.010

Page 5 of 6

Reviewed On: 06/16/23 23:10:35

Batch Date: 06/15/23 11:12:34



Microbial



PASSED & Mycotoxins

PASSED

Analyte		LOD	Units	Result	Pass / Fail	Action Level	1
ASPERGILL	US TERREUS			Not Present	PASS		1
ASPERGILL	US NIGER			Not Present	PASS		1
ASPERGILL	US FUMIGATUS			Not Present	PASS		(
ASPERGILL	US FLAVUS			Not Present	PASS		1
SALMONEL	LA SPECIFIC GENE			Not Present	PASS		1
ECOLI SHIG	ELLA			Not Present	PASS		Α
TOTAL YEA	ST AND MOLD	10	CFU/g	<10	PASS	100000	3

Analyzed by: Weight: **Extraction date:** Extracted by: 1.057g 3621, 585, 4044 06/15/23 10:42:07

Analysis Method: SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL Analytical Batch : DA061391MIC **Reviewed On:** 06/16/23 14:13:02

Instrument Used: PathogenDx Scanner DA-111 Batch Date: 06/15/23 08:03:47 Analyzed Date: 06/16/23 09:00:36

Dilution: N/A

Reagent: 031523.16; 052323.R22; 020823.16; 092122.09

Consumables : 7562002063

Pipette: N/A

Analyzed by:	Weight:	Extraction date:	Extracted by:
3621 585 4044	1 057a	06/15/23 10:42:07	3621 585

Analysis Method: SOP.T.40.208 (Gainesville), SOP.T.40.209.FL

Reviewed On: 06/17/23 13:21:43 Analytical Batch: DA061401TYM Instrument Used: Incubator (25-27C) DA-097 Batch Date: 06/15/23 09:40:18 Analyzed Date: 06/15/23 12:35:50

Dilution : N/A

Reagent: 031523.16; 060723.R45 Consumables: N/A

Pipette: N/A

Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.

مکه	7					
Analyte		LOD	Units	Result	Pass / Fail	Actio
AFLATOXIN	B2	0.002	ppm	ND	PASS	0.02
AFLATOXIN	B1	0.002	ppm	ND	PASS	0.02
OCHRATOXII	N A	0.002	ppm	ND	PASS	0.02

				$\mathcal{A}\mathcal{A}\mathcal{A}$			-
Analyzed by: 3379, 795, 585, 4044	Weight: 0.2696a	Extraction date: 06/15/23 12:49:23			Extracted by: 450.585		
AFLATOXIN G2		0.002	ppm	ND	PASS	0.02	
AFLATOXIN G1		0.002	ppm	ND	PASS	0.02	
OCHRATOXIN A		0.002	ppm	ND	PASS	0.02	
AFLATOXIN B1		0.002	ppm	ND	PASS	0.02	
AFLATOXIN B2		0.002	ppm	ND	PASS	0.02	

Analysis Method: SOP.T.30.101.FL (Gainesville), SOP.T.40.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.102.FL (Davie)

Analytical Batch: DA061407MYC Instrument Used : N/A

Analyzed Date: 06/15/23 13:40:05

Dilution: 250

Reagent: 061223.R02; 061223.R03; 061423.R23; 061223.R04; 060523.R26; 061423.R08;

040521.11 Consumables: 6697075-02

Pipette: DA-093; DA-094; DA-219

Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.



Heavy Metals

PASSED

Metal		LOD	Units	Result	Pass / Fail	Action Level
TOTAL CONTAMINANT LOAD METALS ARSENIC CADMIUM		0.08	ppm	ND	PASS PASS PASS	5
		0.02	ppm	ND		1.5
		0.02	ppm	ND		0.5
MERCURY		0.02	ppm	ND	PASS	3
LEAD		0.02	ppm	ND	PASS	0.5
Analyzed by: 3619, 1022, 585, 4044	Weight: 0.2262g	Extractio 06/15/23	n date:		Extracted	

Analysis Method: SOP.T.30.082.FL, SOP.T.40.082.FL

Analytical Batch: DA061400HEA Instrument Used: DA-ICPMS-003 Analyzed Date: 06/15/23 14:52:13

Reviewed On: 06/16/23 10:41:51 Batch Date: 06/15/23 09:07:41

Dilution: 50

Reagent: 050923.R24; 042623.R82; 060923.R13; 060823.R04; 060923.R11; 060923.R12; 052523.R15; 061423.R46

Consumables: 179436; 15021042; 210508058

Pipette: DA-061; DA-191; DA-216

Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.



Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA Testing 97164





Kaycha Labs

Sour Diesel Drops 30g Sour Diesel

Matrix : Derivative



Type: Products for oral administration (pills, capsules, tinctures, and similar usable products)

Sample Size Received: 30 gram

Completed: 06/17/23 Expires: 06/17/24

Total Amount: 1003 units

PASSED

Page 6 of 6

Certificate of Analysis

82 NE 26th street Miami, FL, 33137, US Telephone: (305) 900-6266 Email: Taylor.lones@getfluent.com Sample : DA30615003-007 Harvest/Lot ID: 8635 0266 0574 4062

Batch#: 8635 0266 0574

Sampled: 06/14/23 Ordered: 06/14/23

Sample Method: SOP.T.20.010

Reviewed On: 06/15/23 21:35:32 Batch Date: 06/15/23 20:14:49

Filth/Foreign **Material**

PASSED

Analyte LOD Units Result **Action Level** Filth and Foreign Material ND PASS 0.1 % Weight: Extracted by:

Analyzed by: 1879, 4044 NA N/A N/A

Analysis Method: SOP.T.40.090

Analytical Batch : DA061414FIL
Instrument Used : Filth/Foreign Material Microscope

Analyzed Date : 06/15/23 21:27:32

Dilution: N/A

Reagent: N/A Consumables : N/A Pipette: N/A

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.



Water Activity

PASSED

Reviewed On: 06/15/23 12:27:12

Batch Date: 06/13/23 14:17:13

Analyte	LOD	Units	Result	P/F	Action Leve
Water Activity	0.01	aw	0.488	TESTED	

Extraction date: 06/15/23 12:11:47 Analyzed by: 3807, 585, 4044 Weight: 0.622g Extracted by: 3807

Analysis Method: SOP.T.40.019 Analytical Batch: DA061323WAT Instrument Used : DA-028 Rotronic Hygropalm

Analyzed Date : N/A

Dilution: N/A Reagent: 050923.03 Consumables : PS-14 Pipette: N/A

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Jorge Segredo

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA Testing 97164

