



# Certificate of Analysis

## COMPLIANCE FOR RETAIL

Sample: DA30615003-005  
Harvest/Lot ID: 6134 8416 1471 4127  
Batch#: 6134 8416 1471 4127  
Cultivation Facility: Tampa Cultivation  
Processing Facility: Tampa Processing  
Source Facility: Tampa Cultivation  
Seed to Sale#: 4021 1031 2402 2574  
Batch Date: 05/11/23  
Sample Size Received: 15.5 gram  
Total Amount: 1471 units  
Retail Product Size: 0.5 gram  
Ordered: 06/14/23  
Sampled: 06/14/23  
Completed: 06/17/23  
Sampling Method: SOP.T.20.010

Jun 17, 2023 | FLUENT

82 NE 26th street  
Miami, FL, 33137, US



**PASSED**

Pages 1 of 6


### PRODUCT IMAGE



### SAFETY RESULTS



Pesticides  
**PASSED**



Heavy Metals  
**PASSED**



Microbials  
**PASSED**



Mycotoxins  
**PASSED**



Residuals Solvents  
**PASSED**



Filtration  
**PASSED**



Water Activity  
**PASSED**



Moisture  
**NOT TESTED**



Terpenes  
**TESTED**

### MISC.



**Cannabinoid**

**PASSED**



Total THC

**44.017%**

Total THC/Container : 220.085 mg



Total CBD

**44.907%**

Total CBD/Container : 224.535 mg



Total Cannabinoids

**94.002%**

Total Cannabinoids/Container : 470.01 mg

	D9-THC	THCA	CBD	CBDA	D8-THC	CBG	CBGA	CBN	THCV	CBDV	CBC
%	44.017	ND	44.907	ND	0.157	2.03	ND	0.512	0.259	ND	2.12
mg/unit	220.085	ND	224.535	ND	0.785	10.15	ND	2.56	1.295	ND	10.6
LOD	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001
	%	%	%	%	%	%	%	%	%	%	%

Analyzed by:  
1665, 585, 4044

Weight:  
0.104g

Extraction date:  
06/15/23 11:19:23

Extracted by:  
1665

Analysis Method : SOP.T.40.031, SOP.T.30.031  
Analytical Batch : DA061396POT  
Instrument Used : DA-LC-007  
Analyzed Date : 06/15/23 11:22:48

Reviewed On : 06/15/23 22:20:44  
Batch Date : 06/15/23 08:51:42

Dilution : 400  
Reagent : 061523.R03; 071222.01; 061523.R05  
Consumables : 947.109; 15021042; 250346; CE0123; 115C4-1151; R1KB14270  
Pipette : DA-079; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.


This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

**Jorge Segredo**  
Lab Director

State License # CMTL-0002  
ISO 17025 Accreditation # ISO/IEC  
17025:2017 Accreditation PJLA-  
Testing 97164



Signature  
06/17/23



# PASSED

82 NE 26th street  
Miami, FL, 33137, US  
**Telephone:** (305) 900-6266  
**Email:** Taylor.Jones@getfluent.com

Ordered : 06/14/23

Page 2 of 6



## Terpenes

**TESTED**

Terpenes	LOD (%)	mg/unit	%	Result (%)	Terpenes	LOD (%)	mg/unit	%	Result (%)
TOTAL TERPENES	0.007	10.855	2.171		FARNESENE	0.001	0.1	0.02	
TOTAL TERPINEOL	0.007	<0.1	<0.02		ALPHA-HUMULENE	0.007	0.255	0.051	
ALPHA-BISABOLOL	0.007	0.11	0.022		VALENCENE	0.007	ND	ND	
ALPHA-PINENE	0.007	0.31	0.062		CIS-NEROLIDOL	0.007	<0.1	<0.02	
CAMPHERE	0.007	ND	ND		TRANS-NEROLIDOL	0.007	ND	ND	
SABINENE	0.007	ND	ND		CARYOPHYLLENE OXIDE	0.007	<0.1	<0.02	
BETA-PINENE	0.007	0.43	0.086		GUAIOL	0.007	ND	ND	
BETA-MYRCENE	0.007	2.25	0.45		CEDROL	0.007	<0.1	<0.02	
ALPHA-PHELLANDRENE	0.007	0.6	0.12		Analized by:	Weight:	Extraction date:	Extracted by:	
3-CARENE	0.007	0.225	0.045		2076, 585, 4044	0.9973g	06/15/23 16:53:25	2076	
ALPHA-TERPINENE	0.007	0.135	0.027		Analysis Method : SOP.T.30.061A.FL, SOP.T.40.061A.FL				
LIMONENE	0.007	0.64	0.128		Analytical Batch : DA061403TER				
EUCALYPTOL	0.007	<0.1	<0.02		Instrument Used : DA-GCMS-008				
OCIMENE	0.007	0.1	0.02		Analyzed Date : 06/16/23 09:35:19				
GAMMA-TERPINENE	0.007	<0.1	<0.02		Dilution : 10				
SABINENE HYDRATE	0.007	ND	ND		Reagent : 121622.27				
TERPINOLENE	0.007	4.095	0.819		Consumables : 210414634; MKCN9995; CE0123; R1KB14270				
FENCHONE	0.007	ND	ND		Pipette : N/A				
LINALLOL	0.007	0.415	0.083		Terpenoid testing is performed utilizing Gas Chromatography Mass Spectrometry. For all Flower samples, the Total Terpenes % is dry-weight corrected.				
FENCHYL ALCOHOL	0.007	0.12	0.024						
ISOPULEGOL	0.007	ND	ND						
CAMPHOR	0.007	ND	ND						
ISOBORNEOL	0.007	ND	ND						
BORNEOL	0.013	ND	ND						
HEXAHYDROTHYMOL	0.007	ND	ND						
NEROL	0.007	ND	ND						
PULEGONE	0.007	ND	ND						
GERANIOL	0.007	ND	ND						
GERANYL ACETATE	0.007	ND	ND						
ALPHA-CEDRENE	0.007	ND	ND						
BETA-CARYOPHYLLENE	0.007	1.07	0.214						
Total (%)			2.171						

Signature  
06/17/23



# Certificate of Analysis

**PASSED**

FLUENT

 82 NE 26th street  
 Miami, FL, 33137, US  
 Telephone: (305) 900-6266  
 Email: Taylor.Jones@getfluent.com

Sample : DA30615003-005

Harvest/Lot ID: 6134 8416 1471 4127

 Batch# : 6134 8416 1471  
 4127

Sampled : 06/14/23

Ordered : 06/14/23

Sample Size Received : 15.5 gram

Total Amount : 1471 units

Completed : 06/17/23 Expires: 06/17/24

Sample Method : SOP.T.20.010

Page 3 of 6



## Pesticides

**PASSED**

Pesticide	LOD	Units	Action Level	Pass/Fail	Result	Pesticide	LOD	Units	Action Level	Pass/Fail	Result
TOTAL CONTAMINANT LOAD (PESTICIDES)	0.01	ppm	5	PASS	ND	OXAMYL	0.01	ppm	0.5	PASS	ND
TOTAL DIMETHOMORPH	0.01	ppm	0.2	PASS	ND	PACLOBUTRAZOL	0.01	ppm	0.1	PASS	ND
TOTAL PERMETHRIN	0.01	ppm	0.1	PASS	ND	PHOSMET	0.01	ppm	0.1	PASS	ND
TOTAL PYRETHRINS	0.01	ppm	0.5	PASS	ND	PIPERONYL BUTOXIDE	0.01	ppm	3	PASS	ND
TOTAL SPINETORAM	0.01	ppm	0.2	PASS	ND	PRALLETHRIN	0.01	ppm	0.1	PASS	ND
TOTAL SPINOSAD	0.01	ppm	0.1	PASS	ND	PROPICONAZOLE	0.01	ppm	0.1	PASS	ND
ABAMECTIN B1A	0.01	ppm	0.1	PASS	ND	PROPOXUR	0.01	ppm	0.1	PASS	ND
ACEPHATE	0.01	ppm	0.1	PASS	ND	PYRIDABEN	0.01	ppm	0.2	PASS	ND
ACEQUINOCYL	0.01	ppm	0.1	PASS	ND	SPIROMESIFEN	0.01	ppm	0.1	PASS	ND
ACETAMIPRID	0.01	ppm	0.1	PASS	ND	SPIROTETRAMAT	0.01	ppm	0.1	PASS	ND
ALDICARB	0.01	ppm	0.1	PASS	ND	SPIROXAMINE	0.01	ppm	0.1	PASS	ND
AZOXYSTROBIN	0.01	ppm	0.1	PASS	ND	TEBUCONAZOLE	0.01	ppm	0.1	PASS	ND
BIFENAZATE	0.01	ppm	0.1	PASS	ND	THIACLOPRID	0.01	ppm	0.1	PASS	ND
BIFENTHRIN	0.01	ppm	0.1	PASS	ND	THIAMETHOXAM	0.01	ppm	0.5	PASS	ND
BOSCALID	0.01	ppm	0.1	PASS	ND	TRIFLOXYSTROBIN	0.01	ppm	0.1	PASS	ND
CARBARYL	0.01	ppm	0.5	PASS	ND	PENTACHLORONITROBENZENE (PCNB) *	0.01	PPM	0.15	PASS	ND
CARBOFURAN	0.01	ppm	0.1	PASS	ND	PARATHION-METHYL *	0.01	PPM	0.1	PASS	ND
CHLORANTRANILIPROLE	0.01	ppm	1	PASS	ND	CAPTAN *	0.07	PPM	0.7	PASS	ND
CHLORMEQUAT CHLORIDE	0.01	ppm	1	PASS	ND	CHLORDANE *	0.01	PPM	0.1	PASS	ND
CHLORPYRIFOS	0.01	ppm	0.1	PASS	ND	CHLORFENAPYR *	0.01	PPM	0.1	PASS	ND
CLOFENTHIZINE	0.01	ppm	0.2	PASS	ND	CYFLUTHRIN *	0.05	PPM	0.5	PASS	ND
COUMAPHOS	0.01	ppm	0.1	PASS	ND	CYPERMETHRIN *	0.05	PPM	0.5	PASS	ND
DAMINOZIDE	0.01	ppm	0.1	PASS	ND						
DIAZINON	0.01	ppm	0.1	PASS	ND	Analyzed by: 3379, 795, 585, 4044	Weight: 0.2901g	Extraction date: 06/15/23 12:49:22	Extracted by: 450,585		
DICHLORVOS	0.01	ppm	0.1	PASS	ND	Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.101.FL (Gainesville), SOP.T.40.102.FL (Davie)					
DIMETHOATE	0.01	ppm	0.1	PASS	ND	Analytical Batch : DA061406PES				Reviewed On : 06/16/23 23:09:41	
ETHOPROPHOS	0.01	ppm	0.1	PASS	ND	Instrument Used : DA-LCMS-003 (PES)				Batch Date : 06/15/23 11:10:02	
ETOFENPROX	0.01	ppm	0.1	PASS	ND	Analyzed Date : 06/15/23 13:40:00					
ETOXAZOLE	0.01	ppm	0.1	PASS	ND	Dilution : 250					
FENHEXAMID	0.01	ppm	0.1	PASS	ND	Reagent : 061223.R02; 061223.R03; 061423.R23; 061223.R04; 060523.R26; 061423.R08; 040521.11					
FENOXYCARB	0.01	ppm	0.1	PASS	ND	Consumables : 6697075-02					
FENPYROXIMATE	0.01	ppm	0.1	PASS	ND	Pipette : DA-093; DA-094; DA-219					
FIPRONIL	0.01	ppm	0.1	PASS	ND	Testing for agricultural agents is performed utilizing Liquid Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
FLONICAMID	0.01	ppm	0.1	PASS	ND	Analyzed by: 450, 585, 4044	Weight: 0.2901g	Extraction date: 06/15/23 12:49:22	Extracted by: 450,585		
FLUDIOXONIL	0.01	ppm	0.1	PASS	ND	Analysis Method : SOP.T.30.151.FL (Gainesville), SOP.T.30.151A.FL (Davie), SOP.T.40.151.FL					
HEXYTHIAZOX	0.01	ppm	0.1	PASS	ND	Analytical Batch : DA061408VOL				Reviewed On : 06/16/23 10:54:22	
IMAZALIL	0.01	ppm	0.1	PASS	ND	Instrument Used : DA-GCMS-001				Batch Date : 06/15/23 11:12:36	
IMIDACLOPRID	0.01	ppm	0.4	PASS	ND	Analyzed Date : 06/15/23 15:59:27					
KRESOXIM-METHYL	0.01	ppm	0.1	PASS	ND	Dilution : 250					
MALATHION	0.01	ppm	0.2	PASS	ND	Reagent : 061423.R23; 040521.11; 061223.R25; 061223.R24					
METALAXYL	0.01	ppm	0.1	PASS	ND	Consumables : 6697075-02; 14725401					
METHIOCARB	0.01	ppm	0.1	PASS	ND	Pipette : DA-080; DA-146; DA-218					
METHOMYL	0.01	ppm	0.1	PASS	ND	Testing for agricultural agents is performed utilizing Gas Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
MEVINPHOS	0.01	ppm	0.1	PASS	ND						
MYCLOBUTANIL	0.01	ppm	0.1	PASS	ND						
NALED	0.01	ppm	0.25	PASS	ND						





# Certificate of Analysis

**PASSED**
**FLUENT**

 82 NE 26th street  
 Miami, FL, 33137, US  
 Telephone: (305) 900-6266  
 Email: Taylor.Jones@getfluent.com

Sample : DA30615003-005

Harvest/Lot ID: 6134 8416 1471 4127

 Batch# : 6134 8416 1471  
 4127

Sampled : 06/14/23

Ordered : 06/14/23

Sample Size Received : 15.5 gram

Total Amount : 1471 units

Completed : 06/17/23 Expires: 06/17/24

Sample Method : SOP.T.20.010

Page 4 of 6



## Residual Solvents

**PASSED**

Solvents	LOD	Units	Action Level	Pass/Fail	Result
1,1-DICHLOROETHENE	0.8	ppm	8	PASS	ND
1,2-DICHLOROETHANE	0.2	ppm	2	PASS	ND
2-PROPANOL	50	ppm	500	PASS	ND
ACETONE	75	ppm	750	PASS	ND
ACETONITRILE	6	ppm	60	PASS	ND
BENZENE	0.1	ppm	1	PASS	ND
BUTANES (N-BUTANE)	500	ppm	5000	PASS	ND
CHLOROFORM	0.2	ppm	2	PASS	ND
DICHLOROMETHANE	12.5	ppm	125	PASS	ND
ETHANOL	500	ppm	5000	PASS	ND
ETHYL ACETATE	40	ppm	400	PASS	ND
ETHYL ETHER	50	ppm	500	PASS	ND
ETHYLENE OXIDE	0.5	ppm	5	PASS	ND
HEPTANE	500	ppm	5000	PASS	ND
METHANOL	25	ppm	250	PASS	ND
N-HEXANE	25	ppm	250	PASS	ND
PENTANES (N-PENTANE)	75	ppm	750	PASS	ND
PROPANE	500	ppm	5000	PASS	ND
TOLUENE	15	ppm	150	PASS	ND
TOTAL XYLENES	15	ppm	150	PASS	ND
TRICHLOROETHYLENE	2.5	ppm	25	PASS	ND

 Analyzed by:  
 850, 585, 4044

 Weight:  
 0.0222g

 Extraction date:  
 06/16/23 14:03:41

 Extracted by:  
 850

 Analysis Method : SOP.T.40.041.FL  
 Analytical Batch : DA061412SOL  
 Instrument Used : DA-GCMS-003  
 Analyzed Date : 06/16/23 14:11:17

 Reviewed On : 06/16/23 16:26:31  
 Batch Date : 06/15/23 13:38:10

 Dilution : 1  
 Reagent : 030420.09  
 Consumables : R2017.167; G201.167  
 Pipette : DA-309 25 uL Syringe 35028

Residual solvents analysis is performed utilizing Gas Chromatography Mass Spectrometry in accordance with with F.S. Rule 64ER20-39.





# Certificate of Analysis

**PASSED**
**FLUENT**

 82 NE 26th street  
 Miami, FL, 33137, US  
 Telephone: (305) 900-6266  
 Email: Taylor.Jones@getfluent.com

Sample : DA30615003-005

Harvest/Lot ID: 6134 8416 1471 4127

 Batch# : 6134 8416 1471  
 4127

 Sampled : 06/14/23  
 Ordered : 06/14/23


Sample Size Received : 15.5 gram


Total Amount : 1471 units


Completed : 06/17/23 Expires: 06/17/24

Sample Method : SOP.T.20.010

Page 5 of 6

	<b>Microbial</b>	<b>PASSED</b>			
<b>Analyte</b>	<b>LOD</b>	<b>Units</b>	<b>Result</b>	<b>Pass / Fail</b>	<b>Action Level</b>
ASPERGILLUS TERREUS			Not Present	PASS	
ASPERGILLUS NIGER			Not Present	PASS	
ASPERGILLUS FUMIGATUS			Not Present	PASS	
ASPERGILLUS FLAVUS			Not Present	PASS	
SALMONELLA SPECIFIC GENE			Not Present	PASS	
ECOLI SHIGELLA			Not Present	PASS	
TOTAL YEAST AND MOLD	10	CFU/g	<10	PASS	100000
Analyzed by: 3621, 585, 4044	Weight: 1.091g	Extraction date: 06/15/23 10:42:06	Extracted by: 3621,585		
Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL Analytical Batch : DA061391MIC Instrument Used : PathogenDx Scanner DA-111 Analyzed Date : 06/16/23 09:00:36 Reviewed On : 06/16/23 14:13:01 Batch Date : 06/15/23 08:03:47					
Dilution : N/A Reagent : 031523.16; 052323.R22; 020823.16; 092122.09 Consumables : 7562002063 Pipette : N/A					
Analyzed by: 3621, 585, 4044	Weight: 1.091g	Extraction date: 06/15/23 10:42:06	Extracted by: 3621,585		
Analysis Method : SOP.T.40.208 (Gainesville), SOP.T.40.209.FL Analytical Batch : DA061401TYM Instrument Used : Incubator (25-27C) DA-097 Analyzed Date : 06/15/23 12:35:50 Reviewed On : 06/17/23 13:21:52 Batch Date : 06/15/23 09:40:18					
Dilution : N/A Reagent : 031523.16; 060723.R45 Consumables : N/A Pipette : N/A					
Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.					

	<b>Mycotoxins</b>	<b>PASSED</b>			
<b>Analyte</b>	<b>LOD</b>	<b>Units</b>	<b>Result</b>	<b>Pass / Fail</b>	<b>Action Level</b>
AFLATOXIN B2	0.002	ppm	ND	PASS	0.02
AFLATOXIN B1	0.002	ppm	ND	PASS	0.02
OCHRATOXIN A	0.002	ppm	ND	PASS	0.02
AFLATOXIN G1	0.002	ppm	ND	PASS	0.02
AFLATOXIN G2	0.002	ppm	ND	PASS	0.02
Analyzed by: 3379, 795, 585, 4044	Weight: 0.2901g	Extraction date: 06/15/23 12:49:22	Extracted by: 450,585		
Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.40.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.102.FL (Davie) Analytical Batch : DA061407MYC Instrument Used : N/A Analyzed Date : 06/15/23 13:40:05 Reviewed On : 06/16/23 23:11:45 Batch Date : 06/15/23 11:12:34					
Dilution : 250 Reagent : 061223.R02; 061223.R03; 061423.R23; 061223.R04; 060523.R26; 061423.R08; 040521.11 Consumables : 6697075-02 Pipette : DA-093; DA-094; DA-219					
Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					

	<b>Heavy Metals</b>	<b>PASSED</b>			
<b>Metal</b>	<b>LOD</b>	<b>Units</b>	<b>Result</b>	<b>Pass / Fail</b>	<b>Action Level</b>
TOTAL CONTAMINANT LOAD METALS	0.08	ppm	ND	PASS	1.1
ARSENIC	0.02	ppm	ND	PASS	0.2
CADMIUM	0.02	ppm	ND	PASS	0.2
MERCURY	0.02	ppm	ND	PASS	0.2
LEAD	0.02	ppm	ND	PASS	0.5
Analyzed by: 3619, 1022, 585, 4044	Weight: 0.2833g	Extraction date: 06/15/23 10:58:15	Extracted by: 3619,1022		
Analysis Method : SOP.T.30.082.FL, SOP.T.40.082.FL Analytical Batch : DA061400HEA Instrument Used : DA-ICPMS-003 Analyzed Date : 06/15/23 14:52:13 Reviewed On : 06/16/23 10:42:01 Batch Date : 06/15/23 09:07:41					
Dilution : 50 Reagent : 050923.R24; 042623.R82; 060923.R13; 060823.R04; 060923.R11; 060923.R12; 052523.R15; 061423.R46 Consumables : 179436; 15021042; 210508058 Pipette : DA-061; DA-191; DA-216					
Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					



# Certificate of Analysis

**PASSED**
**FLUENT**

 82 NE 26th street  
 Miami, FL, 33137, US  
 Telephone: (305) 900-6266  
 Email: Taylor.Jones@getfluent.com

Sample : DA30615003-005

Harvest/Lot ID: 6134 8416 1471 4127

 Batch# : 6134 8416 1471  
 4127

Sampled : 06/14/23

Ordered : 06/14/23

Sample Size Received : 15.5 gram

Total Amount : 1471 units

Completed : 06/17/23 Expires: 06/17/24

Sample Method : SOP.T.20.010

Page 6 of 6


**Filth/Foreign Material**
**PASSED**

Analyte	LOD	Units	Result	P/F	Action Level
Filth and Foreign Material	0.1	%	ND	PASS	1

 Analyzed by:  
 1879, 4044

 Weight:  
 NA

 Extraction date:  
 N/A

 Extracted by:  
 N/A

Analysis Method : SOP.T.40.090

Analytical Batch : DA061414FIL

Instrument Used : Filth/Foreign Material Microscope

Analyzed Date : 06/15/23 21:27:32

Reviewed On : 06/15/23 21:35:31

Batch Date : 06/15/23 20:14:49

Dilution : N/A

Reagent : N/A

Consumables : N/A

Pipette : N/A

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.


**Water Activity**
**PASSED**

Analyte	LOD	Units	Result	P/F	Action Level
Water Activity	0.01	aw	0.516	PASS	0.85

 Analyzed by:  
 3807, 585, 4044

 Weight:  
 0.583g

 Extraction date:  
 06/15/23 12:17:29

 Extracted by:  
 3807

Analysis Method : SOP.T.40.019

Analytical Batch : DA061323WAT

Instrument Used : DA-028 Rotronic HygroPalm

Analyzed Date : N/A

Reviewed On : 06/15/23 12:27:11

Batch Date : 06/13/23 14:17:13

Dilution : N/A

Reagent : 050923.03

Consumables : PS-14

Pipette : N/A

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.