



Certificate of Analysis

COMPLIANCE FOR RETAIL

Sample: DA30506005-001

Harvest/Lot ID: HYB-AGXS-050323-C0087

Batch#: 0090 4573 7154 7156

Cultivation Facility: Zolfo Springs Cultivation

Processing Facility: Zolfo Springs

Processing

Source Facility: Zolfo Springs Cultivation

Seed to Sale# 9016 1786 6366 1467

Batch Date: 03/28/23

Sample Size Received: 31.5 gram

Total Amount: 1061 units

Retail Product Size: 3.5 gram

Ordered: 05/05/23

Sampled: 05/05/23

Completed: 05/10/23

Revision Date: 06/19/23

Sampling Method: SOP.T.20.010

Jun 19, 2023 | FLUENT

82 NE 26th street
Miami, FL, 33137, US


PASSED

Pages 1 of 5

PRODUCT IMAGE



SAFETY RESULTS


Pesticides
PASSED

Heavy Metals
PASSED

Microbials
PASSED

Mycotoxins
PASSED

Residuals Solvents
NOT TESTED

Filtration
PASSED

Water Activity
PASSED

Moisture
PASSED

Terpenes
TESTED

MISC.



Cannabinoid

PASSED


Total THC

22.429%

Dry Weight



Total CBD

0.042%

Dry Weight



Total Cannabinoids

25.971%

Dry Weight

	D9-THC	THCA	CBD	CBDA	D8-THC	CBG	CBGA	CBN	THCV	CBDV	CBC	TOTAL CBD (DRY)	TOTAL THC (DRY)	TOTAL CANNABINOIDS (DRY)
%	0.611	21.391	ND	0.043	<0.01	0.048	0.229	<0.01	ND	0.029	0.078	0.042	22.429	25.971
mg/unit	21.385	748.685	ND	1.505	<0.35	1.68	8.015	<0.35	ND	1.015	2.73	1.47	785.015	908.985
LOD	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001
%														

Total THC

19.37%

677.95 mg /Container

Total CBD

0.037%

1.295 mg /Container

Total Cannabinoids

22.429%

785.015 mg /Container

As Received

Analyzed by:
1665, 3112, 585, 4044

Weight:
0.2084g

Extraction date:
05/08/23 09:41:50

Extracted by:
1665

Analysis Method: SOP.T.40.031, SOP.T.30.031

Analytical Batch: DA059858POT

Instrument Used: DA-LC-002 (Flower)

Analyzed Date: 05/08/23 09:53:10

Reviewed On: 05/09/23 11:37:53

Batch Date: 05/06/23 23:24:39

Dilution: 400

Reagent: 050123.R13; 030823.07; 050123.R10

Consumables: 280670723; CE0123; 61633-125C6-125E; 0000185478

Pipette: DA-079; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Jorge Segredo
Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation P/LA-
Testing 97164

Signature
05/10/23

Revision: #1 - Clerical error.

Revision: #1

This revision supersedes any and all previous versions of this document.



Certificate of Analysis

PASSED

FLUENT

82 NE 26th street
Miami, FL, 33137, US
Telephone: (305) 900-6266
Email: Taylor.Jones@getfluent.com

Sample : DA30506005-001

Harvest/Lot ID: HYB-AGXS-050323-C0087

Batch# : 0090 4573 7154
7156

Sampled : 05/05/23

Ordered : 05/05/23

Sample Size Received : 31.5 gram

Total Amount : 1061 units

Completed : 05/10/23 Expires: 06/19/24

Sample Method : SOP.T.20.010

Page 2 of 5

Terpenes

TESTED

Terpenes	LOD (%)	mg/unit	%	Result (%)	Terpenes	LOD (%)	mg/unit	%	Result (%)
TOTAL TERPENES	0.007	47.81	1.366		FARNESENE		2.87	0.082	
TOTAL TERPINEOL	0.007	0.84	0.024		ALPHA-HUMULENE	0.007	4.025	0.115	
ALPHA-BISABOLOL	0.007	<0.7	<0.02		VALENCENE	0.007	ND	ND	
ALPHA-PINENE	0.007	1.634	0.046		CIS-NEROLIDOL	0.007	ND	ND	
CAMPHENE	0.007	<0.7	<0.02		TRANS-NEROLIDOL	0.007	ND	ND	
SABINENE	0.007	1.466	0.041		CARYOPHYLLENE OXIDE	0.007	<0.7	<0.02	
BETA-PINENE	0.007	1.274	0.036		GUAJOL	0.007	ND	ND	
BETA-MYRCENE	0.007	<0.7	<0.02		CEDROL	0.007	ND	ND	
ALPHA-PHELLANDRENE	0.007	ND	ND		<div>Analized by: 1879, S85, 4044</div> <div>Weight: 0.8841g</div> <div>Extraction date: 05/07/23 14:58:26</div> <div>Extracted by: 1879</div> <div>Analysis Method : SOP.T.30.061A.FL, SOP.T.40.061A.FL</div> <div>Analytical Batch : DA059866TER</div> <div>Instrument Used : DA-GCMS-005</div> <div>Analized Date : 05/07/23 15:01:19</div> <div>Reviewed On : 05/08/23 14:18:45</div> <div>Batch Date : 05/07/23 10:07:09</div>				
3-CARENE	0.007	ND	ND						
ALPHA-TERPINENE	0.007	ND	ND						
LIMONENE	0.007	6.615	0.189						
EUCALYPTOL	0.007	ND	ND						
OCIMENE	0.007	1.288	0.036		Dilution : 10				
GAMMA-TERPINENE	0.007	ND	ND		Reagent : N/A				
SABINENE HYDRATE	0.007	ND	ND		Consumables : N/A				
TERPINOLENE	0.007	ND	ND		Pipette : N/A				
FENCHONE	0.007	ND	ND		Terpenoid testing is performed utilizing Gas Chromatography Mass Spectrometry. For all Flower samples, the Total Terpenes % is dry-weight corrected.				
LINALOOL	0.007	4.641	0.132						
FENCHYL ALCOHOL	0.007	1.309	0.037						
ISOPULEGOL	0.007	ND	ND						
CAMPHOR	0.007	ND	ND						
ISOBORNEOL	0.007	ND	ND						
BORNEOL	0.013	<1.4	<0.04						
HEXAHYDROTHYMOL	0.007	ND	ND						
NEROL	0.007	ND	ND						
PULEGONE	0.007	ND	ND						
GERANIOL	0.007	ND	ND						
GERANYL ACETATE	0.007	ND	ND						
ALPHA-CEDRENE	0.007	ND	ND						
BETA-CARYOPHYLLENE	0.007	9.849	0.281						
Total (%)			1.366						

Analyzed by: 1879, 585, 4044
Weight: 0.8841g
Extraction date: 05/07/23 14:58:26
Extracted by: 1879
Analysis Method: SOP.T.30.061A.FL, SOP.T.40.061A.FL
Analytical Batch: DA059866TER
Instrument Used: DA-GCMS-005
Analyzed Date: 05/07/23 15:01:19

Reviewed On: 05/08/23 14:18:45
Batch Date: 05/07/23 10:07:09

Dilution: 10
Reagent: N/A
Consumables: N/A
Pipette: N/A

Terpenoid testing is performed utilizing Gas Chromatography Mass Spectrometry. For all Flower samples, the Total Terpenes % is dry-weight corrected.



Certificate of Analysis

PASSED

FLUENT

 82 NE 26th street
 Miami, FL, 33137, US
 Telephone: (305) 900-6266
 Email: Taylor.Jones@getfluent.com

Sample : DA30506005-001

Harvest/Lot ID: HYB-AGXS-050323-C0087

 Batch# : 0090 4573 7154
 7156


 Sampled : 05/05/23
 Ordered : 05/05/23

Sample Size Received : 31.5 gram

Total Amount : 1061 units

 Completed : 05/10/23 Expires: 06/19/24
 Sample Method : SOP.T.20.010

Page 3 of 5



Pesticides

PASSED

Pesticide	LOD	Units	Action Level	Pass/Fail	Result	Pesticide	LOD	Units	Action Level	Pass/Fail	Result
TOTAL CONTAMINANT LOAD (PESTICIDES)	0.01	ppm	5	PASS	ND	OXAMYL	0.01	ppm	0.5	PASS	ND
TOTAL DIMETHOMORPH	0.01	ppm	0.2	PASS	ND	PACLOBUTRAZOL	0.01	ppm	0.1	PASS	ND
TOTAL PERMETHRIN	0.01	ppm	0.1	PASS	ND	PHOSMET	0.01	ppm	0.1	PASS	ND
TOTAL PYRETHRINS	0.01	ppm	0.5	PASS	ND	PIPERONYL BUTOXIDE	0.01	ppm	3	PASS	ND
TOTAL SPINETARAM	0.01	ppm	0.2	PASS	ND	PRALLETHRIN	0.01	ppm	0.1	PASS	ND
TOTAL SPINOSAD	0.01	ppm	0.1	PASS	ND	PROPICONAZOLE	0.01	ppm	0.1	PASS	ND
ABAMECTIN B1A	0.01	ppm	0.1	PASS	ND	PROPOXUR	0.01	ppm	0.1	PASS	ND
ACEPHATE	0.01	ppm	0.1	PASS	ND	PYRIDABEN	0.01	ppm	0.2	PASS	ND
ACEQUINOCYL	0.01	ppm	0.1	PASS	ND	SPIROMESIFEN	0.01	ppm	0.1	PASS	ND
ACETAMIPRID	0.01	ppm	0.1	PASS	ND	SPIROTETRAMAT	0.01	ppm	0.1	PASS	ND
ALDICARB	0.01	ppm	0.1	PASS	ND	SPIROXAMINE	0.01	ppm	0.1	PASS	ND
AZOXYSTROBIN	0.01	ppm	0.1	PASS	ND	TEBUCONAZOLE	0.01	ppm	0.1	PASS	ND
BIFENAZATE	0.01	ppm	0.1	PASS	ND	THIACLOPRID	0.01	ppm	0.1	PASS	ND
BIFENTHRIN	0.01	ppm	0.1	PASS	ND	THIAMETHOXAM	0.01	ppm	0.5	PASS	ND
BOSCALID	0.01	ppm	0.1	PASS	ND	TRIFLOXYSTROBIN	0.01	ppm	0.1	PASS	ND
CARBARYL	0.01	ppm	0.5	PASS	ND	PENTACHLORONITROBENZENE (PCNB) *	0.01	PPM	0.15	PASS	ND
CARBOFURAN	0.01	ppm	0.1	PASS	ND	PARATHION-METHYL *	0.01	PPM	0.1	PASS	ND
CHLORANTRANILIPROLE	0.01	ppm	1	PASS	ND	CAPTAN *	0.07	PPM	0.7	PASS	ND
CHLORMEQUAT CHLORIDE	0.01	ppm	1	PASS	ND	CHLORDANE *	0.01	PPM	0.1	PASS	ND
CHLORPYRIFOS	0.01	ppm	0.1	PASS	ND	CHLORFENAPYR *	0.01	PPM	0.1	PASS	ND
CLOFENTEZINE	0.01	ppm	0.2	PASS	ND	CYFLUTHRIN *	0.05	PPM	0.5	PASS	ND
COUMAPHOS	0.01	ppm	0.1	PASS	ND	CYPERMETHRIN *	0.05	PPM	0.5	PASS	ND
DAMINOZIDE	0.01	ppm	0.1	PASS	ND	<div>Analyzed by: 3379, 585, 4044Weight: 0.9182gExtraction date: 05/08/23 15:15:48Extracted by: 450,585</div> <div>Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.101.FL (Gainesville), SOP.T.40.102.FL (Davie)</div> <div>Analytical Batch : DA059881PESReviewed On : 05/10/23 10:07:36</div> <div>Instrument Used : DA-LCMS-003 (PES)Batch Date : 05/08/23 09:14:02</div> <div>Analyzed Date : 05/08/23 14:08:52</div> <div>Dilution : 250</div> <div>Reagent : 050123.R24; 050323.R03; 050223.R25; 050223.R01; 042623.R45; 050323.R01; 040521.11</div> <div>Consumables : 6697075-02</div> <div>Pipette : DA-093; DA-094; DA-219</div> <div>Testing for agricultural agents is performed utilizing Liquid Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.</div> <div>Analyzed by: 450, 585, 4044Weight: 0.9182gExtraction date: 05/08/23 15:15:48Extracted by: 450,585</div> <div>Analysis Method : SOP.T.30.151.FL (Gainesville), SOP.T.30.151A.FL (Davie), SOP.T.40.151.FL</div> <div>Analytical Batch : DA059882VOLReviewed On : 05/10/23 10:44:45</div> <div>Instrument Used : DA-GCMS-006Batch Date : 05/08/23 09:21:17</div> <div>Analyzed Date : 05/08/23 15:27:23</div> <div>Dilution : 250</div> <div>Reagent : 050223.R25; 040521.11; 042723.R38; 050223.R19</div> <div>Consumables : 6697075-02; 14725401</div> <div>Pipette : DA-080; DA-146; DA-218</div> <div>Testing for agricultural agents is performed utilizing Gas Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.</div>					
DIAZINON	0.01	ppm	0.1	PASS	ND						
DICHLORVOS	0.01	ppm	0.1	PASS	ND						
DIMETHOATE	0.01	ppm	0.1	PASS	ND						
ETHOPROPHOS	0.01	ppm	0.1	PASS	ND						
ETOFENPROX	0.01	ppm	0.1	PASS	ND						
ETOXAZOLE	0.01	ppm	0.1	PASS	ND						
FENHEXAMID	0.01	ppm	0.1	PASS	ND						
FENOXYCARB	0.01	ppm	0.1	PASS	ND						
FENPYROXIMATE	0.01	ppm	0.1	PASS	ND						
FIPRONIL	0.01	ppm	0.1	PASS	ND						
FLONICAMID	0.01	ppm	0.1	PASS	ND						
FLUDIOXONIL	0.01	ppm	0.1	PASS	ND						
HEXYTHIAZOX	0.01	ppm	0.1	PASS	ND						
IMAZALIL	0.01	ppm	0.1	PASS	ND						
IMIDACLOPRID	0.01	ppm	0.4	PASS	ND						
KRESOXIM-METHYL	0.01	ppm	0.1	PASS	ND						
MALATHION	0.01	ppm	0.2	PASS	ND						
METALAXYL	0.01	ppm	0.1	PASS	ND						
METHIOCARB	0.01	ppm	0.1	PASS	ND						
METHOMYL	0.01	ppm	0.1	PASS	ND						
MEVINPHOS	0.01	ppm	0.1	PASS	ND						
MYCLOBUTANIL	0.01	ppm	0.1	PASS	ND						
NALED	0.01	ppm	0.25	PASS	ND						



Certificate of Analysis



PASSED


FLUENT

82 NE 26th street
Miami, FL, 33137, US
Telephone: (305) 900-6266
Email: Taylor.Jones@getfluent.com

Sample : DA30506005-001
Harvest/Lot ID: HYB-AGXS-050323-C0087
Batch# : 0090 4573 7154
Sample Size Received : 31.5 gram
Total Amount : 1061 units
Completed : 05/10/23 Expires: 06/19/24
Sample Method : SOP.T.20.010
Ordered : 05/05/23

Page 4 of 5

<div></div> <div>Microbial</div> <div>PASSED</div>						<div></div> <div>Mycotoxins</div> <div>PASSED</div>					
Analyte	LOD	Units	Result	Pass / Fail	Action Level	Analyte	LOD	Units	Result	Pass / Fail	Action Level
ASPERGILLUS TERREUS			Not Present	PASS		AFLATOXIN B2	0.002	ppm	ND	PASS	0.02
ASPERGILLUS NIGER			Not Present	PASS		AFLATOXIN B1	0.002	ppm	ND	PASS	0.02
ASPERGILLUS FUMIGATUS			Not Present	PASS		OCHRATOXIN A	0.002	ppm	ND	PASS	0.02
ASPERGILLUS FLAVUS			Not Present	PASS		AFLATOXIN G1	0.002	ppm	ND	PASS	0.02
SALMONELLA SPECIFIC GENE			Not Present	PASS		AFLATOXIN G2	0.002	ppm	ND	PASS	0.02
ECOLI SHIGELLA			Not Present	PASS							
TOTAL YEAST AND MOLD	10	CFU/g	30	PASS	100000	Analyzed by: 3379, 585, 4044	Weight: 0.9182g	Extraction date: 05/08/23 15:15:48	Extracted by: 450,585		
Analyzed by: 3336, 585, 4044	Weight: 0.8078g	Extraction date: 05/06/23 14:19:30	Extracted by: 3336,3390								
Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL				Reviewed On : 05/09/23 11:37:08							
Analytical Batch : DA059840MIC											
Instrument Used : PathogenDx Scanner DA-111,fisherbrand Isotemp Heat Block DA-020,fisherbrand Isotemp Heat Block DA-049,Fisher Scientific Isotemp Heat Block DA-021,APPLIED BIOSYSTEMS THERMOCYCLER DA-254				Batch Date : 05/06/23 09:36:14							
Analyzed Date : 05/06/23 16:12:11											
Dilution : N/A											
Reagent : 021623.08; 042623.R85; 092122.08											
Consumables : 7563002019											
Pipette : N/A											
Analyzed by: 3336, 3390, 585, 4044	Weight: 0.8078g	Extraction date: 05/06/23 14:19:30	Extracted by: 3336								
Analysis Method : SOP.T.40.208 (Gainesville), SOP.T.40.209.FL											
Analytical Batch : DA059854TYM			Reviewed On : 05/08/23 15:32:19								
Instrument Used : Incubator (25-27C) DA-097			Batch Date : 05/06/23 15:51:31								
Analyzed Date : 05/06/23 15:54:15											
Dilution : 10											
Reagent : 021623.08; 032323.R29											
Consumables : 007109											
Pipette : DA-068											
Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.											

<div></div> <div>Heavy Metals</div> <div>PASSED</div>					
Metal	LOD	Units	Result	Pass / Fail	Action Level
TOTAL CONTAMINANT LOAD METALS	0.08	ppm	ND	PASS	1.1
ARSENIC	0.02	ppm	ND	PASS	0.2
CADMIUM	0.02	ppm	ND	PASS	0.2
MERCURY	0.02	ppm	ND	PASS	0.2
LEAD	0.02	ppm	ND	PASS	0.5
Analyzed by: 1022, 585, 4044	Weight: 0.2096g	Extraction date: 05/08/23 08:37:18	Extracted by: 1022,3619		
Analysis Method : SOP.T.30.082.FL, SOP.T.40.082.FL					
Analytical Batch : DA059864HEA			Reviewed On : 05/09/23 10:58:47		
Instrument Used : DA-ICPMS-003			Batch Date : 05/07/23 09:07:26		
Analyzed Date : 05/08/23 22:04:17					
Dilution : 50					
Reagent : N/A					
Consumables : N/A					
Pipette : N/A					
Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					



Certificate of Analysis

PASSED
FLUENT

 82 NE 26th street
 Miami, FL, 33137, US
 Telephone: (305) 900-6266
 Email: Taylor.Jones@getfluent.com

 Sample : DA30506005-001
 Harvest/Lot ID: HYB-AGXS-050323-C0087
 Batch# : 0090 4573 7154
 Sample Size Received : 31.5 gram
 Total Amount : 1061 units
 Completed : 05/10/23 Expires: 06/19/24
 Sample Method : SOP.T.20.010
 Sampled : 05/05/23
 Ordered : 05/05/23

Page 5 of 5


Filth/Foreign Material
PASSED

Moisture
PASSED

Analyte	LOD	Units	Result	P/F	Action Level	Analyte	LOD	Units	Result	P/F	Action Level
Filth and Foreign Material	0.1	%	ND	PASS	1	Moisture Content	1	%	13.64	PASS	15
Analyzed by: 1879, 4044 Weight: NA Extraction date: N/A Extracted by: N/A						Analyzed by: 2926, 585, 4044 Weight: 0.504g Extraction date: 05/06/23 16:26:51 Extracted by: 2926,585					
Analysis Method : SOP.T.40.090 Analytical Batch : DA059871FIL Instrument Used : Filth/Foreign Material Microscope Analyzed Date : N/A						Analysis Method : SOP.T.40.021 Analytical Batch : DA059804MOI Instrument Used : DA-003 Moisture Analyzer Analyzed Date : 05/05/23 14:30:15					
Dilution : N/A Reagent : N/A Consumables : N/A Pipette : N/A						Dilution : N/A Reagent : 101920.06; 020123.02 Consumables : N/A Pipette : DA-066					

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.

Moisture Content analysis utilizing loss-on-drying technology in accordance with F.S. Rule 64ER20-39.


Water Activity
PASSED

Analyte	LOD	Units	Result	P/F	Action Level
Water Activity	0.01	aw	0.604	PASS	0.65
Analyzed by: 2926, 585, 4044 Weight: 0.536g Extraction date: 05/06/23 16:17:07 Extracted by: 2926					
Analysis Method : SOP.T.40.019 Analytical Batch : DA059796WAT Instrument Used : DA-028 Rotronic HygroPalm Analyzed Date : 05/05/23 13:51:04					
Dilution : N/A Reagent : 100522.09 Consumables : PS-14 Pipette : N/A					

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.