



Certificate of Analysis

COMPLIANCE FOR RETAIL

Sample: DA30617004-005
Harvest/Lot ID: HYB-G&C-060923-C0093
Batch#: 6118 1671 5554 9474
Cultivation Facility: Tampa Cultivation
Processing Facility : Tampa Processing
Source Facility : Tampa Cultivation
Seed to Sale# 3534 0345 9796 4816
Batch Date: 05/22/23
Sample Size Received: 38.5 gram
Total Amount: 2711 units
Retail Product Size: 3.5 gram
Ordered: 06/16/23
Sampled: 06/16/23
Completed: 06/20/23
Sampling Method: SOP.T.20.010

Jun 20, 2023 | FLUENT


 82 NE 26th street
 Miami, FL, 33137, US

PASSED

Pages 1 of 5

PRODUCT IMAGE

SAFETY RESULTS

 Pesticides
PASSED

 Heavy Metals
PASSED

 Microbials
PASSED

 Mycotoxins
PASSED

 Residuals Solvents
NOT TESTED

 Filtration
PASSED

 Water Activity
PASSED


 Moisture
PASSED

 Terpenes
TESTED
MISC.

Cannabinoid
PASSED

Total THC
27.22%
 Dry Weight

Total CBD
0.057%
 Dry Weight

Total Cannabinoids
32.851%
 Dry Weight

Total THC
23.818%
 833.63 mg /Container

Total CBD
0.05%
 1.75 mg /Container

Total Cannabinoids
28.745%
 1006.075 mg /Container

As Received

 Analyzed by:
 1665, 3112, 585, 1440

 Weight:
 0.2065g

 Extraction date:
 06/19/23 09:55:26

 Extracted by:
 3112,1665

 Analysis Method : SOP.T.40.031, SOP.T.30.031
 Analytical Batch : DA061502POT
 Instrument Used : DA-LC-002 (Flower)
 Analyzed Date : 06/19/23 09:59:58

 Reviewed On : 06/20/23 10:44:52
 Batch Date : 06/18/23 20:09:07

 Dilution : 400
 Reagent : 060723.R15; 071222.01; 061523.R06
 Consumables : 280670723; CE0123; R1KB14270
 Pipette : DA-079; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Jorge Segredo
 Lab Director

 State License # CMTL-0002
 ISO 17025 Accreditation # ISO/IEC
 17025:2017 Accreditation PJLA-
 Testing 97164



 Signature
 06/20/23



Certificate of Analysis

PASSED

FLUENT

82 NE 26th street
Miami, FL, 33137, US
Telephone: (305) 900-6266
Email: Taylor.Jones@getfluent.com

Sample : DA30617004-005

Harvest/Lot ID: HYB-G&C-060923-C0093

Batch# : 6118 1671 5554
9474

Sampled : 06/16/23
Ordered : 06/16/23

Sample Size Received : 38.5 gram

Total Amount : 2711 units

Completed : 06/20/23 Expires: 06/20/24

Sample Method : SOP.T.20.010

Page 2 of 5



Terpenes

TESTED

Terpenes	LOD (%)	mg/unit	%	Result (%)	Terpenes	LOD (%)	mg/unit	%	Result (%)			
TOTAL TERPENES	0.007	63.14	1.804		FARNESENE		3.43	0.098				
TOTAL TERPINEOL	0.007	1.155	0.033		ALPHA-HUMULENE	0.007	4.2	0.12				
ALPHA-BISABOLOL	0.007	1.47	0.042		VALENCENE	0.007	ND	ND				
ALPHA-PINENE	0.007	1.925	0.055		CIS-NEROLIDOL	0.007	ND	ND				
CAMPENE	0.007	0.735	0.021		TRANS-NEROLIDOL	0.007	<0.7	<0.02				
SABINENE	0.007	ND	ND		CARYOPHYLLENE OXIDE	0.007	0.7	0.02				
BETA-PINENE	0.007	2.52	0.072		GUAIOL	0.007	ND	ND				
BETA-MYRCENE	0.007	1.4	0.04		CEDROL	0.007	ND	ND				
ALPHA-PHELLANDRENE	0.007	ND	ND									
3-CARENE	0.007	ND	ND		Analized by:	2076, 585, 1440	Weight:	0.8609g	Extraction date:	N/A	Extracted by:	2076
ALPHA-TERPINENE	0.007	ND	ND		Analysis Method:	SOP.T.30.061A.FL, SOP.T.40.061A.FL						
LIMONENE	0.007	22.715	0.649		Analytical Batch:	DA061481TER						
EUCALYPTOL	0.007	ND	ND		Instrument Used:	DA-GCMS-004						
OCIMENE	0.007	<0.7	<0.02		Analized Date:	N/A						
GAMMA-TERPINENE	0.007	ND	ND		Dilution:	10						
SABINENE HYDRATE	0.007	ND	ND		Reagent:	121622.27						
TERPINOLENE	0.007	<0.7	<0.02		Consumables:	210414634; MKCN9995; CE0123; R1KB14270						
FENCHONE	0.007	ND	ND		Pipette:	N/A						
LINALOOL	0.007	1.645	0.047		Terpenoid testing is performed utilizing Gas Chromatography Mass Spectrometry. For all Flower samples, the Total Terpenes % is dry-weight corrected.							
FENCHYL ALCOHOL	0.007	1.645	0.047									
ISOPULEGOL	0.007	<0.7	<0.02									
CAMPHOR	0.007	<2.1	<0.06									
ISOBORNEOL	0.007	<0.7	<0.02									
BORNEOL	0.013	<1.4	<0.04									
HEXAHYDROTHYMOL	0.007	ND	ND									
NEROL	0.007	ND	ND									
PULEGONE	0.007	ND	ND									
GERANIOL	0.007	<0.7	<0.02									
GERANYL ACETATE	0.007	<0.7	<0.02									
ALPHA-CEDRENE	0.007	ND	ND									
BETA-CARYOPHYLLENE	0.007	11.725	0.335									
Total (%)			1.804									



Certificate of Analysis

PASSED

FLUENT

 82 NE 26th street
 Miami, FL, 33137, US
 Telephone: (305) 900-6266
 Email: Taylor.Jones@getfluent.com

Sample : DA30617004-005

Harvest/Lot ID: HYB-G&C-060923-C0093

 Batch# : 6118 1671 5554
 9474

Sampled : 06/16/23

Ordered : 06/16/23


Sample Size Received : 38.5 gram

Total Amount : 2711 units

Completed : 06/20/23 Expires: 06/20/24

Sample Method : SOP.T.20.010

Page 3 of 5



Pesticides

PASSED

Pesticide	LOD	Units	Action Level	Pass/Fail	Result	Pesticide	LOD	Units	Action Level	Pass/Fail	Result
TOTAL CONTAMINANT LOAD (PESTICIDES)	0.01	ppm	5	PASS	ND	OXAMYL	0.01	ppm	0.5	PASS	ND
TOTAL DIMETHOMORPH	0.01	ppm	0.2	PASS	ND	PACLOBUTRAZOL	0.01	ppm	0.1	PASS	ND
TOTAL PERMETHRIN	0.01	ppm	0.1	PASS	ND	PHOSMET	0.01	ppm	0.1	PASS	ND
TOTAL PYRETHRINS	0.01	ppm	0.5	PASS	ND	PIPERONYL BUTOXIDE	0.01	ppm	3	PASS	ND
TOTAL SPINETORAM	0.01	ppm	0.2	PASS	ND	PRALLETHRIN	0.01	ppm	0.1	PASS	ND
TOTAL SPINOSAD	0.01	ppm	0.1	PASS	ND	PROPICONAZOLE	0.01	ppm	0.1	PASS	ND
ABAMECTIN B1A	0.01	ppm	0.1	PASS	ND	PROPOXUR	0.01	ppm	0.1	PASS	ND
ACEPHATE	0.01	ppm	0.1	PASS	ND	PYRIDABEN	0.01	ppm	0.2	PASS	ND
ACEQUINOCYL	0.01	ppm	0.1	PASS	ND	SPIROMESIFEN	0.01	ppm	0.1	PASS	ND
ACETAMIPRID	0.01	ppm	0.1	PASS	ND	SPIROTETRAMAT	0.01	ppm	0.1	PASS	ND
ALDICARB	0.01	ppm	0.1	PASS	ND	SPIROXAMINE	0.01	ppm	0.1	PASS	ND
AZOXYSTROBIN	0.01	ppm	0.1	PASS	ND	TEBUCONAZOLE	0.01	ppm	0.1	PASS	ND
BIFENAZATE	0.01	ppm	0.1	PASS	ND	THIACLOPRID	0.01	ppm	0.1	PASS	ND
BIFENTHRIN	0.01	ppm	0.1	PASS	ND	THIAMETHOXAM	0.01	ppm	0.5	PASS	ND
BOSCALID	0.01	ppm	0.1	PASS	ND	TRIFLOXYSTROBIN	0.01	ppm	0.1	PASS	ND
CARBARYL	0.01	ppm	0.5	PASS	ND	PENTACHLORONITROBENZENE (PCNB) *	0.01	PPM	0.15	PASS	ND
CARBOFURAN	0.01	ppm	0.1	PASS	ND	PARATHION-METHYL *	0.01	PPM	0.1	PASS	ND
CHLORANTRANILIPROLE	0.01	ppm	1	PASS	ND	CAPTAN *	0.07	PPM	0.7	PASS	ND
CHLORMEQUAT CHLORIDE	0.01	ppm	1	PASS	ND	CHLORDANE *	0.01	PPM	0.1	PASS	ND
CHLORPYRIFOS	0.01	ppm	0.1	PASS	ND	CHLORFENAPYR *	0.01	PPM	0.1	PASS	ND
CLOFENTEZINE	0.01	ppm	0.2	PASS	ND	CYFLUTHRIN *	0.05	PPM	0.5	PASS	ND
COUMAPHOS	0.01	ppm	0.1	PASS	ND	CYPERMETHRIN *	0.05	PPM	0.5	PASS	ND
DAMINOZIDE	0.01	ppm	0.1	PASS	ND						
DIAZINON	0.01	ppm	0.1	PASS	ND	Analyzed by:	Weight:	Extraction date:	Extracted by:		
DICHLORVOS	0.01	ppm	0.1	PASS	ND	3379, 585, 1440	0.8891g	06/18/23 17:58:43	4056		
DIMETHOATE	0.01	ppm	0.1	PASS	ND	Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.101.FL (Gainesville),					
ETHOPROPHOS	0.01	ppm	0.1	PASS	ND	SOP.T.40.102.FL (Davie)					
ETOFENPROX	0.01	ppm	0.1	PASS	ND	Analytical Batch : DA061498PES			Reviewed On : 06/20/23 11:43:52		
ETOXAZOLE	0.01	ppm	0.1	PASS	ND	Instrument Used : DA-LCMS-003 (PES)			Batch Date : 06/18/23 13:04:04		
FENHEXAMID	0.01	ppm	0.1	PASS	ND	Analyzed Date : 06/19/23 12:59:40					
FENOXYCARB	0.01	ppm	0.1	PASS	ND	Dilution : 250					
FENPYROXIMATE	0.01	ppm	0.1	PASS	ND	Reagent : 061423.R23; 040521.11; 061223.R02; 061623.R05; 061223.R04; 060523.R26; 061423.R08					
FIPRONIL	0.01	ppm	0.1	PASS	ND	Consumables : 6697075-02					
FLONICAMID	0.01	ppm	0.1	PASS	ND	Pipette : DA-093; DA-094; DA-219					
FLUDIOXONIL	0.01	ppm	0.1	PASS	ND	Testing for agricultural agents is performed utilizing Liquid Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
HEXYTHIAZOX	0.01	ppm	0.1	PASS	ND	Analyzed by:	Weight:	Extraction date:	Extracted by:		
IMAZALIL	0.01	ppm	0.1	PASS	ND	450, 795, 585, 1440	0.8891g	06/18/23 17:58:43	4056		
IMIDACLOPRID	0.01	ppm	0.4	PASS	ND	Analysis Method : SOP.T.30.151.FL (Gainesville), SOP.T.30.151A.FL (Davie), SOP.T.40.151.FL					
KRESOXIM-METHYL	0.01	ppm	0.1	PASS	ND	Analytical Batch : DA061499VOL			Reviewed On : 06/20/23 16:35:25		
MALATHION	0.01	ppm	0.2	PASS	ND	Instrument Used : DA-GCMS-006			Batch Date : 06/18/23 13:05:01		
METALAXYL	0.01	ppm	0.1	PASS	ND	Analyzed Date : 06/19/23 13:12:48					
METHIOCARB	0.01	ppm	0.1	PASS	ND	Dilution : 250					
METHOMYL	0.01	ppm	0.1	PASS	ND	Reagent : 061423.R23; 040521.11; 061223.R25; 061223.R24					
MEVINPHOS	0.01	ppm	0.1	PASS	ND	Consumables : 6697075-02; 14725401					
MYCLOBUTANIL	0.01	ppm	0.1	PASS	ND	Pipette : DA-080; DA-146; DA-218					
NALED	0.01	ppm	0.25	PASS	ND	Testing for agricultural agents is performed utilizing Gas Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					



Certificate of Analysis

PASSED
FLUENT

 82 NE 26th street
 Miami, FL, 33137, US
 Telephone: (305) 900-6266
 Email: Taylor.Jones@getfluent.com

Sample : DA30617004-005

Harvest/Lot ID: HYB-G&C-060923-C0093

 Batch# : 6118 1671 5554
 9474

 Sampled : 06/16/23
 Ordered : 06/16/23




Sample Size Received : 38.5 gram

Total Amount : 2711 units

Completed : 06/20/23 Expires: 06/20/24

Sample Method : SOP.T.20.010

Page 4 of 5

 Microbial PASSED						 Mycotoxins PASSED					
Analyte	LOD	Units	Result	Pass / Fail	Action Level	Analyte	LOD	Units	Result	Pass / Fail	Action Level
ECOLI SHIGELLA			Not Present	PASS		AFLATOXIN B2	0.002	ppm	ND	PASS	0.02
SALMONELLA SPECIFIC GENE			Not Present	PASS		AFLATOXIN B1	0.002	ppm	ND	PASS	0.02
ASPERGILLUS FLAVUS			Not Present	PASS		OCHRATOXIN A	0.002	ppm	ND	PASS	0.02
ASPERGILLUS FUMIGATUS			Not Present	PASS		AFLATOXIN G1	0.002	ppm	ND	PASS	0.02
ASPERGILLUS TERREUS			Not Present	PASS		AFLATOXIN G2	0.002	ppm	ND	PASS	0.02
ASPERGILLUS NIGER			Not Present	PASS							
TOTAL YEAST AND MOLD	10	CFU/g	1000	PASS	100000						
Analyzed by: 3621, 585, 1440 Weight: 0.8964g Extraction date: 06/17/23 15:55:19 Extracted by: 3621,3390 Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL Analytical Batch : DA061470MIC Reviewed On : 06/20/23 16:36:52 Batch Date : 06/17/23 09:24:23 Instrument Used : PathogenDx Scanner DA-111,Applied Biosystems Thermocycler DA-171,fisherbrand Isotemp Heat Block DA-020,fisherbrand Isotemp Heat Block DA-049,Fisher Scientific Isotemp Heat Block DA-021 Analyzed Date : 06/17/23 17:08:33 Dilution : N/A Reagent : 031523.18; 052323.R22; 020823.16; 092122.09 Consumables : 7562003041 Pipette : N/A						Analyzed by: 3379, 585, 1440 Weight: 0.8891g Extraction date: 06/18/23 17:58:43 Extracted by: 4056 Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.40.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.102.FL (Davie) Analytical Batch : DA061500MYC Reviewed On : 06/20/23 10:26:43 Instrument Used : N/A Batch Date : 06/18/23 13:07:05 Analyzed Date : 06/19/23 12:59:18 Dilution : 250 Reagent : 061423.R23; 040521.11; 061223.R02; 061623.R05; 061223.R04; 060523.R26; 061423.R08 Consumables : 6697075-02 Pipette : DA-093; DA-094; DA-219 Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
 Heavy Metals PASSED											
Metal	LOD	Units	Result	Pass / Fail	Action Level						
TOTAL CONTAMINANT LOAD METALS	0.08	ppm	ND	PASS	1.1						
ARSENIC	0.02	ppm	ND	PASS	0.2						
CADMIUM	0.02	ppm	ND	PASS	0.2						
MERCURY	0.02	ppm	ND	PASS	0.2						
LEAD	0.02	ppm	ND	PASS	0.5						
Analyzed by: 1022, 585, 1440 Weight: 0.2925g Extraction date: 06/17/23 13:15:46 Extracted by: 3807,3619 Analysis Method : SOP.T.30.082.FL, SOP.T.40.082.FL Analytical Batch : DA061486HEA Reviewed On : 06/20/23 10:23:11 Instrument Used : DA-ICPMS-003 Batch Date : 06/17/23 12:39:20 Analyzed Date : 06/19/23 12:56:00 Dilution : 50 Reagent : 061523.R17; 042623.R82; 061623.R25; 061623.R06; 061623.R23; 061623.R24; 052523.R15; 061423.R46 Consumables : 179436; 15021042; 210508058 Pipette : DA-061; DA-191; DA-216 Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.											



Certificate of Analysis

PASSED
FLUENT

 82 NE 26th street
 Miami, FL, 33137, US
 Telephone: (305) 900-6266
 Email: Taylor.Jones@getfluent.com

Sample : DA30617004-005

Harvest/Lot ID: HYB-G&C-060923-C0093

 Batch# : 6118 1671 5554
 9474

Sampled : 06/16/23

Ordered : 06/16/23

Sample Size Received : 38.5 gram

Total Amount : 2711 units

Completed : 06/20/23 Expires: 06/20/24

Sample Method : SOP.T.20.010

Page 5 of 5


**Filth/Foreign
Material**
PASSED

Moisture
PASSED

Analyte	LOD	Units	Result	P/F	Action Level	Analyte	LOD	Units	Result	P/F	Action Level
Filth and Foreign Material	0.1	%	ND	PASS	1	Moisture Content	1	%	12.5	PASS	15
Analyzed by: 1879, 1440	Weight: NA	Extraction date: N/A	Extracted by: N/A			Analyzed by: 1879, 4056, 585, 1440	Weight: 0.937g	Extraction date: 06/17/23 14:46:27	Extracted by: 4056		
Analysis Method : SOP.T.40.090 Analytical Batch : DA061489FIL Instrument Used : Filth/Foreign Material Microscope Analyzed Date : 06/17/23 18:19:19						Analysis Method : SOP.T.40.021 Analytical Batch : DA061476MOI Instrument Used : DA-003 Moisture Analyzer Analyzed Date : 06/17/23 13:59:35					
Dilution : N/A Reagent : N/A Consumables : N/A Pipette : N/A						Dilution : N/A Reagent : 101920.06; 020123.02 Consumables : N/A Pipette : DA-066					

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.

Moisture Content analysis utilizing loss-on-drying technology in accordance with F.S. Rule 64ER20-39.


Water Activity
PASSED

Analyte	LOD	Units	Result	P/F	Action Level
Water Activity	0.01	aw	0.544	PASS	0.65
Analyzed by: 4056, 585, 1440	Weight: 1.018g	Extraction date: 06/17/23 15:36:27		Extracted by: 4056	
Analysis Method : SOP.T.40.019			Reviewed On : 06/19/23 11:26:19 Batch Date : 06/17/23 11:35:14		
Analytical Batch : DA061473WAT					
Instrument Used : DA-028 Rotronic Hygropalm					
Analyzed Date : N/A					
Dilution : N/A					
Reagent : 050923.03					
Consumables : PS-14					
Pipette : N/A					

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.