

Type: Distillate

Everglade Haze Cartridge Concentrate 1g (90%) Everglade Haze Matrix: Derivative




4131 SW 47th AVENUE SUITE 1408 DAVIE, FL, 33314, US (954) 368-7664

Certificate of Analysis

COMPLIANCE FOR RETAIL

Sample:DA30617004-004 Harvest/Lot ID: 4501 1551 1691 8554 Batch#: 4501 1551 1691 8554 Cultivation Facility: Tampa Cultivation Processing Facility : Tampa Processing Source Facility : Tampa Cultivation Seed to Sale# 1368 5623 9131 7021 Batch Date: 04/28/23 Sample Size Received: 16 gram Total Amount: 1483 units Retail Product Size: 1 gram Ordered: 06/16/23 Sampled: 06/16/23

Sampling Method: SOP.T.20.010



This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Jorge Segredo

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164





Everglade Haze Cartridge Concentrate 1g (90%) Everglade Haze Matrix : Derivative



PASSED

TESTED

4131 SW 47th AVENUE SUITE 1408 DAVIE, FL, 33314, US (954) 368-7664

Certificate of Analysis

FLUENT

82 NE 26th street Miami, FL, 33137, US Telephone: (305) 900-6266 Email: Tavlor.lones@aetfluent.com Sample : DA30617004-004 Harvest/Lot ID: 4501 1551 1691 8554 Batch# : 4501 1551 1691 Sample

8554 Sampled : 06/16/23 Ordered : 06/16/23 91 8554 Sample Size Received : 16 gram Total Amount : 1483 units Completed : 06/20/23 Expires: 06/20/24 Sample Method : SOP.T.20.010

Page 2 of 6

Type: Distillate

8
<i>Y</i>

Terpenes

Terpenes	LOD (%)	mg/unit	t % Result (%)	Terpenes	LOD (%)	mg/un	it %	Result (%)
OTAL TERPENES	0.007	13.61	1.361	FARNESENE		0.49	0.049	
OTAL TERPINEOL	0.007	0.21	0.021	ALPHA-HUMULENE	0.007	<0.2	< 0.02	
LPHA-BISABOLOL	0.007	0.29	0.029	VALENCENE	0.007	0.51	0.051	
LPHA-PINENE	0.007	0.51	0.051	CIS-NEROLIDOL	0.007	< 0.2	< 0.02	
AMPHENE	0.007	<0.2	<0.02	TRANS-NEROLIDOL	0.007	ND	ND	
ABINENE	0.007	ND	ND	CARYOPHYLLENE OXIDE	0.007	0.24	0.024	
ETA-PINENE	0.007	0.68	0.068	GUAIOL	0.007	ND	ND	
ETA-MYRCENE	0.007	1.31	0.131	CEDROL	0.007	ND	ND	
LPHA-PHELLANDRENE	0.007	0.47	0.047	Analyzed by: Weight:		Extraction	n date:	Extracted by:
CARENE	0.007	0.27	0.027	2076, 585, 1440 0.8915	g	06/17/23	14:30:12	1879
PHA-TERPINENE	0.007	<0.2	<0.02	Analysis Method : SOP.T.30.061A.FL, SOP.T.40.061	IA.FL			
MONENE	0.007	1.27	0.127	Analytical Batch : DA061481TER Instrument Used : DA-GCMS-004				06/20/23 10:44:47 /17/23 12:01:25
CALYPTOL	0.007	ND	ND	Analyzed Date : N/A		ват	ccn Date : 00/	/1//23 12:01:25
IMENE	0.007	1.01	0.101	Dilution : 10				
AMMA-TERPINENE	0.007	ND	ND	Reagent : 121622.27				
BINENE HYDRATE	0.007	ND	ND	Consumables : 210414634; MKCN9995; CE0123; P	R1KB14270			
RPINOLENE	0.007	3.87	0.387	Pipette : N/A				
NCHONE	0.007	ND	ND	Terpenoid testing is performed utilizing Gas Chromatogra	aphy Mass Spec	trometry. For a	all Flower samp	ples, the Total Terpenes % is dry-weight corrected.
ALOOL	0.007	0.33	0.033					
NCHYL ALCOHOL	0.007	ND	ND					
PULEGOL	0.007	ND	ND					
MPHOR	0.007	<0.6	<0.06					
OBORNEOL	0.007	<0.2	<0.02					
DRNEOL	0.013	ND	ND					
EXAHYDROTHYMOL	0.007	<0.2	<0.02					
	0.007	< 0.2	<0.02					
EROL		ND	ND					
	0.007							
JLEGONE	0.007	<0.2	<0.02					
ULEGONE ERANIOL		<0.2 <0.2	<0.02 <0.02					
EROL ULEGONE ERANIOL ERANYL ACETATE LPHA-CEDRENE	0.007							

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Jorge Segredo

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164



06/20/23



Everglade Haze Cartridge Concentrate 1g (90%) Everglade Haze Matrix : Derivative



PASSED

4131 SW 47th AVENUE SUITE 1408 DAVIE, FL, 33314, US (954) 368-7664

Pesticides

Certificate of Analysis

FLUENT

R S

82 NE 26th street Miami, FL, 33137, US Telephone: (305) 900-6266 Email: Taylor.lones@getfluent.com Sample : DA30617004-004 Harvest/Lot ID: 4501 1551 1691 8554

Batch#: 4501 1551 1691 Sampled : 06/16/23 Ordered : 06/16/23

Sample Size Received : 16 gram Total Amount : 1483 units Completed : 06/20/23 Expires: 06/20/24 Sample Method : SOP.T.20.010

Page 3 of 6

Type: Distillate

PASSED

Pesticide	LOD	Units	Action Level	Pass/Fail	Result	Pesticide	LOD) Units	Action Level	Pass/Fail	Result		
TOTAL CONTAMINANT LOAD (PESTICIDES)	0.01	ppm	5	PASS	ND	OXAMYL	0.01	. ppm	0.5	PASS	ND		
TOTAL DIMETHOMORPH	0.01	ppm	0.2	PASS	ND	PACLOBUTRAZOL	0.01		0.1	PASS	ND		
TOTAL PERMETHRIN	0.01	ppm	0.1	PASS	ND	PHOSMET	0.01	1.1.	0.1	PASS	ND		
TOTAL PYRETHRINS	0.01	ppm	0.5	PASS	ND		0.01		3	PASS	ND		
TOTAL SPINETORAM	0.01	ppm	0.2	PASS	ND	PIPERONYL BUTOXIDE				PASS			
TOTAL SPINOSAD	0.01	ppm	0.1	PASS	ND	PRALLETHRIN	0.01	1.1.	0.1		ND		
ABAMECTIN B1A	0.01	ppm	0.1	PASS	ND	PROPICONAZOLE	0.01		0.1	PASS	ND		
АСЕРНАТЕ	0.01	ppm	0.1	PASS	ND	PROPOXUR	0.01	ppm	0.1	PASS	ND		
ACEQUINOCYL	0.01	ppm	0.1	PASS	ND	PYRIDABEN	0.01	ppm	0.2	PASS	ND		
ACETAMIPRID	0.01	ppm	0.1	PASS	ND	SPIROMESIFEN	0.01	ppm	0.1	PASS	ND		
ALDICARB	0.01	ppm	0.1	PASS	ND	SPIROTETRAMAT	0.01	. ppm	0.1	PASS	ND		
AZOXYSTROBIN	0.01	ppm	0.1	PASS	ND	SPIROXAMINE	0.01	. ppm	0.1	PASS	ND		
BIFENAZATE	0.01	ppm	0.1	PASS	ND	TEBUCONAZOLE	0.01		0.1	PASS	ND		
BIFENTHRIN	0.01	ppm	0.1	PASS	ND	THIACLOPRID	0.01		0.1	PASS	ND		
BOSCALID	0.01	ppm	0.1	PASS	ND				0.1		ND		
CARBARYL	0.01	ppm	0.5	PASS	ND	THIAMETHOXAM	0.01			PASS			
CARBOFURAN	0.01	ppm	0.1	PASS	ND	TRIFLOXYSTROBIN	0.01		0.1	PASS	ND		
CHLORANTRANILIPROLE	0.01	ppm	1	PASS	ND	PENTACHLORONITROBENZENE (PCNB)	* 0.01		0.15	PASS	ND		
CHLORMEQUAT CHLORIDE	0.01	ppm	1	PASS	ND	PARATHION-METHYL *	0.01	PPM	0.1	PASS	ND		
CHLORPYRIFOS	0.01	ppm	0.1	PASS	ND	CAPTAN *	0.07	PPM	0.7	PASS	ND		
CLOFENTEZINE	0.01	ppm	0.2	PASS	ND	CHLORDANE * CHLORFENAPYR *		PPM	0.1	PASS	ND		
COUMAPHOS	0.01	ppm	0.1	PASS	ND			PPM	0.1	PASS	ND		
DAMINOZIDE	0.01	ppm	0.1	PASS	ND	CYFLUTHRIN *	0.05	PPM	0.5	PASS	ND		
DIAZINON	0.01	ppm	0.1	PASS	ND	CYPERMETHRIN * Analyzed by: Weight: E 3379, 585, 1440 0.2612g 00			0.5	PASS	ND		
DICHLORVOS	0.01	ppm	0.1	PASS	ND								
DIMETHOATE	0.01	ppm	0.1	PASS	ND			action date:		Extracted by:			
THOPROPHOS	0.01	ppm	0.1	PASS	ND			06/18/23 18:03:28 4056 le), SOP.T.30.102.FL (Davie), SOP.T.40.101.FL (Gainesv					
ETOFENPROX	0.01	ppm	0.1	PASS	ND	SOP.T.40.102.FL (Davie)	lesville), SOP), SOP.1.30.102.FL (Davie), SOP.1.40.101.FL (Galiles					
TOXAZOLE	0.01	ppm	0.1	PASS	ND	Analytical Batch : DA061492PES		Reviewed On :06/20/23 11:40:30 Batch Date :06/18/23 12:44:08					
ENHEXAMID	0.01	ppm	0.1	PASS	ND	Instrument Used : DA-LCMS-003 (PES)							
ENOXYCARB	0.01	maa	0.1	PASS	ND	Analyzed Date :06/19/23 12:59:44							
ENPYROXIMATE	0.01	ppm	0.1	PASS	ND	Dilution : 250							
FIPRONIL	0.01	ppm	0.1	PASS	ND		223.R02; 061	2; 061623.R05; 061223.R04; 060523.R26; 061423.R					
LONICAMID	0.01	ppm	0.1	PASS	ND	Consumables : 6697075-02 Pipette : DA-093; DA-094; DA-219							
FLUDIOXONIL	0.01	ppm	0.1	PASS	ND		Lutilaina Liau	id Chromotor	waabu Triala	Quadrupala Ma			
HEXYTHIAZOX	0.01	ppm	0.1	PASS	ND	Spectrometry in accordance with F.S. Rule		lizing Liquid Chromatography Triple-Quadi R20-39			drupole Mass		
MAZALIL	0.01	ppm	0.1	PASS	ND	Analyzed by: Weig		traction da	te.	Extracte	ed by:		
MIDACLOPRID	0.01	ppm	0.4	PASS	ND	450, 795, 585, 1440 0.263				4056	cu by:		
KRESOXIM-METHYL	0.01	ppm	0.1	PASS	ND	Analysis Method : SOP.T.30.151.FL (Gair							
MALATHION	0.01	ppm	0.2	PASS	ND	Analytical Batch : DA061493VOL			n:06/20/23				
MALATHION	0.01	ppm	0.1	PASS	ND	Instrument Used : DA-GCMS-001		Batch Date	06/18/23 12	:47:51			
METHIOCARB	0.01	ppm	0.1	PASS	ND	Analyzed Date :06/19/23 13:13:08							
		ppm	0.1	PASS	ND	Dilution : 250		000 004					
						Reagent: 061423.R23; 040521.11; 0612	23.R25:061	773 R74					
METHOMYL	0.01			PASS	ND			LEGITE					
	0.01	ppm	0.1	PASS	ND ND	Consumables : 6697075-02; 14725401 Pipette : DA-080; DA-146; DA-218	X						

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Jorge Segredo Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164





Everglade Haze Cartridge Concentrate 1g (90%) Everglade Haze Matrix : Derivative



PASSED

PASSED

4131 SW 47th AVENUE SUITE 1408 DAVIE, FL, 33314, US (954) 368-7664

Certificate of Analysis

FLUENT

82 NE 26th street Miami, FL, 33137, US Telephone: (305) 900-6266 Email: Taylor.Jones@getfluent.com
 Sample : DA30617004-004

 Harvest/Lot ID: 4501 1551 1691
 S654

 Batch#: 4501 1551 1691
 Sample

 S554
 Total Ar

 Sampled: 06/16/23
 Complet

 Ordered: 06/16/23
 Sample

S91 8554 Sample Size Received : 16 gram Total Amount : 1483 units Completed : 06/20/23 Expires: 06/20/24 Sample Method : SOP.T.20.010

Page 4 of 6

Type: Distillate



Residual Solvents

Solvents	LOD	Units	Action Level	Pass/Fail	Result		
1,1-DICHLOROETHENE	0.8	ppm	8	PASS	ND		
1,2-DICHLOROETHANE	0.2	ppm	2	PASS	ND		
2-PROPANOL	50	ppm	500	PASS	ND		
ACETONE	75	ppm	750	PASS	ND		
ACETONITRILE	6	ppm	60	PASS	ND		
BENZENE	0.1	ppm	1	PASS	ND		
BUTANES (N-BUTANE)	500	ppm	5000	PASS	ND		
CHLOROFORM	0.2	ppm	2	PASS	ND		
DICHLOROMETHANE	12.5	ppm	125	PASS	ND		
ETHANOL	500	ppm	5000	PASS	<2500		
ETHYL ACETATE	40	ppm	400	PASS	ND		
ETHYL ETHER	50	ppm	500	PASS	ND		
ETHYLENE OXIDE	0.5	ppm	5	PASS	ND		
IEPTANE	500	ppm	5000	PASS	ND		
METHANOL	25	ppm	250	PASS	ND		
I-HEXANE	25	ppm	250	PASS	ND		
PENTANES (N-PENTANE)	75	ppm	750	PASS	ND		
PROPANE	500	ppm	5000	PASS	ND		
OLUENE	15	ppm	150	PASS	ND		
TOTAL XYLENES	15	ppm	150	PASS	ND		
TRICHLOROETHYLENE	2.5	ppm	25	PASS	ND		
Analyzed by: 850, 585, 1440	Weight: 0.0261g	Extraction date 06/19/23 08:03		Extracted by: 850			
Analysis Method : SOP.T.40.041.FL Analytical Batch : DA061478SOL Instrument Used : DA-GCMS-002 Analyzed Date : 06/19/23 10:29:55		Reviewed On : 06/19/23 11:23:30 Batch Date : 06/17/23 11:52:11					
Dilution : 1 Reagent : 030923.08 Consumables : 27296; KF140 Pipette : DA-309 25 uL Syringe 35028			TYV	$\langle \chi \rangle$	$\langle \chi \rangle$		

Residual solvents analysis is performed utilizing Gas Chromatography Mass Spectrometry in accordance with with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Jorge Segredo

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164





Everglade Haze Cartridge Concentrate 1g (90%) Everglade Haze Matrix : Derivative



PASSED

4131 SW 47th AVENUE SUITE 1408 DAVIE, FL, 33314, US (954) 368-7664

Certificate of Analysis

FLUENT

82 NE 26th street Miami, FL, 33137, US Telephone: (305) 900-6266 Email: Taylor.Jones@getfluent.com Sample : DA30617004-004 Harvest/Lot ID: 4501 1551 1691 8554 Batch#: 4501 1551 1691

8554 Sampled : 06/16/23 Ordered : 06/16/23

Sample Size Received : 16 gram Total Amount : 1483 units Completed : 06/20/23 Expires: 06/20/24 Sample Method : SOP.T.20.010

Page 5 of 6

Type: Distillate

S Microbial PASSE					SED	သို့	Му	cotox	ins			PAS	SED	
Analyte		LOD	Units	Result	Pass / Fail	Action	Analyte			LOD	Units	Result	Pass / Fail	Action Level
ECOLI SHIGE				Not Present	PASS	Level	AFLATOXIN B	2		0.002	ppm	ND	PASS	0.02
	A SPECIFIC GENE			Not Present	PASS		AFLATOXIN B			0.002	mag	ND	PASS	0.02
ASPERGILLU				Not Present	PASS		OCHRATOXIN	-		0.002	ppm	ND	PASS	0.02
	S FUMIGATUS			Not Present	PASS		AFLATOXIN G			0.002	ppm	ND	PASS	0.02
ASPERGILLU				Not Present	PASS		AFLATOXIN G			0.002	ppm	ND	PASS	0.02
ASPERGILLU				Not Present	PASS				1			ND		
TOTAL YEAS		10	CFU/g	<10	PASS	100000	Analyzed by: 3379, 585, 1440	0	Weight: 0.2612g	Extraction 0 06/18/23 18			Extracted 4056	by:
Analyzed by: 3621, 585, 144	Weight:		tion date:		Extracted by	y:	Analysis Metho				r.40.101.F	L (Gaines)	/ille),	
	titter y		/23 15:55:1		3621,3390		SOP.T.30.102.F Analytical Batcl				wed On :	16/20/23 1	0.20.00	
	d:SOP.T.40.056C, SO h:DA061470MIC	OP.T.40.058	B.FL, SOP.T		wed On : 06/	/20/23	Analytical Batch Instrument Use Analyzed Date :	d:N/A			Date :06			
Biosystems Th DA-020,fisherb Isotemp Heat I	ed : PathogenDx Scan ermocycler DA-171,fig rand Isotemp Heat Bl Block DA-021 : 06/17/23 17:08:33	sherbrand I	sotemp He	at Block 09:24	Date : 06/1	1/23	Dilution : 250 Reagent : 0614 061423.R08 Consumables : Pipette : DA-09	6697075-0	02	223.R02; 0616	23.R05; 00	51223.R04	ł; 060523.	R26;
Analyzed by: 3621, 3702, 58		Weight:).836g	Extractio N/A		Extracted by 3621,3390	y:	Hg	Неа	avy M	etals			PAS	SEC
Analytical Batc Instrument Use	d : SOP.T.40.208 (Gai h : DA061483TYM d : Incubator (25-27C : 06/17/23 17:12:33		Rev	9.FL iewed On : 06/2 ch Date : 06/17/			Metal	AMINANT	LOAD META	LOD	Units	Result	Pass / Fail PASS	Action Level
	. 00/17/25 17.12.55		_	_			ARSENIC			0.02	ppm	ND	PASS	0.2
Dilution : 10	23.18: 060723.R45						CADMIUM			0.02	ppm	ND	PASS	0.2
Consumables :							MERCURY			0.02	ppm	ND	PASS	0.2
Pipette : N/A							LEAD			0.02	ppm	ND	PASS	0.5
	mold testing is performe F.S. Rule 64ER20-39.	d utilizing MF	PN and tradit	ional culture base	d techniques	in	Analyzed by: 1022, 585, 1440	D	Weight: 0.2363g	Extraction da 06/17/23 12			xtracted b 807,3619	
							Analysis Metho Analytical Batcl Instrument Use Analyzed Date	h:DA0614 d:DA-ICP	75HEA MS-003	Review	ed On : 06 Date : 06/1			
							Dilution : 50 Reagent : 0615 052523.R15; 00 Consumables : Pipette : DA-06	23.R17; 04 61423.R46 179436; 1	42623.R82; 06 5021042; 210		623.R06;	061623.R2	23; 06162:	3.R24;
							Heavy Metals an with F.S. Rule 64		formed using In	ductively Couple	d Plasma Ma	ass Spectro	metry in ac	cordance

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Jorge Segredo Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164





Type: Distillate

Everglade Haze Cartridge Concentrate 1g (90%) Everglade Haze Matrix : Derivative



4131 SW 47th AVENUE SUITE 1408 DAVIE, FL, 33314, US (954) 368-7664

Certificate of Analysis

Ordered : 06/16/23

FLUENT

Pipette : N/A

82 NE 26th street Miami, FL, 33137, US Telephone: (305) 900-6266 Email: Taylor.lones@getfluent.com Sample : DA30617004-004 Harvest/Lot ID: 4501 1551 1691 8554 Batch# : 4501 1551 1691 8554 Sampled : 06/16/23 Sampled : 06/16/23

1691 8554 Sample Size Received :16 gram Total Amount :1483 units Completed :06/20/23 Expires:06/20/24 Sample Method : SOP.T.20.010



PASSED Water Activity Analyte LOD Units P/F Action Level Result 0.486 PASS Water Activity 0.01 aw 0.85 Extraction date: 06/17/23 15:27:25 Extracted by: 4056 Analyzed by: 4056, 585, 1440 Weight: 0.309g Analysis Method : SOP.T.40.019 Reviewed On: 06/19/23 11:26:54 Analytical Batch : DA061474WAT Instrument Used : DA256 Rotronic HygroPalm Batch Date : 06/17/23 11:38:19 Analyzed Date : N/A Dilution : N/A Reagent : 050923.03 Consumables : PS-14

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for

pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Jorge Segredo

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164



Signature 06/20/23

PASSED

Page 6 of 6