



Certificate of Analysis

COMPLIANCE FOR RETAIL
Sample: DA30617004-002
Harvest/Lot ID: 3015 6893 9505 6579
Batch#: 3015 6893 9505 6579
Cultivation Facility: Tampa Cultivation
Processing Facility : Tampa Processing
Source Facility : Tampa Cultivation
Seed to Sale# 2798 6515 4872 4117
Batch Date: 04/20/23
Sample Size Received: 16 gram
Total Amount: 1447 units
Retail Product Size: 1 gram
Ordered: 06/16/23
Sampled: 06/16/23
Completed: 06/20/23
Sampling Method: SOP.T.20.010
PASSED

Jun 20, 2023 | FLUENT

82 NE 26th street
Miami, FL, 33137, US


Pages 1 of 6

PRODUCT IMAGE

SAFETY RESULTS

**Pesticides
PASSED**

**Heavy Metals
PASSED**

**Microbials
PASSED**

**Mycotoxins
PASSED**

**Residuals Solvents
PASSED**

**Filtration
PASSED**

**Water Activity
PASSED**

**Moisture
NOT TESTED**

**Terpenes
TESTED**
MISC.

Cannabinoid
PASSED

Total THC
86.486%
Total THC/Container : 864.86 mg

Total CBD
0.287%
Total CBD/Container : 2.87 mg

Total Cannabinoids
91.681%
Total Cannabinoids/Container : 916.81 mg

	D9-THC	THCA	CBD	CBDA	D8-THC	CBG	CBGA	CBN	THCV	CBDV	CBC
%	86.415	0.082	0.287	ND	0.251	2.338	ND	0.69	0.563	ND	1.055
mg/unit	864.15	0.82	2.87	ND	2.51	23.38	ND	6.9	5.63	ND	10.55
LOD	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001
	%	%	%	%	%	%	%	%	%	%	%

Analyzed by:
3112, 1665, 585, 1440

Weight:
0.1009g

Extraction date:
06/19/23 09:58:44

Extracted by:
3112

Analysis Method : SOP.T.40.031, SOP.T.30.031

Analytical Batch : DA061506POT

Instrument Used : DA-LC-007

Analyzed Date : 06/19/23 10:12:22

Reviewed On : 06/20/23 10:44:33

Batch Date : 06/18/23 20:13:18

Dilution : 400

Reagent : 061523.R03; 032123.11; 061523.R05

Consumables : 250346; 280670723; CE0123; 115C4-1151; R1KB14270

Pipette : DA-079; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Jorge Segredo

Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
06/20/23



Certificate of Analysis

PASSED

FLUENT

82 NE 26th street
Miami, FL, 33137, US
Telephone: (305) 900-6266
Email: Taylor.Jones@getfluent.com

Sample : DA30617004-002

Harvest/Lot ID: 3015 6893 9505 6579

Batch# : 3015 6893 9505

6579

Sampled : 06/16/23

Ordered : 06/16/23

Sample Size Received : 16 gram

Total Amount : 1447 units

Completed : 06/20/23 Expires: 06/20/24

Sample Method : SOP.T.20.010

Page 2 of 6



Terpenes

TESTED

Terpenes	LOD (%)	mg/unit	%	Result (%)	Terpenes	LOD (%)	mg/unit	%	Result (%)
TOTAL TERPENES	0.007	29.07	2.907		FARNESENE	0.007	<0.018	<0.0018	
TOTAL TERPENEOL	0.007	0.62	0.062		ALPHA-HUMULENE	0.007	<0.2	<0.02	
ALPHA-BISABOLOL	0.007	3.31	0.331		VALENCENE	0.007	ND	ND	
ALPHA-PINENE	0.007	0.79	0.079		CIS-NEROLIDOL	0.007	ND	ND	
CAMPHENE	0.007	0.28	0.028		TRANS-NEROLIDOL	0.007	ND	ND	
SABINENE	0.007	ND	ND		CARYOPHYLLENE OXIDE	0.007	<0.2	<0.02	
BETA-PINENE	0.007	1.09	0.109		GUAIOL	0.007	ND	ND	
BETA-MYRCENE	0.007	1.34	0.134		CEDROL	0.007	ND	ND	
ALPHA-PHELLANDRENE	0.007	<0.2	<0.02						
3-CARENE	0.007	<0.2	<0.02						
ALPHA-TERPINENE	0.007	ND	ND						
LIMONENE	0.007	5.59	0.559						
EUCALYPTOL	0.007	ND	ND						
OCIMENE	0.007	<0.2	<0.02						
GAMMA-TERPINENE	0.007	ND	ND						
SABINENE HYDRATE	0.007	ND	ND						
TERPINOLENE	0.007	<0.2	<0.02						
FENCHONE	0.007	ND	ND						
LINALOOL	0.007	2.13	0.213						
FENCHYL ALCOHOL	0.007	ND	ND						
ISOPULEGOL	0.007	ND	ND						
CAMPHOR	0.007	<0.6	<0.06						
ISOBORNEOL	0.007	<0.2	<0.02						
BORNEOL	0.013	ND	ND						
HEXAHYDROTHYMOL	0.007	<0.2	<0.02						
NEROL	0.007	<0.2	<0.02						
PULEGONE	0.007	ND	ND						
GERANIOL	0.007	<0.2	<0.02						
GERANYL ACETATE	0.007	ND	ND						
ALPHA-CEDRENE	0.007	ND	ND						
BETA-CARYOPHYLLENE	0.007	13.92	1.392						
Total (%)			2.907						

Analyzed by:
2076, 585, 1440

Weight:
0.8926g

Extraction date:
06/17/23 14:22:00

Extracted by:
1879

Analysis Method : SOP.T.30.061A.FL, SOP.T.40.061A.FL

Analytical Batch : DA061481TER

Instrument Used : DA-GCMS-004

Analyzed Date : N/A

Reviewed On : 06/20/23 10:44:35

Batch Date : 06/17/23 12:01:25

Dilution : 10

Reagent : 121622.27

Consumables : 210414634; MKCN9995; CE0123; R1KB14270

Pipette : N/A

Terpenoid testing is performed utilizing Gas Chromatography Mass Spectrometry. For all Flower samples, the Total Terpenes % is dry-weight corrected.



Certificate of Analysis

PASSED

FLUENT

 82 NE 26th street
 Miami, FL, 33137, US
 Telephone: (305) 900-6266
 Email: Taylor.Jones@getfluent.com

Sample : DA30617004-002

Harvest/Lot ID: 3015 6893 9505 6579

Batch# : 3015 6893 9505 6579

Sampled : 06/16/23

Ordered : 06/16/23


Sample Size Received : 16 gram

Total Amount : 1447 units

Completed : 06/20/23 Expires: 06/20/24

Sample Method : SOP.T.20.010

Page 3 of 6



Pesticides

PASSED

Pesticide	LOD	Units	Action Level	Pass/Fail	Result	Pesticide	LOD	Units	Action Level	Pass/Fail	Result
TOTAL CONTAMINANT LOAD (PESTICIDES)	0.01	ppm	5	PASS	ND	OXAMYL	0.01	ppm	0.5	PASS	ND
TOTAL DIMETHOMORPH	0.01	ppm	0.2	PASS	ND	PACLOBUTRAZOL	0.01	ppm	0.1	PASS	ND
TOTAL PERMETHRIN	0.01	ppm	0.1	PASS	ND	PHOSMET	0.01	ppm	0.1	PASS	ND
TOTAL PYRETHRINS	0.01	ppm	0.5	PASS	ND	PIPERONYL BUTOXIDE	0.01	ppm	3	PASS	ND
TOTAL SPINETORAM	0.01	ppm	0.2	PASS	ND	PRALLETHRIN	0.01	ppm	0.1	PASS	ND
TOTAL SPINOSAD	0.01	ppm	0.1	PASS	ND	PROPICONAZOLE	0.01	ppm	0.1	PASS	ND
ABAMECTIN B1A	0.01	ppm	0.1	PASS	ND	PROPOXUR	0.01	ppm	0.1	PASS	ND
ACEPHATE	0.01	ppm	0.1	PASS	ND	PYRIDABEN	0.01	ppm	0.2	PASS	ND
ACEQUINOCYL	0.01	ppm	0.1	PASS	ND	SPIROMESIFEN	0.01	ppm	0.1	PASS	ND
ACETAMIPRID	0.01	ppm	0.1	PASS	ND	SPIROTETRAMAT	0.01	ppm	0.1	PASS	ND
ALDICARB	0.01	ppm	0.1	PASS	ND	SPIROXAMINE	0.01	ppm	0.1	PASS	ND
AZOXYSTROBIN	0.01	ppm	0.1	PASS	ND	TEBUCONAZOLE	0.01	ppm	0.1	PASS	ND
BIFENAZATE	0.01	ppm	0.1	PASS	ND	THIACLOPRID	0.01	ppm	0.1	PASS	ND
BIFENTHRIN	0.01	ppm	0.1	PASS	ND	THIAMETHOXAM	0.01	ppm	0.5	PASS	ND
BOSCALID	0.01	ppm	0.1	PASS	ND	TRIFLOXYSTROBIN	0.01	ppm	0.1	PASS	ND
CARBARYL	0.01	ppm	0.5	PASS	ND	PENTACHLORONITROBENZENE (PCNB) *	0.01	PPM	0.15	PASS	ND
CARBOFURAN	0.01	ppm	0.1	PASS	ND	PARATHION-METHYL *	0.01	PPM	0.1	PASS	ND
CHLORANTRANILIPROLE	0.01	ppm	1	PASS	ND	CAPTAN *	0.07	PPM	0.7	PASS	ND
CHLORMEQUAT CHLORIDE	0.01	ppm	1	PASS	ND	CHLORDANE *	0.01	PPM	0.1	PASS	ND
CHLORPYRIFOS	0.01	ppm	0.1	PASS	ND	CHLORFENAPYR *	0.01	PPM	0.1	PASS	ND
CLOFENTEZINE	0.01	ppm	0.2	PASS	ND	CYFLUTHRIN *	0.05	PPM	0.5	PASS	ND
COUMAPHOS	0.01	ppm	0.1	PASS	ND	CYPERMETHRIN *	0.05	PPM	0.5	PASS	ND
DAMINOZIDE	0.01	ppm	0.1	PASS	ND	Analyzed by:	Weight:	Extraction date:	Extracted by:		
DIAZINON	0.01	ppm	0.1	PASS	ND	3379, 585, 1440	0.2683g	06/18/23 18:03:27	4056		
DICHLORVOS	0.01	ppm	0.1	PASS	ND	Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.101.FL (Gainesville),					
DIMETHOATE	0.01	ppm	0.1	PASS	ND	SOP.T.40.102.FL (Davie)					
ETHOPROPHOS	0.01	ppm	0.1	PASS	ND	Analytical Batch : DA061492PES			Reviewed On : 06/20/23 11:40:24		
ETOFENPROX	0.01	ppm	0.1	PASS	ND	Instrument Used : DA-LCMS-003 (PES)			Batch Date : 06/18/23 12:44:08		
ETOXAZOLE	0.01	ppm	0.1	PASS	ND	Analyzed Date : 06/19/23 12:59:44					
FENHEXAMID	0.01	ppm	0.1	PASS	ND	Dilution : 250					
FENOXYCARB	0.01	ppm	0.1	PASS	ND	Reagent : 061423.R23; 040521.11; 061223.R02; 061623.R05; 061223.R04; 060523.R26; 061423.R08					
FENPYROXIMATE	0.01	ppm	0.1	PASS	ND	Consumables : 6697075-02					
FIPRONIL	0.01	ppm	0.1	PASS	ND	Pipette : DA-093; DA-094; DA-219					
FLONICAMID	0.01	ppm	0.1	PASS	ND	Testing for agricultural agents is performed utilizing Liquid Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
FLUDIOXONIL	0.01	ppm	0.1	PASS	ND	Analyzed by:	Weight:	Extraction date:	Extracted by:		
HEXYTHIAZOX	0.01	ppm	0.1	PASS	ND	450, 795, 585, 1440	0.2683g	06/18/23 18:03:27	4056		
IMAZALIL	0.01	ppm	0.1	PASS	ND	Analysis Method : SOP.T.30.151.FL (Gainesville), SOP.T.30.151A.FL (Davie), SOP.T.40.151.FL					
IMIDACLOPRID	0.01	ppm	0.4	PASS	ND	Analytical Batch : DA061493VOL			Reviewed On : 06/20/23 16:33:52		
KRESOXIM-METHYL	0.01	ppm	0.1	PASS	ND	Instrument Used : DA-GCMS-001			Batch Date : 06/18/23 12:47:51		
MALATHION	0.01	ppm	0.2	PASS	ND	Analyzed Date : 06/19/23 13:13:08					
METALAXYL	0.01	ppm	0.1	PASS	ND	Dilution : 250					
METHIOCARB	0.01	ppm	0.1	PASS	ND	Reagent : 061423.R23; 040521.11; 061223.R25; 061223.R24					
METHOMYL	0.01	ppm	0.1	PASS	ND	Consumables : 6697075-02; 14725401					
MEVINPHOS	0.01	ppm	0.1	PASS	ND	Pipette : DA-080; DA-146; DA-218					
MYCLOBUTANIL	0.01	ppm	0.1	PASS	ND	Testing for agricultural agents is performed utilizing Gas Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
NALED	0.01	ppm	0.25	PASS	ND						



Certificate of Analysis

PASSED
FLUENT

 82 NE 26th street
 Miami, FL, 33137, US
 Telephone: (305) 900-6266
 Email: Taylor.Jones@getfluent.com

Sample : DA30617004-002

Harvest/Lot ID: 3015 6893 9505 6579

Batch# : 3015 6893 9505 6579

Sampled : 06/16/23

Ordered : 06/16/23

Sample Size Received : 16 gram

Total Amount : 1447 units

Completed : 06/20/23 Expires: 06/20/24

Sample Method : SOP.T.20.010

Page 4 of 6



Residual Solvents

PASSED

Solvents	LOD	Units	Action Level	Pass/Fail	Result
1,1-DICHLOROETHENE	0.8	ppm	8	PASS	ND
1,2-DICHLOROETHANE	0.2	ppm	2	PASS	ND
2-PROPANOL	50	ppm	500	PASS	ND
ACETONE	75	ppm	750	PASS	ND
ACETONITRILE	6	ppm	60	PASS	ND
BENZENE	0.1	ppm	1	PASS	ND
BUTANES (N-BUTANE)	500	ppm	5000	PASS	ND
CHLOROFORM	0.2	ppm	2	PASS	ND
DICHLOROMETHANE	12.5	ppm	125	PASS	ND
ETHANOL	500	ppm	5000	PASS	ND
ETHYL ACETATE	40	ppm	400	PASS	ND
ETHYL ETHER	50	ppm	500	PASS	ND
ETHYLENE OXIDE	0.5	ppm	5	PASS	ND
HEPTANE	500	ppm	5000	PASS	ND
METHANOL	25	ppm	250	PASS	ND
N-HEXANE	25	ppm	250	PASS	ND
PENTANES (N-PENTANE)	75	ppm	750	PASS	ND
PROPANE	500	ppm	5000	PASS	ND
TOLUENE	15	ppm	150	PASS	ND
TOTAL XYLENES	15	ppm	150	PASS	ND
TRICHLOROETHYLENE	2.5	ppm	25	PASS	ND

 Analyzed by:
 850, 585, 1440

 Weight:
 0.0275g

 Extraction date:
 06/19/23 08:03:16

 Extracted by:
 850

 Analysis Method : SOP.T.40.041.FL
 Analytical Batch : DA061478SOL
 Instrument Used : DA-GCMS-002
 Analyzed Date : 06/19/23 10:29:55

 Reviewed On : 06/19/23 11:25:39
 Batch Date : 06/17/23 11:52:11

 Dilution : 1
 Reagent : 030923.08
 Consumables : 27296; KF140
 Pipette : DA-309 25 uL Syringe 35028

Residual solvents analysis is performed utilizing Gas Chromatography Mass Spectrometry in accordance with with F.S. Rule 64ER20-39.



Certificate of Analysis

PASSED
FLUENT

 82 NE 26th street
 Miami, FL, 33137, US
 Telephone: (305) 900-6266
 Email: Taylor.Jones@getfluent.com

Sample : DA30617004-002

Harvest/Lot ID: 3015 6893 9505 6579

Batch# : 3015 6893 9505 6579

 Sampled : 06/16/23
 Ordered : 06/16/23




Sample Size Received : 16 gram

Total Amount : 1447 units

Completed : 06/20/23 Expires: 06/20/24

Sample Method : SOP.T.20.010

Page 5 of 6

 Microbial PASSED						 Mycotoxins PASSED					
Analyte	LOD	Units	Result	Pass / Fail	Action Level	Analyte	LOD	Units	Result	Pass / Fail	Action Level
ECOLI SHIGELLA			Not Present	PASS		AFLATOXIN B2	0.002	ppm	ND	PASS	0.02
SALMONELLA SPECIFIC GENE			Not Present	PASS		AFLATOXIN B1	0.002	ppm	ND	PASS	0.02
ASPERGILLUS FLAVUS			Not Present	PASS		OCHRATOXIN A	0.002	ppm	ND	PASS	0.02
ASPERGILLUS FUMIGATUS			Not Present	PASS		AFLATOXIN G1	0.002	ppm	ND	PASS	0.02
ASPERGILLUS TERREUS			Not Present	PASS		AFLATOXIN G2	0.002	ppm	ND	PASS	0.02
ASPERGILLUS NIGER			Not Present	PASS							
TOTAL YEAST AND MOLD	10	CFU/g	<10	PASS	100000						
Analyzed by: 3621, 585, 1440 Weight: 1.075g Extraction date: 06/17/23 15:55:18 Extracted by: 3621,3390						Analyzed by: 3379, 585, 1440 Weight: 0.2683g Extraction date: 06/18/23 18:03:27 Extracted by: 4056					
Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL Analytical Batch : DA061470MIC Reviewed On : 06/20/23 16:36:49 Batch Date : 06/17/23 09:24:23						Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.40.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.102.FL (Davie) Analytical Batch : DA061494MYC Reviewed On : 06/20/23 10:20:00 Instrument Used : N/A Batch Date : 06/18/23 12:49:34 Analyzed Date : 06/19/23 12:59:23					
Instrument Used : PathogenDx Scanner DA-111, Applied Biosystems Thermocycler DA-171, fisherbrand Isotemp Heat Block DA-020, fisherbrand Isotemp Heat Block DA-049, Fisher Scientific Isotemp Heat Block DA-021 Analyzed Date : 06/17/23 17:08:33						Dilution : 250 Reagent : 061423.R23; 040521.11; 061223.R02; 061623.R05; 061223.R04; 060523.R26; 061423.R08 Consumables : 6697075-02 Pipette : DA-093; DA-094; DA-219					
Dilution : N/A Reagent : 031523.18; 052323.R22; 020823.16; 092122.09 Consumables : 7562003041 Pipette : N/A						Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
 Heavy Metals PASSED											
Metal	LOD	Units	Result	Pass / Fail	Action Level						
TOTAL CONTAMINANT LOAD METALS	0.08	ppm	ND	PASS	1.1						
ARSENIC	0.02	ppm	ND	PASS	0.2						
CADMIUM	0.02	ppm	ND	PASS	0.2						
MERCURY	0.02	ppm	ND	PASS	0.2						
LEAD	0.02	ppm	ND	PASS	0.5						
Analyzed by: 1022, 585, 1440 Weight: 0.2072g Extraction date: 06/17/23 12:16:19 Extracted by: 3807,3619											
Analysis Method : SOP.T.30.082.FL, SOP.T.40.082.FL Analytical Batch : DA061475HEA Reviewed On : 06/20/23 10:24:10 Instrument Used : DA-ICPMS-003 Batch Date : 06/17/23 11:41:06 Analyzed Date : 06/19/23 12:30:27											
Dilution : 50 Reagent : 061523.R17; 042623.R82; 061623.R25; 061623.R06; 061623.R23; 061623.R24; 052523.R15; 061423.R46 Consumables : 179436; 15021042; 210508058 Pipette : DA-061; DA-191; DA-216											

Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.

Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.



Certificate of Analysis

PASSED
FLUENT

 82 NE 26th street
 Miami, FL, 33137, US
 Telephone: (305) 900-6266
 Email: Taylor.Jones@getfluent.com

Sample : DA30617004-002

Harvest/Lot ID: 3015 6893 9505 6579

Batch# : 3015 6893 9505 6579

Sampled : 06/16/23

Ordered : 06/16/23

Sample Size Received : 16 gram

Total Amount : 1447 units

Completed : 06/20/23 Expires: 06/20/24

Sample Method : SOP.T.20.010

Page 6 of 6


Filth/Foreign Material
PASSED

Analyte	LOD	Units	Result	P/F	Action Level
Filth and Foreign Material	0.1	%	ND	PASS	1

Analyzed by: 1879, 1440	Weight: NA	Extraction date: N/A	Extracted by: N/A
----------------------------	---------------	-------------------------	----------------------

Analysis Method : SOP.T.40.090

Analytical Batch : DA061489FIL

Instrument Used : Filth/Foreign Material Microscope

Analyzed Date : 06/17/23 18:19:19

Reviewed On : 06/17/23 18:31:31

Batch Date : 06/17/23 18:15:28

Dilution : N/A

Reagent : N/A

Consumables : N/A

Pipette : N/A

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.


Water Activity
PASSED

Analyte	LOD	Units	Result	P/F	Action Level
Water Activity	0.01	aw	0.501	PASS	0.85

Analyzed by: 4056, 585, 1440	Weight: 0.445g	Extraction date: 06/17/23 15:27:24	Extracted by: 4056
---------------------------------	-------------------	---------------------------------------	-----------------------

Analysis Method : SOP.T.40.019

Analytical Batch : DA061474WAT

Instrument Used : DA256 Rotronic HygroPalm

Analyzed Date : N/A

Reviewed On : 06/19/23 11:26:51

Batch Date : 06/17/23 11:38:19

Dilution : N/A

Reagent : 050923.03

Consumables : PS-14

Pipette : N/A

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.